

DAFTAR PUSTAKA

- Akcaya, J. B., Kurniawan, F., Juliansyah, E., Lusrizanuri,) Kiki, Tinggi, S., Kapuas, I. K., & Sintang, R. (2020). Faktor Risiko Kejadian Stunting Pada Balita Di Kelurahan Kapuas Kanan Hulu Wilayah Kerja Puskesmas Sungai Durian Kabupaten Sintang the Risk Factors of Toddlers' Stunting Events Within the Working Area of Community Health Centre in Kelurahan Kapuas Kanan H. *Jurnal Litbang*
- Angelina F, C., Aji Perdana, A., & Humairoh. (2018). Faktor Kejadian Stunting Balita Berusia 6-23 Bulan di Provinsi Lampung. *Dunia Kesmas*, 7(3), 127–134.
- Apriluana, G., & Fikawati, S. (2018). *Analisis Faktor-Faktor Risiko terhadap Kejadian Stunting pada Balita (0-59 Bulan) di Negara Berkembang dan Asia Tenggara. Media Penelitian Dan Pengembangan Kesehatan*, 28(4), 247–256.
- Boucot, A., & Poinar Jr., G. (2010). *Stunting. Fossil Behavior Compendium*, 5, 243–243.
- Abuya BA, Ciera J, Kimane-Murage E. Effect of mother's education on child's nutritional status in the slums of Nairobi. *BMC Paediatrics*. 2012; 12: 80-89.
- Aryastami, N. K. & Tarigan, I. Kajian Kebijakan dan Penanggulangan Masalah Gizi Stunting di Indonesia. *Bul. Penelit. Kesehat.* 45, 233–240 (2017).
- Asfaw M, Wondaferash M, Taha M, Dube L. (2015). *Prevalence Of Undernutrition and Associated Factors Among Children Aged Between Six To Fifty Nine Months In Bule Hora District, South Ethiopia*. *BMC Public Health*.
- Atika Rahayu., Fahrini Yulidasari., Andini Octaviana Putri., Fauzie Rahman (2015). *Birth Weight Records with Stunting Incidence among Children under Two*

Years Old., Universitas Lambung Mangkurat, Banjarmasin, Indonesia.

Boucot, A., & Poinar Jr., G. (2010). Stunting. Fossil Behavior Compendium, 5, 243–243.

Bloem MW, Pee SD, Hop LT, Khan NC, Laillou A, Minarto, Pfanner RM, SoekarjoD, Soekirman, Solon JA, Theary C, Wasantwisut E, 2013.Key strategies to further reduce stunting in Southeast Asia: Lessons from the ASEAN countries workshop. Food and Nutrition Bulletin: 34:2

Candra, A. (2018). Penyakit Infeksi Dan Pola Makan Dengan Kejadian Status Gizi Kurang Berdasarkan Bb/U Pada Balita Usia 6-24 Bulan Di Wilayah Kerja Puskesmas Tanah Sepenggal. Kementerian PPN/Bappenas, 7(1), 66.

Dasman, H. (2019). Empat dampak stunting bagi anak dan negara Indonesia. The Conversation (Disipln Ilmiah, Gaya Jurnalistik), 22–24.

Dewi, N. W. E. P., & Ariani, N. K. S. (2021). Hubungan Pengetahuan Ibu Tentang Gizi Menurunkan Resiko Stunting Pada Balita di Kabupaten Gianyar. Jurnal Menara Medika, 3(2), 148–154.

Eirene. (2017). Pengaruh Edukasi dengan Metode Peer Group terhadap Pengetahuan dan Sikap anak SD tentang Personal Hygiene. Journal of Chemical Information and Modeli, 53(9), 1689–1699.

- Ergin F, Okyay P, Atasoylu G, Beser E. *Nutritional status and risk factors of chronic malnutrition in children under five years of age in Aydin, a western city of Turkey*. Turkish J of Pediatrics. 2007; 49: 283-89.
- Eirene. (2017). Pengaruh Edukasi dengan Metode Peer Group terhadap Pengetahuan dan Sikap anak SD tentang Personal Hygiene. *Journal of Chemical Information and Modeli*, 53(9), 1689–1699.
- Fitri. (2012). *Berat lahir sebagai faktor dominan terjadinya stunting pada balita 12-59 bulan di Sumatera (Analisis Data Riskesdas 2010)*. [tesis]. Depok: Universitas Indonesia.
- Guide, I. (2012). Interpretation Guide. Nutrition Landacape Information System (NLIS), 1–51.
- Gunawan, A., & Sunardi, H. (2016). Pengaruh Kompensasi Dan Disiplin Kerja Terhadap Kinerja Karyawan Pada Pt Gesit Nusa Tangguh. *Jurnal Ilmiah Manajemen Bisnis Ukrida*, 16(1), 98066.
- Handayani, S., Kapota, W. N., & Oktavianto, E. (2019). Hubungan Status Asi Eksklusif Dengan Kejadian Stunting Pada Batita Usia 24-36 Bulan Di Desa Watugajah Kabupaten Gunungkidul. *Medika Respati : Jurnal Ilmiah Kesehatan*, 14(4), 287.
- Hidayat, M. S. (2017). Prevalensi Stunting Pada Balita Di Wilayah Kerja Puskesmas Sidemen Karangasem. *E-Jurnal Medika*, 6(7), 1–5.
- Illahi, R. K. (2017). Hubungan Pendapatan Keluarga, Berat Lahir, Dan Panjang Lahir Dengan Kejadian Stunting Balita 24-59 Bulan Di Bangkalan. *Jurnal Manajemen Kesehatan Yayasan RS.Dr. Soetomo*, 3(1), 1.

- Lestari, W., Margawati, A. & Rahfiludin, M.Z. *Faktor risiko stunting pada anak umur 6-24 bulan di kecamatan Penanggalan kota Subulussalam provinsi Aceh*. 3, 37–45 (2014).
- Mugianti, S. (2018). Faktor penyebab anak Stunting usia 25-60 bulan di Kecamatan Sukorejo Kota Blitar. *Ners Dan Kebidanan*, 5(3), 268–278.
- Melinda Susanti S, dan Juraida Roito Hrp. *Faktor-Faktor Yang Berhubungan Dengan Kejadian Stunting Pada Bayi Usia 6-12 Bulan Di Kelurahan Kampung Tengah Kota Pekanbaru Tahun 2017*. *Jurnal Proteksi Kesehatan*, Volume 6, Nomor 1, April 2017, hlm 42-51
- Mitra. *Permasalahan Anak Pendek (Stunting) dan Intervensi untuk Mencegah Terjadinya Stunting (Suatu Kajian Kepustakaan)*. *Jurnal Kesehatan Komunitas*, Vol. 2, No. 6, Mei 2015
- Muslihah, N., Khomsan, A., Briawan, D., & Riyadi, H. (2016). *Complementary food supplementation with a small-quantity of lipid-based nutrient supplements prevents stunting in 6-12-month-old infants in rural West Madura Island, Indonesia*. *Asia Pacific Journal of Clinical Nutrition*, 25(Suppl 1), S36–S42.
- Mustamin., Ramlan Asbar., Budiawan (2015). *Tingkat Pendidikan Ibu Dan Pemberian Asi Eksklusif Dengan Kejadian Stunting Pada Balita Di Provinsi Sulawesi Selatan.*, jurusan Gizi, Politeknik Kesehatan Kemenkes, Makassar.
- Nadiyah, Dodik Briawan, dan Drajat Martianto. *Faktor Risiko Stunting Pada Anak Usia 0—23 Bulan Di Provinsi Bali, Jawa Barat, dan Nusa Tenggara Timur*. *Jurnal Gizi dan Pangan*, Juli 2014, 9(2): 125—132

- Nirmalasari, N. Oktia., *Stunting Pada Anak: Penyebab Dan Faktor Risiko Stunting di Indonesia*. Journal For Gender Mainstreaming. Vol. 14, No. 1 (2020), hal. 19-28
- Prawirohartono, E. P., Nurdianti, D. S., & Hakimi, M. (2016). *Prognostic factors at birth for stunting at 24 months of age in rural Indonesia*. Paediatrica Indonesiana, 56(1), 48–56.
- Rachmi, C. N., Agho, K. E., Li, M. & Baur, L. A. *Stunting, underweight and overweight in children aged 2.0-4.9 years in Indonesia: Prevalence trends and associated risk factors*. PLoS One 11, 1–18 (2016).
- Rachmi, C. N., Agho, K. E., Li, M., & Baur, L. A. (2016). *Stunting coexisting with overweight in 2.0–4.9-year-old Indonesian children: Prevalence, trends and associated risk factors from repeated cross-sectional surveys*. Public Health Nutrition, 19(15), 2698–2707. <https://doi.org/10.1017/S1368980016000926>
- Rachmi, C. N., Agho, K. E., Li, M., & Baur, L. A. (2016). *Stunting, underweight and overweight in children aged 2.0–4.9 years in Indonesia: Prevalence trends and associated risk factors*. PLoS ONE, 11(5), e0154756. <https://doi.org/10.1371/journal.pone.0154756>
- Ramli, Agho KE, Inder KJ, Bowe SJ, Jacobs J, Dibley MJ. *Prevalence and risk factors for stunting and severe stunting among under-fives in North Maluku province of Indonesia*. BMC Pediatrics. 2009; (9):64-73.
- Rizki Kurnia Illahi (2017). *Hubungan Pendapatan Keluarga, Berat Lahir, Dan Panjang Lahir Dengan Kejadian Stunting Balita 24-59 Bulan Di Bangkalan.*, Fakultas

Kesehatan Masyarakat Universitas Airlangga, Surabaya.

Wirth, J. P., Rohner, F., Petry, N., Onyango, A. W., Matji, J., Bailes, A., Woodruff,

B. A. (2017). *Assessment of the WHO stunting framework using Ethiopia as a case study*. *Maternal & Child Nutrition*, 13(2). n/a-n/a.

<https://doi.org/10.1111/mcn.12310>