

DAFTAR PUSTAKA

- Abd El-Aleem, S. A., Mohammed, H. H., Saber, E. A., Embaby, A. S., & Djouhri, L. (2020). Mutual inter-regulation between iNOS and TGF- β 1: Possible molecular and cellular mechanisms of iNOS in wound healing. *Biochimica et Biophysica Acta - Molecular Basis of Disease*, 1866(10), 165850. <https://doi.org/10.1016/j.bbadis.2020.165850>
- Abhijeet, G., Komal, A., Aachal, G., K, S., & Aditi, K. (2021). Phytosome as a Novel Drug Delivery System for Bioavailability Enhancement of Phytoconstituents and its Applications : A Review Journal of Drug Delivery and Therapeutics Phytosome as a Novel Drug Delivery System for Bioavailability Enhancement of Phytocons. *Journal of Drug Delivery & Therapeutics*, 11(3), 138–152. <https://doi.org/10.22270/jddt.v11i3.4847>
- Agustiani, F. R. T., Sjahid, L. R., & Nursal, F. K. (2022). Peranan Berbagai Jenis Polimer Sebagai Gelling Agent Terhadap Sifat Fisik Sediaan Gel. *Majalah Farmasetika*, 7(4), 270. <https://doi.org/10.24198/mfarmasetika.v7i4.39016>
- Ahmad, N. (2023). In Vitro and In Vivo Characterization Methods for Evaluation of Modern Wound Dressings. *Pharmaceutics*, 15(1). <https://doi.org/10.3390/pharmaceutics15010042>
- Alexiadou, K., & Doupis, J. (2012). Management of Diabetic Foot Ulcers. *Diabetes Ther*, 3(4), 1–15. <https://doi.org/10.1007/s13300-012-0004-9>
- Alu'datt, M. H., Alrosan, M., Gammoh, S., Tranchant, C. C., Alhamad, M. N., Rababah, T., Zghoul, R., Alzoubi, H., Ghatasheh, S., Ghozlan, K., & Tan, T. C. (2022). Encapsulation-based technologies for bioactive compounds and their application in the food industry: A roadmap for food-derived functional and health-promoting ingredients. *Food Bioscience*, 50, 101971. <https://doi.org/10.1016/j.fbio.2022.101971>
- Aprini, A., & Mita, S. R. (2021). Sistem Pembawa Vesikuler Senyawa Bahan Alam Sebagai Sediaan Transdermal. *Farmaka*, 19(2), 79–92.
- Armstrong, D. G., Boulton, A. J. M., & Bus, S. A. (2017). Diabetic Foot Ulcers and Their Recurrence. *New England Journal of Medicine*, 376(24), 2367–2375. <https://doi.org/10.1056/nejmra1615439>
- Arther, & Harding. (2009). Wound management and dressings. In *Advanced textiles for wound care* (pp. 3–19). <https://doi.org/10.1533/9781845696306.1.3>
- Ayu Utami Dewi, I. A. W. F. (2020). Tanaman Herbal yang Memiliki Aktivitas Penyembuhan Luka. *Farmaka*, 18(2), 191–207.
- Barrientos, S., Stojadinovic, O., Golinko, M. S., Brem, H., & Tomic-canic, M. (2008). Growth factors and cytokines in wound healing. *Wound Repair and Reperation*, 16, 585–601. <https://doi.org/10.1111/j.1524-475X.2008.00410.x>
- Barus, B. R., Rahmi, S., & Manurung, F. H. (2021). Perbandingan Konsentrasi Ekstrak Etanol Daun Bau-Bau (*Chromolaena odorata* (L.) King & H.E.Robins) Dan Ekstrak Etanol Temu Putih (*Curcuma zedoria* (Berog) Rosc) terhadap Penyembuhan Luka Bakar pada Kelinci. *Jurnal Penelitian Farmasi & Herbal*, 3(2), 14–20. <http://ejournal.delihusada.ac.id/index.php/JPFH>
- Bayer, C., Shi, K., Astner, S. T., Maftai, C. A., & Vaupel, P. (2011). Acute versus chronic hypoxia: Why a simplified classification is simply not enough. *International Journal of Radiation Oncology Biology Physics*, 80(4), 965–968. <https://doi.org/10.1016/j.ijrobp.2011.02.049>
- Brem, H., Kodra, A., Golinko, M. S., Entero, H., Stojadinovic, O., Wang, V. M., Sheahan, C. M.,

- Weinberg, A. D., Woo, S. L. C., Paul Ehrlich, H., & Tomic-Canic, M. (2009). Mechanism of Sustained Release of Vascular Endothelial Growth Factor in Accelerating Experimental Diabetic Healing. *Journal of Investigative Dermatology*, 129(9), 2275–2287. <https://doi.org/https://doi.org/10.1038/jid.2009.26>
- Bruhn-olszewska, B., Korzon-burakowska, A., Gabig-cimińska, M., Olszewski, P., Węgrzyn, A., & Jakóbkiewicz-banecka, J. (2012). Molecular factors involved in the development of diabetic foot syndrome. *Acta Biochimica Polonica*, 59(4), 507–513.
- Busman, Edrizal, & Wirahmi, S. D. (2019). Daya Hambat Ekstrak Rimpang Temu Putih (Curcuma zedoaria) Terhadap Streptococcus mutans dan Staphylococcus aureus. *Menara Ilmu*, XIII(6), 19–28.
- Cahya, R. W., Yudaniayanti, I. S., Wibawati, P. A., Yunita, N., Triakoso, N., & Saputro, A. L. (2020). Pengaruh Ekstrak Daun Sukun (Artocarpus altilis) Terhadap Kepadatan Kolagen dalam Proses Penyembuhan Luka Eksisi Tikus Putih (Rattus norvegicus). *Jurnal Medik Veteriner*, 3(1), 25–30. <https://doi.org/10.20473/jmv.vol3.iss1.2020.25-30>
- Chakraborty, D., Zhu, H., Jünger, A., Summa, L., Li, Y., Matei, A., Zhou, X., Huang, J., Trinh-minh, T., Chen, C., Lafyatis, R., Dees, C., Bergmann, C., Soare, A., Luo, H., Ramming, A., Schett, G., Distler, O., & Distler, J. H. W. (2020). Fibroblast growth factor receptor 3 activates a network of profibrotic signaling pathways to promote fibrosis in systemic sclerosis. *Science Translational Medicine*, 1(September), 1–18.
- Desmiaty, Y., & Winarti, W. (2020). Formulasi Curcuma zedoaria sebagai Emulgel Antioksidan (Formulation of Curcuma zedoaria as an Antioxidant Emulgel). *Jurnal Ilmu Kefermasian Indonesia*, 18(1), 34–40.
- Elmitra, & Samudra, A. G. (2018). Optimasi formulasi gel antiseptik tangan hasil dari design expert kombinasi konsentrasi ekstrak daun mimba diatas 50% dan ekstrak daun sirih merah diatas 50%. *Journal Academi Pharmacy Prayoga*, 3(1), 1–10.
- Falanga, V. (2005). Wound healing and its impairment in the diabetic foot. *Lancet*, 366(12). [https://doi.org/https://doi.org/10.1016/S0140-6736\(05\)67700-8](https://doi.org/https://doi.org/10.1016/S0140-6736(05)67700-8)
- Febrianti, A. P., Nuraeni, E., Zahra, F. B. P., Yundasari, N., Fajarwati, N. F., Permana, A., Damayanti, T. A., & Yuniarsih, N. (2023). Pengaruh Karakteristik Serta Stabilitas Liposom Dan Fitosom Dalam Sistem Penghantaran Obat. *Jurnal Ilmiah Wahana Pendidikan*, 9(2), 45–51. <https://doi.org/10.5281/zenodo.7563570> p-ISSN:
- Fernando, L., Beserra, F. P., Bastos, J. K., & Jackson, C. J. (2021). Cutaneous Wound Healing : An Update from Physiopathology to Current Therapies. *Life*, 11, 1–15. <https://doi.org/doi.org/10.3390/life11070665>
- Finnson, K. W., McLean, S., Di Guglielmo, G. M., & Philip, A. (2013). Dynamics of Transforming Growth Factor Beta Signaling in Wound Healing and Scarring. *Advances in Wound Care*, 2(5), 195–214. <https://doi.org/10.1089/wound.2013.0429>
- Frescos, N. (2019). *Assessment of Persistent Pain in Chronic Lower Limb Wounds* (Issue June). La Trobe University.
- Gafar, P. A., & Agustin, S. (2020). Antioxidant Activity of Blended of Robusta Coffee (Coffea canephora L.) with The White Turmeric (Curcuma zedoaria (Berg.) Roscoe) and Wild Ginger (Curcuma xanthorrhiza , Roxb.). *International Conference on Chemical Engineering UNPAR*. <https://doi.org/10.1088/1757-899X/742/1/012018>
- Gafar, P. A., & Agustini, S. (2020). Antioxidant Activity of Blended of Robusta Coffee (Coffea canephora L.) with the White Turmeric (Curcuma zedoaria (Berg.) Roscoe) and Wild Ginger (Curcuma xanthorrhiza, Roxb.). *IOP Conference Series: Materials Science and Engineering*,

- 742(1). <https://doi.org/10.1088/1757-899X/742/1/012018>
- Goswami, A. G., Somprakas, B., Farhanul, H., Jayanti, P., Amrita, G. K., Tuhina, B., & Shukla, V. K. (2022). An appraisal of vascular endothelial growth factor (VEGF): the dynamic molecule of wound healing and its current clinical applications. *Growth Factors*, 40(3–4), 73–88. <https://doi.org/10.1080/08977194.2022.2074843>
- Guo, S., & Dipietro, L. A. (2010). Factors Affecting Wound Healing. *Journal of Dental Research*, 89(3), 219–229. <https://doi.org/10.1177/0022034509359125>
- Gupte, A. A., Bomhoff, G. L., Swerdlow, R. H., & Geiger, P. C. (2009). Heat treatment improves glucose tolerance and prevents skeletal muscle insulin resistance in rats fed a high-fat diet. *Diabetes*, 58(3), 567–578. <https://doi.org/10.2337/db08-1070>
- Handayani, J. (2013). Minyak Atsiri Temu Putih (Curcuma Zedoaria Rosc ., Zingiberaceae) Menurunkan Ekspresi CD4 + Pada Gingiva Terpapar. *Majalah Kedokteran Gigi Indonesia*, 20(1), 9–13.
- Hicks, C. W., Canner, J. K., Mathioudakis, N., Lippincott, C., Sherman, R. L., & Abularrage, C. J. (2020). Incidence and Risk Factors Associated With Ulcer Recurrence Among Patients With Diabetic Foot Ulcers Treated in a Multidisciplinary Setting. *Journal of Surgical Research*, 246(410), 243–250. <https://doi.org/10.1016/j.jss.2019.09.025>
- Ho, J. K., & Hantash, B. M. (2013). The principles of wound healing. *Expert Review of Dermatology*, 8(6), 639–658. <https://doi.org/10.1586/17469872.2013.857161>
- Honnegowda, T. M., Kumar, P., Udupa, Padmanabha, E. G. K., Sudesh, Kumar, U., & Rao, P. (2015). Role of angiogenesis and angiogenic factors in acute and chronic wound healing. *Plastic and Aesthetic Research*, 2(5), 243. <https://doi.org/10.4103/2347-9264.165438>
- Ifmaily, Islamiyah, S. B., & Fitriani, P. R. (2021). Efek Gel Daun Temu Putih (Curcuma zedoaria (Christm.) Roscoe) Sebagai Antiinflamasi dengan Metoda Induksi Keragen dan Kantong Gr. *Jurnal Inovasi Penelitian*, 1(10), 2213–2226.
- Ikra, N., Esti, M., & Rachmat, R. (2020). Uji Penetrasi Fitosom Ekstrak Etanol Daun Sembung Serta Uji Aktivitas Antioksidan Dengan Metode DPPH. *Syntax Literate ; Jurnal Ilmiah Indonesia*, 5(11), 1384. <https://doi.org/10.36418/syntax-literate.v5i11.1767>
- Ileperuma, Upeksha, Silva, D., & Samanmali. (2021). Evaluation of In vitro Anti-inflammatory Activity of a Formulation Developed by Rhizome of Curcuma zedoaria. *Proceedings of the 4th Research Symposium of the Faculty of Allied Health Sciences, August*.
- Kandhwal, M., Behl, T., Singh, S., Sharma, N., Arora, S., Bhatia, S., Al-Harrasi, A., Sachdeva, M., & Bungau, S. (2022). Role of matrix metalloproteinase in wound healing. *Am J Transl Res*, 14(7), 4391–4405. www.ajtr.org
- Kartika RW. (2017). Chronic Wound Care with Modern Dressing. *Bagian Bedah Jantung Paru Dan Pembuluh Darah Wound Care/Diabetic Center, RS Gading Pluit*, 42(7), 546–550.
- Kaushik, M., Kadian, J. P., & Chauhan, B. (2021). A prospective screening of anti-inflammatory activity of mono herbal formulations of curcuma zedoria. *International Journal of Pharmaceutical Research*, 13(1), 3056–3060. <https://doi.org/10.31838/ijpr/2021.13.01.473>
- Kemenkes RI. (2018). *Profil Kesehatan Indonesia*.
- Kim, K. K., Sheppard, D., & Chapman, H. A. (2018). TGF- β 1 signaling and tissue fibrosis. *Cold Spring Harbor Perspectives in Biology*, 10(4), 1–34. <https://doi.org/10.1101/cshperspect.a022293>
- Kisch, T., Schleusser, S., Helmke, A., Mauss, K. L., Wenzel, E. T., Hasemann, B., Mailaender, P., & Kraemer, R. (2016). The repetitive use of non-thermal dielectric barrier discharge plasma boosts cutaneous microcirculatory effects. *Microvascular Research*, 106, 8–13.

- <https://doi.org/10.1016/j.mvr.2016.02.008>
- Kuivaniemi, H., & Tromp, G. (2019). Type III collagen (COL3A1): Gene and protein structure, tissue distribution, and associated diseases. *Gene*, 707, 151–171. <https://doi.org/10.1016/j.gene.2019.05.003>
- Kumari, A., Raina, N., Wahi, A., Goh, K. W., Sharma, P., Nagpal, R., Jain, A., Ming, L. C., & Gupta, M. (2022). Wound-Healing Effects of Curcumin and Its Nanoformulations: A Comprehensive Review. *Pharmaceutics*, 14, 1–24. <https://doi.org/10.3390/pharmaceutics14112288>
- Landén, N. X., Li, D., & Ståhle, M. (2016). Transition from inflammation to proliferation: a critical step during wound healing. *Cellular and Molecular Life Sciences*, 73(20), 3861–3885. <https://doi.org/10.1007/s00018-016-2268-0>
- Lestari, A. A., Puspadina, V., & Safitri, C. I. N. H. (2021). Formulasi dan Uji Mutu Fisik Ekstrak Temu Putih (Curcuma zedoaria) Sebagai Body Scrub Antibakteri. *Artikel Pemakalah Paralel*, 6, 372–379.
- Li, J., Chen, J., & Kirsner, R. (2007). Pathophysiology of acute wound healing. *Clinic in Dermatology*, 25, 9–18. <https://doi.org/10.1016/j.clindermatol.2006.09.007>
- Lianah. (2019). *Biodiversitas Zingiberaceae*. CV. Budi Utama.
- Lichtman, M. K., Otero-vinas, M., & Falanga, V. (2016). Transforming growth factor beta (TGF- b) isoforms in wound healing and fibrosis. *Wound Repair and Reperation*, 24, 215–222. <https://doi.org/10.1111/wrr.12398>
- Lu, M., Qiu, Q., Luo, X., Liu, X., Sun, J., Wang, C., Lin, X., Deng, Y., & Song, Y. (2019). Phytospholipid complexes (phytosomes): A novel strategy to improve the bioavailability of active constituents. *Asian Journal of Pharmaceutical Sciences*, 14(3), 265–274. <https://doi.org/10.1016/j.ajps.2018.05.011>
- Making, M. A., Gultom, A. B., Rosaulina, M., Toru, V., Febryanti, E., Mulu, S. T. J., Noviana, I., Hakim, A. N., & Arsa, P. S. A. (2022). *Perawatan luka dan terapi komplementer* (Issue May). CV. Media Sins Indonesi.
- Masoko, P., Picard, J., & Eloff, J. N. (2010). The use of a rat model to evaluate the in vivo toxicity and wound healing activity of selected Combretum and Terminalia (Combretaceae) species extracts. *Onderstepoort Journal of Veterinary Research*, 77(1), 1–7.
- Masson-Meyers, D. S., Andrade, T. A. M., Caetano, G. F., Guimaraes, F. R., Leite, M. N., Leite, S. N., & Frade, M. A. C. (2020). Experimental models and methods for cutaneous wound healing assessment. *International Journal of Experimental Pathology*, 101(1–2), 21–37. <https://doi.org/10.1111/iep.12346>
- Nikoloudaki, G., Creber, K., & Hamilton, D. W. (2020). Wound healing and fibrosis: A contrasting role for periostin in skin and the oral mucosa. *American Journal of Physiology - Cell Physiology*, 318(6), C1065–C1077. <https://doi.org/10.1152/ajpcell.00035.2020>
- Novita, R. (2015). Pemilihan Hewan Coba pada Penelitian Pengembangan Vaksin Tuberculosis. *Jurnal Biotek Medisiana Indonesia*, 4(1), 15–24. <https://doi.org/10.22435/jbmi.v4i1.4209.15-24>
- Pakyari, M., & Farrokhi, A. (2013). Critical Role of Transforming Growth Factor Beta in Different Phases of Wound Healing. *Advances in Wound Care*, 2(5), 215–224. <https://doi.org/10.1089/wound.2012.0406>
- Pastar, I., Stojadinovic, O., Yin, N. C., Ramirez, H., Nusbaum, A. G., Sawaya, A., Patel, S. B., Khalid, L., Isseroff, R. R., & Tomic-Canic, M. (2014). Epithelialization in Wound Healing: A Comprehensive Review. *Advances in Wound Care*, 3(7), 445–464.

<https://doi.org/10.1089/wound.2013.0473>

- Penn, J. W., Grobbelaar, A. O., & Rolfe, K. J. (2012). The role of the TGF- β family in wound healing, burns and scarring: a review. *International Journal of Burns and Trauma*, 2(1), 18–28.
<http://www.ncbi.nlm.nih.gov/pubmed/22928164>
<http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC3415964>
- Perez, R. M. G., Vargas, R. S., & Ortiz, Y. D. H. (2005). Wound Healing Properties of *Hylocereus undatus* on Diabetic Rats. *Phytotherapy Research*, 668(July 2004), 665–668.
<https://doi.org/10.1002/ptr.1724>
- Pimrat, N., Panthong, S., & Itharat, A. (2021). Effect of Steaming Process on Chemical Content and Biological Activity of *Curcuma zedoaria* Extract. *Asian Medical Journal and Alternative Medicine*, 21(1), 45–54.
- Prasetyono, T. O. H. (2009). General concept of wound healing , revisited. *Med J Indones*, 18(03), 208–216.
- Primadina, N., Basori, A., & Perdanakusuma, D. S. (2019a). Proses Penyembuhan Luka Ditinjau dari Aspek Mekanisme Seluler dan Molekuler. *Qanun Medika - Medical Journal Faculty of Medicine Muhammadiyah Surabaya*, 3(1), 31. <https://doi.org/10.30651/jqm.v3i1.2198>
- Primadina, N., Basori, A., & Perdanakusuma, D. S. (2019b). Qanun Medika Januari Desember : Desember Januari 2019. *Qanun Medika*, 3(1), 31–43.
- Qin, X., He, J., Wang, X., Wang, J., Yang, R., & Chen, X. (2023). The functions and clinical application potential of exosomes derived from mesenchymal stem cells on wound repair: a review of recent research advances. *Frontiers in Immunology*, 14(August), 1–20.
<https://doi.org/10.3389/fimmu.2023.1256687>
- Ridwan, E. (2013). Etika pemanfaatan hewan percobaan dalam penelitian kesehatan. *J Indon Med Assoc*, 63(3), 112–116.
- Ridwan, S., Hajrin, W., Subaidah, W. A., Pratiwi, E. T., & Sabdarrifa, N. A. (2024). Formulasi dan Evaluasi Fitosom dari Ekstrak Etanol Daun Kopasanda (*Chromolaena odorata* (L.) R.M.King&H.Rob) dengan Metode Hidrasi Lapis Tipis. *Prosiding SAINTEK LPPM Universitas Mataram*, 6(November 2023), 1–8.
- Ritsu, M., Kawakami, K., Kanno, E., Tanno, H., Ishii, K., Imai, Y., Maruyama, R., & Tachi, M. (2017). Critical role of tumor necrosis factor- α in the early process of wound healing in skin. *Journal of Dermatology & Dermatologic Surgery*, 21(1), 14–19.
<https://doi.org/10.1016/j.jdds.2016.09.001>
- Rosalina, A. I., Sagita, E., & Iskandarsyah. (2023). Penghantaran Obat melalui Kulit: Teknologi Vesikel Liposome dan Analognya. *Jurnal Kedokteran Meditek*, 29(1), 109–120.
<https://doi.org/10.36452/jkdoktmeditek.v29i1.2428>
- Rousselle, P., Braye, F., & Dayan, G. (2019). Re-epithelialization of adult skin wounds: Cellular mechanisms and therapeutic strategies. *Advanced Drug Delivery Reviews*, 146, 344–365.
<https://doi.org/10.1016/j.addr.2018.06.019>
- Rowan, M. P., Cancio, L. C., Elster, E. A., Burmeister, D. M., Rose, L. F., Natesan, S., Chan, R. K., Christy, R. J., & Chung, K. K. (2015). Burn wound healing and treatment: Review and advancements. *Critical Care*, 19(1), 1–12. <https://doi.org/10.1186/s13054-015-0961-2>
- Ruiz-Ortega, M., Rodríguez-Vita, J., Sanchez-Lopez, E., Carvajal, G., & Egado, J. (2007). TGF- β signaling in vascular fibrosis. *Cardiovascular Research*, 74(2), 196–206.
<https://doi.org/10.1016/j.cardiores.2007.02.008>
- Sangiovanni, E., & Angarano, M. (2021). Phytosomes as Innovative Delivery Systems for

- Phytochemicals: A Comprehensive Review of Literature. *International Journal of Nanomedicine*, 16, 6983–7021.
- Scemons, D. (2009). *The Lived Experience of Junior Registered Nursing Staff in Southern California Acute Care Hospitals*. Azusa Pacific University.
- Seeger, M. A., & Paller, A. S. (2015). The Roles of Growth Factors in Keratinocyte Migration. *Advances in Wound Care*, 4(4), 213–224. <https://doi.org/10.1089/wound.2014.0540>
- Shibuya, M. (2011). Vascular Endothelial Growth Factor (VEGF) and Its Receptor (VEGFR) Signaling in Angiogenesis: A Crucial Target for Anti- and Pro-Angiogenic Therapies. *Genes and Cancer*, 2(12), 1097–1105. <https://doi.org/10.1177/1947601911423031>
- Shirakata, Y. (2010). Regulation of epidermal keratinocytes by growth factors. *Journal of Dermatological Science*, 59(2), 73–80. <https://doi.org/10.1016/j.jdermsci.2010.05.002>
- Suranto, A. (2004). *Khasiat & Manfaat Madu Herbal*. AgroMedia.
- Tahergorabi, Z., & Khazaei, M. (2012). A review on angiogenesis and its assays. *Iranian Journal of Basic Medical Sciences*, 15(6), 1110–1126.
- Talbott, H. E., Mascharak, S., Griffin, M., Wan, D. C., & Longaker, M. T. (2022). Wound healing, fibroblast heterogeneity, and fibrosis. *Cell Stem Cell*, 29(8), 1161–1180. <https://doi.org/10.1016/j.stem.2022.07.006>
- Vallée, A., & Lecarpentier, Y. (2019). TGF- β in fibrosis by acting as a conductor for contractile properties of myofibroblasts. *Cell and Bioscience*, 9(1), 1–15. <https://doi.org/10.1186/s13578-019-0362-3>
- Veith, A. P., Henderson, K., Spencer, A., Andrew, D., & Baker, A. B. (2018). Therapeutic strategies for enhancing angiogenesis in wound healing. *Advanced Drug Delivery Reviews*. <https://doi.org/10.1016/j.addr.2018.09.010>
- Velnar, T., Bailey, T., & Smrkolj, V. (2009). The wound healing process: An overview of the cellular and molecular mechanisms. *Journal of International Medical Research*, 37(5), 1528–1542. <https://doi.org/10.1177/147323000903700531>
- Vogler, N., Heuke, S., Bocklitz, T. W., Schmitt, M., & Popp, J. (2015). Multimodal Imaging Spectroscopy of Tissue. *Annual Review of Analytical Chemistry*, 8, 359–387. <https://doi.org/10.1146/annurev-anchem-071114-040352>
- Wati, I., Ramadianti, M., Nurbani, F., & Pratiwi, H. (2018). Pengaruh Konentrasi Pelarut , Dan Nisbah Bahan Baku Dengan Pelarut Terhadap Ekstraksi Kunyit Putih (Curcuma zedoria). *Itenas Repository*, 20–26.
- Wilkinson, H. N., Hardman, M. J., & Wilkinson, H. N. (2020). Wound healing: cellular mechanisms and pathological outcomes. *The Royal Society Publishing*, 20(03).
- Wintoko, R., & Yadika, A. D. N. (2020). Manajemen Terkini Perawatan Luka. *Jurnal Kedokteran Universitas Lampung*, 4(2), 183–189.
- Wohlrab, J. (2016). Topical preparations and their use in dermatology. *Journal of the German Society of Dermatology*, 1061–1070. <https://doi.org/10.1111/ddg.13151>
- Wulandari, R., & Puspitasari, P. (2019). *Roscoe) Terhadap Jumlah Leukosit Dan Differential Counting (Diffcount) Pada Kesembuhan Luka Laparatomi*. 2(1), 22–27. <https://doi.org/10.21070/medicra.v2i1.1689>
- Yamakawa, S., & Hayashida, K. (2019). Advances in surgical applications of growth factors for wound healing. *Burns & Trauma*, 7(10), 1–13. <https://doi.org/doi.org/10.1186/s41038-019-0148-1>
- Yanai, J., Weiss, J., Weiss, J., Bell, D., & David, M. P. (2016). Acceleration of wound healing by topical application of honey . An animal model Acceleration of Wound Healing by Topical

- Application of Honey. *The American Journal of Surgery*, 9610(Table III), 374–376.
- Yen, Y., Liu, C. P. C., & Chen, Y. C. Y. (2018). Curcumin accelerates cutaneous wound healing via multiple biological actions: The involvement of TNF- α , MMP-9, α -SMA, and collagen. *International Wound Journal*, 15, 605–617. <https://doi.org/10.1111/iwj.12904>
- Young, A. (2011). The physiology of wound healing. *Surgery*, 29(10), 475–479. <https://doi.org/10.1016/j.mpsur.2011.06.011>
- Yudhi Prabakti. (2005). *Perbedaan Jumlah Fibroblas di Sekitar Luka Insisi pada Tikus yang Diberi Infiltrasi Penghilang Nyeri Levobupivakain dan yang Tidak Diberi Levobupivakain*. Universitas Diponegoro Semarang.
- ZD Sutisna, S. F., & Anis Yohana Chaerunisaa. (2022). Formulasi Dan Karakterisasi Fitosom-Ekstrak Hidrofilik & Hidrofobik: Metode Hidrasi Lapis Tipis Dan Penguapan Pelarut. *Medical Sains: Jurnal Ilmiah Kefarmasian*, 7(2), 227–240. <https://doi.org/10.37874/ms.v7i2.360>