

## DAFTAR PUSTAKA

1. Unger, T., Borghi, C., Charchar, F., Khan, N. A., Poulter, N. R., Prabhakaran, D., Ramirez, A., Schlaich, M., Stergiou, G. S., & Tomaszewski, M. (2020). 2020 International Society of Hypertension global hypertension practice guidelines. *Hypertension*, *75*(6), 1334–1357.
2. Mills, K. T., Bundy, J. D., Kelly, T. N., Reed, J. E., Kearney, P. M., Reynolds, K., Chen, J., & He, J. (2016). Global Disparities of Hypertension Prevalence and Control: A Systematic Analysis of Population-Based Studies From 90 Countries. *Circulation*, *134*(6), 441–450.
3. Stanaway, J. D., Afshin, A., Gakidou, E., Lim, S. S., Abate, D., Abate, K. H., Abbafati, C., Abbasi, N., Abbastabar, H., Abd-Allah, F., Abdela, J., Abdelalim, A., Abdollahpour, I., Abdulkader, R. S., Abebe, M., Abebe, Z., Abera, S. F., Abil, O. Z., Abraha, H. N., ... Murray, C. J. L. (2018). Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: A systematic analysis for the Global Burden of Disease Study 2017. *The Lancet*, *392*(10159), 1923–1994.
4. Kementrian Kesehatan Republik Indonesia. (2019). *Laporan Nasional Riskesdas 2018*. Badan Penelitian dan Pengembangan Kesehatan.
5. Nadar, S. K., & Lip, G. Y. H. (2021). The heart in hypertension. *J Hum Hypertens*, *35*(5), 383–386.
6. Karagöz Özen, D. S., Aydın, M. M., Genç, İ., & Demirağ, M. D. (2023). The relationship between renal resistive index and hypertensive end-organ damage. *Journal of Surgery and Medicine*, *7*(1), 86–90. <https://doi.org/10.28982/josam.7627>
7. Andrikou, I., Tsioufis, C., Konstantinidis, D., Kasiakogias, A., Dimitriadis, K., Leontsinis, I., Andrikou, E., Sanidas, E., Kallikazaros, I., & Tousoulis, D. (2018). Renal resistive index in hypertensive patients. *J Clin Hypertens*, *20*(12), 1739–1744.

8. Granata, A., Zanolì, L., Clementi, S., Fatuzzo, P., Di Nicolò, P., & Fiorini, F. (2014). Resistive intrarenal index: Myth or reality? *Brit. J. Radiol.*, 87(1038), 20140004.
9. Sveceny, J., Charvat, J., Hrach, K., Horackova, M., & Schuck, O. (2022). In essential hypertension, a change in the renal resistive index is associated with a change in the ratio of 24-hour diastolic to systolic blood pressure. *Physiological Research*, 341–348
10. Dziedziak, J., Zaleska-Żmijewska, A., Szaflik, J. P., & Cudnoch-Żędrzejewska, A. (2022). Impact of arterial hypertension on the eye: A review of the pathogenesis, diagnostic methods, and treatment of hypertensive retinopathy. *Medical Science Monitor*, 28, e935135. <https://doi.org/10.12659/MSM.935135>
11. Omotoso, A. B., Kolo, P. M., Olanrewaju, T. O., Owoeye, J. F., Biliaminu, S. A., & Olatunji, V. A. (2016). Relationship between retinopathy and renal abnormalities in black hypertensive patients. *Clinical Hypertension*, 22(1), 19. <https://doi.org/10.1186/s40885-016-0053-x>.
12. Chillo, P., Ismail, A., Sanyiwa, A., Ruggajo, P., & Kamuhabwa, A. (2019). Hypertensive retinopathy and associated factors among nondiabetic chronic kidney disease patients seen at a tertiary hospital in Tanzania: A cross-sectional study. *International Journal of Nephrology and Renovascular Disease*, 12, 79–86. <https://doi.org/10.2147/IJNRD.S196841>.
13. Doi, Y., Iwashima, Y., Yoshihara, F., Kamide, K., Takata, H., Fujii, T., Kubota, Y., Nakamura, S., Horio, T., & Kawano, Y. (2012). Association of renal resistive index with target organ damage in essential hypertension. *Am. J. Hypertens.*, 25(12), 1292–1298.
14. Delacroix, S., & Chokka, R. G. (2014). Hypertension: Pathophysiology and Treatment. *J Neurol Neurophysiol*, 05(06).
15. Ma, J., & Chen, X. (2022). Advances in pathogenesis and treatment of essential hypertension. *Front. cardiovasc. med*, 9, 1003852.

16. Harrison, D. G., Coffman, T. M., & Wilcox, C. S. (2021). Pathophysiology of Hypertension: The Mosaic Theory and Beyond. *Circulation Research*, *128*(7), 847–863
17. Adua, E. (2022). Decoding the mechanism of hypertension through multiomics profiling. *J Hum Hypertens*, *37*(4), 253–264.
18. Viazzi, F., Leoncini, G., Parodi, D., Ratto, E., Vettoretti, S., Vaccaro, V., Parodi, A., Falqui, V., Tomolillo, C., & Deferrari, G. (2005). Impact of target organ damage assessment in the evaluation of global risk in patients with essential hypertension. *Am. J. Nephrol*, *16*(3\_suppl\_1), S89–S91.
19. Freedman, B. I., Iskandar, S. S., & Appel, R. G. (1995). The link between hypertension and nephrosclerosis. *American Journal of Kidney Diseases*, *25*(2), 207–221. [https://doi.org/10.1016/S0272-6386\(95\)90001-2](https://doi.org/10.1016/S0272-6386(95)90001-2)
20. Ikee, R., Kobayashi, S., Hemmi, N., Imakiire, T., Kikuchi, Y., Moriya, H., ... & Miura, S. (2005). Correlation between the resistive index by Doppler ultrasound and kidney function and histology. *American Journal of Kidney Diseases*, *46*(4), 603–609. <https://doi.org/10.1053/j.ajkd.2005.06.006>
21. Viazzi, F., Leoncini, G., Derchi, L. E., & Pontremoli, R. (2014). Ultrasound Doppler renal resistive index: A useful tool for the management of the hypertensive patient. *J. Hypertens.*, *32*(1), 149–153.
22. Tan, W., Yao, X., Le, T. T., Tan, B., Schmetterer, L., & Chua, J. (2022). The New Era of Retinal Imaging in Hypertensive Patients. In *Asia-Pacific Journal of Ophthalmology* (Vol. 11, Issue 2, pp. 149–159). Lippincott Williams and Wilkins. <https://doi.org/10.1097/APO.0000000000000509>
23. Basturk, T., Akcay M., Albayrak, R., Unsal, A., Ulas, T., (2012). Correlation between the Resistive Index Value of Renal and Orbital Arteries. *Kidney Blood Press Res.*, *35* : 332-339