

DAFTAR PUSTAKA

- Aktar, W., Sengupta, D., & Chowdhury, A. (2009). Impact of pesticides use in agriculture: their benefits and hazards. *Interdisciplinary Toxicology*, 2(1), 1–12. <https://doi.org/10.2478/v10102-009-0001-7>
- Awad, M., Hassan, N. N., Alfuhaid, N. A., Amer, A., Salem, M. Z. M., Fónagy, A., & Moustafa, M. A. M. (2024). Insecticidal and biochemical impacts with molecular docking analysis of three essential oils against *Spodoptera littoralis* (Lepidoptera: Noctuidae). *Crop Protection*, 180, 106659. <https://doi.org/10.1016/j.cropro.2024.106659>
- Ayllón-Gutiérrez, R., Díaz-Rubio, L., Montaña-Soto, M., Haro-Vázquez, M. del P., & Córdova-Guerrero, I. (2024). Applications of Plant Essential Oils in Pest Control and Their Encapsulation for Controlled Release: A Review. *Agriculture*, 14(10), 1766. <https://doi.org/10.3390/agriculture14101766>
- Bakkali, F., Averbeck, S., Averbeck, D., & Idaomar, M. (2008). Biological effects of essential oils – A review. *Food and Chemical Toxicology*, 46(2), 446–475. <https://doi.org/10.1016/j.fct.2007.09.106>
- Bedini, S., Djebbi, T., Ascrizzi, R., Farina, P., Pieracci, Y., Echeverría, M. C., Flamini, G., Trusendi, F., Ortega, S., Chiliquinga, A., & Conti, B. (2024). Repellence and attractiveness: The hormetic effect of aromatic plant essential oils on insect behavior. *Industrial Crops and Products*, 210, 118122. <https://doi.org/10.1016/j.indcrop.2024.118122>
- Bernardes, M. F. F., Pazin, M., Pereira, L. C., & Dorta, D. J. (2015). Impact of Pesticides on Environmental and Human Health. In *Toxicology Studies - Cells, Drugs and Environment*. InTech. <https://doi.org/10.5772/59710>
- Chen WS, Yang GJ, Zhang WD, Chen HS, & Qiao CZ. (2001). Studies on two new phospholipids of radix *Polygonum multiflori* preparata. *Chinese Pharmaceutical Journal*, 36, 155–157.
- Conboy, N. J. A., McDaniel, T., George, D., Ormerod, A., Edwards, M., Donohoe, P., Gatehouse, A. M. R., & Tosh, C. R. (2020). Volatile Organic Compounds as Insect Repellents and Plant Elicitors: an Integrated Pest Management (IPM) Strategy for Glasshouse Whitefly (*Trialeurodes vaporariorum*). *Journal of Chemical Ecology*, 46(11–12), 1090–1104. <https://doi.org/10.1007/s10886-020-01229-8>
- Goławska, S., Sprawka, I., Łukasik, I., & Goławski, A. (2014). Are naringenin and quercetin useful chemicals in pest-management strategies? *Journal of Pest Science*, 87(1), 173–180. <https://doi.org/10.1007/s10340-013-0535-5>

- Govindarajan, M., Rajeswary, M., Arivoli, S., Tennyson, S., & Benelli, G. (2016). Larvicidal and repellent potential of *Zingiber nimmonii* (J. Graham) Dalzell (Zingiberaceae) essential oil: an eco-friendly tool against malaria, dengue, and lymphatic filariasis mosquito vectors? *Parasitology Research*, *115*(5), 1807–1816. <https://doi.org/10.1007/s00436-016-4920-x>
- Hikal, W. M., Baeshen, R. S., & Said-Al Ahl, H. A. H. (2017). Botanical insecticide as simple extractives for pest control. *Cogent Biology*, *3*(1), 1404274. <https://doi.org/10.1080/23312025.2017.1404274>
- Idoudi, S., Tourrette, A., Bouajila, J., Romdhane, M., & Elfalleh, W. (2024). The genus *Polygonum*: An updated comprehensive review of its ethnomedicinal, phytochemical, pharmacological activities, toxicology, and phytopharmaceutical formulation. *Heliyon*, *10*(8), e28947. <https://doi.org/10.1016/j.heliyon.2024.e28947>
- Ishida, M., Yamaji, Y., Isoda, W., Abe, H., Sato, M., Kariya, K., Ishihara, A., Tebayashi, S., & Sato, S. (2023). (*E*)-7-phenyl-2-heptene-4,6-diyne-1-ol from *Bidens pilosa* as a repellent against isopods. *Bioscience, Biotechnology, and Biochemistry*, *87*(8), 833–838. <https://doi.org/10.1093/bbb/zbad060>
- Kotwal, N. K. (2024). *Persicaria chinensis* (L.) H. Gross. (pp. 303–315). https://doi.org/10.1007/978-3-031-75661-0_21
- Lengai, G. M. W., Muthomi, J. W., & Mbega, E. R. (2020). Phytochemical activity and role of botanical pesticides in pest management for sustainable agricultural crop production. *Scientific African*, *7*, e00239. <https://doi.org/10.1016/j.sciaf.2019.e00239>
- Liu, Y., Wang, Q., Yang, J., Guo, X., Liu, W., Ma, S., & Li, S. (2018). *Polygonum multiflorum* Thunb.: A Review on Chemical Analysis, Processing Mechanism, Quality Evaluation, and Hepatotoxicity. *Frontiers in Pharmacology*, *9*. <https://doi.org/10.3389/fphar.2018.00364>
- Luker, H. A., Salas, K. R., Esmaeili, D., Holguin, F. O., Bendzus-Mendoza, H., & Hansen, I. A. (2023). Repellent efficacy of 20 essential oils on *Aedes aegypti* mosquitoes and *Ixodes scapularis* ticks in contact-repellency assays. *Scientific Reports*, *13*(1), 1705. <https://doi.org/10.1038/s41598-023-28820-9>
- Michala, A.-S., & Pritsa, A. (2022). Quercetin: A Molecule of Great Biochemical and Clinical Value and Its Beneficial Effect on Diabetes and Cancer. *Diseases*, *10*(3), 37. <https://doi.org/10.3390/diseases10030037>
- Morisawa, J., KIM, C.-S., KASHIWAGI, T., Tebayashi, S., & HORIIKE, M. (2002). Repellents in the Japanese Cedar, *Cryptomeria japonica*, against

- the Pill-bug, *Armadillidium vulgare*. *Bioscience, Biotechnology, and Biochemistry*, 66(11), 2424–2428. <https://doi.org/10.1271/bbb.66.2424>
- Olthof, M. R., Hollman, P. C. H., Vree, T. B., & Katan, M. B. (2000). Bioavailabilities of Quercetin-3-Glucoside and Quercetin-4'-Glucoside Do Not Differ in Humans. *The Journal of Nutrition*, 130(5), 1200–1203. <https://doi.org/10.1093/jn/130.5.1200>
- Quesada-Romero L, Fernández-Galleguillos C, Bergmann J, Bravo MA, & Fuentes-Contreras E. (2017). Antifeedant and insecticidal activity of *Polygonum persicaria* extracts on *Nomophila indistinctalis*. *Journal of Pharmacy & Pharmacognosy Research*, 5(3), 167–173.
- Rajak, P., Roy, S., Ganguly, A., Mandi, M., Dutta, A., Das, K., Nanda, S., Ghanty, S., & Biswas, G. (2023). Agricultural pesticides – friends or foes to biosphere? *Journal of Hazardous Materials Advances*, 10, 100264. <https://doi.org/10.1016/j.hazadv.2023.100264>
- Riddick, E. W. (2021). Potential of Quercetin to Reduce Herbivory without Disrupting Natural Enemies and Pollinators. *Agriculture*, 11(6), 476. <https://doi.org/10.3390/agriculture11060476>
- Rodríguez-González, Á., Álvarez-García, S., González-López, Ó., Da Silva, F., & Casquero, P. A. (2019). Insecticidal Properties of *Ocimum basilicum* and *Cymbopogon winterianus* against *Acanthoscelides obtectus*, Insect Pest of the Common Bean (*Phaseolus vulgaris*, L.). *Insects*, 10(5), 151. <https://doi.org/10.3390/insects10050151>
- Rojas-Sandoval, J., & Acevedo-Rodríguez, P. (2014). *Persicaria chinensis* (Chinese knotweed). In *CABI Compendium*. <https://doi.org/10.1079/cabicompendium.118915>
- Saska, P. (2008). Granivory in terrestrial isopods. *Ecological Entomology*, 33(6), 742–747. <https://doi.org/10.1111/j.1365-2311.2008.01026.x>
- Scriber, J. M., & Slansky, F. (1981). The Nutritional Ecology of Immature Insects. *Annual Review of Entomology*, 26(1), 183–211. <https://doi.org/10.1146/annurev.en.26.010181.001151>
- Seimandi, G., Álvarez, N., Stegmayer, M. I., Fernández, L., Ruiz, V., Favaro, M. A., & Derita, M. (2021). An Update on Phytochemicals and Pharmacological Activities of the Genus *Persicaria* and *Polygonum*. *Molecules*, 26(19), 5956. <https://doi.org/10.3390/molecules26195956>
- Sfendourakis, S., & Taiti, S. (2015). Patterns of taxonomic diversity among terrestrial isopods. *ZooKeys*, 515, 13–25. <https://doi.org/10.3897/zookeys.515.9332>
- Simmonds, M. S. J. (2001). Importance of flavonoids in insect–plant

- interactions: feeding and oviposition. *Phytochemistry*, 56(3), 245–252. [https://doi.org/10.1016/S0031-9422\(00\)00453-2](https://doi.org/10.1016/S0031-9422(00)00453-2)
- Simmonds, M. S. J. (2003). Flavonoid–insect interactions: recent advances in our knowledge. *Phytochemistry*, 64(1), 21–30. [https://doi.org/10.1016/S0031-9422\(03\)00293-0](https://doi.org/10.1016/S0031-9422(03)00293-0)
- Smagghe, F., Spooner-Hart, R., Chen, Z.-H., & Donovan-Mak, M. (2023). Biological control of arthropod pests in protected cropping by employing entomopathogens: Efficiency, production and safety. *Biological Control*, 186, 105337. <https://doi.org/10.1016/j.biocontrol.2023.105337>
- Souto, A. L., Sylvestre, M., Tölke, E. D., Tavares, J. F., Barbosa-Filho, J. M., & Cebrián-Torrejón, G. (2021). Plant-Derived Pesticides as an Alternative to Pest Management and Sustainable Agricultural Production: Prospects, Applications and Challenges. *Molecules*, 26(16), 4835. <https://doi.org/10.3390/molecules26164835>
- Souty-Grosset, C., & Faberi, A. (2018). Effect of agricultural practices on terrestrial isopods: a review. *ZooKeys*, 801, 63–96. <https://doi.org/10.3897/zookeys.801.24680>
- Tibenda, J. J., Yi, Q., Wang, X., & Zhao, Q. (2022). Review of phytomedicine, phytochemistry, ethnopharmacology, toxicology, and pharmacological activities of Cymbopogon genus. *Frontiers in Pharmacology*, 13. <https://doi.org/10.3389/fphar.2022.997918>
- USDA-ARS. (2014). *Germplasm Resources Information Network (GRIN). Online Database. Beltsville, Maryland, USA.* National Germplasm Resources Laboratory. <https://npgsweb.ars-grin.gov/gringlobal/taxon/taxonomysearch.aspx>
- van Gestel, C. A. M., Loureiro, S., & Zidar, P. (2018). Terrestrial isopods as model organisms in soil ecotoxicology: a review. *ZooKeys*, 801, 127–162. <https://doi.org/10.3897/zookeys.801.21970>
- Wu, Y., Zhang, Z., Chen, T., Cheng, C., Zhang, Z., Zhou, H., & Luo, P. (2020). Comparison of two Polygonum chinense varieties used in Chinese cool tea in terms of chemical profiles and antioxidant/anti-inflammatory activities. *Food Chemistry*, 310, 125840. <https://doi.org/10.1016/j.foodchem.2019.125840>
- Xu, M.-L., Zheng, M. S., Lee, Y.-K., Moon, D.-C., Lee, C.-S., Woo, M.-H., Jeong, B.-S., Lee, E. S., Jahng, Y., Chang, H.-W., Lee, S.-H., & Son, J.-K. (2006). A new stilbene glucoside from the roots of Polygonum multiflorum Thunb. *Archives of Pharmacal Research*, 29(11), 946–951. <https://doi.org/10.1007/BF02969276>