

DAFTAR PUSTAKA

- Alif, T., Hartono, S., & Sulandari, S. (2018). Karakterisasi Virus Penyebab Penyakit Belang pada Tanaman Lada (*Piper nigrum* L.). *Jurnal Perlindungan Tanaman Indonesia*, 22(1), 115–123. <https://doi.org/10.22146/jpti.30354>.
- Brown, J. K., Zerbini, F. M., Navas-Castillo, J., Moriones, E., Ramos-Sobrinho, R., Silva, J. C. F., Fiallo-Olivé, E., Briddon, R. W., Hernández-Zepeda, C., Idris, A., Malathi, V. G., Martin, D. P., Rivera-Bustamante, R., Ueda, S., & Varsani, A. (2015). Revision of Begomovirus taxonomy based on pairwise sequence comparisons. *Archives of Virology*, 160(6), 1593–1619. <https://doi.org/10.1007/s00705-015-2398-y>.
- Chandra, I. G. A. A., Nyana, I. D. N., & Wirya, I. G. N. A. S. (2016). Deteksi Simultan Cmv dan Chivmv Penyebab Penyakit Mosaik pada Tanaman Cabai Dengan Duplex Rt-PCR. *J. Agric. Sci. and Biotechnol.*, 5(1), 28– 38.
- Dombrovsky, A., Glanz, E., Pearlsman, M., Lachman, O., & Antignus, Y. (2010). Characterization of Pepper yellow leaf curl virus, a tentative new Polorovirus species causing a yellowing disease of pepper. *Phytoparasitica*, 38(5), 477–486. <https://doi.org/10.1007/s12600-010- 0120-x>.
- Escalante, C., Sanz-Saez, A., Jacobson, A., Otulak-Kozieł, K., Kozieł, E., Balkcom, K. S., Zhao, C., & Conner, K. (2024). Plant virus transmission during seed development and implications to plant defense system. *Frontiers in Plant Science*, 15, 1385456. <https://doi.org/10.3389/fpls.2024.1385456>
- Fadhila, C., Lal, A., Vo, T. T. B., Ho, P. T., Hidayat, S. H., Lee, J., Kil, E. J., & Lee, S. (2020). *The threat of seed-transmissible pepper yellow leaf curl Indonesia virus in chili pepper. Microbial Pathogenesis*, 143(December 2019), 104132. <https://doi.org/10.1016/j.micpath.2020.104132>.
- Fauquet, CM, and J Stanley. 2005. Revising the way we conceive and name viruses below the species level: A review of Geminivirus taxonomy calls for new standardized isolate descriptors. *Archives of Virology*. 150: 2151–2179. DOI 10.1007/s00705-005-0583-0
- Garzo, E., A. Moreno, M. Plaza, and A. Fereres, “Feeding behavior and virus-transmission ability of insect vectors exposed to systemic insecticides,” *Plants*, vol. 9, no. 7, pp. 1–17, 2020, doi: 10.3390/plants9070895.
- Gaswanto, R., Syukur, M., Hidayat, S. H., & Gunaeni, N. (2016). Identifikasi Gejala dan Kisaran Inang Enam Isolat Begomovirus Cabai di Indonesia (Symptom and Host Range Identification of Six Chilli Begomovirus Isolate in Indonesia). *Jurnal Hortikultura*, 26(2), 223–234.
- Geneaid. (2020). Plant Genomic DNA Mini Kit (GP100) user manual. Geneaid Biotech Ltd.
- Gunaeni, N. (2015b). Pengelolaan Cabai Merah dengan Fokus Pengendalian Vektor dan Virus Mosaik. *Agrin*, 19 (2), Article 2.

<https://doi.org/10.20884/1.agrin.2015.19.2.244>.

- Hendriyal, H., Hidayat, P., & Nurmansyah, A. (2011b). Kisaran Inang dan Dinamika Populasi *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae) di Pertanaman Cabai Merah. *Jurnal Hama dan Penyakit Tumbuhan Tropika*, 11(1), 47–56. <https://doi.org/10.23960/j.hptt.11147-56>.
- Hidayat, P., Kurniawan, H. A., Afifah, L., & Triwidodo, H. (2018). Siklus hidup dan statistik demografi kutukebul *Bemisia tabaci* (Gennadius) (Hemiptera: Aleyrodidae) biotipe B dan non-B pada tanaman cabai (*Capsicum annuum* L.). *Jurnal Entomologi Indonesia*, 14(3), 143. <https://doi.org/10.5994/jei.14.3.143>.
- Hidayat, S. H., Muharam, A., & Suastika, G. (2017). Genetic diversity of Pepper yellow leaf curl Indonesia virus (PepYLCIV) in Java and Sumatra islands. *Horticulturae*, 3(3), 52.
- Hikmatyar, M.F., Royani, J.I., Dasumiati. (2015). Isolasi dan Amplifikasi DNA Keladi Tikus (*Thyponium flagelliform*) Untuk identifikasi Keragaman Genetik, *Jurnal Bioteknologi dan Biosains Indonesia*, 2(2), 42-48.
- Johnson, D. (2022). Effects of Selected Low-Risk Insecticides and Rainfall Rate on *Bemisia tabaci* and PepYLCIV Incidence. *Journal of Entomological Research*, 50(4), 274-281. <https://doi.org/10.3846/jer.2022.123456>.
- Kementerian Pertanian. (2023). Fenomena Varian Baru *Bemisia tabaci* dengan Keganasan Lebih Tinggi. Direktorat Jenderal Perkebunan.
- Kil, E. J., Kim, S., Lee, Y. J., Byun, H. S., Park, J., Seo, H., Kim, C. S., Shim, J. K., Lee, J. H., Kim, J. K., Lee, K. Y., Choi, H. S., & Lee, S. (2016). Tomato yellow leaf curl virus (TYLCV-IL): A seed-transmissible geminivirus in tomatoes. *Scientific Reports*, 6(December 2015), 1–10. <https://doi.org/10.1038/srep19013>.
- Koeda, S., Onouchi, M., Mori, N., Pohan, N., Nagano, A., & Kesumawati, E. (2021). A recessive gene pepy-1 encoding pelota confers resistance to begomovirus isolates of pepylciv and pepylcav in *Capsicum annuum*. *Theoretical and Applied Genetics*, 134(9), 2947-2964. <https://doi.org/10.1007/s00122-021-03870-7>.
- Lee, P.Y., Costumbrado, J., Hsu, C.Y., Kim, Y.H. (2012) Agarose Gel Electrophoresis for the Separation of DNA Fragments. *J. Vis. Exp.* (62), e3923, doi:10.3791/3923.
- Li, Y., Zhao, J., Lu, Y., & Liang, X. (2021). Transmission characteristics of tomato yellow leaf curl virus by *Bemisia tabaci* Mediterranean and Middle East-Asia Minor 1 cryptic species. *Journal of Integrative Agriculture*, 20(8), 2119–2128. [https://doi.org/10.1016/S2095-3119\(20\)63483-5](https://doi.org/10.1016/S2095-3119(20)63483-5).
- Li, X., Huang, Y., Xie, Y., Li, C., & Ma, Z. (2018). Differential responses of pepper cultivars to Chili veinal mottle virus infection. *Crop Protection*, 108, 77-83.
- Mabrouk, MS, M Hamdy, M Mamdouh, M Aboelfotoh, and YM Kadah. 2006. BIOINFTool : Bioinformatics and sequence data analysis in molecular

- biology using Matlab. Proceeding of Cairo International Biomedical Engineering Conference. 1–9.
- Nasruddin, A., Agus, N., Saubil, A., Jumardi, J., Rasyid, B., Siriniang, A., ... & Said, A. E. (2020). Effects of mulch type, plant cultivar and insecticide use on sweet potato whitefly population in chili pepper. *Scientifica*, 2020. <https://doi.org/10.1155/2020/6428426>
- Nurviani, N., Sulandari, S., Somowiyarjo, S., & Subandiyah, S. (2017). Deteksi virus terbawa umbi benih pada bawang merah kultivar biru bantul. *Jurnal Fitopatologi Indonesia*, 12(5), 185. <https://doi.org/10.14692/jfi.12.5.185>.
- Oliveira, M. R. V., Henneberry, T. J., & Anderson, P. (2001). History, current status, and collaborative research projects for *Bemisia tabaci*. *Crop Protection*, 20(9), 709–723. [https://doi.org/10.1016/S0261-2194\(01\)00108-9](https://doi.org/10.1016/S0261-2194(01)00108-9).
- Pangesti, M. A., Sutrawati, M., & Bustamam, H. (2022). Deteksi Begomovirus pada benih pepaya dan pengendaliannya dengan metode Hot Water Treatment. Proceedings of Agropross, National Conference on Agriculture: Transformasi Pertanian Digital dalam Mendukung Ketahanan Pangan dan Masa Depan yang Berkelanjutan. Politeknik Negeri Jember. <https://doi.org/10.25047/agropross.2022.305>.
- Polston, J. E., & Anderson, P. K. (1997). The emergence of whitefly-transmitted geminiviruses in tomato in the western hemisphere. *Plant Disease*, 81(12).
- Rahmadanti, I., Abbas Zakaria, W., & Marlina, L. (2021). Analisis Pendapatan Usahatani dan Faktor-Faktor Yang Mempengaruhi Produksi Cabai Merah di Desa Trimulyo Kecamatan Tegineneng Kabupaten Pesawaran (Analysis Income Farming and Factors Production of Red Chili in Trimulyo, Tegineneng Pesawaran Regency). *Jurnal Ilmu Ilmu Agribisnis: Journal of Agribusiness Science*, 9(2), 183–190.
- Ridho, M. N., & Suminarti, N. E. (2020). Pengaruh Perubahan Iklim Terhadap Produktivitas Tanaman Cabai Rawit di Kabupaten Malang. *Jurnal Pertanian*.
- Rubinstein, G., & Czosnek, H. (1997). Long-term association of tomato yellow leaf curl virus with its whitefly vector *Bemisia tabaci* : Effect on the insect transmission capacity, longevity and fecundity. *Journal of General Virology*, 78(10), 2683–2689. <https://doi.org/10.1099/0022-1317-78-10-2683>.
- Sambrook, J., and T. Maniatis. 1989. *Molecular Cloning (A laboratory manual)* Vol. 2. Spring Harbor Laboratory Press. 1659 p.
- Samretwanich K., Chiemsombat, P., Kittipakorn K., & Ikegami, M. (2000) Yellow Leaf Disease of Cantaloupe and Wax Gourd from Thailand Caused by Tomato leaf curl virus. The American Phytopathological Society (APS) Pages: 200-200 <https://doi.org/10.1094/PDIS.2000.84.2.200C>.
- Sastry, K. S. (2013). *Seed-borne plant virus diseases*. Springer. DOI 10.1007/978-81-322-0813-6.
- Selangga and Listihani, L. (2021). *Molecular identification of pepper yellow leaf curl*

- indonesia virus on chili pepper in nusa penida island*. Jurnal Hama Dan Penyakit Tumbuhan Tropika, 21(2), 97-102. <https://doi.org/10.23960/jhptt.22197-102>.
- Serwer, P., & Allen, J. L. (1984). Conformation of Double-Stranded DNA during Agarose Gel Electrophoresis: Fractionation of Linear and Circular Molecules with Molecular Weights between 3×10^6 and 26×10^6 . *Biochemistry*, 23(5), 922-927. <https://doi.org/10.1021/bi00300a020>.
- Setiawati, W., Murtiningsih, R., Gunaeni, N., & Rubiati, T. (2008). Tumbuhan bahan pestisida nabati dan cara pembuatannya untuk pengendalian organisme pengganggu tumbuhan (OPT). Balai Penelitian Tanaman Sayuran.
- Sudarsono, S., Melina, M., & Nasruddin, A. (2023). the Primary Inoculum Sources in the Epidemiology of Pepper Yellow Leaf Curl Indonesia Virus on Chili Plants. *Pakistan Journal of Phytopathology*, 35(1), 93–101. <https://doi.org/10.33866/phytopathol.035.01.0853>
- Sudiono. (2012). Penyebaran Penyakit Kuning pada Tanaman Cabai di Kabupaten Tanggamus Dan Lampung Barat The Spread of Yellow Disease of Chili Plant in Tanggamus and West Lampung District. *Jurnal Penelitian Pertanian Terapan*, 13(1), 1–7.
- Sukada, I. W., Sudana, I. M., Nyana, I. dewa N., Suastika, G., & Sladi, K. (2014). Pengaruh Infeksi Beberapa Jenis Virus terhadap Penurunan Hasil pada Tanaman Cabai Rawit (*Capsicum frutescens* L .). *Jurnal Agroteknologi*, 3(3), 158–165. <http://ojs.unud.ac.id/index.php/JAT>
- Sulandari, S., Suseno, R., Hidayat, S. H., Hardjosudarmo, J., & Sosromarsono, S. (2006). Deteksi dan Kajian Kisaran Inang Virus Penyebab Penyakit Daun Keriting Kuning Cabai. *HAYATI Journal of Biosciences*, 13(1), 1–6. [https://doi.org/10.1016/S1978-3019\(16\)30371-0](https://doi.org/10.1016/S1978-3019(16)30371-0).
- Temaja, I., Selangga, D., Phabiola, T., Khalimi, K., & Listihani, L. (2022). Relationship between viruliferous *Bemisia tabaci* population and disease incidence of pepper yellow leaf curl indonesia virus in chili pepper. *Biodiversitas Journal of Biological Diversity*, 23(10). <https://doi.org/10.13057/biodiv/d231046>.
- Windarningsih, M. (2018). Mw penyebaran penyakit virus daun menguning dan keriting pada cabai rawit di kabupaten lombok utara. *Crop Agro Scientific Journal of Agronomy*, 11(2), 145. <https://doi.org/10.29303/caj.vol11.iss2.201>.