

DAFTAR PUSTAKA

- Aprotosoai, A. C., Luca, S. V., & Miron, A. (2016). Flavor Chemistry of Cocoa and Cocoa Products—An Overview. *Comprehensive Reviews in Food Science and Food Safety*, 15. <https://doi.org/10.1111/1541-4337.12180>
- Ares, G., Barreiro, C., & Giménez, A. (2009). Comparison of Attribute Liking and JAR Scales to Evaluate the Adequacy of Sensory Attributes of Milk Desserts. *Journal of Sensory Studies*, 24(5), 664–676. <https://doi.org/10.1111/j.1745-459X.2009.00232.x>
- Barbosa-Pereira, L., Rojo-Poveda, O., Ferrocino, I., Giordano, M., & Zeppa, G. (2019a). Analytical Dataset on Volatile Compounds of Cocoa Bean Shells from Different Cultivars and Geographical Origins. *Data in Brief*, 25, 104268. <https://doi.org/10.1016/j.dib.2019.104268>
- Barbosa-Pereira, L., Rojo-Poveda, O., Ferrocino, I., Giordano, M., & Zeppa, G. (2019b). Assessment of Volatile Fingerprint by HS-SPME/GC-qMS and E-Nose for the Classification of Cocoa Bean Shells Using Chemometrics. *Food Research International*, 123, 684–696. <https://doi.org/10.1016/j.foodres.2019.05.041>
- Botella-Martínez, C., Lucas-Gonzalez, R., Ballester-Costa, C., Pérez-Álvarez, J. Á., Fernández-López, J., Delgado-Ospina, J., Chaves-López, C., & Viuda-Martos, M. (2021). Ghanaian Cocoa (*Theobroma cacao* L.) Bean Shells Coproducts: Effect of Particle Size on Chemical Composition, Bioactive Compound Content and Antioxidant Activity. *Agronomy*, 11(2), 401. <https://doi.org/10.3390/agronomy11020401>
- BPOM. (2005). *Peraturan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia Nomor HK.00.05.52.0685 Tentang Ketentuan Pokok Pangan Fungsional*. Badan Pengawas Obat dan Makanan Republik Indonesia.
- Cao, Q.-Q., Wang, J.-Q., Chen, J.-X., Wang, F., Gao, Y., Granato, D., Zhang, X., Yin, J.-F., & Xu, Y.-Q. (2022). Optimization of Brewing Conditions for Tieguanyin Oolong Tea by Quadratic Orthogonal Regression Design. *Npj Science of Food*, 6(1), 25. <https://doi.org/10.1038/s41538-022-00141-7>
- Delgado-Ospina, J., Esposito, L., Molina-Hernandez, J. B., Pérez-Álvarez, J. Á., Martuscelli, M., & Chaves-López, C. (2023). Cocoa Shell Infusion: A Promising Application for Added-Value Beverages Based on Cocoa's Production Coproducts. *Foods*, 12(13), 2442. <https://doi.org/10.3390/foods12132442>
- Dos Anjos Lopes, S. M., Martins, M. V., de Souza, V. B., & Tulini, F. L. (2021). Evaluation of the Nutritional Composition of Cocoa Bean Shell Waste (*Theobroma cacao*)

- and Application in the Production of a Phenolic-rich Iced Tea. *Journal of Culinary Science & Technology*, 1–11. <https://doi.org/10.1080/15428052.2021.2016531>
- Drewnowski, A., & Gomez-Carneros, C. (2000). Bitter Taste, Phytonutrients, and the Consumer: A Review. *The American Journal of Clinical Nutrition*, 72(6), 1424–1435. <https://doi.org/10.1093/ajcn/72.6.1424>
- Du Preez, B. V. P., De Beer, D., Moelich, E. I., Muller, M., & Joubert, E. (2020). Development of Chemical-Based Reference Standards for Rooibos and Honeybush Aroma Lexicons. *Food Research International*, 127, 108734. <https://doi.org/10.1016/j.foodres.2019.108734>
- Farhan, M. (2019). *Pengaruh Metode Pengolahan Pasca Panen dan Teknik Penyeduhan terhadap Cita Rasa Kopi*. Brawijaya.
- Hasanah, U., Adawiyah, D. R., & Nurtama, B. (2014). Preferensi dan Ambang Deteksi Rasa Manis dan Pahit: Pendekatan Multikultural dan Gender. *Jurnal Mutu Pangan*, 1((1)), 1–8.
- Hasyati, N. (2022). *Studi Optimasi Empat Atribut Sensori (Manis, Pahit, Asam, Sepat) pada Teh Dauh Kopi Robusta dan Arabika dengan Teknik Seduh Dekosi dan Infusa*. Brawijaya.
- Hernández-Domínguez, E., Espinosa-Solís, V., Hernández-Nava, R. G., García-Barrientos, R., Suárez-Rodríguez, C. D. P., Gallardo-Bernal, P., Figueroa-Wences, V. M., & Sánchez-Mundo, M. D. L. L. (2024). Valorization of Cocoa Bean Shell Agro-Industrial Residues for Producing Functional Hot Water Infusions. *Processes*, 12(12), 2905. <https://doi.org/10.3390/pr12122905>
- Jokić, S., Gagić, T., Knez, Ž., Šubarić, D., & Škerget, M. (2018). Separation of Active Compounds from Food by-Product (Cocoa Shell) Using Subcritical Water Extraction. *Molecules*, 23(6), 1408. <https://doi.org/10.3390/molecules23061408>
- Krasner, S. W. (1995). The Use of Reference Materials in Sensory Analysis. *Water Science and Technology*, 31(11), 265–272. [https://doi.org/10.1016/0273-1223\(95\)00486-6](https://doi.org/10.1016/0273-1223(95)00486-6)
- Laaksonen, O. (2011). Astringent Food Compounds and Their Interaction with Taste Properties. *Department of Biochemistry and Food Chemistry, University of Turku*.
- Lantano, C., Rinaldi, M., Cavazza, A., Barbanti, D., & Corradini, C. (2015). Effects of Alternative Steeping Methods on Composition, Antioxidant Property and Colour of Green, Black and Oolong Tea Infusions. *Journal of Food Science and Technology*, 52(12), 8276–8283. <https://doi.org/10.1007/s13197-015-1971-4>

- Lawless, H. T., & Heymann, H. (2010). *Sensory Evaluation of Food: Principles and Practices*. Springer New York. <https://doi.org/10.1007/978-1-4419-6488-5>
- Lee, S. M., Chung, S.-J., Lee, O.-H., Lee, H.-S., Kim, Y.-K., & Kim, K.-O. (2008). Development of Sample Preparation Presentation Procedure and Sensory Descriptive Analysis of Green Tea. *Journal of Sensory Studies*, 23(4), 450–467. <https://doi.org/10.1111/j.1745-459X.2008.00165.x>
- Lin, S.-D., Yang, J.-H., Hsieh, Y.-J., Liu, E.-H., & Mau, J.-L. (2014). Effect of Different Brewing Methods on Quality of Green Tea: Quality of Green Tea. *Journal of Food Processing and Preservation*, 38(3), 1234–1243. <https://doi.org/10.1111/jfpp.12084>
- Liu, M., Liu, J., He, C., Song, H., Liu, Y., Zhang, Y., Wang, Y., Guo, J., Yang, H., & Su, X. (2017). Characterization and Comparison of Key Aroma-Active Compounds of Cocoa Liquors from Five Different Areas. *International Journal of Food Properties*, 20(10), 2396–2408. <https://doi.org/10.1080/10942912.2016.1238929>
- Martínez, R., Torres, P., Meneses, M. A., Figueroa, J. G., Pérez-Álvarez, J. A., & Viuda-Martos, M. (2012). Chemical, Technological and in Vitro Antioxidant Properties of Cocoa (theobroma Cacao L.) Co-Products. *Food Research International*, 49(1), 39–45. <https://doi.org/10.1016/j.foodres.2012.08.005>
- Meilgaard, M. C., Civille, G. V., & Carr, B. T. (2006). *Sensory Evaluation Techniques* (Fourth Edition). CRC Press.
- Muller, M., De Beer, D., Truzzi, C., Annibaldi, A., Carloni, P., Girolametti, F., Damiani, E., & Joubert, E. (2020). Cold Brewing of Rooibos Tea Affects Its Sensory Profile and Physicochemical Properties Compared to Regular Hot, and Boiled Brewing. *LWT*, 132, 109919. <https://doi.org/10.1016/j.lwt.2020.109919>
- Nurjanah, S., & Sari, R. N. (2023). *Persiapan Panelis Terlatih untuk Analisis Profil Sensori Susu Ruminansia Sumbawa*. 1(3).
- Nurrahma, I. S. (2024). *Analisis Kandungan Antioksidan dan Kualitas Sensori Teh Kulit Biji Kakao (theobroma Cacao) dengan Penambahan Kayu Manis (Cinnamomum Burmannii)*. Universitas Muhammadiyah Malang.
- Okiyama, D. C. G., Navarro, S. L. B., & Rodrigues, C. E. C. (2017). Cocoa Shell and Its Compounds: Applications in the Food Industry. *Trends in Food Science & Technology*, 63, 103–112. <https://doi.org/10.1016/j.tifs.2017.03.007>
- Paries, M., Bougeard, S., & Vigneau, E. (2022). Multivariate Analysis of Just-About-Right Data with Optimal Scaling Approach. *Food Quality and Preference*, 102, 104681. <https://doi.org/10.1016/j.foodqual.2022.104681>

- Purnama, G. T. (2018). *Proses Pengembangan Performansi Panelis Terlatih Menggunakan Metode Spectrum Descriptive Analysis Di PT. Campina Ice Cream Industry Tbk*. Brawijaya.
- Pusat Data dan Sistem Informasi Pertanian Kementerian Pertanian. (2022). *Outlook Komoditas Perkebunan Kakao*. Pusat Data dan Sistem Informasi Pertanian Kementerian Pertanian.
- Quijano-Aviles, M., FrancoAgurto, G., SurezQuirumbay, K., BarragnLucas, A., & ManzanoSantana, P. (2016). Linear Programming Formulation of a Dairy Drink Made of Cocoa, Coffee and Orange By-Products. *Emirates Journal of Food and Agriculture*, 28(8), 554. <https://doi.org/10.9755/ejfa.2015-09-750>
- Rao, N. Z., & Fuller, M. (2018). Acidity and Antioxidant Activity of Cold Brew Coffee. *Scientific Reports*, 8(1), 16030. <https://doi.org/10.1038/s41598-018-34392-w>
- Rinaldi, M., Littardi, P., Paciulli, M., Caligiani, A., & Chiavaro, E. (2020). Effect of Cocoa Bean Shells Granulometries on Qualitative Properties of Gluten-Free Bread During Storage. *European Food Research and Technology*, 246(8), 1583–1590. <https://doi.org/10.1007/s00217-020-03513-z>
- Rojo-Poveda, O., Barbosa-Pereira, L., Mateus-Reguengo, L., Bertolino, M., Stévigny, C., & Zeppa, G. (2019). Effects of Particle Size and Extraction Methods on Cocoa Bean Shell Functional Beverage. *Nutrients*, 11(4), 867. <https://doi.org/10.3390/nu11040867>
- Rojo-Poveda, O., Barbosa-Pereira, L., Zeppa, G., & Stévigny, C. (2020). Cocoa Bean Shell—A By-Product with Nutritional Properties and Biofunctional Potential. *Nutrients*, 12(4), 1123. <https://doi.org/10.3390/nu12041123>
- Rossetti, D., Bongaerts, J. H. H., Wantling, E., Stokes, J. R., & Williamson, A.-M. (2009). Astringency of Tea Catechins: More Than an Oral Lubrication Tactile Percept. *Food Hydrocolloids*, 23(7), 1984–1992. <https://doi.org/10.1016/j.foodhyd.2009.03.001>
- Rosyada, F. F. A., Agustina, E., & Faizah, H. (2023). Pengaruh Konsentrasi Gula Terhadap Karakteristik Fisika, Kimia dan Aktivitas Antioksidan Teh Kombucha Daun Belimbing Wuluh (*Avverhoa bilimbi* Linn.). *Rekayasa*, 16(1), 27–34. <https://doi.org/10.21107/rekayasa.v16i1.16977>
- Schraidt, M. (2009). Appendix L: Penalty Analysis or Mean Drop Analysis. In L. Rothman & M. J. Parker, *Just-About-Right (JAR) Scales: Design, Usage, Benefits, and Risks* (pp. 50–53). ASTM International 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959. <https://doi.org/10.1520/MNL11493M>

- Siow, C. S., Chan, E. W. C., Wong, C. W., & Ng, C. W. (2022). Antioxidant and Sensory Evaluation of Cocoa (theobroma Cacao L.) Tea Formulated with Cocoa Bean Hull of Different Origins. *Future Foods*, 5, 100108. <https://doi.org/10.1016/j.fufo.2021.100108>
- Song, J., Xia, Y., & Zhong, F. (2021). Consumers with High Frequency of 'Just About Right' in Jar Scales May Use Lower Cognitive Effort: Evidence from the Concurrent 9-Point Hedonic Scale and CATA Question. *Food Research International*, 143, 110285. <https://doi.org/10.1016/j.foodres.2021.110285>
- Stone, H., & Sidel, J. L. (2004). *Sensory Evaluation Practices* (Third Edition). Elsevier Academic Press.
- Wang, L., Zhang, H., Xie, M., Wan, J., Li, J., Yang, S., Li, Y., Zhang, Q., Liu, Z., & Xiong, Y. (2024). Optimization of Brewing Process Vine Tea and Flavor Analysis of Different Brewing Processes. *Journal of Food Biochemistry*, 2024, 1–27. <https://doi.org/10.1155/2024/8858457>
- Wang, S., Gan, Z., Wang, B., Zhang, N., Li, K., & Yao, T. (2022). Effect of Brewing Conditions on Polyphenols in the Dark Tea (camellia Sinensis L.) Infusions: Content, Composition and Antioxidant Activities. *Food Science and Technology*, 42, e36322. <https://doi.org/10.1590/fst.36322>
- Xiong, R., & Meullenet, J.-F. (2006). A PLS Dummy Variable Approach to Assess the Impact of JAR Attributes on Liking. *Food Quality and Preference*, 17(3–4), 188–198. <https://doi.org/10.1016/j.foodqual.2005.03.006>
- Zujko, M. E., & Witkowska, A. M. (2014). Antioxidant Potential and Polyphenol Content of Beverages, Chocolates, Nuts, and Seeds. *International Journal of Food Properties*, 17(1), 86–92. <https://doi.org/10.1080/10942912.2011.614984>