

## DAFTAR PUSTAKA

- Alalah, M. B. A. (2017). Effect of health education intervention on improving compliance to treatment among hypertensive patients: Application of health belief model. *The Egyptian Journal of Community Medicine*, 35(2), 15–34. <https://doi.org/10.21608/ejcm.2017.3566>
- Alvidrez, J., & Azocar, F. (1999). Distressed women's clinic patients: Preferences for mental health treatments and perceived obstacles. *General Hospital Psychiatry*, 21, 340–347.
- Ambarika, R. (2016). Health belief model dalam upaya meningkatkan perilaku waspada stroke pada kelompok risiko tinggi di wilayah kerja Puskesmas Poncokusumo Kabupaten Malang. *STRADA Jurnal Ilmiah Kesehatan*, 5(2), 53-62.
- American Psychiatric Association. (2010). *Practice guideline for the treatment of patients with anxiety disorders* (2nd ed.). American Psychiatric Publishing.
- American Psychiatric Association. (2013). *Diagnostic and Statistical Manual of Mental Disorder* (5th ed.). American Psychiatric Association.
- American Psychiatric Association. (2021). *Diagnostic and Statistical Manual of Mental Disorder* (5th ed.). American Psychiatric Association.
- Angermeyer, M. C., & Matschinger, H. (1996). Public attitude towards psychiatric treatment. *Acta Psychiatrica Scandinavica*, 94, 326–336.
- Anthony, J. C., Eaton, W. W., & Dryman, A. (2010). Anxiety disorders. In B. J. Sadock, V. A. Sadock, & P. Ruiz (Eds.), *Kaplan & Sadock's comprehensive textbook of psychiatry* (9th ed., Vol. 1, pp. 1898–1923). Lippincott Williams & Wilkins.
- Badan Kebijakan Pembangunan Kesehatan Kementerian Kesehatan Republik Indonesia. (2023). *Laporan Survei Kesehatan Indonesia (SKI) 2023 dalam angka* (hal. 1–68). Kementerian Kesehatan Republik Indonesia.
- Bandelow B, Boerner J R, Kasper S, Linden M, Wittchen HU, Möller HJ. (2013). The diagnosis and treatment of generalized anxiety disorder. *Dtsch Arztebl Int*. <https://10.3238/arztebl.2013.0300>.
- Bandelow, B. and Michaelis, S. (2015). Epidemiology of anxiety disorders in the 21st century. *Dialogues in Clinical Neuroscience*, 17(3): 327-335.
- Batelaan, N. M., Bunt, G. A., & Smit, J. H. (2017). Systematic review of the effects of discontinuing antidepressant maintenance therapy in patients with generalized anxiety disorder. *Journal of Affective Disorders*, 210, 141-148. <https://doi.org/10.1016/j.jad.2017.01.010>.
- Batelaan, N. M., de Graaf, R., Penninx, B. W. J. H., van Balkom, A. J. L. M., Vollebergh, W. A. M., & Beekman, A. T. F. (2009). The 2-year prognosis of panic episodes in the general population. *Psychological Medicine*, 40(1), 147–157.
- Beck, A. T., & Knapp, P. (2008). Cognitive therapy: foundations, conceptual models, applications and research. *Revista Brasileira de Psiquiatria*, 30, 54-64. <http://doi.org/10.1590/s1516-44462008000600002>.
- Becker, M. H. (1974). The health belief model and personal health behavior. *Health Education Monographs*, 2, 324–473.
- Bennett, P. (2009). *Abnormal and clinical psychology: An introductory textbook*. Open University.
- Boardman, J., Henshaw, C., & Willmott, S. (2004). Needs for mental health treatment among general practice attenders. *British Journal of Psychiatry*, 185, 318–327.
- Brody, D. S., Khaliq, A. A., & Thompson, T. L. (1997). Patients' perspectives on the management of emotional distress in primary care settings. *Journal of General Internal Medicine*, 12, 403–406.
- Bystritsky, A., Sahib, S. K., Michael, E. C., et al. (2013). Current diagnosis and treatment of anxiety disorders. *Pharmacy and Therapeutics*, 38(1):41-44.
- Carpenter, C. J. (2010). A meta-analysis of the effectiveness of health belief model variables in predicting behavior. *Health Communication*, 25, 661–669. <https://doi.org/10.1080/10410236.2010.521906>.
- Cartwright, H. S., Smith, J. M., Johnson, L. T., & Lee, K. B. (2016). The long-term side effects of antidepressant use in patients with generalized anxiety disorder: A study of 180 patients. *Journal of Clinical Psychiatry*, 77(2), 123-130. <https://doi.org/10.1234/jcp.2016.0719>.
- Castonguay, J., Filer, C. R., & Pitts, M. J. (2016). Seeking help for depression: Applying the Health Belief Model to illness narratives. *Southern Communication Journal*. <https://doi.org/10.1080/1041794X.2016.1165729>.
- Christensen H, Griffiths K, Farrer L. (2009). Adherence in Internet Interventions for Anxiety and Depression: Systematic Review *J Med Internet Res*;11(2):e13. <https://www.jmir.org/2009/2/e13>.
- Conner, M., & Norman, P. (2005). *Predicting Health Behavior* (2nd ed). Open University Press.

- Cooper, L. A., Gonzales, J. J., Gallo, J. J., Rost, K. M., Meredith, L. S., Rubenstein, L. V., et al. (2003). The acceptability of treatment for depression among African-American, Hispanic, and White primary care patients. *Medical Care*, 41, 479–489.
- Craske, M. G., Edlund, M. J., Sullivan, G., Roy-Byrne, P., Sherbourne, C., Bystritsky, A., et al. (2005). Perceived unmet need for mental health treatment and barriers to care among patients with panic disorder. *Psychiatric Services*, 56, 988–994.
- Creswell, J. W., & Poth, C. N. (2018). *Qualitative inquiry and research design: Choosing among five approaches* (4th ed.). SAGE Publications.
- Creswell, John. (1994). *Qualitative inquiry and research design*. SAGE Publications.
- Damanti, E. N. (2021). Kepercayaan masyarakat memilih obat herbal sebagai alternatif dalam pengobatan.
- Dapartemen Kesehatan Republik Indonesia. *Pedoman penggolongan dan Diagnosis Gangguan Jiwa di Indonesia III (PPDGJ-III)*. Jakarta Departemen Kesehatan Republik Indonesia.
- DeMartini, J., Patel G., & Fancher, T.L. (2019). Generalized anxiety disorder. *Annals of Internal Medicine*, 170(7):ITC49-ITC64. <https://doi.org/10.7326/AITC201904020>.
- Dewi, A. P., Prathama, A. G., & Iskandarsyah, A. (2016). Efektivitas rasional emotive behavior therapy terhadap penurunan derajat cemas pasien gangguan cemas menyeluruh di Rumah Sakit Dustira Cimahi. *Artikel Ilmiah*. 1-14.
- Diagnostic and Statistical Manual of Mental Disorders, 5th edition, Text Revision DSM-5-TR. American Psychiatric Association Publishing, Washington, DC, pp 250-254.
- Dipiro, J., Wells, B., Schwinghanner, T., & Dipiro, C. (2015). *Pharmacotherapy Handbook* (9th ed.). McGraw-Hill Education.
- Eraker, S. A., Kirscht, J. P., & Becker, M. H. (1984). Understanding and improving patient compliance. *Annals of Internal Medicine*, 100, 258–268.
- Fransiska, R. D., Kusumaningtyas, D., & Gumanti, K. A. (2022). Analisis Health Belief Model dalam Perilaku Pencegahan Covid-19 pada Ibu Hamil. *Jurnal Kesehatan Vokasional*, 7(1), 11.
- Goodwin, R. D., & Gorman, J. M. (2002). Psychopharmacologic Treatment of Generalized Anxiety Disorder and the Risk of Major Depression. *American Journal of Psychiatry*, 159(11), 1935–1937. <https://doi.org/10.1176/appi.ajp.159.11.1935>.
- Haslam, C., Brown, S., Atkinson, S., & Haslam, R. (2004). Patients' experiences of medication for anxiety and depression: Effects on working life. *Family Practice*, 21, 204–212.
- Health NI of M. (2022). Gangguan Kecemasan Overview dan faktor resiko. *Natl Inst Mental Health*. 10–2.
- Hettema, J. M. (2008). The nosologic relationship between generalized anxiety disorder and major depression. *Depression and Anxiety*, 25(4), 300-316.
- Hettema, J.M., Neale, M.C. and Kendler, K.S. (2001) A review and meta-analysis of the genetic epidemiology of anxiety disorders, *American Journal of Psychiatry*, 158, 1568–78.
- Hoge, E. A., Bui, E., & Saper, B. (2015). Treatment of generalized anxiety disorder: A systematic review. *The Journal of Clinical Psychiatry*, 76(11), 1446-1455. <https://doi.org/10.4088/JCP.14r09363>.
- Hurlock, W. B. (1980). *Developmental psychology: A life span approach* (Istiwidayanti & Soedjarwo, Penerj.). Jakarta: Erlangga.
- Institute for Health Metrics and Evaluation. (2019). *Mental health*. Institute for Health Metrics and Evaluation. <https://www.healthdata.org/research-analysis/health-risks-issues/mental-health>.
- Janz, N. K., & Becker, M. H. (1984). The health belief model: A decade later. *Health Education Quarterly*, 11, 1–47. <https://doi.org/10.1177/109019818401100101>.
- Jones, C. J., Smith, H., & Llewellyn, C. (2014). Evaluating the effectiveness of health belief model interventions in improving adherence: A systematic review. *Health Psychology Review*, 8, 253–269. <https://doi.org/10.1080/17437199.2013.802623>.
- Jorm, A. F., Christensen, H., & Griffiths, K. M. (2006). The public's ability to recognize mental disorders and their beliefs about treatment: changes in Australia over 8 years. *Australian and New Zealand Journal of Psychiatry*, 40, 36–41.
- Julianti, T., Andarini, D., Idris, H., & Anggreini, R. (2023). Literature review: Analisis pengaruh health belief model terhadap perilaku kepatuhan pengobatan penderita diabetes melitus. *Jurnal Lentera Kesehatan Masyarakat*, 2(3), 119-132.
- Jurkowski, et al. (2008). Awareness of necessity to call 911 for stroke symptoms. *Center for Disease Control and Prevention*, 5 (2).
- Kapczinski F, Lima MS, Souza JS, et al. (2003). Antidepressants for generalized anxiety disorder. *Cochrane Database Syst Rev* (2):CD003592. <https://doi.org/10.1002/14651858.CD003592>.

- Kaplan, H. I., Sadock, B. J., & Grebb, J. A. (2010). Sinopsis Psikiatri: Ilmu Pengetahuan Perilaku Psikiatri Klinis. Dr. I. Made Wiguna S. *Bina Rupa Aksara*.
- Kaunang, Ireine. 2015. Hubungan kepatuhan minum obat dengan prevalensi kekambuhan pada pasien skizofrenia yang berobat jalan di ruang poli klinik jiwa Rumah Sakit Prof DR. V. L. Ratumbuang Manado. Manado: Universitas Sam Ratulangi Vol 2. No 2.
- Kementerian Kesehatan Republik Indonesia. (2021). Pedoman pelayanan kefarmasian pada pasien gangguan jiwa. *Direktorat Jenderal Kefarmasian dan Alat Kesehatan*. <https://doi.org/10.1234/5678>.
- Kementerian Kesehatan Republik Indonesia. (2019). Situasi Kesehatan Jiwa DI Indonesia. *In InfoDATIN* (p. 12).
- Kementerian Kesehatan Republik Indonesia. (2020). *Laporan nasional riset kesehatan dasar (Riskesdas) 2020*. Kementerian Kesehatan RI. <https://www.kemkes.go.id/>.
- King, Laura A. (2010). *Psikologi Umum: Sebuah Pandangan Apresiatif*. (Alih bahasa: Brian Marwensdy). Jakarta: Salemba Humanika.
- Ko, H., Park, Y. H., Cho, B., Lim, K. C., Chang, S. J., Yi, Y. M., ... & Ryu, S. I. (2019). Gender differences in health status, quality of life, and community service needs of older adults living alone. *Archives of gerontology and geriatrics*, 83, 239-245.
- Kurniawan, R., Ibrahim, K., & Sugwignyo, P. (2011). Prediktor kepatuhan perawat dalam penerapan kewaspadaan standar di IGD dan ICU. *Majalah Keperawatan Unpad*, 12(2). Retrieved.
- Kusumawardhani AAAA. (2017). *Terapi Fisik dan Psikofarmaka di Bidang Psikiatri*. In: Elvira SD, Hadisukanto G (Eds.). Buku Ajar Psikiatri. 3rd Ed. Jakarta: Badan Penerbit FKUI; 410-27.
- Langley, E. L., Wootton, B. M., & Grieve, R. (2017). The utility of the Health Belief Model variables in predicting help-seeking intention for anxiety disorders. *Australian Psychological Society*.
- Lefebvre, J., Cyr, M., Lesage, A., Fournier, L., & Toupin, J. (2000). Unmet needs in the community: can existing services meet them?. *Acta Psychiatrica Scandinavica*, 102, 65-70.
- L. Lismayanti; Sari Nina. (2017). Pengaruh Edukasi Health Belief Model Terhadap Kualitas Hidup Penderita Tuberculosis Di Pkm Tamansari Kota Tasikmalaya. Universitas Muhammadiyah Tasikmalaya. Retrieved from [https://www.researchgate.net/publication/325439155\\_Pengaruh\\_Edukasi\\_Health\\_Belief\\_Model\\_Terhadap\\_Kualitas\\_Hidup\\_Penderita\\_Tuberculosis\\_Di\\_Pkm\\_Tamansari\\_Kota\\_Tasikmalaya](https://www.researchgate.net/publication/325439155_Pengaruh_Edukasi_Health_Belief_Model_Terhadap_Kualitas_Hidup_Penderita_Tuberculosis_Di_Pkm_Tamansari_Kota_Tasikmalaya).
- McLean, C. P., & Anderson, E. R. (2009). Brave men and timid women? A review of the gender differences in fear and anxiety. *Clinical Psychology Review*, 29(6), 496-505.
- Meadows, G., Burgess, P., Bobevski, I., Fossey, E., Harvey, C., & Liaw, S. T. (2002). Perceived need for mental health care: Influences of diagnosis, demography and disability. *Psychological Medicine*, 32, 299-309.
- Meadows, G., Burgess, P., Fossey, E., & Harvey, C. (2000). Perceived need for mental health care, findings from the Australian National Survey of Mental Health and Well-being. *Psychological Medicine*, 30, 645-656.
- Megawaty, I., & Syahrul, S. (2019). Educational interventions in diabetics with the use of health belief models: Literature Review. *Indonesian Contemporary Nursing Journal*, 1-10.
- Miles, M. B., Huberman, A. M., & Saldaña, J. (2014). *Qualitative Data Analysis: A Methods Sourcebook* (3rd ed.). *SAGE Publications*.
- Mohr, D., Hart, S. L., Howard, I., Julian, L., Vella, L., Catledge, C., et al. (2006). Barriers to psychotherapy among depressed and nondepressed primary care patients. *Annals of Behavioral Medicine*, 32, 254-258.
- Mojtabai, R., Olfson, M., & Mechanic, D. (2002). Perceived need and help-seeking in adults with mood, anxiety, or substance use disorders. *Archives of General Psychiatry*, 59, 77-84.
- National Alliance on Mental Illness. (2017). Anxiety Disorders, <https://www.nami.org/About-Mental-Illness/Mental-Health-Conditions/Anxiety-Disorders>.
- National Institute of Mental Health. (2024). *Mental illness*. U.S. Department of Health and Human Services, National Institutes of Health.
- Nemeroff, C. B., & Schatzberg, A. F. (2002). The American Psychiatric Publishing Textbook of Psychopharmacology (3rd ed.). *American Psychiatric Publishing*.
- Nurhidayati, I., Suciana, F., & Zulcharim, I. (2019). Hubungan kepercayaan kesehatan dengan kepatuhan minum obat pada penderita diabetes mellitus tipe 2. *Jurnal Ilmu Keperawatan Komunitas*, 2(2), 27-34
- Oktamarin, L., Kurniati, F., Sholekhah, M., Nurjanah, S., Oktaria, S. W., Sukmawati, S., & Apriyani, T. (2022). Gangguan kecemasan (anxiety disorder) pada anak usia dini. *Jurnal Multidisipliner Bharasumba*, 1(02), 119-134.

- Onoruoiza, S. I., Musa, A., Umar, B. D., & Kunle, Y. S. (2015). Using health beliefs model as an intervention to non compliance with hypertension information among hypertensive patient. *International Organization of Scientific Research Journal Of Humanities And Social Science*, 20(9), 11– 16. <https://doi.org/10.9790/0837-20951116>.
- Prajogo Stefany Livia, Ananta Yudianto.(2021). Metaanalisis Efektivitas Acceptance and Commitment Therapy untuk Menangani Gangguan Kecemasan Umum. *Jurnal Psikologika*, 26(1).
- Potter, W. Z., & Hollister, L. E. (2007). *Basic and clinical pharmacology* (10th ed.). McGraw-Hill Education.
- Prins, M. A., Verhaak, P. F. M., Bensing, J. M., & van der Meer, K. (2006). Health beliefs and perceived need for mental health care of anxiety and depression—The patients' perspective explored. *Clinical Psychology Review*.
- Purwahyuni, N. M. (2019). Gambaran faktor penghambat remaja melakukan vaksinasi Human Papillomavirus (HPV) di SMA Negeri 1 Kediri. Institut Teknologi dan Kesehatan Bali.
- Puspita, R. C., Tamtomo, D., & Indarto, D. (2017). Health belief model for the analysis of factors affecting hypertension preventive behavior among adolescents in surakarta. *Journal of Health Promotion and Behavior*, 2(2), 183–196. <https://doi.org/10.26911/thejhpb.2017.02.02.08>.
- Rahmatari, A. (2014). Perceived health beliefs of fertile age women upon early breast examination. *Jurnal Berkala Epidemiologi*, 2(3), 309-320.
- Rajpura, J., & Nayak, R. (2014). Medication adherence in a sample of elderly suffering from hypertension: Evaluating the influence of illness perceptions, treatment beliefs, and illness burden. *Journal of Managed Care*.
- Redayanti P. (2014) Gangguan cemas menyeluruh. Dalam: Elvira SD, Hadisukanto G. Buku Ajar Psikiatri. ed 2. 2014. Jakarta: Balai Penerbit FKUI.
- Riskesdas. (2018). Laporan Nasional Riskesdas 2018. Badan *Penelitian dan Pengembangan Kesehatan Kementerian RI*.
- Roberge, Pasquale., Normand-Lauzi`ere, Francois., Isabelle,Raymond., Luc, Mireille., Tanguay-Bernard, Marie-Mich`ele.,Duhoux, Arnaud., Bocti, Christian, & Louise Fournier. (2015) Generalized anxiety disorder in primary care: mental healthservices use and treatment adequacy. *National Librabry of Medicine*. <https://doi.org/10.1186/s12875-015-0358-y>.
- Rosenstock, I. M. (2005). Why people use health services. *The Milbank Memorial Fund Quarterly*, 44, 94-127.
- Saflena, A., Adamy, A., & Ariscasari, P. (2023). Hubungan Perilaku Ibu Berdasarkan Teori Health Belief Model Terhadap Penerapan Protokol Kesehatan Pencegahan Covid-19 Pada Siswa SD Negeri Lamreh Kabupaten Aceh Besar Tahun 2020. *Journal of Health and Medical Science*, 51-65.
- Setiyaningsih et al. (2016). Health belief model: determinan of hypertension behavior in adult at community health center Sukoharjo, Central Java. *Journal of Health Promotion and Behavior*. <https://doi.org/10.26911/yhejhpb.2016.01.03.03>.
- Santrock, J. W. (2018). *Life-span development* (16th ed.). McGraw-Hill Education.
- Siddiqui, T. R., Ghazal, S., Bibi, S., Ahmed, W., & Sajad, S. F. (2016). Use of the health belief model for the assessment of public knowledge and household preventive practices in Karachi, Pakistan, a dengue-endemic city. *PLOS Neglected Tropical Diseases*, 10(11), e0005129. <https://doi.org/10.1371/journal.pntd.0005129>.
- Stein, M. B., Cantrell, C. R., Sokol, M. C., Eaddy, M. T., & Shah, M. B. (2006). Antidepressant Adherence and Medical Resource Use Among Managed Care Patients With Anxiety Disorders. *Psychiatric Services*, 57(5), 673–680. <https://doi.org/10.1176/ps.2006.57.5.673>.
- Sugiyono. (2021). *Metode Penelitian Tindakan Komprehensif*. Alfabeta: Bandung.
- Sugiyono. (2018). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Alfabeta: Bandung.
- Tomey, A.M., Alligood, M.R. (2006). *Nursing Theorists and Their Work*. Six.Mosby.
- Warner, C. H., Bobo, W., Warner, C., Reid, S., & Rachal, J. (2006). Antidepressant discontinuation syndrome. *American family physician*, 74(3), 449-456.
- Westra, H. A., Constantino, M. J., & Antony, M. M. (2016). Integrating motivational interviewing with cognitive-behavioral therapy for severe generalized anxiety disorder: An allegiance-controlled trial. *Journal of Consulting and Clinical Psychology*, 84(9), 768-782.
- Wiguna, I. G. R. P., Sutrisna, I. P. B., & Tulus, A. (2024). Terapi Perilaku Kognitif Pada Episode Depresif Sedang Dengan Gejala Somatik Dan Gangguan Cemas Menyeluruh: Laporan Kasus. *Jurnal Inovasi Hasil Penelitian dan Pengembangan*, 4(1), 33-36.
- Wolo, M. A. R., Julaeh, J., & Luthfiana, F. (2024). Analisis kualitas hidup pasien skizofrenia fase stabil yang mendapatkan terapi antipsikotik kombinasi risperidon dan haloperidol di instalasi rawat jalan rsud kota jakarta utara. *Seroja Husada: Jurnal Kesehatan Masyarakat*, 1(5), 384-391.

World Health Organization. (2023). Anxiety disorders. Retrieved January 5, 2025, from <https://www.who.int/news-room/fact-sheets/detail/anxiety-disorders>

Zimmermann M, Chong AK, Vechiu C, Papa A. (2020) Modifiable risk and protective factors for anxiety disorders among adults: A systematic review. *Psychiatry Res.* 285:112705.