

## DAFTAR PUSTAKA

- Abdel-razeq, H. *et al.* (2020) 'The Application of Gail Model to Predict the Risk of Developing Breast Cancer among Jordanian Women', *Journal of Oncology*, 2020.
- Aktipis, C.A. *et al.* (2015) 'Modern reproductive patterns associated with estrogen receptor positive but not negative breast cancer susceptibility', *Evolution, medicine, and public health*, 2015(1), pp. 52–74.
- Albright, F.S. *et al.* (2019) 'Population-based relative risks for specific family history constellations of breast cancer', *Cancer Causes & Control*, 30, pp. 581–590.
- Alharbi, K.S. *et al.* (2022) 'Role of Medicinal plant-derived Nutraceuticals as a potential target for the treatment of breast cancer', *Journal of Food Biochemistry*, p. e14387.
- American Cancer Society (2017) 'Cancer Staging Manual', 1024.
- American Cancer Society (2020) *Breast Cancer Risk and Prevention Breast Cancer Risk Factors You Cannot Change*, American Cancer Society. Amerika: The American Cancer Society.
- American Cancer Society (2021) 'Understanding a Breast Cancer Diagnosis, Atlanta.', <https://www.cancer.org/cancer/breast-cancer/about/types-of-breast-cancer.html#References>, pp. 1–36.
- Amir, E. *et al.* (2003) 'Evaluation of breast cancer risk assessment packages in the family history evaluation and screening programme', *Journal of medical genetics*, 40(11), pp. 807–814.
- Anggorowati, L. (2013) 'Faktor risiko kanker payudara wanita', *KEMAS: Jurnal Kesehatan Masyarakat*, 8(2).
- Arafah, A.B.R. and Notobroto, H.B. (2017) 'Faktor yang berhubungan dengan perilaku ibu rumah tangga melakukan pemeriksaan payudara sendiri (SADARI)', *The Indonesian Journal of Public Health*, 12(2), pp. 143–153.
- Avryna, P., Wahid, I. and Fauzar, F. (2019) 'Invasive Carcinoma Mammae dengan Metastasis Orbita, Tulang, dan Paru', *Jurnal Kesehatan Andalas*, 8(1S), pp. 89–93.
- Berclaz, G. *et al.* (2004) 'Body mass index as a prognostic feature in operable breast cancer: the International Breast Cancer Study Group experience', *Annals of Oncology*, 15(6), pp. 875–884.
- Berman, A. *et al.* (2010) *Kozier and Erb's fundamentals of nursing*. Pearson Australia.
- Bistoni, G. and Farhadi, J. (2015) 'Anatomy and physiology of the breast', *Plastic and reconstructive surgery: Approaches and techniques*, pp. 477–485.
- Boddy, A.M. *et al.* (2022) 'Early life adversity, reproductive history and breast cancer risk', *Evolution, Medicine and Public Health*, 2022(August), pp. 429–438.
- Brodzicki, T. *et al.* (2019) 'A Case-Control Study to Add Volumetric or Clinical Mammographic Density to the Gail Model', *Journal of Breast Imaging*, 1(2), pp. 99–106. <https://doi.org/10.1093/jbi/wbz006>.
- Cahtani, I. (2010) 'Gambaran wanita post mastektomi yang mengalami depresi di rumah



sakit kanker Dharmais Jakarta Barat’.

Cao, S. and Lu, C. (2016) ‘Recent perspectives of breast cancer prognosis and predictive factors’, *Oncology letters*, 12(5), pp. 3674–3678.

CDC (2019) *United States Cancer Statistics: Data Visualizations*. Available at: <https://gis.cdc.gov/Cancer/USCS/#/AtAGlance/>.

Chae, S.Y. *et al.* (2020) ‘Comparison of diagnostic sensitivity of [18F] fluoroestradiol and [18F] fluorodeoxyglucose positron emission tomography/computed tomography for breast cancer recurrence in patients with a history of estrogen receptor-positive primary breast cancer’, *EJNMMI research*, 10(1), pp. 1–9.

Challa, V.R., Swamyvelu, K. and Shetty, N. (2013) ‘Assessment of the clinical utility of the Gail model in estimating the risk of breast cancer in women from the Indian population’, *ecancermedicalscience*, 7.

Choudhury, P.P. *et al.* (2020) ‘Comparative Validation of Breast Cancer Risk Prediction Models and Projections for Future Risk Stratification’, *JNCI Journal National Cancer Inst*, 112, pp. 278–285. Available at: <https://doi.org/10.1093/jnci/djz113>.

Cintolo-Gonzalez, J.A. *et al.* (2017) ‘Breast cancer risk models: a comprehensive overview of existing models, validation, and clinical applications’, *Breast cancer research and treatment*, 164, pp. 263–284.

Clendenen, T. V *et al.* (2019) ‘Breast cancer risk prediction in women aged 35 – 50 years : impact of including sex hormone concentrations in the Gail model’, *Breast Cancer Research*, 21(42), pp. 1–12.

Dall, G.V. and Britt, K.L. (2017) ‘Estrogen effects on the mammary gland in early and late life and breast cancer risk’, *Frontiers in oncology*, 7, p. 110.


Danladi, C. and Serakinci, N. (2022) ‘Performance of risk prediction models in breast cancer screening among women in Cyprus’, *EMHJ-Eastern Mediterranean Health Journal*, 28(12), pp. 888–895.


Dewi, G.A.T. and Hendrati, L.Y. (2015) ‘Breast Cancer Risk Analysis by the Use of Hormonal Contraceptives and Age of Menarche’, *Jurnal Berkala Epidemiologi*, 3(1), pp. 12–23.

Dinas Kesehatan Provinsi Sulawesi Selatan (2020) ‘Laporan Akuntabilitas Kinerja Instansi Pemerintah Program Penegahan dan Pengendalian Penyakit’.

Eljiani, M.M. *et al.* (2020) ‘Assessment of Breast Cancer Risk in Libyan Women using the Gail Model’, *Libyan Journal of Medical Sciences*, 4(3), pp. 115–119. Available at: <https://doi.org/10.4103/LJMS.LJMS>.

Fadhil, A. *et al.* (2022) ‘Identify Breast Cancer Risk Factors Using the Gail Assessment Model in Iraq’, *Razi Vaccine and Serum Research Institute*, 77(5), pp. 1901–1907. Available at: <https://doi.org/10.22092/ARI.2022.359509.2436>.

Ga  ) ‘Genetic testing for familial/hereditary breast cancer—comparison of guidelines and recommendations from the UK, France, the Netherlands and Germany’, *Journal of community medicine and health care*, 2019, pp. 56–69.

Ga  I.H. (2000) ‘Gail model and breast cancer’, *The Lancet*, 355(9208), p. 1017.

- Ge, W. *et al.* (2018) 'Circulating anti-Müllerian hormone and breast cancer risk: A study in ten prospective cohorts', *International journal of cancer*, 142(11), pp. 2215–2226.
- Haemers, P. *et al.* (2017) 'Atrial fibrillation is associated with the fibrotic remodelling of adipose tissue in the subepicardium of human and sheep atria', *European heart journal*, 38(1), pp. 53–61.
- Hamdi, Y. *et al.* (2016) 'Association of breast cancer risk with genetic variants showing differential allelic expression: Identification of a novel breast cancer susceptibility locus at 4q21', *Oncotarget*, 7(49), p. 80140.
- Harris, H.R. *et al.* (2017) 'An adolescent and early adulthood dietary pattern associated with inflammation and the incidence of breast cancer', *Cancer research*, 77(5), pp. 1179–1187.
- Hasanah, A.F., Yuliani, R. and St, M.B. (2017) 'Uji Aktivitas Sitotoksik Ekstrak Etanol Biji Mangga Golek, Madu, dan Arum Manis (*Mangifera indica* L.) terhadap Sel Kanker Payudara T47D'. Universitas Muhammadiyah Surakarta.
- Hero, S.K. (2020) 'Faktor Resiko Kanker Payudara', *Jurnal Bagus*, 02(01), pp. 402–406.
- Hird, A. *et al.* (2009) 'Determining the incidence of pain flare following palliative radiotherapy for symptomatic bone metastases: results from three canadian cancer centers', *International Journal of Radiation Oncology\* Biology\* Physics*, 75(1), pp. 193–197.
- Jacobi, C.E. *et al.* (2009) 'Differences and similarities in breast cancer risk assessment models in clinical practice: which model to choose?', *Breast cancer research and treatment*, 115, pp. 381–390.
- Kashyap, D. *et al.* (2023) 'Retraction Retracted: Global Increase in Breast Cancer Incidence: Risk Factors and Preventive Measures', *Biomed Research International*, 2022, pp. 1–16.
- Khotimah, N. (2011) 'Penentuan Dosis Serapan Radiasi- $\gamma$  dari  $^{60}\text{Co}$  pada Radiotherapy Payudara Menggunakan Software MCNP5'.
- Kozier, B. (2008) *Fundamentals of nursing: concepts, process and practice*. pearson education.
- Kurian, A.W. *et al.* (2021) 'Performance of the IBIS / Tyrer- - Cuzick Model of Breast Cancer Risk by Race and Ethnicity in the Women ' s Health Initiative', *Cancer*, 15(10), pp. 3742–3750. Available at: <https://doi.org/10.1002/cncr.33767>.
- Lee, A. *et al.* (2019) 'BOADICEA: a comprehensive breast cancer risk prediction model incorporating genetic and nongenetic risk factors', *Genetics in Medicine*, 21(8), pp. 1708–1718. Available at: <https://doi.org/10.1038/s41436-018-0406-9>.
- Lee, K. *et al.* (2019) 'The Impact of Obesity on Breast Cancer Diagnosis and Treatment', *Springer*, 21(41), pp. 19–24.
- Lu, Y. *et al.* (2021) 'Breast cancer—epidemiology, risk factors, classification, prognostic markers, and treatment strategies—an updated review', *Cancers*, 13(17), p. 4287.
- McGee, G. *et al.* (2020) 'Performance of Breast Cancer Risk-Assessment Models in a Large Cohort', *Journal of the National Cancer Institute*, 112(5), pp. 489–497. Available at: <https://doi.org/10.1093/jnci/djz177>.



- Meier-Abt, F., Bentires-Alj, M. and Rochlitz, C. (2015) 'Breast Cancer Prevention: Lessons to be Learned from Mechanisms of Early Pregnancy–Mediated Breast Cancer ProtectionBreast Cancer–Protective Effect of Early Pregnancy', *Cancer research*, 75(5), pp. 803–807.
- Miller, E.A. *et al.* (2020) 'Breast cancer risk prediction models and subsequent tumor characteristics', *Breast Cancer* [Preprint], (0123456789). Available at: <https://doi.org/10.1007/s12282-020-01060-9>.
- Momenimovahed, Z. and Salehiniya, H. (2019) 'Epidemiological characteristics of and risk factors for breast cancer in the world', *Breast Cancer: Targets and Therapy*, 11, pp. 151–164. Available at: <https://doi.org/10.2147/BCTT.S176070>.
- Myers, D.J. and Walls, A.L. (2017) 'Atypical breast hyperplasia'.
- Nadeak, M., Ishak, I. and Setiawan, D. (2022) 'Sistem Pakar Untuk Mendiagnosa Penyakit Kanker Payudara (Carcinoma Mammae) dengan Menggunakan Metode Teorema Bayes Pada Rumah Sakit Vina Estetika Medan', *Jurnal Cyber Tech*, 1(5).
- Naeem, M. *et al.* (2019) 'Risk factors , genetic mutations and prevention of breast cancer', *International Journal of Biosciences*, 14(February 2020), pp. 492–496. Available at: <https://doi.org/10.12692/ijb/14.4.492-496>.
- Nia, K. (2020) 'Peer review-Payudara & Kelainannya'.
- Opdahl, S. *et al.* (2011) 'Joint effects of nulliparity and other breast cancer risk factors', *British journal of cancer*, 105(5), pp. 731–736.
- Paluch-Shimon, S. *et al.* (2016) 'Prevention and screening in BRCA mutation carriers and other breast/ovarian hereditary cancer syndromes: ESMO Clinical Practice Guidelines for cancer prevention and screening', *Annals of Oncology*, 27, pp. v103–v110.
- Prof, B., Cuzick, J. and Brentnall, A. (2016) 'Breast Cancer Risk', (October), pp. 54–55.
- Quante, A.S. *et al.* (2012) 'Breast cancer risk assessment across the risk continuum: genetic and nongenetic risk factors contributing to differential model performance', *Breast Cancer Research*, 14, pp. 1–12.
- Rabbani, B. *et al.* (2023) *A combined risk model shows viability for personalized breast cancer risk assessment in the Indonesian population*. Available at: <https://doi.org/10.1101/2023.09.22.23295602>.
- Racz, J.M., Carter, J.M. and Degnim, A.C. (2017) 'Challenging atypical breast lesions including flat epithelial atypia, radial scar, and intraductal papilloma', *Annals of Surgical Oncology*, 24, pp. 2842–2847.
- Rasjidi, I. (2007) 'Kemoterapi kanker ginekologi dalam praktik sehari-hari', *Jakarta: Sagung Seto* [Preprint].
- Rehman, S. and Husnain, S.M. (2014) 'A probable risk factor of female breast cancer: study on benign and malignant breast tissue samples', *Biological trace element research*, 157, pp. 24–29.
- Rostami, S. *et al.* (2020) 'Discriminatory Accuracy of the Gail Model for Breast Cancer Risk Assessment in Women', *Iran Journal Public Health*, 49(11), pp. 2205–2213.
- Sci (2020) 'Obesity as an independent risk factor for decreased survival in node-positive high-risk breast cancer patients', *Breast cancer research and treatment*, 151, pp. 569–576.
- Sci (2019) 'The influence of age on the histopathology and prognosis of atypical breast



- lesions', *Journal of Surgical Research*, 241, pp. 188–198.
- Shoeb, M.F.R., Pinate, A.R. and Shingade, P.P. (2017) 'Breast cancer, Clinical presentations, Risk factors, Staging', *International Surgery Journal*, 4(2), pp. 645–649.
- Di Sibio, A. *et al.* (2016) 'Female breast cancer in Central and South America', *Cancer Epidemiology*, 44, pp. S110–S120.
- Sigalingging, V.T. (2021) 'Faktor Risiko yang Berpengaruh terhadap Kejadian Kanker Payudara di RSUP H. Adam Malik Medan Tahun 2020'. Universitas Sumatera Utara.
- Sinaga, C.F. and Ardayani, T. (2016) 'Hubungan pengetahuan dan sikap remaja putri tentang deteksi dini kanker payudara melalui pemeriksaan payudara sendiri di SMA Pasundan 8 Bandung Tahun 2016', *Kartika: Jurnal Ilmiah Farmasi*, 4(1), pp. 16–19.
- Socolov, D. *et al.* (2015) 'Benign breast disease and the risk of breast cancer in the next 15 years', *Rev Med Chir Soc Med Nat Iasi*, 119(1), pp. 135–140.
- Suba, Z. (2014) 'Triple-negative breast cancer risk in women is defined by the defect of estrogen signaling: preventive and therapeutic implications', *OncoTargets and therapy*, pp. 147–164.
- Sun, W. *et al.* (2017) 'Enhancing deep convolutional neural network scheme for breast cancer diagnosis with unlabeled data', *Computerized Medical Imaging and Graphics*, 57, pp. 4–9.
- Suryo, J. (2009) *Herbal penyembuh Kanker Pada Perempuan*. Benteng Pustaka.
- Tan, P.H. *et al.* (2020) 'The 2019 World Health Organization classification of tumours of the breast', *Histopathology*, 77, pp. 181–185. Available at: <https://doi.org/10.1111/his.14091>.
- Vianna, F.S.L. *et al.* (2019) 'Performance of the gail and tyrer-cuzick breast cancer risk assessment models in women screened in a primary care setting with the fhs-7 questionnaire', *Genetics and Molecular Biology*, 42(1), pp. 232–237. Available at: <https://doi.org/10.1590/1678-4685-gmb-2018-0110>.
- Wang, H., Macinnis, R.J. and Li, S. (2023) 'Family history and breast cancer risk for Asian women: a systematic review and meta-analysis', *BMC Medicine*, pp. 1–13. Available at: <https://doi.org/10.1186/s12916-023-02950-3>.
- World Health Organization (2020) *Cancer Incident in Indonesia.*, WHO.

