

## DAFTAR PUSTAKA

- Adwas, A.A., Jbireal, J.M., Azab, A.E., 2019. Anxiety: Insights into Signs, Symptoms, Etiology, Pathophysiology, and Treatment. *East African Sch. J. Med. Sci.* 2, 580–591.
- Ajith, A.K., Rekha, A., Duttagupta, S., Murali, V., Ramakrishnan, D., Krishnapillai, V., 2019. Prevalence and Factors of Urinary Incontinence among Postmenopausal Women Attending the Obstetrics and Gynecology Outpatient Service in a Tertiary Health Care Center in Kochi, Kerala. *Indian J Community Med* 44, 30–33. <https://doi.org/10.4103/ijcm.IJCM>
- Al-Aithan, S.M., Al-Ghafli, L.A., Al-Shehri, S.Z., Al-Umran, A.K., 2021. Anxiety among multiparous women in the Al-Qatif sector of KSA: A mixed-method study. *J. Taibah Univ. Med. Sci.* 16, 826–834. <https://doi.org/10.1016/j.jtumed.2021.05.011>
- Alpay, N., Kivanc, Z.E., Ulasoglu, C., 2013. The relationship between hormonal profile and depressive symptoms in menopausal women. *Dusunen Adam - J. Psychiatry Neurol. Sci.* 26, 171–176. <https://doi.org/10.5350/DAJPN2013260207>
- American Psychiatric Association, 2013. *Diagnostic and Statistical Manual of Mental Disorders*. 5th ed. American Psychiatric Association, Arlington.
- Aoki, Y., Brown, H.W., Brubaker, L., Cornu, J.N., Daly, J.O., Cartwright, R., Diego, S., Hospital, C.N., Health, W., Place, N., 2018. Urinary incontinence in women. *Nat Rev Dis Prim.* 3, 17042–17046. <https://doi.org/10.1038/nrdp.2017.42> Urinary
- Avery, J., Stocks, N., 2016. Urinary incontinence, depression and psychological factors - A review of population studies. <http://Emjreviews.Com/Therapeutic-Area/Urology/Urinary-Incontinence-Depression-and-Psychosocial-Factors-a-Review-of-Population-Studies/>.
- Barghandan, N., Dolatkhah, N., Eslamian, F., Ghafarifar, N., Hashemian, M., 2021. Association of depression, anxiety and menopausal-related symptoms with demographic, anthropometric and body composition indices in healthy postmenopausal women. *BMC Womens. Health* 21, 1–12. <https://doi.org/10.1186/s12905-021-01338-w>
- Batmani, S., Jalali, R., Mohammadi, M., Bokaei, S., 2021. Prevalence and factors related to urinary incontinence in older adults women worldwide: a comprehensive systematic review and meta-analysis of observational studies. *BMC Geriatr.* 21, 1–17. <https://doi.org/10.1186/s12877-021-02135-8>
- Bjelland, I., Krokstad, S., Mykletun, A., Dahl, A.A., Tell, G.S., Tambs, K., 2008. Does a higher educational level protect against anxiety and depression? The HUNT study. *Soc. Sci. Med.* 66, 1334–1345. <https://doi.org/10.1016/j.socscimed.2007.12.019>
- Bogner, H.R., Donnell, A.J.O., Vries, H.F. de, Northington, G.M., Joo, J.H., 2011. Relationship between anxiety disorders and urinary incontinence in community-dwelling adults. *J Anxiety Disord.* 25, 1–7. <https://doi.org/10.1016/j.janxdis.2010.09.003> THE
- Donnon, S., Hatch, J., 2019. Strategies to Maintain Continence in the Elderly. *Jp. Ther. with Elders Strateg. COTA Fourth Ed.* 245–254. <https://doi.org/10.1016/B978-0-323-49846-3.00017-2>
- Letta, M., Caretto, S., Zanin, R., Xholli, A., Volpe, A., 2011. Educational level: A possible link between climacteric symptoms and





- anxiety and depression: the impact of psychotropic drugs in a cross-sectional study from the Norwegian HUNT study. *BMC Psychiatry* 20, 1–10. <https://doi.org/10.1186/s12888-020-02922-4>
- Garcia-Garcia, A.L., Newman-Tancredi, A., Leonardo, E.D., 2014. P5-HT1A receptors in mood and anxiety: Recent insights into autoreceptor versus heteroreceptor function. *Psychopharmacology (Berl)*. 231, 623–636. <https://doi.org/10.1007/s00213-013-3389-x>
- Gersak, Z., Turcin, A., 2019. Reproductive aging: perimenopause and psychopathological symptoms. In: Drevenšek G (ed.) *Sex hormones in neurodegenerative processes and diseases*. Intech Open, Slov. Univ. Ljubljana 5, 95–125.
- González-Rodríguez, A., Seeman, M. V., 2019. The association between hormones and antipsychotic use: a focus on postpartum and menopausal women. *Ther. Adv. Psychopharmacol.* 9, 204512531985997. <https://doi.org/10.1177/2045125319859973>
- Hamoda, H., Panay, N., Pedder, H., Arya, R., Savvas, M., on behalf of the Medical Advisory Council of the British Menopause Society, 2020. The British Menopause Society & Women's Health Concern 2020 recommendations on hormone replacement therapy in menopausal women. *Post Reprod. Heal.* 26, 181–209. <https://doi.org/10.1177/2053369120957514>
- Harlow, S., Gass, M., Hall, J. et al., 2012. Executive summary of the Stages of Reproductive Aging Workshop+10: addressing the unfinished agenda of staging reproductive aging. *J Clin Endocrinol Metab.* 97, 1159–1168.
- Heaney, J.L.J., Phillips, A.C., Carroll, D., 2010. Ageing, depression, anxiety, social support and the diurnal rhythm and awakening response of salivary cortisol. *Int. J. Psychophysiol.* 78, 201–208. <https://doi.org/10.1016/j.ijpsycho.2010.07.009>
- Hek, K., Direk, N., Newson, R.S., Hofman, A., Hoogendijk, W.J.G., Mulder, C.L., Tiemeier, H., 2013. Anxiety disorders and salivary cortisol levels in older adults: A population-based study. *Psychoneuroendocrinology* 38, 300–305. <https://doi.org/10.1016/j.psyneuen.2012.06.006>
- Hemmingsen, S.D., Jensen, N.A., Larsen, P.V., Sjögren, J.M., Lichtenstein, M.B., Støving, R.K., 2022. Cortisol, Depression, and Anxiety Levels Before and After Short-Term Intensive Nutritional Stabilization in Patients With Severe Anorexia Nervosa. *Front. Psychiatry* 13, 1–8. <https://doi.org/10.3389/fpsy.2022.939225>
- Huang, C., Wu, M., Ho, C., Wang, J., 2017. The bidirectional relationship between anxiety, depression, and lower urinary track symptoms: a nationwide population-based cohort study. *J Psychosom Res.* 100, 77–82.
- Katsu, Y., Iguchi, T., 2016. *Cortisol, Handbook of Hormones*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-801028-0.00476-1>
- Khandelwal, C., Kistler, C., 2015. Diagnosis of urinary incontinence. *Am. Fam. Physician* 87, 543–550.
- Khanjani, Sareh, 2017. Effect of Conjugated Estrogen in Stress response in Women with Menopause. *Int. J. Clin. Med.* 08, 375–385. <https://doi.org/10.4236/ijcm.2017.86035>
- Kowalski, M., Rozek-Piechura, R., 2019. Urinary incontinence in menopausal women – causes, symptoms, treatment. *Menopause Rev* 18, 1–10.
- Kumar, Aditya, R.S., Solikhah, F.K., Mosteiro, P., 2021. Development of a Support Decision Model to Reduce Menopause Women's Anxiety. *Ansiedad y*



- Estrés 27, 81–88.
- Kumuda, R., Suchetha, K., Subhas, G.B., Urvashi, A.S., Harshini, U., 2018. Estimation of salivary cortisol level in post-menopausal women with psychosomatic disorders. *Afr. Health Sci.* 18, 244–252. <https://doi.org/10.4314/ahs.v18i2.7>
- Kwak, Y.H., Kwon, H.J., Kim, Y.J., 2016. Health-related quality of life and mental health in older women with urinary incontinence. *Aging Ment. Heal.* 20, 719–726. <https://doi.org/10.1080/13607863.2015.1033682>
- Lai, H., Gardner, V., Vetter, J., Andriole, G.L., 2015. Correlation between psychological stress levels and the severity of overactive bladder symptoms. *BMC Urol.* 15, 1–7. <https://doi.org/10.1186/s12894-015-0009-6>
- Lankarani-Fard, A., Kritz-Silverstein, D., Barrett-Connor, E., Goodman-Gruen, D., 2001. Cumulative duration of breast-feeding influences cortisol levels in postmenopausal women. *J. Women's Heal. Gender-Based Med.* 10, 681–687. <https://doi.org/10.1089/15246090152563560>
- Lanzenberger, R., Wadsak, W., Spindelegger, C., Mitterhauser, M., Akimova, E., Mien, L.K., Fink, M., Moser, U., Savli, M., Kranz, G.S., Hahn, A., Kletter, K., Kasper, S., 2010. Cortisol plasma levels in social anxiety disorder patients correlate with serotonin-1A receptor binding in limbic brain regions. *Int. J. Neuropsychopharmacol.* 13, 1129–1143. <https://doi.org/10.1017/S1461145710000581>
- Lee, H. yeon, Rhee, Y., Choi, K.S., 2021. Urinary incontinence and the association with depression, stress, and self-esteem in older Korean Women. *Sci. Rep.* 11, 1–7. <https://doi.org/10.1038/s41598-021-88740-4>
- Lee, K.B., Cho, E., Kang, Y.S., 2014. Erratum: Changes in 5-hydroxytryptamine and Cortisol Plasma Levels in Menopausal Women After Inhalation of Clary Sage Oil (*Phytother. Res.* (2014) 28 (1897)). *Phyther. Res.* 28, 1897. <https://doi.org/10.1002/ptr.5268>
- Lenze, E.J., Mantella, R.C., Shi, P., Goate, A.M., Nowotny, P., Butters, M.A., Andreescu, C., Thompson, P.A., Rollman, B.L., 2011. Elevated cortisol in older adults with Generalized Anxiety Disorder is reduced by treatment: a placebo-controlled evaluation of escitalopram. *Am J Geriatr Psychiatry.* 19, 1–7. <https://doi.org/10.1097/JGP.0b013e3181ec806c.Elevated>
- Lim, J.E., Porteus, C.S., Bernier, N.J., 2013. Serotonin directly stimulates cortisol secretion from the interrenals in goldfish. *Gen. Comp. Endocrinol.* 192, 246–255. <https://doi.org/10.1016/j.ygcen.2013.08.008>
- Lim, V.F., Khoo, J.K., Wong, V., Moore, K.H., 2014. Recent studies of genetic dysfunction in pelvic organ prolapse: The role of collagen defects. *Aust. New Zeal. J. Obstet. Gynaecol.* 54, 198–205. <https://doi.org/10.1111/ajo.12169>
- Łoś, K., Waszkiewicz, N., 2021. Biological markers in anxiety disorders. *J. Clin. Med.* 10. <https://doi.org/10.3390/jcm10081744>
- Lugo, T., Riggs, J., 2022. Stress Incontinence. StatPearls Publishing, In: StatPearls Publishing, Treasure Island (FL): StatPearls Publishing.
- Li, D., 2014. Oxytocin's role in anxiety: A critical appraisal. *Brain Res.* 156, 1–10. <https://doi.org/10.1016/j.brainres.2014.01.025>
- Li, D., Faresjö, G., Faresjö, Theodorsson, E., Josefsson, A., 2021. Parity-related changes in cortisol concentrations in hair during pregnancy. *BJOG An Int. J. Obstet. Gynaecol.* 128, 637–644. <https://doi.org/10.1111/1471->
- Li, D., B.C., Msuya, S., Rasch, V., 2019. Urinary incontinence and



- its relation to delivery circumstances: A population-based study from rural Kilimanjaro, Tanzania. *PLoS One* 14, 1–12. <https://doi.org/10.1371/journal.pone.0208733>
- Melhem, N.M., Zhong, Y., Miller, J.M., Zanderigo, F., Ogden, R.T., Sublette, M.E., Newell, M., Burke, A., Keilp, J.G., Lesanpezhski, M., Bartlett, E., Brent, D.A., Mann, J.J., 2022. Brain 5-HT1A Receptor PET Binding, Cortisol Responses to Stress, and the Familial Transmission of Suicidal Behavior. *Int. J. Neuropsychopharmacol.* 25, 36–45. <https://doi.org/10.1093/ijnp/pyab060>
- Menteri Kesehatan Republik Indonesia, 2016. Peraturan Menteri Kesehatan Republik Indonesia Nomor 25 tahun 2016 tentang Rencana Aksi Nasional Kesehatan Lanjut Usia tahun 2016-2019. Kementerian Kesehatan Republik Indonesia, Jakarta.
- Milsom, I., Gyhagen, M., 2019. The prevalence of urinary incontinence. *Climacteric* 22, 217–222. <https://doi.org/10.1080/13697137.2018.1543263>
- Minassian, V.A., Bazi, T., Stewart, W.F., 2017. Clinical epidemiological insights into urinary incontinence. *Int. Urogynecol. J.* 28, 687–696. <https://doi.org/10.1007/s00192-017-3314-7>
- Munir, S., Takov, V., 2022. Generalized Anxiety Disorder. [Updated 2022 Jan 9]. StatPearls Publishing, Treasure Island (FL).
- Nager, C., Brubaker, L., Litman, H., Zyczynski, H., Varner, R., Amundsen, C, et al., 2012. A randomized trial of urodynamic testing before stress-incontinence surgery. *Urinary Incontinence Treatment Network. N Engl J Med* 366, 1987–97.
- Odeniyi, I.A., Fasanmade, O.A., Ogbera, A.O., Ohwovoriole, A.E., 2015. Body mass index and its effect on serum cortisol level. *Niger. J. Clin. Pract.* 18, 194–197. <https://doi.org/10.4103/1119-3077.151040>
- Osman, N.I., Marzi, V.L., Cornu, J.N., Drake, M.J., 2016. Evaluation and Classification of Stress Urinary Incontinence: Current Concepts and Future Directions. *Eur. Urol. Focus* 2, 238–244. <https://doi.org/10.1016/j.euf.2016.05.006>
- Panay, N., 2007. Menopause and the postmenopausal woman, in: Edmonds, D.K. (Ed.), *Dewhurst's Textbook of Obstetrics & Gynaecology*. Blackwell Publishing, Massachusetts.
- Perna, G., Iannone, G., Alciati, A., Caldirola, D., 2016. Are anxiety disorders associated with accelerated aging? A focus on neuroprogression. *Neural Plast.* 2016. <https://doi.org/10.1155/2016/8457612>
- Reis, A.M., Brito, L.G.O., Lunardi, A.L.B., Pinto e Silva, M.P., Juliato, C.R.T., 2021. Depression, anxiety, and stress in women with urinary incontinence with or without myofascial dysfunction in the pelvic floor muscles: A cross-sectional study. *Neurourol. Urodyn.* 40, 334–339. <https://doi.org/10.1002/nau.24563>
- Rett, M.T., Wardini, É.B., Santana, J.M. de, Mendonça, A.C.R., Alves, A.T., Saleme, C.S., 2016. Female urinary incontinence: quality of life comparison on reproductive age and postmenopausal period. *Fisioter. em Mov.* 29, 71–78. <https://doi.org/10.1590/0103-5150.029.001.ao07>
- Ro, L., 2003. The role of estrogens in female lower urinary tract dysfunction. *Urology* 62, 45–51.
- Roelofs, J.M., Geelen, M., van der Wal, A.C.M., van't Hof-Grootenboer, E., van't Hof-Grootenboer, E., Geelen, M., et al., 2016. The effect of age, sex and body mass index on cortisol secretion in 143 women with stress urinary incontinence. *Endocr. Connect.* 6, 500–509. <https://doi.org/10.1530/EC-17-0001>



- D.L., 2005. An overlooked connection: Serotonergic mediation of estrogen-related physiology and pathology. *BMC Womens. Health* 5, 1–10. <https://doi.org/10.1186/1472-6874-5-12>
- Saimin, J., Wicaksono, S., Junuda, J., Minarti, M., 2018. Factors Affecting the Development of Anxiety in Postmenopausal Women: A CrossSectional Study in Coastal Areas. *Indones. J. Obstet. Gynecol.* 6, 133. <https://doi.org/10.32771/inajog.v6i3.775>
- Sandler, S., 2006. Changes in joint laxity associated with the menstrual cycle, with pregnancy, with the post-partum period, and with the menopause.
- Santiago, S.K., Arianayagam, M., Wang, A., Rashid, P., 2008. Urinary incontinence: Pathophysiology and management outline. *Aust. Fam. Physician* 37, 106–110.
- Schneider, E., Müller, L.E., Ditzen, B., Herpertz, S.C., Bertsch, K., 2021. Oxytocin and social anxiety: Interactions with sex hormones. *Psychoneuroendocrinology* 128. <https://doi.org/10.1016/j.psyneuen.2021.105224>
- Selvaraj, V., Gunasekar, P., Kumar, S., Alsakaf, I., 2015. Urinary Incontinence due to Overactive Detrusor Muscle: A Rare Side Effect of Venlafaxine. *Case Rep. Urol.* 2015, 1–2. <https://doi.org/10.1155/2015/690931>
- Shri, R., 2010. Anxiety : causes and management symptoms of anxiety disorders. *J. Behav. Sci.* 5, 100–118.
- Smith, A.L., Hantsoo, L., Malykhina, A.P., File, D.W., Valentino, R., Wein, A.J., Sammel, M.D., Epperson, C.N., 2016. Basal and stress-activated hypothalamic pituitary adrenal axis function in postmenopausal women with overactive bladder. *Int. Urogynecol. J.* 27, 1383–1391. <https://doi.org/10.1007/s00192-016-2988-6>
- Stanikova, D., Luck, T., Pabst, A., Bae, Y.J., Hinz, A., Glaesmer, H., Stanik, J., Sacher, J., Engel, C., Enzenbach, C., Wirkner, K., Ceglarek, U., Thiery, J., Kratzsch, J., Riedel-Heller, S.G., 2019. Associations between anxiety, body mass index, and sex hormones in women. *Front. Psychiatry* 10, 1–9. <https://doi.org/10.3389/fpsy.2019.00479>
- Steibliene, V., Aniuliene, R., Aniulis, P., Raskauskiene, N., Adomaitiene, V., 2020. Affective symptoms and health-related quality of life among women with stress urinary incontinence: cross-sectional study. *Neuropsychiatr. Dis. Treat.* 16, 535–544. <https://doi.org/10.2147/NDT.S236234>
- Suardi, L., Budinurdjaja, P., Nurcahyawati, W.A.S., Noor, M.S., 2022. Impact of E2 and FSH levels on the severity of Stress Urinary Incontinence (SUI) in menopausal women. *Maj. Obstet. Ginekol.* 30, 92–100. <https://doi.org/10.20473/mog.v30i22022.92-100>
- Swift, P., Cyhlarova, E., Goldie, I., O’Sullivan, C., 2014. Living with anxiety: Understanding the role and impact of anxiety in our lives. *Ment. Heal. Fond.* 43, 125–132.
- Terzi, M., Cicek, Y., Dilsiz, A., 2022. The effect of menopause on levels of cortisol, alpha-amylase, dopamine, and prolactin in women with periodontitis and anxiety: a cross sectional study. *Anadolu Klin. Tıp Bilim. Derg.* 27, 160–167. <https://doi.org/10.21673/anoloklin.816037>
- Sharma, S., 2021. *Physiology, Cortisol*. StatPearls Publishing, (FL).
- Wolkstein, R., Kupfer, D.J., 1996. Effects of gender and age on the diurnal rhythmicity of plasma cortisol. *J. Clin. Endocrinol. Metab.* 81, 2468–2472. <https://doi.org/10.1210/jc.81.7.2468>
- Wolke, C. V., Andrew, R., Walker, B.R., Hulshoff Pol, H.E.,



- Boomsma, D.I., Rotteveel, J., Finken, M.J.J., 2020. Heritability of Cortisol Production and Metabolism Throughout Adolescence. *J. Clin. Endocrinol. Metab.* 105, 443–452. <https://doi.org/10.1210/clinem/dgz016>
- Vikström, H.N., Wasteson, E., Lindam, A., Samuelsson, E., 2021. Anxiety and depression in women with urinary incontinence using E-health. *Int. Urogynecol. J.* 32, 103–109. <https://doi.org/10.1007/s00192-020-04227-2>
- Vreeburg, S.A., Zitman, F.G., Van Pelt, J., Derijk, R.H., Verhagen, J.C.M., Van Dyck, R., Hoogendijk, W.J.G., Smit, J.H., Penninx, B.W.J.H., 2010. Salivary cortisol levels in persons with and without different anxiety disorders. *Psychosom. Med.* 72, 340–347. <https://doi.org/10.1097/PSY.0b013e3181d2f0c8>
- Wang, X., Zhao, G., Di, J., Wang, L., Zhang, X., 2022. Prevalence and risk factors for depressive and anxiety symptoms in middle-aged Chinese women: a community-based cross-sectional study. *BMC Womens. Health* 22, 1–10. <https://doi.org/10.1186/s12905-022-01908-6>
- Weber-Rajek, M., Radzimińska, A., Strączyńska, A., Strojek, K., Piekorz, Z., Pilarska, B., Kozakiewicz, M., Styczyńska, H., Goch, A., 2019. A randomised-controlled trial pilot study examining the effect of pelvic floor muscle training on steroid hormone concentrations in elderly women with stress urinary incontinence. *Prz. Menopauzalny* 18, 146–152. <https://doi.org/10.5114/pm.2019.90376>
- Xi, Y., 2020. Anxiety: A concept analysis. *Front. Nurs.* 7, 9–12. <https://doi.org/10.2478/fon-2020-0008>
- Zanardi, R., Rossini, D., Magri, L., Malaguti, A., Colombo, C., Smeraldi, E., 2007. Response to SSRIs and role of the hormonal therapy in post-menopausal depression. *Eur. Neuropsychopharmacol.* 17, 400–405.
- Zhao, D., Liu, C., Feng, X. et al., 2019. Menopausal symptoms in different substages of perimenopause and their relationships with social support and resilience. *Menopause* 26, 233–239.

