

DAFTAR PUSTAKA

- Abdullah, D. (2022). *Penyembuhan Luka Sayat Pada Mencit Melalui Pemberian Gel Kefir*. Penerbit Adab.
- Alhajj, Mandy, & Goyal, Amandeep. (2022). *Physiology, Granulation Tissue—StatPearls—NCBI Bookshelf*.
- Al-Nimry, S., Dayah, A. A., Hasan, I., & Daghmash, R. (2021). Cosmetic, Biomedical and Pharmaceutical Applications of Fish Gelatin/Hydrolysates. *Marine Drugs*, 19(3), Article 3. <https://doi.org/10.3390/md19030145>
- Andriani, D. H. (2018). *Pengaruh Gelatin Patin (Pangasius djambal) terhadap Ekspresi Vascular Endothelial Growth Factor pada Luka Pasca Pencabutan Gigi Tikus Putih (Rattus norvegicus)* [Sarjana, Universitas Brawijaya]. <http://repository.ub.ac.id/id/eprint/167806/>
- Aravindakshan, V. N., Arun, V. A., Roshni, T. S., & Anjali, V. A. (2020). A comparative study on the wound healing effectiveness of with normal saline and ionized nano-crystalline silver dressing among chronic diabetic foot ulcer patients. *International Surgery Journal*, 7(12), 3935. <https://doi.org/10.18203/2349-2902.isj20204931>
- Bagchi, D., Das, A., & Roy, S. (2020). *Wound Healing, Tissue Repair and Regeneration in Diabetes*. Academic Press.
- Bao, P., Kodra, A., Tomic-Canic, M., Golinko, M. S., Ehrlich, H. P., & Brem, H. (2009). The Role of Vascular Endothelial Growth Factor in Wound Healing. *Journal of Surgical Research*, 153(2), 347–358. <https://doi.org/10.1016/j.jss.2008.04.023>
- Barchitta, M., Maugeri, A., Favara, G., Magnano San Lio, R., Evola, G., Agodi, A., & Basile, G. (2019). Nutrition and Wound Healing: An Overview Focusing on the Beneficial Effects of Curcumin. *International Journal of Molecular Sciences*, 20(5), 1119. <https://doi.org/10.3390/ijms20051119>
- Cañedo-Dorantes, L., & Cañedo-Ayala, M. (2019). Skin Acute Wound Healing: A Comprehensive Review. *International Journal of Inflammation*, 2019, 1–15. <https://doi.org/10.1155/2019/3706315>
- Cao, H., Wang, J., Hao, Z., & Zhao, D. (2024). Gelatin-based biomaterials and gelatin as an additive for chronic wound repair. *Frontiers in Pharmacology*, 15, 1398939. <https://doi.org/10.3389/fphar.2024.1398939>
- Cowan, L. J., & Stechmiller, J. (2009). Prevalence of Wet-to-Dry Dressings in Wound Care. *Advances in Skin & Wound Care*, 22(12), 567–573. <https://doi.org/10.1097/01.ASW.0000363469.25740.74>
- Dhivya, S., Padma, V. V., & Santhini, E. (2015). Wound dressings – a review. *BioMedicine*, 5(4), 22. <https://doi.org/10.7603/s40681-015-0022-9>
- Dogan, K. H. (2019a). *Wound Healing: Current Perspectives*.
- Dogan, K. H. (2019b). *Wound Healing—Current Perspectives*. <https://doi.org/10.5772/intechopen.73808>
- Dogan, K. H. (2018). THE COMPARISON OF BIOCELLULOSE WOUND AND NORMAL SALINE DRESSING IN THE PROCESS OF HEALING IN MICE SKIN. *International Journal of Medical Reviews Reports*, 0, 1. <https://doi.org/10.5455/IJMRCR.biocellulose-healing-skin>



- Garabet, W., Shabes, P., Wolters, K. H., Rembe, J.-D., Ibing, W., Wagenhäuser, M. U., Simon, F., Schelzig, H., & Oberhuber, A. (2023). Effect of Gelatin-Based Hemostats on Fibroblasts and Relevant Growth Factors in Wound Healing. *Gels*, 9(6), 504. <https://doi.org/10.3390/gels9060504>
- Gaspar-Pintiliescu, A., Stanciuc, A.-M., & Craciunescu, O. (2019). Natural composite dressings based on collagen, gelatin and plant bioactive compounds for wound healing: A review. *International Journal of Biological Macromolecules*, 138, 854–865. <https://doi.org/10.1016/j.ijbiomac.2019.07.155>
- Guo, S., & DiPietro, L. A. (2010). Factors Affecting Wound Healing. *Journal of Dental Research*, 89(3), 219–229. <https://doi.org/10.1177/0022034509359125>
- Gupta, A., & Kumar, P. (2015). Assessment of the histological state of the healing wound. *Plastic and Aesthetic Research*, 2(5), 239. <https://doi.org/10.4103/2347-9264.158862>
- Iacob, A.-T., Drăgan, M., Ionescu, O.-M., Profire, L., Fikai, A., Andronescu, E., Confederat, L. G., & Lupașcu, D. (2020). An overview of biopolymeric electrospun nanofibers based on polysaccharides for wound healing management. *Pharmaceutics*, 12(10), 983.
- Islam, M. S., Islam, J. M. M., Rahman, M. F., Rahman, M. M., & Khan, M. A. (2021). Gelatin-based instant gel-forming volatile spray for wound-dressing application. *Progress in Biomaterials*, 10, 235–243. <https://doi.org/10.1007/s40204-021-00166-3>
- Johnson, B. Z., Stevenson, A. W., Prêle, C. M., Fear, M. W., & Wood, F. M. (2020). The role of IL-6 in skin fibrosis and cutaneous wound healing. *Biomedicines*, 8(5), 101.
- Johnson, K. E., & Wilgus, T. A. (2014). Vascular Endothelial Growth Factor and Angiogenesis in the Regulation of Cutaneous Wound Repair. *Advances in Wound Care*, 3(10), 647–661. <https://doi.org/10.1089/wound.2013.0517>
- Junker, J. P. E., Kamel, R. A., Caterson, E. J., & Eriksson, E. (2013). Clinical Impact Upon Wound Healing and Inflammation in Moist, Wet, and Dry Environments. *Advances in Wound Care*, 2(7), 348–356. <https://doi.org/10.1089/wound.2012.0412>
- Kang, J. I., & Park, K. M. (2021). Advances in gelatin-based hydrogels for wound management. *Journal of Materials Chemistry B*, 9(6), 1503–1520. <https://doi.org/10.1039/D0TB02582H>
- Kazemi, M., Mohammadifar, M., Aghadavoud, E., Vakili, Z., Aarabi, M. H., & Talaei, S. A. (2020). Deep skin wound healing potential of lavender essential oil and licorice extract in a nanoemulsion form: Biochemical, histopathological and gene expression evidences. *Journal of Tissue Viability*, 29(2), 116–124. <https://doi.org/10.1016/j.jtv.2020.03.004>
- Lei, J., Sun, L., Li, P., Zhu, C., Lin, Z., Mackey, V., Coy, D. H., & He, Q. (2019). The wound dressings and their applications in wound healing and management. *Health Science Journal*, 13(4), 0–0.



- ...u, S. (2022). State-of-the-Art Review of Electrospun Gelatin-iber Dressings for Wound Healing Applications. *Nanomaterials*, <https://doi.org/10.3390/nano12050784>
- I., Walker, S. R., & Li, L. (2024). The role of extracellular matrix esis: Beyond adhesion and structure. *Biomaterials and* 15, 100097. <https://doi.org/10.1016/j.bbiosy.2024.100097>

- Lim, J. K., Saliba, L., Smith, M. J., Curtin, P., McTavish, J., & Raine, C. (2000). Normal saline wound dressing—Is it really normal? *British Journal of Plastic Surgery*, 53(1), 42–45. <https://doi.org/10.1054/bjps.1999.3246>
- Liu, C., Zeng, H., Chen, Z., Ge, Z., Wang, B., Liu, B., & Fan, Z. (2022). Sprayable methacrylic anhydride-modified gelatin hydrogel combined with bionic neutrophils nanoparticles for scar-free wound healing of diabetes mellitus. *International Journal of Biological Macromolecules*, 202, 418–430. <https://doi.org/10.1016/j.ijbiomac.2022.01.083>
- Lu, Y., Zhao, M., Peng, Y., He, S., Zhu, X., Hu, C., Xia, G., Zuo, T., Zhang, X., Yun, Y., Zhang, W., & Shen, X. (2022). A physicochemical double-cross-linked gelatin hydrogel with enhanced antibacterial and anti-inflammatory capabilities for improving wound healing. *Journal of Nanobiotechnology*, 20(1), 426. <https://doi.org/10.1186/s12951-022-01634-z>
- Masson-Meyers, D. S., Andrade, T. A. M., Caetano, G. F., Guimaraes, F. R., Leite, M. N., Leite, S. N., & Frade, M. A. C. (2020). Experimental models and methods for cutaneous wound healing assessment. *International Journal of Experimental Pathology*, 101(1–2), 21–37. <https://doi.org/10.1111/iep.12346>
- Naomi, R., Bahari, H., Ridzuan, P. M., & Othman, F. (2021). Natural-Based Biomaterial for Skin Wound Healing (Gelatin vs. Collagen): Expert Review. *Polymers*, 13(14), Article 14. <https://doi.org/10.3390/polym13142319>
- Ndlovu, S. P., Ngece, K., Alven, S., & Aderibigbe, B. A. (2021). Gelatin-Based Hybrid Scaffolds: Promising Wound Dressings. *Polymers*, 13(17), 2959. <https://doi.org/10.3390/polym13172959>
- Nikkhah, M., Akbari, M., Paul, A., Memic, A., Dolatshahi-Pirouz, A., & Khademhosseini, A. (2016). Gelatin-Based Biomaterials For Tissue Engineering And Stem Cell Bioengineering. In *Biomaterials from Nature for Advanced Devices and Therapies* (pp. 37–62). Wiley-Blackwell. <https://doi.org/10.1002/9781119126218.ch3>
- Primadina, N., Basori, A., & Perdanakusuma, D. S. (2019). Proses penyembuhan luka ditinjau dari aspek mekanisme seluler dan molekuler. *Qanun Medika: Jurnal Kedokteran Fakultas Kedokteran Universitas Muhammadiyah Surabaya*, 3(1), 31–43.
- Revilla, G. (2019). Efektivitas Pemberian Papain Getah Pepaya Terhadap Kadar Faktor Pertumbuhan Transforming Growth Factor-B (Tgf-B) pada Proses Penyembuhan Luka Bakar Tikus Percobaan. *Jurnal Kesehatan Andalas*, 8(2), 285–289.
- Rodriguez, P. G., Felix, F. N., Woodley, D. T., & Shim, E. K. (2008). The Role of Oxygen in Wound Healing: A Review of the Literature. *Dermatologic Surgery*, 34(9), 1159–1169. <https://doi.org/10.1111/j.1524-4725.2008.34254.x>
- Sachraswaty, S. (2020). EFEK PENGGUNAAN KOMBINASI PLATELET-RICH PLASMA (PRP) DAN STROMAL VASCULAR FRACTION (SVFs) KADAR SERUM FGF2 DAN EGF PADA PROSES RE- I LUKA BAKAR DEEP DERMAL PADA MODEL TIKUS [Doctoral, Universitas Hasanuddin]. ory.unhas.ac.id/id/eprint/3322/
-). UJI KANDUNGAN FAKTOR PERTUMBUHAN EPIDERMAL ACTOR (EGF) DAN FIBROBLAS GROWTH FACTOR (FGF) IAN KRIM SEKRETOM SEL PUNCA MESENKIMAL.



- Salsabillah, A. (2021). *Uji Efektivitas Sediaan Gel Kolagen Kulit Ikan Gabus (Channa striata Bloch, 1793) Terhadap Penyembuhan Luka Diabetes* [Diploma, Universitas Andalas]. <http://scholar.unand.ac.id/94247/>
- Şelaru, A., Drăguşin, D.-M., Olăreţ, E., Serafim, A., Steinmüller-Nethl, D., Vasile, E., Iovu, H., Stancu, I.-C., Costache, M., & Dinescu, S. (2019). Fabrication and Biocompatibility Evaluation of Nanodiamonds-Gelatin Electrospun Materials Designed for Prospective Tissue Regeneration Applications. *Materials*, 12(18), 2933. <https://doi.org/10.3390/ma12182933>
- Sgonc, R., & Gruber, J. (2013). Age-Related Aspects of Cutaneous Wound Healing: A Mini-Review. *Gerontology*, 59(2), 159–164. <https://doi.org/10.1159/000342344>
- Shams, F., Moravvej, H., Hosseinzadeh, S., Mostafavi, E., Bayat, H., Kazemi, B., Bandehpour, M., Rostami, E., Rahimpour, A., & Moosavian, H. (2022). Overexpression of VEGF in dermal fibroblast cells accelerates the angiogenesis and wound healing function: In vitro and in vivo studies. *Scientific Reports*, 12(1), 18529. <https://doi.org/10.1038/s41598-022-23304-8>
- Shrivastav, A., Mishra, A. K., Ali, S. S., Ahmad, A., Abuzinadah, M. F., & Khan, N. A. (2018). In vivo models for assesment of wound healing potential: A systematic review. *Wound Medicine*, 20, 43–53. <https://doi.org/10.1016/j.wndm.2018.01.003>
- Shukla, S. K., Sharma, A. K., Gupta, V., & Yashavarddhan, M. H. (2019). Pharmacological control of inflammation in wound healing. *Journal of Tissue Viability*, 28(4), 218–222. <https://doi.org/10.1016/j.jtv.2019.09.002>
- Sihotang, H. M., & Yulianti, H. (2018). Faktor-faktor yang mempengaruhi proses penyembuhan luka post sectio caesarea. *Care: Jurnal Ilmiah Ilmu Kesehatan*, 6(2), 175–183.
- Simmons, J. (2022). Wound Healing and Assessment. *Journal of the Dermatology Nurses' Association*, 14(5), 197–202. <https://doi.org/10.1097/JDN.0000000000000704>
- Sulaiman, S., Chowdhury, S. R., Fauzi, M. B., Rani, R. A., Yahaya, N. H. M., Tabata, Y., Hiraoka, Y., Binti Haji Idrus, R., & Min Hwei, N. (2020). 3D Culture of MSCs on a Gelatin Microsphere in a Dynamic Culture System Enhances Chondrogenesis. *International Journal of Molecular Sciences*, 21(8), Article 8. <https://doi.org/10.3390/ijms21082688>
- Sunarto, H., Trisnadi, S., Putra, A., Sa'dyah, N. A. C., Tjipta, A., & Chodidjah, C. (2020). The Role of Hypoxic Mesenchymal Stem Cells Conditioned Medium in Increasing Vascular Endothelial Growth Factors (VEGF) Levels and Collagen Synthesis to Accelerate Wound Healing. *Indonesian Journal of Cancer Chemoprevention*, 11(3), 134. <https://doi.org/10.14499/indonesianjcanchemoprev11iss3pp134-143>
- Sungkar, A., Widyatmoko, D., Yarso, K. Y., & Wasita, B. (2020). The effect of duration in tissue on MDA, TNF- \pm , IL-6, Caspase 3, VEGF levels, and ssue thickness in the white rat (*Rattus novergicus*). *Bali Medical*, 918–923. <https://doi.org/10.15562/bmj.v9i3.2022>
- T., & Matsuda, H. (2005). Acceleration of Wound Healing by Dressings with Epidermal Growth Factor. *Journal of Veterinary*, 67(9), 909–913. <https://doi.org/10.1292/jvms.67.909>
- T., Coşkun Cevher, Ş., Saribaş, S., Özoğul, C., & Acartürk, F. (2020). Effect of a new wound dressing on wound healing: Biochemical



- and histopathological evaluation. *Burns*, 46(1), 143–155. <https://doi.org/10.1016/j.burns.2019.02.013>
- Tottoli, E. M., Dorati, R., Genta, I., Chiesa, E., Pisani, S., & Conti, B. (2020). Skin Wound Healing Process and New Emerging Technologies for Skin Wound Care and Regeneration. *Pharmaceutics*, 12(8), 735. <https://doi.org/10.3390/pharmaceutics12080735>
- Udegbonam, S. O., Ogbobe, S., Okereke, N. H., Enejere, A. S., Udegbonam, I. R., & Ezeobialu, T. H. (2022). Assessment of wound contraction, re-epithelialization and histological changes in full thickness excision wounds of rats treated with different concentrations of hydrogen peroxide. *Tropical Journal of Pharmaceutical Research*, 20(8), 1623–1629. <https://doi.org/10.4314/tjpr.v20i8.11>
- Vachrajani, V., & Khakhkhar, P. (2020). *Science of Wound Healing and Dressing Materials*. Springer Singapore. <https://doi.org/10.1007/978-981-32-9236-9>
- Wang, C., Zhu, F., Cui, Y., Ren, H., Xie, Y., Li, A., Ji, L., Qu, X., Qiu, D., & Yang, Z. (2017). An easy-to-use wound dressing gelatin-bioactive nanoparticle gel and its preliminary in vivo study. *Journal of Materials Science: Materials in Medicine*, 28(1), 10. <https://doi.org/10.1007/s10856-016-5823-1>
- Xu, R., Xia, H., He, W., Li, Z., Zhao, J., Liu, B., Wang, Y., Lei, Q., Kong, Y., Bai, Y., Yao, Z., Yan, R., Li, H., Zhan, R., Yang, S., Luo, G., & Wu, J. (2016). Controlled water vapor transmission rate promotes wound-healing via wound re-epithelialization and contraction enhancement. *Scientific Reports*, 6(1), 24596. <https://doi.org/10.1038/srep24596>
- Young, A., & McNaught, C.-E. (2011). The physiology of wound healing. *Surgery (Oxford)*, 29(10), 475–479. <https://doi.org/10.1016/j.mpsur.2011.06.011>
- Yüksel, E. B., Yıldırım, A. M., Bal, A., & Kuloglu, T. (2014). The Effect of Different Topical Agents (Silver Sulfadiazine, Povidone-Iodine, and Sodium Chloride 0.9%) on Burn Injuries in Rats. *Plastic Surgery International*, 2014, 1–6. <https://doi.org/10.1155/2014/907082>
- Yun, Y. R., Won, J. E., Jeon, E., Lee, S., Kang, W., Jo, H., Jang, J. H., Shin, U. S., & Kim, H. W. (2010). Fibroblast growth factors: Biology, function, and application for tissue regeneration. *J Tissue Eng*, 2010, 218142. <https://doi.org/10.4061/2010/218142>



LAMPIRAN

Lampiran 1. Rekomendasi Persetujuan Etik



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI
UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN
KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDDIN
RSPN UNIVERSITAS HASANUDDIN
RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR
Sekretariat : Lantai 2 Gedung Laboratorium Terpadu
JL.PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.
Contact Person: dr. Agussalim Bukhari.,MMed,PhD, SpGK. Telp. 081241850858, 0411 5780103, Fax : 0411-581431



REKOMENDASI PERSETUJUAN ETIK

Nomor : 450/UN4.6.4.5.31/ PP36/ 2024

Tanggal: 14 Juni 2024

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH24050324		No Sponsor	
Peneliti Utama	dr. Stefan Cahyadi		Sponsor	
Judul Peneliti	Perbandingan Efektivitas Gelatin Spray dan NaCl 0,9% Terhadap Penyembuhan Luka pada Tikus Wistar			
No Versi Protokol			Tanggal Versi	
No Versi PSP			Tanggal Versi	
Tempat Penelitian	Laboratorium Terpadu Kedokteran Hewan FK Universitas Hasanuddin Makassar			
Jenis Review	<input type="checkbox"/> Exempted		Masa Berlaku 14 Juni 2024 sampai 14 Juni 2025	Frekuensi review lanjutan
	<input checked="" type="checkbox"/> Expedited			
	<input type="checkbox"/> Fullboard Tanggal			
Ketua KEP Universitas Hasanuddin	Prof. dr. Muh Nasrum Massi, PhD, SpMK, Subsp. Bakt(K)		Tanda tangan	
Sekretaris KEP Universitas Hasanuddin	dr. Firdaus Hamid, PhD, SpMK(K)		Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari prokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan



Lampiran 2. Surat Keterangan Kesehatan Hewan



PEMERINTAH KABUPATEN MAROS
DINAS PERTANIAN DAN KETAHANAN PANGAN
 Jalan Dr. Ratulangi No. 57 Maros Telp (0411)371478 Kode Pos 90511

SURAT KETERANGAN KESEHATAN HEWAN (SKKH)

Nomor 091/524-B/IV/2024/PKH

Yang bertandatangan di bawah ini :

drh. Ujistiany Abidin,SKH

Dokter Hewan Pemerintah pada Dinas Pertanian dan ketahanan Pangan Kabupaten Maros yang membidangi fungsi Peternakan dan Kesehatan Hewan. Berdasarkan Undang-Undang No. 41 Nomor 2014 tentang Peternakan dan Kesehatan Hewan menerangkan bahwa berdasarkan hasil pemeriksaan tanda klinis/pemeriksaan fisik/laboratorium pada tanggal 12, bulan Mei, tahun 2024, bahwa:

NO	JENIS TERNAK/HEWAN/BAH	JUMLAH (ekor)	TANDA-TANDA				PEMILIK/ALAMAT	KETERANGAN
			Jenis Kelamin	Umur	Warna	Ciri-Ciri Khusus		
	TIKUS WISTAR	100 EKOR	JAMAK	10-12 BULAN	PUTIH	-	Potih Kondoyan Kemp. TH AN Lamp. HWP 078423375	Uji Lab Tujuan: UNTHAS

Dinyatakan :

1. Ternak/Hewan/Bahan Asal Hewan (BAH) tersebut pada saat pemeriksaan dalam keadaan sehat.
2. Ternak/Hewan/Bahan Asal Hewan (BAH) tersebut di atas aman dan tidak sebagai pembawa penyakit hewan menular/penyakit zoonosis
3. Surat Keterangan Kesehatan Hewan ini berlaku untuk 1 (satu) kali keperluan.

Demikian Surat Keterangan Kesehatan Hewan ini dibuat, untuk di penggunaan sebagaimana mestinya.


 MEI - 2024
 Dokter Hewan yang Berwenang
 drh. Ujistiany Abidin, SKH
 NIP. 19821006 201001 2 022



Lampiran 3. Dokumentasi Penelitian

