

DAFTAR PUSTAKA

1. AANA. Safe Injection Guidelines for Needle and Syringe Use. 2019.;42:1-38.
2. Association of perioperative Registered Nurses. Guideline for Environmental Cleaning. AORN guidelines for perioperative practice. Denver: AORN; 2018. Pp. 7–28.
3. Baillie JK, Sultan P, Graveling E, Forrest C, Lafong C. Contamination of anaesthetic machines with pathogenic organisms. *Anaesthesia* 2007;62:1257–1261.
4. Bhatt JM, Peterson EM, Verma SP. Microbiological sampling of the forgotten components of a flexible fiberoptic laryngoscope: what lessons can we learn? *Otolaryngol Head Neck Surg* 2014;150:235–236.
5. Biddle C, Shah J. Quantification of anesthesia providers' hand hygiene in a busy metropolitan operating room: what would Semmelweis think? *Am J Infect Control* 2012;40:756–759.
6. Birnbach DJ, Rosen LF, Fitzpatrick M, Carling P, Arheart KL, Munoz-Price LS. Double gloves: a randomized trial to evaluate a simple strategy to reduce contamination in the operating room. *Anesth Analg* 2015;120:848-852.
7. Birnbach DJ, Rosen LF, Fitzpatrick M, Carling P, Arheart KL, Munoz-Price LS. A new approach to pathogen containment in the operating room: sheathing the laryngoscope after intubation. *Anesth Analg* 2015;121:1209 -1214.
8. Birnbach DJ, Rosen LF, Fitzpatrick M, Carling P, Munoz-Price LS. The use of a novel technology to study dynamics of pathogen transmission in the operating room. *Anesth Analg* 2015;120:844-847.
9. Call TR, Auerbach FJ, Riddell SW, et al. Nosocomial contamination of laryngoscope handles: challenging current guidelines. *Anesth Analg* 2009;109:479–483.
10. Clark C, Taenzer A, Charette K, Whitty M. Decreasing contamination of the anesthesia environment. *Am J Infect Control* 2014;42:1223–1225.
11. Cole DC, Baslanti TO, Gravenstein NL, Gravenstein N. Leaving more than your fingerprint on the intravenous line: a prospective study on propofol anesthesia and implications of stopcock contamination. *Anesth Analg* 2015;120:861–867.
12. Cullen MM, Trail A, Robinson M, Keaney M, Chadwick PR. *Serratia marcescens* outbreak in a neonatal intensive care unit prompting review of decontamination of laryngoscopes. *J Hosp Infect* 2005;59:68–70.
13. Fukuda T, Iwakiri H, Ozaki M. Anaesthetists' role in computer keyboard contamination in an operating room. *J Hosp Infect* 2008;70:148–153.
14. Gao B, Harvatin M, Niezgodka G, Weible R, Shaffer R. Effect of multiple alcohol-based hand rubs on the tensile properties of thirteen brands of medical exam nitrile and latex glove. *Environ Hyg* 2016;13:905–914.
15. Gaudin A, Sheridan J, Webster CS, et al. Anaesthetic drug administration as a potential source of contamination: a prospective simulation-based evaluation of contamination of the operating room. *J Hosp Infect* 2016;161:100–105.



aseptic techniques in the administration of anaesthetic drugs. *BMJ Qual Saf* 2012;21:826–834.

16. Gonzalez EA, Nandy P, Lucas AD, Hitchins VM. Ability of cleaning- disinfecting wipes to remove bacteria from medical device surfaces. *Am J Infect Control* 2015;43:1331–1335.
17. Guidance on personal protective equipment (PPE) to be used by healthcare workers during management of patients with confirmed ebola or persons under investigation (PUIs) for Ebola who are clinically unstable or have bleeding, vomiting, or diarrhea in US hospitals, including procedures for donning and doffing PPE 2015. Centers for Disease Control and Prevention website. <https://www.cdc.gov/vhf/ebola/health-care-us/ppe/guidance.html>. Published 2015. Accessed October 25, 2018.
18. Hall JR. Blood contamination of anesthesia equipment and monitoring equipment. *Anesth Analg* 1994;78:1136-1139.
19. Henry B, Plante-Jenkins C, Ostrowska K. An outbreak of *Serratia marcescens* associated with the anesthetic agent propofol. *Am J Infect Control* 2001;29:312-315.
20. Hill AF, Butterworth RJ, Joiner S, et al. Investigation of variant Creutzfeldt-Jakob disease and other human prion diseases with tonsil biopsy samples. *Lancet* 1999;353:183–189.
21. Hilliard JG, Cambronne ED, Kirsch JR, Aziz MF. Barrier protection capacity of flip-top pharmaceutical vials. *J Clin Anesth* 2013;25:177–180.
22. Hirsch N, Beckett A, Collinge J, Scaravilli F, Tabrizi S, Berry S. Lymphocyte contamination of laryngoscope blades—a possible vector for transmission of variant Creutzfeldt-Jakob disease. *Anaesthesia* 2005;60:664–667.
23. Hodgson ES, Ruis-Frutos C. A case report of contaminated operating theatre multipurpose equipment: a potential hazard for health care workers. *Ann Occup Hyg* 1991;35:341–346.
24. Jones BL, Gorman LJ, Simpson J, et al. An outbreak of *Serratia marcescens* in two neonatal intensive care units. *J Hosp Infect* 2000;46:314–319.
25. Koff MD, Brown JR, Marshall EJ, et al. Frequency of hand decontamination of intraoperative providers and reduction of postoperative healthcare-associated infections: a randomized clinical trial of a novel hand hygiene system. *Infect Control Hosp Epidemiol* 2016;37:888–895.
26. Koff MD, Corwin HL, Beach ML, Surgenor SD, Loftus RW. Reduction in ventilator associated pneumonia in a mixed intensive care unit after initiation of a novel hand hygiene program. *J Crit Care* 2011;26:489–495.
27. Koff MD, Loftus RW, Burchman CC, et al. Reduction in intraoperative bacterial contamination of peripheral intravenous tubing through the use of a novel device. *Infect Control Hosp Epidemiol* 2009;110:978–985.



Joiner C, Mancuso MP, Dziadkowiec O, Halverson-Carpenter K. Determining high levels in the operating room with levels of contamination. *Am J Infect Control* 2009;34:1350–1355.

29. Loftus RW, Brindeiro BS, Kispert DP, et al. Reduction in intraoperative bacterial contamination of peripheral intravenous tubing through the use of a passive catheter care system. *Anesth Analg* 2012;115: 1315–1323.
30. Loftus RW, Brown JR, Koff MD, et al. Multiple reservoirs contribute to intraoperative bacterial transmission. *Anesth Analg* 2012;114:1236–1248.
31. Loftus RW, Koff MD, Birnbach DJ. The dynamics and implications of bacterial transmission events arising from the anesthesia work area. *Anesth Analg* 2015;120:853–860.
32. Loftus RW, Koff MD, Brown JR, et al. The dynamics of Enterococcus transmission from bacterial reservoirs commonly encountered by anesthesia providers. *Anesth Analg* 2015;120:827–836.
33. Loftus RW, Koff MD, Brown JR, et al. The epidemiology of Staphylococcus aureus transmission in the anesthesia work area. *Anesth Analg* 2015;120:807–818.
34. Loftus RW, Koff MD, Burchman CC, et al. Transmission of pathogenic bacterial organisms in the anesthesia work area. *Anesthesiology* 2008;109:399–407.
35. Loftus RW, Patel HM, Huysman BC, et al. Prevention of intravenous bacterial injection from health care provider hands: the importance of catheter design and handling. *Anesth Analg* 2012;115:1109–1119.
36. Lowman W, Venter L, Scribante J. Bacterial contamination of re-usable laryngoscope blades during the course of daily anaesthetic practice. *S Afr Med J* 2013;103:386–389.
37. Mahida N, Levi K, Kearns A, Snape S, Moppett I. Investigating the impact of clinical anaesthetic practice on bacterial contamination of intravenous fluids and drugs. *J Hosp Infect* 2015;90:70–74.
38. Martin LD, Rampersad SE, Geiduschek JM, Zerr DM, Weiss GK. Modification of anesthesia practice reduces catheter-associated blood- stream infections: a quality improvement initiative. *Paediatr Anaesth* 2013;23:588–596.
39. Maslyk PA, Nafziger DA, Burns SM, Bowers PR. Microbial growth on the anesthesia machine. *AANA J* 2002;70:53–56.
40. Munoz-Price LS, Birnbach DJ. Hand hygiene and anesthesiology. *Int Anesthesiol Clin* 2013;51:79–92.
41. Munoz-Price LS, Lubarsky DA, Arheart KL, et al. Interactions between anesthesiologists and the environment while providing anesthesia care in the operating room. *Am J Infect Control* 2013;41:922–924.
42. Munoz-Price LS, Patel Z, Banks S, Arheart K, Eber S, Lubarsky DA, et al. Randomized crossover study evaluating the effect of a hand sanitizer dispenser on the frequency of hand hygiene among anesthesiology staff in the operating room. *Infect Control Hosp Epidemiol* 2013;38:717–720.
43. Munoz-Price LS, Riley B, Banks S, Eber S, Arheart K, Lubarsky DA, et al. Frequency of hand hygiene and hand disinfections among anesthesiologists while providing anesthesia care



in the operating room: induction versus maintenance. *Infect Control Hosp Epidemiol* 2014;35:1056–1059.

44. Muscarella LF. Reassessment of the risk of healthcare-acquired infection during rigid laryngoscopy. *J Hosp Infect* 2008;68:101–107.
45. Negri de Sousa AC, Vilas Boas VA, Levy CE, Pedreira de Freitas MI. Laryngoscopes: evaluation of microbial load of blades. *Am J Infect Control* 2016;44:294–298.
46. Paulson DS, Fendler EJ, Dolan MJ, Williams RA. A close look at alcohol gel as an antimicrobial sanitizing agent. *Am J Infect Control* 1999;27:332–338.
47. Petty WC. Closing the hand hygiene gap in the postanesthesia care unit: a body-worn alcohol-based dispenser. *J Perianesth Nurs* 2013;28:87–93.
48. Phillips RA, Monaghan WP. Incidence of visible and occult blood on laryngoscope blades and handles. *AANA J.* 1997;65:241–35246.
49. Reynolds H, Dulhunty J, Tower M, Taraporewalla K, Rickard C. A snapshot of guideline compliance reveals room for improvement: a survey of peripheral arterial catheter practices in Australian operating theatres. *J Adv Nurs* 2013;69:1584–1594.
50. Rutala WA, Weber DJ. Disinfectants used for environmental disinfection and new room decontamination technology. *Am J Infect Control* 2013;41:S36–S41.
51. Ryan AJ, Webster CS, Merry AF, Grieve DJ. A national survey of infection control practice by New Zealand anaesthetists. *Anaesth Intensive Care* 2006;34:68–74.
52. Sahni N, Biswal M, Gandhi K, Yaddanapudi S. Quantification of hand hygiene compliance in anesthesia providers at a tertiary care center in northern India. *Am J Infect Control* 2015;43:1134–1136.
53. Scheithauer S, Rosarius A, Rex S, et al. Improving hand hygiene compliance in the anesthesia working room work area: more than just more hand rubs. *Am J Infect Control* 2013;41:1001–1006.
54. Stackhouse R, Beers R, Brown D, et al. Recommendations for Infection Control for the Practice of Anesthesiology, 3rd ed. www.asahq.org/standards-and-guidelines/resources-from-asa-committees#ic
55. WHO. World Health Organization Guidelines on Hand Hygiene in Healthcare. Geneva, Switzerland: WHO Press; 2009.
56. Williams D, Dingley J, Jones C, Berry N. Contamination of laryngoscope handles. *J Hosp Infect* 2010;74:123–128.
57. Aklew F, E W, Worku Z. Knowledge, practice, and associated factors towards prevention of surgical site infection among nurses working in Amhara regional state referral hospitals, Ethiopia, . *Surgery Research and Practice* 2015;6.



Estifanos W, Melese E, Moga F. Knowledge, attitude and practice of infection measures among health care workers in wolaitta sodo Otona teaching and referral Nurs Care. 2017;6(416):2167– 1168.1000416.

59. Gulilat K, Tiruneh G. Assessment of knowledge, attitude and practice of health care workers on infection prevention in health institution Bahir Dar city administration. *Sci J Public Health*. 2014;2(5):384–3.
60. Haile TG, Engeda EH, Abdo AA. Compliance with standard precautions and associated factors among healthcare workers in Gondar University Comprehensive Specialized Hospital, Northwest Ethiopia. *J Environ Public health*. 2017;2017:8.
61. Fashafsheh I, Ayed A, Eqtait F, Harazneh L. Knowledge and Practice of Nursing Staff towards Infect Control Measures in the Palestinian Hospitals. *J Educ and Practice*. 2015;6(4):2015. <http://www.iiste.org20issn202222-1735/>
62. Sarani H, Balouchi A, Masinaeinezhad N, Ebrahimitabas E. Knowledge, attitude and practice of nurses about standard precautions for hospital- acquired infection in teaching hospitals affiliated to Zabol University of Medical Sciences (2014). *Global J Health Sci*. 2015;8(3):193–8.
63. Abou El-Enein NY, El Mahdy HM. Standard precautions: a KAP study among nurses in the dialysis unit in a University Hospital in Alexandria, Egypt, 2011. *J Egypt Public Health Assoc*. 2011;86(1–2):3–10.
64. Ekaete T, Danny A, Ikponwonsa O, E G. Knowledge and Practice of infection control among health workers in a tertiary hospital in Edo state, Nigeria, . *Direct research journal of health and Pharmacology* 2013;1(2):20–2.
65. Timilshina N, Ansari MA, Dayal V. Risk of infection among primary health workers in the western development region, Nepal: knowledge and compliance. *J Infect Dev Ctries*. 2011;5(1):018–22.
66. Katowa P, Mukwato M, Ngoma M, Maimbolw. “Compliance with infection prevention guidelines by health care workers at Ronald Ross general hospital Mufulira istrict” *Med J Zambia* 2014;3(5).
67. Alemayehu R, Ahmed K, Sada O. Assessment of knowledge and practice on infection prevention among health Care Workers at Dessie Referral Hospital, Amhara region, SouthWollo zone, north East Ethiopia. *J Community Med Health Educ*. 2016;6:487.
68. Tenna A, A. E, Margoles S, Kacha E, M. H, R. R. Infection Control Knowledge, Attitudes, and Practices among healthcare Workers in Addis Ababa, Ethiopia, *infection control and hospital epidemiology* 2013;34(12).
69. Ekaete T, Danny A, Ikponwonsa O, E G. Knowledge and Practice of infection control among health workers in a tertiary hospital in Edo state, Nigeria, . *Direct research journal of health and Pharmacology* 2013;1(2):20–2.



G, Say R, Wells A, Wilson F, Cloete L, Matheson L. Australian graduating knowledge, intentions and beliefs on infection prevention and control: a cross-udy. *BMC Nurs*. 2014;13(1):43.



Optimized using
trial version
www.balesio.com