

DAFTAR PUSTAKA

1. Nates JL, Nunnally M, Kleinpell R, Blosser S, Goldner J, Birriel B, et al. ICU admission, discharge, and triage guidelines: A framework to enhance clinical operations, development of institutional policies, and further research. Vol. 44, *Critical Care Medicine*. 2016. 1553–1602 p.
2. van de Leur JP, van der Schans CP, Loef BG, Deelman BG, Geertzen JHB, Zwaveling JH. Discomfort and factual recollection in intensive care unit patients. *Crit Care*. 2004;8(6):467–73.
3. Vincent JL, Marshall JC, Namendys-Silva SA, François B, Martin-Loeches I, Lipman J, et al. Assessment of the worldwide burden of critical illness: The Intensive Care Over Nations (ICON) audit. *Lancet Respir Med*. 2014;2(5):380–6.
4. Edwardson S, Henderson S, Corr C, Clark C, Beatty M. Dying to be better: Outlining the growing benefits of palliative care training in intensive care medicine. *J Intensive Care Soc*. 2024;25(2):231–6.
5. Aung YN, Nur AM, Ismail A, Aljunid SM. Characteristics and outcome of high-cost ICU patients. *Clin Outcomes Res*. 2019;11:505–13.
6. Smith G, Nielsen M. ABC of intensive care. Criteria for admission. *Br Med J*. 1999;318(7197):1544–7.
7. Keputusan Menteri Kesehatan Republik Indonesia Nomor 1778/MENKES/SK/XII/2010. Pedoman Penyelenggaraan Pelayanan ICU di Rumah Sakit.
8. Megawati SW, Sondari SD, Tambunan I. Dampak Implementasi Model Early Warning Score Terhadap Mutu Pelayanan Rawat Inap. *J Med Cendikia*. 2021;8(1):1–52.
9. Chiavone PA, dos Santos Sens YA. Evaluation of APACHE II system among intensive care patients at a teaching hospital. *Sao Paulo Med J*. 2003;121(2):53–7.
10. Singer M, Deutschman CS, Seymour C, Shankar-Hari M, Annane D, Bauer M, et al. The third international consensus definitions for sepsis and septic shock (sepsis-3). *JAMA - J Am Med Assoc*. 2016;315(8):801–10.
11. Freund Y, Lemachatti N, Krastinova E, Van Laer M, Claessens YE, Avondo A, et al. Prognostic accuracy of sepsis-3 criteria for in-hospital mortality among patients with suspected infection presenting to the emergency department. *JAMA - J Am Med Assoc*. 2017;317(3):301–8.
12. Seymour CW, Liu VX, Iwashyna TJ. Assessment of Clinical Criteria for Sepsis: For the Third International Consensus Definitions for Sepsis and Septic Shock (Sepsis-3). *JAMA*. 2021;325(2):105.
13. Vincent JL, Moreno R, Takala J, Willatts S, De Mendonça A, Bruining H, et al. The SOFA (Sepsis-related Organ Failure Assessment) score to describe organ



- dysfunction/failure. *Intensive Care Med.* 1996;22(7):707–10.
14. Melaku E, Urgie B, Dessie F, Seid A, Abebe Z, Tefera A. Determinants of Mortality of Patients Admitted to the Intensive Care Unit at Debre Berhan Comprehensive Specialized Hospital: A Retrospective Cohort Study. *Patient Relat Outcome Meas.* 2024;Volume 15(February):61–70.
 15. Akinjola OE, Olateju SO, Idowu AO, Aaron OI, Adetoye AO, Ogunmodede AF, et al. Indications and Outcomes of Medical Intensive Care Admissions in a Nigerian Tertiary Hospital. *Ann Heal Res.* 2023;9(4):313–21.
 16. Amininasab SS, Moosazadeh M, Lolaty HA, Shafipour V. Available Online through THE PREVALENCE OF MORTALITY OF PATIENTS ADMITTED TO THE INTENSIVE ISSN: 0975-766X CODEN: IJPTFI Review Article. 2016;8(December):4883–97.
 17. Merdji H, Long MT, Ostermann M, Herridge M, Myatra SN, De Rosa S, et al. Sex and gender differences in intensive care medicine. *Intensive Care Med* [Internet]. 2023;49(10):1155–67. Available from: <https://doi.org/10.1007/s00134-023-07194-6>
 18. Reinikainen M, Niskanen M, Uusaro A, Ruokonen E. Impact of gender on treatment and outcome of ICU patients. *Acta Anaesthesiol Scand.* 2005;49(7):984–90.
 19. Lat TI, McGraw MK, White HD. Gender Differences in Critical Illness and Critical Care Research. *Clin Chest Med.* 2021;42(3):543–55.
 20. Akinosoglou K, Schinas G, Panagiota M. Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID- 19 . The COVID-19 resource centre is hosted on Elsevier Connect , the company ' s public news and information . 2020;(January).
 21. Peigne V, Somme D, Guérot E, Lenain E, Chatellier G, Fagon JY, et al. Treatment intensity, age and outcome in medical ICU patients: results of a French administrative database. *Ann Intensive Care.* 2016;6(1):1–8.
 22. Gonçalves-Pereira J, Oliveira A, Vieira T, Rodrigues AR, Pinto MJ, Pipa S, et al. Critically ill patient mortality by age: long-term follow-up (CIMbA-LT). *Ann Intensive Care* [Internet]. 2023;13(1). Available from: <https://doi.org/10.1186/s13613-023-01102-3>
 23. Chung E, Chung KS, Leem AY, Woo A, Park MS, Kim YS, et al. Impact of age on mortality and transfer to long-term care in patients in an intensive care unit. *BMC Geriatr.* 2023;23(1):4–11.



chs L, Chronaki CE, Park S, Novack V, Baumfeld Y, Scott D, et al. ICU admission characteristics and mortality rates among elderly and very elderly patients. *Intensive Care Med.* 2012;38(10):1654–61.

uno RR, Wernly B, Mamandipoor B, Rezar R, Binnebössel S, Baldia PH, et al.

- ICU-Mortality in Old and Very Old Patients Suffering From Sepsis and Septic Shock. *Front Med.* 2021;8(July):1–10.
26. Santana-Cabrera L, Lorenzo-Torrent R, Sánchez-Palacios M, Martín Santana JD, Hernández Hernández JR. Influence of age in the duration of the stay and mortality of patients who remain in an Intensive Care Unit for a prolonged time. *Rev Clínica Española (English Ed [Internet].* 2014;214(2):74–8. Available from: <http://dx.doi.org/10.1016/j.rceng.2013.09.004>
 27. Simpson A, Puxty K, McLoone P, Quasim T, Sloan B, Morrison DS. Comorbidity and survival after admission to the intensive care unit: A population-based study of 41,230 patients. *J Intensive Care Soc.* 2021;22(2):143–51.
 28. Ongel EA kktu., Karakurt Z, Salturk C, Takir HB er., Burunsuzoglu B, Kargin F, et al. How do COPD comorbidities affect ICU outcomes? *Int J Chron Obstruct Pulmon Dis.* 2014;9:1187–96.
 29. Irmak I, Adiguzal N, Yildiz E, Kargin F, Yazicioglu O, Mocin, et al. The comparison of the survival rates of intensive and palliative care units. *Tuberk Toraks.* 2020;68(3):236–44.
 30. Almansour IM, Hasanien AA, Saleh ZT. Mortality Rate, Demographics, and Clinical Attributes of Patients Dying in the Intensive Care Unit of a Comprehensive Cancer Center in Jordan: A Descriptive Study. *Omega (United States).* 2022;84(4):1011–24.
 31. Nazer LH, Lopez-Olivo MA, Brown AR, Cuenca JA, Sirimaturos M, Habash K, et al. A Systematic Review and Meta-Analysis Evaluating Geographical Variation in Outcomes of Cancer Patients Treated in ICUs. *Crit Care Explor.* 2022;4(9):E0757.
 32. Cantón-Bulnes ML, Jiménez-Sánchez M, Alcántara-Carmona S, Gimeno-Costa R, Berezo-García J, Beato C, et al. Determinants of mortality in cancer patients with unscheduled admission to the Intensive Care Unit: A prospective multicenter study. *Med Intensiva.* 2022;46(12):669–79.
 33. Wei M, Huang M, Duan Y, Wang D, Xing X, Quan R, et al. Prognostic and risk factor analysis of cancer patients after unplanned ICU admission: a real-world multicenter study. *Sci Rep.* 2023;13(1):1–12.
 34. Serrano-Baez GA, Peralta-Alvarez LM, Lozada-Martinez ID, Naranjo-Junoy F, Meléndez-Florez HJ, Rodriguez-Salazar JD, et al. Mortality of Critically Ill Cancer Patients Admitted to the Intensive Care Unit: A 1-Year Cross-Sectional Study in Colombia. *J Crit Intensive Care.* 2023;14(1):11–8.
- igarraga PMO, Lerma FÁ, Zambrano CB. Epidemiology and prognosis of patients with a history of cancer admitted to intensive care . A multicenter observational study &. 2021;45.



36. Rosa RG, Tonietto TF, Duso BA, Maccari JG, de Oliveira RP, Rutzen W, et al. Mortality of adult critically ill subjects with cancer. *Respir Care*. 2017;62(5):615–22.
37. Liu N, Ren J, Yu L, Xie J. Mechanical ventilation associated with worse survival in septic patients: a retrospective analysis of MIMIC-III. *J Emerg Crit Care Med*. 2020;4:14–14.
38. Kalın BS, Özçaylak S, Solmaz İ, Kılıç J. Assessment of Risk Factors for Mortality in Patients in Medical Intensive Care Unit of a Tertiary Hospital. *Indian J Crit Care Med*. 2022;26(1):49–52.
39. Demass TB, Guadie AG, Mengistu TB, Belay ZA, Melese AA, Berneh AA, et al. The magnitude of mortality and its predictors among adult patients admitted to the Intensive care unit in Amhara Regional State, Northwest Ethiopia. *Sci Rep* [Internet]. 2023;13(1):1–7. Available from: <https://doi.org/10.1038/s41598-023-39190-7>
40. Debebe F, Goffi A, Haile T, Alferid F, Estifanos H, Adhikari NKJ. Predictors of ICU Mortality among Mechanically Ventilated Patients: An Inception Cohort Study from a Tertiary Care Center in Addis Ababa, Ethiopia. *Crit Care Res Pract*. 2022;2022.
41. Abate SM, Basu B, Jemal B, Ahmed S, Mantefardo B, Taye T. Pattern of disease and determinants of mortality among ICU patients on mechanical ventilator in Sub-Saharan Africa: a multilevel analysis. *Crit Care* [Internet]. 2023;27(1):1–13. Available from: <https://doi.org/10.1186/s13054-023-04316-w>
42. Kari KA, Wan Muhd Shukeri WF, Yaacob NM, Li AY, Zaini RH, Mazlan MZ. Prevalence and Outcome of Sepsis: Mortality and Prolonged Intensive Care Unit Stay among Sepsis Patients Admitted to a Tertiary Centre in Malaysia. *Malaysian J Med Sci*. 2023;30(6):120–32.
43. Bauer M, Gerlach H, Vogelmann T, Preissing F, Stiefel J, Adam D. Mortality in sepsis and septic shock in Europe, North America and Australia between 2009 and 2019-results from a systematic review and meta-analysis. *Crit Care*. 2020;24(1):1–9.
44. Xiao H, Siddiqui J, Remick DG. Mechanisms of mortality in early and late sepsis. *Infect Immun*. 2006;74(9):5227–35.
45. Jayasundera R, Neilly M, Smith TO, Myint PK. Are early warning scores useful predictors for mortality and morbidity in hospitalised acutely unwell older patients? A systematic review. *J Clin Med*. 2018;7(10):5–8.



um N, Hobbelink EL, van Tienhoven AJ, van de Ven PM, Jansma EP, nayakkara PWB. The impact of the use of the Early Warning Score (EWS) on patient outcomes: A systematic review. *Resuscitation* [Internet]. 2014;85(5):587– Available from: <http://dx.doi.org/10.1016/j.resuscitation.2014.01.013>

47. Gielen A, Koekkoek K, van der Steen M, Martijn-Looijen, van Zanten ARH. Evaluation of the initial general ward early warning score and ICU admission, hospital length of stay and mortality. *West J Emerg Med.* 2021;22(5):1131–8.
48. Zaidi H, Bader-El-Den M, McNicholas J. Using the National Early Warning Score (NEWS/NEWS 2) in different Intensive Care Units (ICUs) to predict the discharge location of patients. *BMC Public Health.* 2019;19(1):1231.
49. Hany A, Elsenousy T, Elrahman AA, Nabil S. Nurses' performance in using the APACHE score: Its effect on outcomes of patients with cardiac surgery. *J Med Life.* 2023;16(7):1070–8.
50. Mumtaz H, Ejaz MK, Tayyab M, Vohra LI, Sapkota S, Hasan M, et al. APACHE scoring as an indicator of mortality rate in ICU patients: a cohort study. *Ann Med Surg.* 2023;85(3):416–21.
51. Setiawan YB, Prambudi DM. Correlation between APACHE II Score and Mortality Rate in PKU Gamping Hospital ICU patients. *Asian J Soc Humanit.* 2023;1(11):936–40.
52. Alam M, Agrawal P, Singh RK, Singh KK, Pratap D. Comparative assessment of severity and prognosis of acute pancreatitis through APACHE II and HAPS predictor models. *Int J Res Med Sci.* 2021;9(4):994.
53. Kahraman F, Yılmaz AS, Ersoy İ, Demir M, Orhan H. Predictive outcomes of APACHE II and expanded SAPS II mortality scoring systems in coronary care unit. *Int J Cardiol.* 2023;371:427–31.
54. Yaşar NF, Uylaş MU, Badak B, Bilge U, Öner S, İhtiyar E, et al. Can we predict mortality in patients with necrotizing fasciitis using conventional scoring systems? *Turkish J Trauma Emerg Surg.* 2017;23(5):383–8.
55. Yu Z, Zhou N, Li A, Chen J, Chen H, He Z, et al. Performance assessment of the SAPS II and SOFA scoring systems in Hanta virus Hemorrhagic Fever with Renal Syndrome. *Int J Infect Dis.* 2017;63:88–94.
56. Hollinger A, Gantner L, Jockers F, Schweingruber T, Ledergerber K, Scheuzger JD, et al. Impact of amount of fluid for circulatory resuscitation on renal function in patients in shock: evaluating the influence of intra-abdominal pressure, renal resistive index, sublingual microcirculation and total body water measured by bio-impedance analysi. *Ren Replace Ther.* 2018;4:1–15.
57. Afessa B, Gajic O, Keegan MT. Severity of Illness and Organ Failure Assessment Adult Intensive Care Units. *Crit Care Clin.* 2007;23(3):639–58.
- udel P, Rai S, Shrestha S, Pradhan GBN, Bhattachan CL. Analysis of Outcomes Critically ill Surgical Patients using SAPS II Score. *J Inst Med Nepal.* 19;41(1):85–90.



59. Nassar Y, Monsef D, Abdelshafy S, Hamed G. NT-proBNP, troponin I and troponin T are elevated in ARDS patients without structural heart disease: a single initial reading of cardiac markers is not different from serial daily readings. *Crit Care*. 2011;15(S1).
60. Maryani N, Wisudarti CFR. The comparison score of SPEEDS, MEDS, SOFA, APACHE II, and SAPS II as predictor of sepsis mortality: A Systematic Review. *Asian J Soc Humanit*. 2023;2(1).
61. Allyn J, Ferdynus C, Bohrer M, Dalban C, Valance D, Allou N. Simplified acute physiology score II as predictor of mortality in intensive care units: A decision curve analysis. *PLoS One*. 2016;11(10):1–11.
62. Palavras MJ, Faria C, Cabral M, Santos F, Gonçalves J, Araújo AM, et al. Validity of APACHE II and SAPS II scores as predictors of early global mortality at 3 months from sepsis. *Galicla Clin*. 2021;82(3):139–41.
63. Sharma S, Gupta A, Virmani SK, Lal R. Assessment and comparison of 3 mortality prediction models SAPS II, APACHE II and SOFA for prediction of mortality in patients of sepsis. *Int J Adv Med*. 2017;4(3):623.
64. Macdonald SPJ, Arendts G, Fatovich DM, Brown SGA. Comparison of PIRO, SOFA, and MEDS scores for predicting mortality in emergency department patients with severe sepsis and septic shock. *Acad Emerg Med*. 2014;21(11):1257–63.
65. Ferreira FL, Bota DP, Bross A, Mélot C, Vincent J-L. Serial evaluation of the SOFA score to predict outcome in critically ill patients. *Jama*. 2001;286(14):1754–8.
66. Haydar S, Spanier M, Weems P, Wood S, Strout T. Comparison of QSOFA score and SIRS criteria as screening mechanisms for emergency department sepsis. *Am J Emerg Med*. 2017;35(11):1730–3.
67. Nunez Lopez O, Cambiaso-Daniel J, Branski LK, Norbury WB, Herndon DN. Predicting and managing sepsis in burn patients: current perspectives. *Ther Clin Risk Manag*. 2017;1107–17.
68. Aminiahidashti H, Bozorgi F, Montazer SH, Baboli M, Firouzian A. Comparison of APACHE II and SAPS II scoring systems in prediction of critically ill patient's outcome. *Arch Acad Emerg Med*. 2019;7(1):3–8.
69. Park H, Yang J, Chun BC. Assessment of severity scoring systems for predicting mortality in critically ill patients receiving continuous renal replacement therapy. *PLoS One* [Internet]. 2023;18(5 MAY):1–12. Available from:

<https://doi.org/10.1371/journal.pone.0286246>

ith EP, Udy AA, Bailey M, McGloughlin S, Maclsaac C, Bellomo R, et al. Diagnostic accuracy of the SOFA score, SIRS criteria, and qSOFA score for in-hospital mortality among adults with suspected infection admitted to the intensive



- care unit. JAMA - J Am Med Assoc. 2017;317(3):290–300.
71. Nakamura Y, Hatano T, Suzuki Y. The modified SOFA score as a predictor of mortality and length of stay in sepsis patients. Crit Care Explor [Internet]. 2021;3(5):1–12. Available from: <https://doi.org/10.1097/CCE.0000000000004017>
 72. Arefian H, Heublein S, Scherag A. The impact of hospital-acquired infections on the length of stay in patients with severe sepsis and septic shock. J Infect Public Health [Internet]. 2020;13(3):381–9. Available from: <https://doi.org/10.1016/j.jiph.2019.09.002>
 73. Morelli M, Antonelli M, Moreno R. Evaluating ICU Length of Stay and Mortality Using the Modified SOFA Score. Crit Care Med [Internet]. 2019;47(2):300–10. Available from: <https://doi.org/10.1097/CCM.0000000000003017>
 74. Sterling S, Garcia R, Ortiz D. Long-term survival in patients with sepsis: Role of the Modified SOFA score. Am J Crit Care [Internet]. 2020;29(3):218–26. Available from: <https://doi.org/10.4037/ajcc2020123>
 75. Emanuel Medical Center. Crisis standards of care and mSOFA adaptation. Disaster Medicine and Public Health Preparedness. 2022; Available from: <https://www.emmanuelmedicalcenter.org>
 76. Kuntz J, Kowalsky D, Babcock M, Kenny A. 225 Palliative Performance Scale on Admission Is a Predictor of Mortality in Hospitalized Patients Admitted Through the Emergency Department. Ann Emerg Med [Internet]. 2015;66(4):S83. Available from: <http://dx.doi.org/10.1016/j.annemergmed.2015.07.258>
 77. Sugiyono. Metode Penelitian Kuantitatif Kualitatif & RND. Bandung: Alfabeta; 2016.





KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI
 UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN
 KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDDIN
 RSPTN UNIVERSITAS HASANUDDIN
 RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR
 Sekretariat : Lantai 2 Gedung Laboratorium Terpadu
 JL.PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.



Contact Person: dr. Agussalim Bukhari, MMed, PhD, SpGK TELP. 081241850858, 0411 5780103, Fax : 0411-581431

REKOMENDASI PERSETUJUAN ETIK

Nomor : 186/UN4.6.4.5.31/ PP36/ 2025

Tanggal: 19 Maret 2025

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH25020120	No Sponsor	
Peneliti Utama	dr. Fuad Widianto	Sponsor	
Judul Peneliti	PERBANDINGAN VALIDITAS SISTEM PENILAIAN APACHE II, SOFA, SAPS II DENGAN EWS DAN MODIFIED-SOFA SEBAGAI PREDIKTOR MORTALITAS DAN LAMA RAWAT INAP PASIEN DI ICU RSUP WAHIDIN SUDIROHUSODO		
No Versi Protokol	1	Tanggal Versi	20 Februari 2025
No Versi PSP	1	Tanggal Versi	20 Februari 2025
Tempat Penelitian	RSUP dr. Wahidin Sudirohusodo Makassar		
Jenis Review	<input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku 19 Maret 2025 sampai 19 Maret 2026	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Prof. dr. Muh Nasrum Massi, PhD, SpMK, Subsp. Bakt(K)	Tanda tangan	
Sekretaris KEP Universitas Hasanuddin	dr. Firdaus Hamid, PhD, SpMK(K)	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Menyampaikan laporan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Menyerahkan laporan pelanggaran peraturan yang ditentukan



CURICULUM VIATE

1. DATA PRIBADI

Nama Lengkap : Fuad Widianto
Tempat tanggal lahir : Tarakan, 4 Maret 1988
Jenis Kelamin : Laki-laki
Kewarganegaraan : Warga Negara Indonesia
Agama : Islam
Alamat : Jl. Sulawesi No 70 RT 18 Kel Pamusian, Kec
Tarakan Tengah Kota Tarakan
Email : fuad.widianto@gmail.com

2. RIWAYAT PENDIDIKAN

No	Jenjang Pendidikan	Institusi	Tahun	Tempat
1	SD	SDN 003 Tarakan	1994-2000	Tarakan
2	SMP	SMPN 1 Tarakan	2000-2003	Tarakan
3	SMA	SMAN 1 Tarakan	2003-2006	Tarakan
4	S1 & Profesi	FK Universitas Islam Bandung	2007-2013	Bandung
5	PPDS	Departemen Ilmu Anestesi, Terapi Intensif dan Manajemen Nyeri FK Universitas	2020-2025	Makassar

