

DAFTAR PUSTAKA

1. Werner C, Engelhard K. Pathophysiology of traumatic brain injury. *Br J Anaesth.* 2007;99(1):4-9. doi:10.1093/bja/aem131
2. Prins M, Greco T, Alexander D, Giza CC. The pathophysiology of traumatic brain injury at a glance. *Dis Model Mech.* 2013;6(6):1307-1315. doi:10.1242/dmm.011585
3. Albert-Weissenberger C, Sirén AL. Experimental traumatic brain injury. *Exp Transl Stroke Med.* 2010;2(1):16. doi:10.1186/2040-7378-2-16
4. Beauchamp K, Mutlak H, Smith WR, Shohami E, Stahel PF. Pharmacology of traumatic brain injury: where is the “golden bullet”? *Mol Med.* 2008;14(11-12):731-740. doi:10.2119/2008-00050.Beauchamp
5. Siahaya N, Huwae LBS, Angkejaya OW, Bension JB, Tuamelly J. Prevalensi Kasus Cedera Kepala Berdasarkan Klasifikasi Derajat Keparahannya Pada Pasien Rawat Inap Di Rsud Dr. M. Haulussy Ambon Pada Tahun 2018. *Molucca Medica.* 2020;12:14-22. doi:10.30598/molmed.2020.v13.i2.14
6. CDC. Report to Congress: Traumatic Brain Injury In the United States: Epidemiology and Rehabilitation. *CDC.* Published online 2019. doi:10.3171/2011.3.jns102010
7. Tang ME, Lobel DA. Severe traumatic brain injury: maximizing outcomes. *Mt Sinai J Med.* 2009;76(2):119-128. doi:10.1002/msj.20106
8. Ng SY, Lee AYW. Traumatic Brain Injuries: Pathophysiology and Potential Therapeutic Targets. *Front Cell Neurosci.* 2019;13. doi:10.3389/fncel.2019.00528
9. Tabish A, Lone NA, Afzal WM, Salam A. The incidence and severity of injury in children hospitalised for traumatic brain injury in Kashmir. *Injury.* 2006;37(5):410-415. doi:10.1016/j.injury.2006.01.039



with M. Monitoring intracranial pressure in traumatic brain injury. *Anesth alg.* 2008;106(1):240-248. doi:10.1213/01.ane.0000297296.52006.8e

11. Bramlett HM, Dietrich WD. Long-Term Consequences of Traumatic Brain Injury: Current Status of Potential Mechanisms of Injury and Neurological Outcomes. *J Neurotrauma*. 2015;32(23):1834-1848. doi:10.1089/neu.2014.3352
12. Skiles ML, Marzan AJ, Brown KS, Shamonki JM. Comparison of umbilical cord tissue-derived mesenchymal stromal cells isolated from cryopreserved material and extracted by explantation and digestion methods utilizing a split manufacturing model. *Cytotherapy*. 2020;22(10):581-591. doi:10.1016/j.jcyt.2020.06.002
13. Talebian N, Parivar K, Kafami L, Marzban M, Shirmohammadi M, Joghataei MT. Comparative Analysis of Mesenchymal Stem Cells Isolated from Human Bone Marrow and Wharton's Jelly TT - Comparative Analysis of Mesenchymal Stem Cells Isolated from Human Bone Marrow and Wharton's Jelly. *ASJ*. 2013;10(2):73-78.
14. Balgi-Agarwal S, Winter C, Corral A, Mustafa SB, Hornsby P, Moreira A. Comparison of Preterm and Term Wharton's Jelly-Derived Mesenchymal Stem Cell Properties in Different Oxygen Tensions. *Cells Tissues Organs*. 2018;205(3):137-150. doi:10.1159/000489256
15. Nasadyuk C. Umbilical cord stem cells: biological characteristics, approaches to banking and clinical application. *Cell Organ Transplantation*. 2016;4(2):230-235. doi:10.22494/cot.v4i2.61
16. Das M, Mayilsamy K, Mohapatra SS, Mohapatra S. Mesenchymal stem cell therapy for the treatment of traumatic brain injury: progress and prospects. *Rev Neurosci*. 2019;30(8):839-855. doi:10.1515/revneuro-2019-0002
17. Weiss ARR, Dahlke MH. Immunomodulation by Mesenchymal Stem Cells (MSCs): Mechanisms of Action of Living, Apoptotic, and Dead MSCs. *Front Immunol*. 2019;10:1191. doi:10.3389/fimmu.2019.01191
18. Yang Y, Ye Y, Su X, He J, Bai W, He X. MSCs-derived exosomes and neuroinflammation, neurogenesis and therapy of traumatic brain injury. *Front Cell Neurosci*. 2017;11(February):1-12. doi:10.3389/fncel.2017.00055
- Shammad SA. Mesenchymal stromal cell secretome as a therapeutic strategy for traumatic brain injury. *BioFactors*. 2019;45(6):880-891.



20. Lee HY, Hong IS. Double-edged sword of mesenchymal stem cells: Cancer-promoting versus therapeutic potential. *Cancer Sci.* 2017;108(10):1939-1946. doi:10.1111/cas.13334
21. Zhu X, Badawi M, Pomeroy S, et al. Comprehensive toxicity and immunogenicity studies reveal minimal effects in mice following sustained dosing of extracellular vesicles derived from HEK293T cells. *J Extracell vesicles.* 2017;6(1):1324730. doi:10.1080/20013078.2017.1324730
22. Li X, Corbett AL, Taatizadeh E, et al. Challenges and opportunities in exosome research-Perspectives from biology, engineering, and cancer therapy. *APL Bioeng.* 2019;3(1):11503. doi:10.1063/1.5087122
23. Brower M, Grace M, Kotz CM, Koya V. Comparative analysis of growth characteristics of Sprague Dawley rats obtained from different sources. *Lab Anim Res.* 2015;31(4):166-173. doi:10.5625/lar.2015.31.4.166
24. Wang KK, Yang Z, Zhu T, et al. An update on diagnostic and prognostic biomarkers for traumatic brain injury. *Expert Rev Mol Diagn.* 2018;18(2):165-180. doi:10.1080/14737159.2018.1428089
25. Merrick C. *Advanced Trauma Life Support.* Vol 48. 10th editi. American College of Surgeons; 2018. doi:10.1111/j.1365-2044.1993.tb07026.x
26. Ghajar J. Traumatic brain injury. *Lancet (London, England).* 2000;356(9233):923-929. doi:10.1016/S0140-6736(00)02689-1
27. Tandean S, Japardi J, Kollins F, Loe ML. Epidemiology of Traumatic Brain Injury in Neurosurgery Department of Tertiary Referral Hospital at North Sumatera, Indonesia. *Medicus.* 2020;7(5):146. doi:10.19166/med.v7i5.2471
28. Skandsen T, Kvistad KA, Solheim O, Strand IH, Folvik M, Vik A. Prevalence and impact of diffuse axonal injury in patients with moderate and severe head injury: a cohort study of early magnetic resonance imaging findings and 1-year outcome. *J Neurosurg.* 2010;113(3):556-563. doi:10.3171/2009.9.JNS09626



hmidt OI, Infanger M, Heyde CE, Ertel W, Stahel PF. The role of uroinflammation in traumatic brain injury. *Eur J Trauma.* 2004;30:135-

- 149.
30. Smith DH, Meaney DF, Shull WH. Diffuse axonal injury in head trauma. *J Head Trauma Rehabil.* 2003;18(4):307-316. doi:10.1097/00001199-200307000-00003
 31. Saatman KE, Duhaime AC, Bullock R, Maas AIR, Valadka A, Manley GT. Classification of traumatic brain injury for targeted therapies. *J Neurotrauma.* 2008;25(7):719-738. doi:10.1089/neu.2008.0586
 32. Ray SK, Dixon CE, Banik NL. Molecular mechanisms in the pathogenesis of traumatic brain injury. *Histol Histopathol.* 2002;17(4):1137-1152. doi:10.14670/HH-17.1137
 33. van Landeghem FKH, Weiss T, Oehmichen M, von Deimling A. Decreased expression of glutamate transporters in astrocytes after human traumatic brain injury. *J Neurotrauma.* 2006;23(10):1518-1528. doi:10.1089/neu.2006.23.1518
 34. Girouard H, Wang G, Gallo EF, et al. NMDA receptor activation increases free radical production through nitric oxide and NOX2. *J Neurosci Off J Soc Neurosci.* 2009;29(8):2545-2552. doi:10.1523/JNEUROSCI.0133-09.2009
 35. Weber JT. Altered calcium signaling following traumatic brain injury. *Front Pharmacol.* 2012;3:60. doi:10.3389/fphar.2012.00060
 36. Folkerts MM, Parks EA, Dedman JR, Kaetzel MA, Lyeth BG, Berman RF. Phosphorylation of calcium calmodulin-dependent protein kinase II following lateral fluid percussion brain injury in rats. *J Neurotrauma.* 2007;24(4):638-650. doi:10.1089/neu.2006.0188
 37. Lu KT, Cheng NC, Wu CY, Yang YL. NKCC1-mediated traumatic brain injury-induced brain edema and neuron death via Raf/MEK/MAPK cascade. *Crit Care Med.* 2008;36(3):917-922. doi:10.1097/CCM.0B013E31816590C4
 38. Bales JW, Ma X, Yan HQ, Jenkins LW, Dixon CE. Expression of protein phosphatase 2B (calcineurin) subunit A isoforms in rat hippocampus after traumatic brain injury. *J Neurotrauma.* 2010;27(1):109-120. doi:10.1089/neu.2009.1072



39. Tsujimoto Y, Shimizu S. Role of the mitochondrial membrane permeability transition in cell death. *Apoptosis*. 2007;12(5):835-840. doi:10.1007/s10495-006-0525-7
40. Sullivan PG, Keller JN, Bussen WL, Scheff SW. Cytochrome c release and caspase activation after traumatic brain injury. *Brain Res*. 2002;949(1-2):88-96. doi:10.1016/s0006-8993(02)02968-2
41. Xiong Y, Gu Q, Peterson PL, Muizelaar JP, Lee CP. Mitochondrial dysfunction and calcium perturbation induced by traumatic brain injury. *J Neurotrauma*. 1997;14(1):23-34. doi:10.1089/neu.1997.14.23
42. Ischiropoulos H, Beckman JS. Oxidative stress and nitration in neurodegeneration: cause, effect, or association? *J Clin Invest*. 2003;111(2):163-169. doi:10.1172/JCI17638
43. Lyras L, Perry RH, Perry EK, et al. Oxidative damage to proteins, lipids, and DNA in cortical brain regions from patients with dementia with Lewy bodies. *J Neurochem*. 1998;71(1):302-312. doi:10.1046/j.1471-4159.1998.71010302.x
44. Cooke MS, Evans MD, Dizdaroglu M, Lunec J. Oxidative DNA damage: mechanisms, mutation, and disease. *FASEB J Off Publ Fed Am Soc Exp Biol*. 2003;17(10):1195-1214. doi:10.1096/fj.02-0752rev
45. Ansari MA, Roberts KN, Scheff SW. Oxidative stress and modification of synaptic proteins in hippocampus after traumatic brain injury. *Free Radic Biol Med*. 2008;45(4):443-452. doi:10.1016/j.freeradbiomed.2008.04.038
46. Morganti-Kossmann MC, Rancan M, Stahel PF, Kossmann T. Inflammatory response in acute traumatic brain injury: a double-edged sword. *Curr Opin Crit Care*. 2002;8(2):101-105. doi:10.1097/00075198-200204000-00002
47. Loane DJ, Kumar A. Microglia in the TBI brain: The good, the bad, and the dysregulated. *Exp Neurol*. 2016;275 Pt 3(0 3):316-327. doi:10.1016/j.expneurol.2015.08.018



Sciutta F, Caruso E, Cavaleiro H, Salgado AJ, Loane DJ, Zanier ER. Mesenchymal stromal cell secretome for traumatic brain injury: Focus on immunomodulatory action. *Exp Neurol*. 2022;357(June):114199.

doi:10.1016/j.expneurol.2022.114199

49. Janeway C, Travers P, Walport M. Principles of innate and adaptive immunity. In: *Immunobiology: The Immune System in Health and Disease*. 5th ed. Garland Science; 2001.
50. Needham EJ, Helmy A, Zanier ER, Jones JL, Coles AJ, Menon DK. The immunological response to traumatic brain injury. *J Neuroimmunol*. 2019;332:112-125. doi:10.1016/j.jneuroim.2019.04.005
51. Needham EJ, Stoevesandt O, Thelin EP, et al. Complex Autoantibody Responses Occur following Moderate to Severe Traumatic Brain Injury. *J Immunol*. 2021;207(1):90-100. doi:10.4049/jimmunol.2001309
52. Zhang Z, Zoltewicz JS, Mondello S, et al. Human Traumatic Brain Injury Induces Autoantibody Response against Glial Fibrillary Acidic Protein and Its Breakdown Products. *PLoS One*. 2014;9(3):e92698.
53. Moalem G, Leibowitz-Amit R, Yoles E, Mor F, Cohen IR, Schwartz M. Autoimmune T cells protect neurons from secondary degeneration after central nervous system axotomy. *Nat Med*. 1999;5(1):49-55. doi:10.1038/4734
54. Hofstetter HH, Sewell DL, Liu F, et al. Autoreactive T cells promote post-traumatic healing in the central nervous system. *J Neuroimmunol*. 2003;134(1-2):25-34. doi:10.1016/s0165-5728(02)00358-2
55. Daglas M, Draxler DF, Ho H, et al. Activated CD8⁺ T Cells Cause Long-Term Neurological Impairment after Traumatic Brain Injury in Mice. *Cell Rep*. 2019;29(5):1178-1191.e6. doi:10.1016/j.celrep.2019.09.046
56. Tang-Schomer MD, Patel AR, Baas PW, Smith DH. Mechanical breaking of microtubules in axons during dynamic stretch injury underlies delayed elasticity, microtubule disassembly, and axon degeneration. *FASEB J Off Publ Fed Am Soc Exp Biol*. 2010;24(5):1401-1410. doi:10.1096/fj.09-112844



Wellwell SC, Yan EB, Agyapomaa DA, Bye N, Morganti-Kossmann MC. Post-traumatic hypoxia exacerbates brain tissue damage: analysis of axonal

- injury and glial responses. *J Neurotrauma*. 2010;27(11):1997-2010. doi:10.1089/neu.2009.1245
58. Porter AG, Jänicke RU. Emerging roles of caspase-3 in apoptosis. *Cell Death Differ*. 1999;6(2):99-104. doi:10.1038/sj.cdd.4400476
59. Dostovic Z, Dostovic E, Smajlovic D, Ibrahimagic OC, Avdic L. Brain Edema After Ischaemic Stroke. *Med Arch (Sarajevo, Bosnia Herzegovina)*. 2016;70(5):339-341. doi:10.5455/medarh.2016.70.339-341
60. Carney N, Totten AM, O'Reilly C, et al. Guidelines for the Management of Severe Traumatic Brain Injury, Fourth Edition. *Neurosurgery*. 2017;80(1):6-15. doi:10.1227/NEU.0000000000001432
61. Iaccarino C, Schiavi P, Picetti E, et al. Patients with brain contusions: predictors of outcome and relationship between radiological and clinical evolution. *J Neurosurg*. 2014;120(4):908-918. doi:10.3171/2013.12.JNS131090
62. Jha RM, Kochanek PM, Simard JM. Pathophysiology and treatment of cerebral edema in traumatic brain injury. *Neuropharmacology*. 2019;145(Pt B):230-246. doi:10.1016/j.neuropharm.2018.08.004
63. Stokum JA, Gerzanich V, Simard JM. Molecular pathophysiology of cerebral edema. *J Cereb blood flow Metab Off J Int Soc Cereb Blood Flow Metab*. 2016;36(3):513-538. doi:10.1177/0271678X15617172
64. Pittenger MF, Discher DE, Péault BM, Phinney DG, Hare JM, Caplan AL. Mesenchymal stem cell perspective: cell biology to clinical progress. *NPJ Regen Med*. 2019;4:22. doi:10.1038/s41536-019-0083-6
65. Visweswaran M, Pohl S, Arfuso F, et al. Multi-lineage differentiation of mesenchymal stem cells - To Wnt, or not Wnt. *Int J Biochem Cell Biol*. 2015;68:139-147. doi:10.1016/j.biocel.2015.09.008
66. Mukai T, Tojo A, Nagamura-Inoue T. Umbilical Cord-Derived Mesenchymal Stromal Cells Contribute to Neuroprotection in Neonatal Cortical Neurons Imaged by Oxygen-Glucose Deprivation. *Front Neurol*. 2018;9:466. doi:10.3389/fneur.2018.00466
67. Suresh Babu S, Suresh Babu S, Brady J, Byrnes D, et al. Enhancement strategies for



- mesenchymal stem cells and related therapies. *Stem Cell Res Ther.* 2022;13(1):75. doi:10.1186/s13287-022-02747-w
68. Caplan AI, Correa D. The MSC: an injury drugstore. *Cell Stem Cell.* 2011;9(1):11-15. doi:10.1016/j.stem.2011.06.008
69. Luk F, Carreras-Planella L, Korevaar SS, et al. Inflammatory Conditions Dictate the Effect of Mesenchymal Stem or Stromal Cells on B Cell Function. *Front Immunol.* 2017;8:1042. doi:10.3389/fimmu.2017.01042
70. Hasan A, Deeb G, Rahal R, et al. Mesenchymal stem cells in the treatment of traumatic brain injury. *Front Neurol.* 2017;8(FEB). doi:10.3389/fneur.2017.00028
71. Wu LW, Wang YL, Christensen JM, et al. Donor age negatively affects the immunoregulatory properties of both adipose and bone marrow derived mesenchymal stem cells. *Transpl Immunol.* 2014;30(4):122-127. doi:10.1016/j.trim.2014.03.001
72. Danielyan L, Schäfer R, von Ameln-Mayerhofer A, et al. Intranasal delivery of cells to the brain. *Eur J Cell Biol.* 2009;88(6):315-324. doi:10.1016/j.ejcb.2009.02.001
73. Ohno S ichiro, Ishikawa A, Kuroda M. Roles of exosomes and microvesicles in disease pathogenesis. *Adv Drug Deliv Rev.* 2013;65(3):398-401. doi:https://doi.org/10.1016/j.addr.2012.07.019
74. Chaput N, Théry C. Exosomes: immune properties and potential clinical implementations. *Semin Immunopathol.* 2011;33(5):419-440. doi:10.1007/s00281-010-0233-9
75. Cocucci E, Meldolesi J. Ectosomes and exosomes: shedding the confusion between extracellular vesicles. *Trends Cell Biol.* 2015;25(6):364-372. doi:10.1016/j.tcb.2015.01.004
76. Zhang Y, Chopp M, Meng Y, et al. Effect of exosomes derived from multipuripotent mesenchymal stromal cells on functional recovery and urovascular plasticity in rats after traumatic brain injury. *J Neurosurg.* 15;122(4):856-867. doi:10.3171/2014.11.JNS14770
- ii L, Luo W, Jiang W, et al. Human umbilical cord mesenchymal stem cell-



- derived exosomes promote neurological function recovery in rat after traumatic brain injury by inhibiting the activation of microglia and astrocyte. *Regen Ther.* 2022;21:282-287. doi:10.1016/j.reth.2022.07.005
78. Phinney DG, Di Giuseppe M, Njah J, et al. Mesenchymal stem cells use extracellular vesicles to outsource mitophagy and shuttle microRNAs. *Nat Commun.* 2015;6:8472. doi:10.1038/ncomms9472
 79. Grossetete M, Phelps J, Arko L, Yonas H, Rosenberg GA. Elevation of matrix metalloproteinases 3 and 9 in cerebrospinal fluid and blood in patients with severe traumatic brain injury. *Neurosurgery.* 2009;65(4):702-708. doi:10.1227/01.NEU.0000351768.11363.48
 80. Raffaghello L, Bianchi G, Bertolotto M, et al. Human mesenchymal stem cells inhibit neutrophil apoptosis: a model for neutrophil preservation in the bone marrow niche. *Stem Cells.* 2008;26(1):151-162. doi:10.1634/stemcells.2007-0416
 81. Semple BD, Trivedi A, Gimlin K, Noble-Haeusslein LJ. Neutrophil elastase mediates acute pathogenesis and is a determinant of long-term behavioral recovery after traumatic injury to the immature brain. *Neurobiol Dis.* 2015;74:263-280. doi:10.1016/j.nbd.2014.12.003
 82. Magatti M, Vertua E, De Munari S, et al. Human amnion favours tissue repair by inducing the M1-to-M2 switch and enhancing M2 macrophage features. *J Tissue Eng Regen Med.* 2017;11(10):2895-2911. doi:10.1002/term.2193
 83. Ghannam S, Bouffi C, Djouad F, Jorgensen C, Noël D. Immunosuppression by mesenchymal stem cells: mechanisms and clinical applications. *Stem Cell Res Ther.* 2010;1(1):2. doi:10.1186/scrt2
 84. Standard T, Procedure O, Council C, et al. UBC ANIMAL CARE COMMITTEE TECH 10a -Intravenous Injection in the Adult Mouse SOP. 2020;(February):1-8.
 85. Otero-Ortega L, Gómez de Frutos MC, Laso-García F, et al. Exosomes promote restoration after an experimental animal model of intracerebral hemorrhage. *J Cereb blood flow Metab Off J Int Soc Cereb Blood Flow Metab.* 2018;38(5):767-779. doi:10.1177/0271678X17708917



86. Long Q, Upadhyaya D, Hattiangady B, et al. Intranasal MSC-derived A1-exosomes ease inflammation, and prevent abnormal neurogenesis and memory dysfunction after status epilepticus. *Proc Natl Acad Sci U S A*. 2017;114(17):E3536-E3545. doi:10.1073/pnas.1703920114
87. Taylor ZV, Khand B, Porgador A, Monsonego A, Eremenko E. An optimized intracerebroventricular injection of CD4(+) T cells into mice. *STAR Protoc*. 2021;2(3):100725. doi:10.1016/j.xpro.2021.100725
88. Nakano M, Nagaishi K, Konari N, et al. Bone marrow-derived mesenchymal stem cells improve diabetes-induced cognitive impairment by exosome transfer into damaged neurons and astrocytes. *Sci Rep*. 2016;6:24805. doi:10.1038/srep24805
89. Xiong Y, Mahmood A, Chopp M. Animal models of traumatic brain injury. *Nat Rev Neurosci*. 2013;14(2):128-142. doi:10.1038/nrn3407
90. Thompson HJ, Lifshitz J, Marklund N, et al. Lateral fluid percussion brain injury: a 15-year review and evaluation. *J Neurotrauma*. 2005;22(1):42-75. doi:10.1089/neu.2005.22.42
91. Dixon CE, Clifton GL, Lighthall JW, Yaghmai AA, Hayes RL. A controlled cortical impact model of traumatic brain injury in the rat. *J Neurosci Methods*. 1991;39(3):253-262. doi:10.1016/0165-0270(91)90104-8
92. Hall ED, Sullivan PG, Gibson TR, Pavel KM, Thompson BM, Scheff SW. Spatial and temporal characteristics of neurodegeneration after controlled cortical impact in mice: more than a focal brain injury. *J Neurotrauma*. 2005;22(2):252-265. doi:10.1089/neu.2005.22.252
93. Long JB, Bentley TL, Wessner KA, Cerone C, Sweeney S, Bauman RA. Blast overpressure in rats: recreating a battlefield injury in the laboratory. *J Neurotrauma*. 2009;26(6):827-840. doi:10.1089/neu.2008.0748
94. DeWitt DS, Prough DS. Blast-induced brain injury and posttraumatic hypotension and hypoxemia. *J Neurotrauma*. 2009;26(6):877-887. doi:10.1089/neu.2007.0439



Armarou A, Foda MA, van den Brink W, Campbell J, Kita H, Demetriadou
A new model of diffuse brain injury in rats. Part I: Pathophysiology and

- biomechanics. *J Neurosurg.* 1994;80(2):291-300.
doi:10.3171/jns.1994.80.2.0291
96. Nasution RA, Islam AA, Hatta M, et al. Modification of the Marmarou model in developing countries. *Ann Med Surg.* 2020;57:109-113.
doi:10.1016/j.amsu.2020.07.029
97. Ali MH, Rohadi R, Prihatina LM, Haikal Z. Hubungan Antara Perbedaan Beban Trauma Dengan Gambaran Histopatologi Inflamasi Otak Tikus Pasca Mengalami Cedera Otak Traumatik. *J Sains Teknol Lingkungan.* 2023;9(1):194-205. doi:10.29303/jstl.v9i1.430
98. Li Y, Zhang L, Kallakuri S, Zhou R, Cavanaugh JM. Quantitative relationship between axonal injury and mechanical response in a rodent head impact acceleration model. *J Neurotrauma.* 2011;28(9):1767-1782.
doi:10.1089/neu.2010.1687

