

Daftar Pustaka BAB 1

- Adejoro, F. A., Hassen, A., and Thantsha, M. S. (2018). Preparation of acacia tannin loaded lipid microparticles by solid-in-oil-in-water and melt dispersion methods, their characterization and evaluation of their effect on ruminal gas production In Vitro. *PLoS ONE*, 13(10), 1–15. <https://doi.org/10.1371/journal.pone.0206241>
- Aguerre, M. J., Duval, B., Powell, J. M., Vadas, P. A., and Wattiaux, M. A. (2020). Effects of feeding a quebracho–chestnut tannin extract on lactating cow performance and nitrogen utilization efficiency. In *Journal of Dairy Science* (Vol. 103, Issue 3, pp. 2264–2271). <https://doi.org/10.3168/jds.2019-17442>
- Al-Kindi, A., Schlecht, E., Schiborra, A., and Joergensen, R. G. (2016). Effects of quebracho tannin extract (*Schinopsis balansae*) and activated charcoal on feed intake and digestibility by goats and their faecal microbial biomass. *Biological Agriculture and Horticulture*, 32(3), 159–169. <https://doi.org/10.1080/01448765.2015.1108869>
- Alamu, E. O., Dixon, A., Eyinla, T. E., and Maziya-Dixon, B. (2022). Characterization of macro and micro-minerals in cassava leaves from genotypes planted in three different agroecological locations in Nigeria. *Heliyon*, 8(11). <https://doi.org/10.1016/j.heliyon.2022.e11618>
- Ali, F., Ali, N., Bibi, I., Said, A., Nawaz, S., Ali, Z., Salman, S. M., Iqbal, H. M. N., and Bilal, M. (2020). Adsorption isotherm, kinetics and thermodynamic of acid blue and basic blue dyes onto activated charcoal. In *Case Studies in Chemical and Environmental Engineering* (Vol. 2). <https://doi.org/10.1016/j.csee.2020.100040>
- Arief, and Pazla, R. (2023). Milk Production and Quality of Etawa Crossbred Goats with Non-Conventional Forages and Palm Concentrates. *American Journal of Animal and Veterinary Sciences*, 18(1), 9–18. <https://doi.org/10.3844/ajavsp.2023.9.18>
- Arsad, E., dan Saibatul Hamdi. (2010). Teknologi Pengolahan dan Pemanfaatan Karbon Aktif untuk Industri. *Jurnal Riset Industri Hasil Hutan*, 2(2), 43. <https://doi.org/10.24111/jrihh.v2i2.1146>
- Artanti, O. W., Ridla, M., and Khotijah, L. (2019). The Use of Cassava Leaf (*Manihot esculenta*) with the Different Processing on the Performances of Male Etawa Crossbred Goat. *Ilmiah, Jurnal Terpadu, Peternakan*, 7(2), 223–229.
- Artanti, O., dan Andriani, S. (2020). Penggunaan Daun Ubi Kayu (*Manihot esculenta*) dengan Pengolahan Berbeda terhadap Blood Urea Nitrogen Kambing Peranakan Etawa Jantan. *Wahana Peternakan*, 4(2), 23–29. <https://doi.org/10.37090/jwp.v4i2.213>
- Bahri, S dan Tarmudji. (1984). Keracunan Sianida pada Ternak dan Cara Mengatasinya. *Balai Penelitian Penyakit Hewan*, 1(1), 61–64.
- Banowati, E., Indriyanti, D. R., Anisykurlillah, I., Pratikto, H. H., and Sari, Y. (2020). Increasing the competency of cassava farmers as a revitalization efforts of tapioca industries for food private realization. *International Journal of GEOMATE*, 19(72), 117–122. <https://doi.org/10.21660/2020.72.ICGEO17>

- Besharati, M., Maggiolino, A., Palangi, V., Kaya, A., Jabbar, M., Eseceli, H., De Palo, P., and Lorenzo, J. M. (2022). Tannin in Ruminant Nutrition: Review. *Molecules*, 27(23), 1–26. <https://doi.org/10.3390/molecules27238273>
- Cai, Z., Iso-Touru, T., Sanchez, M. P., Kadri, N., Bouwman, A. C., Chitneedi, P. K., MacLeod, I. M., Vander Jagt, C. J., Chamberlain, A. J., Gredler-Grandl, B., Spengeler, M., Lund, M. S., Boichard, D., Kühn, C., Pausch, H., Vilkki, J., and Sahana, G. (2024). Meta-analysis of six dairy cattle breeds reveals biologically relevant candidate genes for mastitis resistance. *Genetics Selection Evolution*, 56(1), 1–22. <https://doi.org/10.1186/s12711-024-00920-8>
- Chaturvedi, K., Singhwane, A., Dhangar, M., Mili, M., Gorhae, N., Naik, A., Prashant, N., Srivastava, A. K., and Verma, S. (2023). Bamboo for producing charcoal and biochar for versatile applications. *Biomass Conversion and Biorefinery*, 0123456789. <https://doi.org/10.1007/s13399-022-03715-3>
- Chung, K. T., Wong, T. Y., Wei, C. I., Huang, Y. W., and Lin, Y. (1998). Tannins and human health: A review. *Critical Reviews in Food Science and Nutrition*, 38(6), 421–464. <https://doi.org/10.1080/10408699891274273>
- Das, A. K., Islam, M. N., Faruk, M. O., Ashaduzzaman, M., and Dungan, R. (2020). Review on tannins: Extraction processes, applications and possibilities. In *South African Journal of Botany* (Vol. 135, pp. 58–70). <https://doi.org/10.1016/j.sajb.2020.08.008>
- Dewi, R., Azhari, A., dan Nofriadi, I. (2021). Aktivasi Karbon dari Kulit Pinang dengan Menggunakan Aktivator Kimia KOH. *Jurnal Teknologi Kimia Unimal*, 9(2), 12. <https://doi.org/10.29103/jtku.v9i2.3351>
- Duong, N. K., Wiktorsson, H., and Preston, T. R. (2005). Yield and chemical composition of cassava foliage and tuber yield as influenced by harvesting height and cutting interval. *Asian-Australasian Journal of Animal Sciences*, 18(7), 1029–1035. <https://doi.org/10.5713/ajas.2005.1029>
- Fibryansah, D., Mashur, Supriadi, dan Novariana Sulsialsta'in Ningtya. (2022). Identifikasi Kandungan Tanin dan Saponin Pada Hijauan Pakan Ternak Kerbau Di Desa Lopok Kecamatan Lopok Kabupaten Sumbawa. *Jurnal Ilmiah Sangkareang Mataram*, 9(3), 7–10.
- Gerlach, H., and Hans-Peter Schmidt. (2012). Biochar in poultry farming. *Ithaka Journal*, August, 262–264. <http://www.ithaka-journal.net/druckversionen/e032012-bc-poultry.pdf>
- Gerlach, K., Pries, M., Tholen, E., Schmithausen, A. J., Büscher, W., and Südekum, K. H. (2018). Effect of condensed tannins in rations of lactating dairy cows on production variables and nitrogen use efficiency. In *Animal* (Vol. 12, Issue 9, pp. 1847–1855). <https://doi.org/10.1017/S1751731117003639>
- Hawashi, M., Altway, A., Widjaja, T., and Gunawan, S. (2019). Optimization of process conditions for tannin content reduction in cassava leaves during solid state fermentation using *Saccharomyces cerevisiae*. In *Heliyon* (Vol. 5, Issue 8). <https://doi.org/10.1016/j.heliyon.2019.e02298>

- Hassan, M. M., and Carr, C. M. (2021). Biomass-derived porous carbonaceous materials and their composites as adsorbents for cationic and anionic dyes: A review. *Chemosphere*, 265. <https://doi.org/10.1016/j.chemosphere.2020.129087>
- Hidayat, A., Zuraida, N., and Hanarida, I. (2002). the Cyanogenic Potential of Roots and Leaves of Ninety Nine Cassava Cultivars. *Indonesian Journal of Agricultural Science*, 3(1), 25. <https://doi.org/10.21082/ijas.v3n1.2002.25-32>
- Huang, Q., Liu, X., Zhao, G., Hu, T., and Wang, Y. (2018). Potential and challenges of tannins as an alternative to in-feed antibiotics for farm animal production. In *Animal Nutrition* (Vol. 4, Issue 2, pp. 137–150). <https://doi.org/10.1016/j.aninu.2017.09.004>
- Huang, H. J., Lee, Y. H., Hsu, Y. H., Liao, C. Te, Lin, Y. F., and Chiu, H. W. (2021). Current strategies in assessment of nanotoxicity: Alternatives to in vivo animal testing. *International Journal of Molecular Sciences*, 22(8). <https://doi.org/10.3390/ijms22084216>
- Huma, N., Anjum, F. M., Sehar, S., Issa Khan, M., and Hussain, S. (2008). Effect of soaking and cooking on nutritional quality and safety of legumes. *Nutrition and Food Science*, 38(6), 570–577. <https://doi.org/10.1108/00346650810920187>
- Isa, S. S. M., Ramli, M. M., Hambali, N. A. M. A., Kasjoo, S. R., Isa, M. M., Nor, N. I. M., Khalid, N., and Ahmad, N. (2016). Adsorption Properties and Potential Applications of Bamboo Charcoal: A Review. *MATEC Web of Conferences*, 78, 2–8. <https://doi.org/10.1051/mateconf/20167801097>
- Jimoh, M. O., Afolayan, A. J., and Lewu, F. B. (2020). Nutrients and antinutrient constituents of *Amaranthus caudatus* L. Cultivated on different soils. *Saudi Journal of Biological Sciences*, 27(12), 3570–3580. <https://doi.org/10.1016/j.sjbs.2020.07.029>
- Kammann, C., Ippolito, J., Hagemann, N., Borchard, N., Cayuela, M. L., Estavillo, J. M., Fuertes-Mendizabal, T., Jeffery, S., Kern, J., Novak, J., Rasse, D., Saarnio, S., Schmidt, H. P., Spokas, K., and Wrage-Mönnig, N. (2017). Biochar as a tool to reduce the agricultural greenhouse-gas burden—knowns, unknowns and future research needs. *Journal of Environmental Engineering and Landscape Management*, 25(2), 114–139. <https://doi.org/10.3846/16486897.2017.1319375>
- Kiyothong, K., and Wanapat, M. (2004). Growth, hay yield and chemical composition of cassava and stylo 184 grown under intercropping. *Asian-Australasian Journal of Animal Sciences*, 17(6), 799–807. <https://doi.org/10.5713/ajas.2004.799>
- Laya, N. K., dan Ilham, F. (2019). Hubungan Bobot Badan dan Produksi Susu Kambing Peranakan Etawa. *Jambura Journal of Animal Science*, 1(1), 13–17. <https://doi.org/10.35900/ijas.v1i1.2600>
- Lumbantobing, R., Napitupulu, M., and Jura, M. R. (2020). Analysis of Cyanide Acid Content in Cassava (*Manihot esculenta*) Based on Storage Time. *Jurnal Akademika Kimia*, 8(3), 180–183.

<https://doi.org/10.22487/j24775185.2019.v8.i3.pp180-183>

- Manurung, M., Ratnayani, O., dan Prawira, R. A. (2019). Sintesis dan Karakterisasi Arang dari Limbah Bambu. *Cakra Kimia*, 7(1), 69–77. <https://ojs.unud.ac.id/index.php/cakra/article/view/51644/30624>
- Marwah, M. P., Suranindyah, Y. Y., dan Murti, T. W. (2010). Produksi dan komposisi susu kambing peranakan Ettawa yang diberi suplemen daun katu (*Sauropus androgynus (L) merr*) pada awal masa laktasi. *Buletin Peternakan*, 34(2), 94–102.
- Mueller-Harvey, I. (2006). Unravelling the conundrum of tannins in animal nutrition and health. *Journal of the Science of Food and Agriculture*, 2010–2037. <https://doi.org/10.1002/jsfa>
- McDonald, P., Edwards, R. A., Grenhalgh, J. F. D., Morgan, C. A., Sinclair, L. A., and Wilkinson, R. G. (2018). Animal nutrition. In *Animal nutrition* (7th ed.). <https://doi.org/10.5962/bhl.title.155283>
- Menci, R., Coppa, M., Torrent, A., Nataello, A., Valenti, B., Luciano, G., Priolo, A., and Niderkorn, V. (2021). Effects of two tannin extracts at different doses in interaction with a green or dry forage substrate on in vitro rumen fermentation and biohydrogenation. In *Animal Feed Science and Technology* (Vol. 278). <https://doi.org/10.1016/j.anifeedsci.2021.114977>
- Mergeduš, A., Pšenková, M., and Janžekovič, M. (2020). Tannins and their Effect on Production Efficiency of Ruminants. *Agricultura*, 12(1–2), 1–11. <https://doi.org/10.18690/agricultura.15.1-2.1-11.2018>
- Min, B. R., and Hart, S. P. (2003). Tannins for suppression of internal parasites. *Journal of Animal Science*, 81(14 suppl_2), E102–E109. www.asas.org/symposia/03esupp2/jas2418.pdf%5Cnhttp://dx.doi.org/2003.8114_suppl_2E102x
- Min, B. R., Solaiman, S., Gurung, N., Behrends, J., Eun, J. S., Taha, E., and Rose, J. (2012). Effects of pine bark supplementation on performance, rumen fermentation, and carcass characteristics of Kiko crossbred male goats. *Journal of Animal Science*, 90(10), 3556–3567. <https://doi.org/10.2527/jas.2011-4931>
- Morgan, N. K., and Choct, M. (2016). Cassava: Nutrient composition and nutritive value in poultry diets. *Animal Nutrition*, 2(4), 253–261. <https://doi.org/10.1016/j.aninu.2016.08.010>
- Mori, M. B., Astiti, N. M. A. G. R., and Mardewi, N. K. (2021). Utilization of fermented cassava skin ration on carcass weight and percentage of broiler carcass. *Journal of Physics: Conference Series*, 1869(1). <https://doi.org/10.1088/1742-6596/1869/1/012041>
- Mukaromah, A. H., Abja, R., dan Wardoyo, F. A. (2020). Penggunaan Serbuk Arang Aktif Biji Kelor untuk Menurunkan Kadar Nitrit Dalam Air. *Eksergi*, 17(1), 28. <https://doi.org/10.31315/e.v17i1.3291>

- Nafiu, L. O., Pagala, M. A., dan Mogiye, S. L. (2020). Karakteristik Produksi Kambing Peranakan Etawa dan Kambing Kacang pada Sistem Pemeliharaan Berbeda Di Kecamatan Toari, Kabupaten Kolaka. *Jurnal Ilmu Produksi dan Teknologi Hasil Peternakan*, 8(2), 91–96. <https://doi.org/10.29244/jipthp.8.2.91-96>
- Najmia, H., Mahreda, E. S., Mahyudin, R. P., dan Kissinger, K. (2021). Pemanfaatan Arang Aktif Cangkang Kelapa Sawit Teraktivasi H₃PO₄ untuk Penurunan Kadar Besi (Fe), Mangan (Mn) dan Kondisi pH pada Air Asam Tambang. *Jurnal Enviro Scientea*, 17(2), 21–29.
- Nascimento, T. V. C., Oliveira, R. L., Menezes, D. R., de Lucena, A. R. F., Queiroz, M. A. Á., Lima, A. G. V. O., Ribeiro, R. D. X., and Bezerra, L. R. (2021). Effects of condensed tannin-amended cassava silage blend diets on feeding behavior, digestibility, nitrogen balance, milk yield and milk composition in dairy goats. In *Animal* (Vol. 15, Issue 1). <https://doi.org/10.1016/j.animal.2020.100015>
- Oresegun, A., Fagbenro, O. A., Ilona, P., and Bernard, E. (2016). Nutritional and anti-nutritional composition of cassava leaf protein concentrate from six cassava varieties for use in aqua feed. *Cogent Food and Agriculture*, 2(1). <https://doi.org/10.1080/23311932.2016.1147323>
- Patra, A. K., and Saxena, J. (2010). A new perspective on the use of plant secondary metabolites to inhibit methanogenesis in the rumen. *Phytochemistry*, 71(11–12), 1198–1222. <https://doi.org/10.1016/j.phytochem.2010.05.010>
- Prasetyo, A. F. (2019). Performa Produksi dan Potensi Pendapatan Usaha Ternak Kambing Perah Di Kabupaten Lumajang. *Jurnal Agribisnis*, 20(2), 149–155. <https://doi.org/10.31849/agr.v20i2.2064>
- Qomariyah, N., Ella, A., Nurdin Ahmad, S., Yusriani, Y., Miftakhus Sholikin, M., Rachmanto Prihambodo, T., Retnani, Y., Jayanegara, A., Wina, E., and Permana, I. G. (2023). Dietary biochar as a feed additive for increasing livestock performance: A meta-analysis of in vitro and in vivo experiment. *Czech Journal of Animal Science*, 68(2), 72–86. <https://doi.org/10.17221/124/2022-cjas>
- Qomariyah, N., Retnani, Y., Jayanegara, A., Wina, E., & Permana, I. G. (2019). Utilization of Biochar and Liquid Smoke to Increase Livestock Performance. *Indonesian Bulletin of Animal and Veterinary Sciences*, 29(4), 171. <https://doi.org/10.14334/wartazoa.v29i4.2077>
- Rattanawut, J., Todsadee, A., and Yamauchi, K. E. (2017). Effects of bamboo charcoal powder including vinegar supplementation on performance, eggshell quality, alterations of intestinal villi and intestinal pathogenic bacteria populations of aged laying hens. *Italian Journal of Animal Science*, 16(2), 259–265. <https://doi.org/10.1080/1828051X.2017.1283544>
- Ribeiro, K., Pacheco, F., Ferreira, J., Sousa Neto, E., Hastie, A., Krieger, G., Alvares, P., Forti, M., and Ometto, J. (2020). Tropical peatlands and their contribution to the global carbon cycle and climate change. *Global Change Biology*, 27. <https://doi.org/10.1111/gcb.15408>
- Robson, S. (2007). Prussic Acid Poisoning in Livestock. *PrimeFacts*, 417(February),

- 1–3. http://www.dpi.nsw.gov.au/__data/assets/pdf_file/0013/111190/prussic-acid-poisoning-in-livestock.pdf
- Rusdiana, S., Praharani, L., dan Sumanto, S. (2016). Kualitas dan Produktivitas Susu Kambing Perah Persilangan Di Indonesia. *Jurnal Penelitian Dan Pengembangan Pertanian*, 34(2), 79. <https://doi.org/10.21082/jp3.v34n2.2015.p79-86>
- Samedi, L., and Charles, A. L. (2019). Isolation and characterization of potential probiotic Lactobacilli from leaves of food plants for possible additives in pellet feeding. *Annals of Agricultural Sciences*, 64(1), 55–62. <https://doi.org/10.1016/j.aosas.2019.05.004>
- Santoso, U., dan Aryani, I. (2007). Perubahan Komposisi Kimia Daun Ubi Kayu yang Difermentasi oleh Em4. *Jurnal Sain Peternakan Indonesia*, 2(2), 53–56. <https://doi.org/10.31186/jspi.id.2.2.53-56>
- Schmidt, H. P., Hagemann, N., Draper, K., and Kammann, C. (2019). The use of biochar in animal feeding. *PeerJ*, 2019(7), 1–54. <https://doi.org/10.7717/peerj.7373>
- Sharma, K., Kumar, V., Kaur, J., Tanwar, B., Goyal, A., Sharma, R., Gat, Y., and Kumar, A. (2021). Health effects, sources, utilization and safety of tannins: a critical review. *Toxin Reviews*, 40(4), 432–444. <https://doi.org/10.1080/15569543.2019.1662813>
- Simbolon, N., Iswarin Pujaningsih, R., dan Mukodiningsih, S. (2016). Pengaruh berbagai pengolahan kulit singkong terhadap pencernaan bahan kering dan bahan organik secara in vitro, protein kasar dan asam sianida. *Jurnal Ilmu-Ilmu Peternakan*, 26(1), 58–65. <https://doi.org/10.21776/ub.jiip.2016.026.01.9>
- Sirait, J., dan Simanihuruk, K. (2010). Potensi dan Pemanfaatan Daun Ubikayu dan Ubijalar Sebagai Sumber Pakan Ternak Ruminansia Kecil. *Wartazoa*, 20(2), 75–84.
- Siritunga, D., and Sayre, R. T. (2003). Generation of cyanogen-free transgenic cassava. *Planta*, 217(3), 367–373. <https://doi.org/10.1007/s00425-003-1005-8>
- Sodiq, A. (2010). Pola Usaha Peternakan Kambing dan Kinerja Produktivitasnya. *Agripet*, 10(2), 1–9.
- Soto-Blanco, B., and Górnaiak, S. L. (2010). Toxic effects of prolonged administration of leaves of cassava (*Manihot esculenta Crantz*) to goats. *Experimental and Toxicologic Pathology*, 62(4), 361–366. <https://doi.org/10.1016/j.etp.2009.05.011>
- Stephanie, and Purwadaria. (2014). Solid Substrate Fermentation of Cassava Peel for Poultry Feed Ingredient. *Indonesian Bulletin of Animal and Veterinary Sciences*, 23(1), 15–22. <https://doi.org/10.14334/wartazoa.v23i1.955>
- Sukarini, I. A. M. (2012). Produksi dan Komposisi Air Susu Kambing Peranakan Etawah yang diberi Tambahan Konsentrat pada Awal Laktasi. *Majalah Ilmiah Peternakan*, 9(1), 1–12.

- Suryani, R. (2020). Outlook ubi kayu: Komoditas Pertanian Subsektor Tanaman Pangan. In *Pusat Data dan Sistem Informasi Pertanian Sekretariat Jenderal Kementerian Pertanian ISSN: 1907-1507* (p. 72). https://satudata.pertanian.go.id/assets/docs/publikasi/OUTLOOK_UBI_KAYU_2020.pdf
- Sutama, I.-K. (2009). Productive and Reproductive Performances of Female. *Wartazoa*, 19(1), 1–6.
- Svihus, B. (2014). Starch digestion capacity of poultry. *Poultry Science*, 93(9), 2394–2399. <https://doi.org/10.3382/ps.2014-03905>
- Wahyuni, I. M. D., Muktiani, A., and Christiyanto, M. (2014). Kecernaan Bahan Kering dan Bahan Organik dan Degradabilitas Serat pada Pakan yang Disuplementasi Tanin dan Saponin. *Jurnal Agripet*, 14(2), 115–124. <https://doi.org/10.17969/agripet.v14i2.1886>
- Wanapat, M. (2002). The role of cassava hay as animal feed. *7th Regional Workshop*, July, 21.
- Wanapat, M., and Khampa, S. (2006). Effect of cassava hay in high-quality feed block as anthelmintics in steers grazing on ruzi grass. *Asian-Australasian Journal of Animal Sciences*, 19(5), 695–698. <https://doi.org/10.5713/ajas.2006.695>
- Wilson, K. (2016). Biochar as Feed Supplement for Cattle. *Pdfs.Semanticscholar.Org*, 12. www.wilsonbiochar.com
- Yanza, Y. R., Fitri, A., Suwignyo, B., Hidayatik, N., Elfahmi, Kumalasari, N. R., Irawan, A., and Jayanegara, A. (2021). The Utilisation of Tannin Extract as a Dietary Additive in. *Animals*, 11, 1–25.
- Yuningsih. (2012). Keracunan sianida pada hewan dan upaya pencegahannya. *Balai Besar Penelitian Veteriner*, 30, 21–26.

Daftar Pustaka BAB II

- Adeleke, O. R., Adiamo, O. Q., Fawale, O. S., and Olamiti, G. (2017). Effect of processing methods on antinutrients and oligosaccharides contents and protein digestibility of the flours of two newly developed bambara groundnut cultivars. *International Food Research Journal*, 24(5), 1948–1955.
- Al-Kindi, A., Schlecht, E., Schiborra, A., and Joergensen, R. G. (2016). Effects of quebracho tannin extract (*Schinopsis balansae*) and activated charcoal on feed intake and digestibility by goats and their faecal microbial biomass. *Biological Agriculture and Horticulture*, 32(3), 159–169. <https://doi.org/10.1080/01448765.2015.1108869>
- Ali, F., Ali, N., Bibi, I., Said, A., Nawaz, S., Ali, Z., Salman, S. M., Iqbal, H. M. N., and Bilal, M. (2020). Adsorption isotherm, kinetics and thermodynamic of acid blue and basic blue dyes onto activated charcoal. In *Case Studies in Chemical and Environmental Engineering* (Vol. 2). <https://doi.org/10.1016/j.cscee.2020.100040>
- Artanti, O. W., Ridla, M., and Khotijah, L. (2019). The Use of Cassava Leaf (*Manihot esculenta*) with the Different Processing on the Performances of Male Etawa Crossbred Goat. *Ilmiah, Jurnal Terpadu, Peternakan*, 7(2), 223–229.
- Bahri, S., dan Tarmudji. (1984). Keracunan Sianida pada Ternak dan Cara Mengatasinya. *Balai Penelitian Penyakit Hewan*, 1(1), 61–64.
- Besharati, M., Maggiolino, A., Palangi, V., Kaya, A., Jabbar, M., Eseceli, H., De Palo, P., and Lorenzo, J. M. (2022). Tannin in Ruminant Nutrition: Review. *Molecules*, 27(23), 1–26. <https://doi.org/10.3390/molecules27238273>
- Botz, M. M., Mudder, T. I., and Akcil, A. U. (2016). Cyanide Treatment: Physical, Chemical, and Biological Processes. *Gold Ore Processing: Project Development and Operations, January*, 619–645. <https://doi.org/10.1016/B978-0-444-63658-4.00035-9>
- Cardoso-Gutierrez, E., Aranda-Aguirre, E., Robles-Jimenez, L. E., Castelán-Ortega, O. A., Chay-Canul, A. J., Foggi, G., Angeles-Hernandez, J. C., Vargas-Bello-Pérez, E., and González-Ronquillo, M. (2021). Effect of tannins from tropical plants on methane production from ruminants: A systematic review. In *Veterinary and Animal Science* (Vol. 14). <https://doi.org/10.1016/j.vas.2021.100214>
- Chao, N. Van, Thong, H. T., Quynhchau, H. Le, Tam, V. T., and Rui, Z. (2016). Effects of charcoal and wood vinegar dietary supplementation to diarrhea incidence and faecal hydrogen sulfide emissions in pigs. *International Journal of Scientific and Research Publications*, 6(9), 707–713.
- Chaturvedi, K., Singhwane, A., Dhangar, M., Mili, M., Gorhae, N., Naik, A., Prashant, N., Srivastava, A. K., and Verma, S. (2023). Bamboo for producing charcoal and biochar for versatile applications. *Biomass Conversion and Biorefinery*, 0123456789. <https://doi.org/10.1007/s13399-022-03715-3>
- Chung, K. T., Wong, T. Y., Wei, C. I., Huang, Y. W., and Lin, Y. (1998). Tannins and

- human health: A review. *Critical Reviews in Food Science and Nutrition*, 38(6), 421–464. <https://doi.org/10.1080/10408699891274273>
- Dewi, R., Azhari, A., dan Nofriadi, I. (2021). Aktivasi Karbon Dari Kulit Pinang Dengan Menggunakan Aktivator Kimia Koh. *Jurnal Teknologi Kimia Unimal*, 9(2), 12. <https://doi.org/10.29103/jtku.v9i2.3351>
- Dung, N. T., van Binh, D., Mui, N. T., and Preston, T. R. (2010). Effect of cassava hay supplementation on milk production in lactating goats. *Livestock Research for Rural Development*, 22(3), 45.
- Farghly, M. F. A., Elsagheer, M. A., Jghef, M. M., Taha, A. E., Abd El-Hack, M. E., Jaremko, M., El-Tarabily, K. A., and Shabaan, M. (2023). Consequences of supplementing duck's diet with charcoal on carcass criteria, meat quality, nutritional composition, and bacterial load. *Poultry Science*, 102(1), 102275. <https://doi.org/10.1016/j.psj.2022.102275>
- Gerlach, H., and Hans-Peter Schmidt. (2012). Biochar in poultry farming. *Ithaka Journal*, August, 262–264. <http://www.ithaka-journal.net/druckversionen/e032012-bc-poultry.pdf>
- Haque, M. R., and Bradbury, J. H. (2004). Preparation of linamarin from cassava leaves for use in a cassava cyanide kit. *Food Chemistry*, 85(1), 27–29. <https://doi.org/10.1016/j.foodchem.2003.06.001>
- Harborne, J. . (2006). *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan* (Kosasih Padmawinata & I. Soediro (eds.); Alih bahas). Institut teknologi bandung. https://opac.poltekkestasikmalaya.ac.id/index.php?p=show_detail&id=878&keywords=
- Hartati, R., Anita, S., and Bali, S. (2016). Potensi Arang Aktif Bambu Betung (*Dendrocalamus asper*) Sebagai Adsorben Ion Zn²⁺ Dan SO₄²⁻ Dalam Air Sumur Bor Buruk Bakul, Bengkalis. *Repository University Of Riau*, 3(1991), 1–10.
- Hawashi, M., Altway, A., Widjaja, T., and Gunawan, S. (2019). Optimization of process conditions for tannin content reduction in cassava leaves during solid state fermentation using *Saccharomyces cerevisiae*. In *Heliyon* (Vol. 5, Issue 8). <https://doi.org/10.1016/j.heliyon.2019.e02298>
- Huang, Q., Liu, X., Zhao, G., Hu, T., and Wang, Y. (2018). Potential and challenges of tannins as an alternative to in-feed antibiotics for farm animal production. In *Animal Nutrition* (Vol. 4, Issue 2, pp. 137–150). <https://doi.org/10.1016/j.aninu.2017.09.004>
- Hutami, F. D., and Harijono. (2014). Effect of Solution Replacement and NHCO 3 Concentration on Cyanide Content Reduction in Cassava Flour Processing. *Jurnal Pangan Dan Agroindustri*, 2(4), 220–230.
- Isa, S. S. M., Ramli, M. M., Hambali, N. A. M. A., Kasjoo, S. R., Isa, M. M., Nor, N. I. M., Khalid, N., and Ahmad, N. (2016). Adsorption Properties and Potential Applications of Bamboo Charcoal: A Review. *MATEC Web of Conferences*, 78,

2–8. <https://doi.org/10.1051/mateconf/20167801097>

- Istiana, S., and Prasetya, T. (2020). Preparasi Arang Aktif Trembesi Magnetit Untuk Adsorpsi Senyawa Tannin Dalam Limbah Cair. *Indonesian Journal of Chemical Science*, 9(1), 17–23.
- Kurniawan, R., Luthfi, M., dan Wahyunanto, A. (2014). Karakterisasi Luas Permukaan Bet (Braunanear , Emmelt dan Teller) Karbon Aktif dari Tempurung Kelapa dan Tandan Kosong Kelapa Sawit dengan Aktivasi Asam Fosfat. *Jurnal Keteknik Pertanian Tropis Dan Biosistem*, 2(1), 15–20. <https://jkptb.ub.ac.id/index.php/jkptb/article/view/168>
- Leng, R. A., Inthapanya, S., and Preston, T. R. (2012). Biochar lowers net methane production from rumen fluid in vitro. *Livestock Research for Rural Development*, 24(6), 10.
- Lumbantobing, R., Napitupulu, M., and Jura, M. R. (2020). Analysis of Cyanide Acid Content in Cassava (*Manihot esculenta*) Based on Storage Time. *Jurnal Akademi Kimia*, 8(3), 180–183. <https://doi.org/10.22487/j24775185.2019.v8.i3.pp180-183>
- Luque-Almagro, V. M., Merchán, F., Blasco, R., Igeño, M. I., Martínez-Luque, M., Moreno-Vivián, C., Castillo, F., and Roldán, M. D. (2011). Cyanide degradation by *Pseudomonas pseudoalcaligenes* CECT5344 involves a malate: Quinone oxidoreductase and an associated cyanide-insensitive electron transfer chain. *Microbiology*, 157(3), 739–745. <https://doi.org/10.1099/mic.0.045286-0>
- Maciel, A. C., da Silva Pena, R., do Nascimento, L. D., de Oliveira, T. A., Chagas-Junior, G. C. A., and Lopes, A. S. (2023). Health exposure risks and bioremediation of cyanide in cassava processing effluents: An overview. *Journal of Water Process Engineering*, 55(April). <https://doi.org/10.1016/j.jwpe.2023.104079>
- Manurung, M., Ratnayani, O., dan Prawira, R. A. (2019). Sintesis dan Karakterisasi Arang dari Limbah Bambu. *Cakra Kimia*, 7(1), 69–77. <https://ojs.unud.ac.id/index.php/cakra/article/view/51644/30624>
- Manurung, M., Sahara, E., dan Sihombing, P. S. (2019). Pembuatan Dan Karakterisasi Arang Aktif Dari Bambu Apus (*Gigantochloa apus*) Dengan Aktivator H₃PO₄. *Jurnal Kimia*, 13(1), 16. <https://doi.org/10.24843/jchem.2019.v13.i01.p03>
- Min, B. R., and Hart, S. P. (2003). Tannins for suppression of internal parasites. *Journal of Animal Science*, 81(14_suppl_2), E102–E109. www.asas.org/symposia/03esupp2/jas2418.pdf%5Cnhttp://dx.doi.org/2003.81_14_suppl_2E102x
- Min, B. R., Solaiman, S., Gurung, N., Behrends, J., Eun, J. S., Taha, E., and Rose, J. (2012). Effects of pine bark supplementation on performance, rumen fermentation, and carcass characteristics of Kiko crossbred male goats. *Journal of Animal Science*, 90(10), 3556–3567. <https://doi.org/10.2527/jas.2011-4931>

- Mori, M. B., Astiti, N. M. A. G. R., and Mardewi, N. K. (2021). Utilization of fermented cassava skin ration on carcass weight and percentage of broiler carcass. *Journal of Physics: Conference Series*, 1869(1). <https://doi.org/10.1088/1742-6596/1869/1/012041>
- Mueller-Harvey, I. (2006). Unravelling the conundrum of tannins in animal nutrition and health. *Journal of the Science of Food and Agriculture*, 2010–2037. <https://doi.org/10.1002/jsfa>
- Mukaromah, A. H., Abja, R., dan Wardoyo, F. A. (2020). Penggunaan Serbuk Arang Aktif Biji Kelor untuk Menurunkan Kadar Nitrit Dalam Air. *Eksergi*, 17(1), 28. <https://doi.org/10.31315/e.v17i1.3291>
- Nascimento, T. V. C., Oliveira, R. L., Menezes, D. R., de Lucena, A. R. F., Queiroz, M. A. Á., Lima, A. G. V. O., Ribeiro, R. D. X., and Bezerra, L. R. (2021). Effects of condensed tannin-amended cassava silage blend diets on feeding behavior, digestibility, nitrogen balance, milk yield and milk composition in dairy goats. In *Animal* (Vol. 15, Issue 1). <https://doi.org/10.1016/j.animal.2020.100015>
- Oboh, G. (2006). Nutrient enrichment of cassava peels using a mixed culture of *Saccharomyces cerevisiae* and *Lactobacillus* spp solid media fermentation techniques. *Electronic Journal of Biotechnology*, 9(1), 46–49. <https://doi.org/10.2225/vol9-issue1-fulltext-1>
- Patra, A. K., and Saxena, J. (2010). A new perspective on the use of plant secondary metabolites to inhibit methanogenesis in the rumen. *Phytochemistry*, 71(11–12), 1198–1222. <https://doi.org/10.1016/j.phytochem.2010.05.010>
- Pitoy, M. M. (2015). Sianida: Klasifikasi, Toksisitas, Degradasi, Analisis. *JURNAL MIPA UNSRAT*, 1(4).
- Putra, I. N. K. (2009). Efektifitas Berbagai Cara Pemasakan Terhadap Penurunan Kandungan Asam Sianida Berbagai Jenis Rebung Bambu. *Agrotekno*, 15(2), 40–42. <http://cybermed.cbn.net.id/cbprtl/cybermed/>.
- Qomariyah, N., Retnani, Y., Jayanegara, A., Wina, E., and Permana, I. G. (2019). Utilization of Biochar and Liquid Smoke to Increase Livestock Performance. *Indonesian Bulletin of Animal and Veterinary Sciences*, 29(4), 171. <https://doi.org/10.14334/wartazoa.v29i4.2077>
- Santoso, U., dan Aryani, I. (2007). Perubahan Komposisi Kimia Daun Ubi Kayu yang Difermentasi oleh EM4. *Jurnal Sain Peternakan Indonesia*, 2(2), 53–56. <https://doi.org/10.31186/jspi.id.2.2.53-56>
- Simbolon, N., Iswarin Pujaningsih, R., dan Mukodiningsih, S. (2016). Pengaruh berbagai pengolahan kulit singkong terhadap pencernaan bahan kering dan bahan organik secara in vitro, protein kasar dan asam sianida. *Jurnal Ilmu-Ilmu Peternakan*, 26(1), 58–65. <https://doi.org/10.21776/ub.jiip.2016.026.01.9>
- Siqhny, Z. D., Sani, E. Y., dan Fitriana, I. (2020). Pengurangan Kadar HCN pada Umbi Gadung Menggunakan Variasi Abu Gosok dan Air Kapur. *Jurnal Teknologi Pangan Dan Hasil Pertanian*, 15(2), 1. <https://doi.org/10.26623/jtphp.v15i2.2620>

- Sirait, J., dan Simanihuruk, K. (2010). Potensi dan Pemanfaatan Daun Ubi kayu dan Ubi jalar Sebagai Sumber Pakan Ternak Ruminansia Kecil. *Wartazoa*, 20(2), 75–84. www.ciat.cgiar.org/asiacassava/pdf/7thregional_work_shop_2002/504.pdf.
- Tweyongyere, R., and Katongole, I. (2002). Cyanogenic potential of cassava peels and their detoxification for utilization as livestock feed. *Veterinary and Human Toxicology*, 44(6), 366–369.
- Vongkhamchanh, B., Preston, T. R., Leng, R. A., Van An, L., and Hai, D. T. (2018). Effect of biochar on growth performance of local “yellow” cattle fed ensiled cassava roots, fresh brewers’ grains and rice straw. *Livestock Research for Rural Development*, 30(9).
- Wahyudi, L., dan Bachrudin, Z. (2001). Pengaruh Penambahan Arang Aktif Pada Konsentrat Terhadap Kinerja Ternak dan Komposisi Kimia Feses Kambing Peranakan Ettawa. *Repository Universitas Gadjah Mada*, 0–1.
- Wanapat, M. (2002). The role of cassava hay as animal feed. *7th Regional Workshop*, July, 21.
- Wilson, K. (2016). Biochar as Feed Supplement for Cattle. *Pdfs.Semanticscholar.Org*, 12. www.wilsonbiochar.com

Daftar Pustaka BAB III

- Adni, J., Putri, A., Suharnas, E., dan Suliasih. (2021). Pengaruh Perendaman Dengan Larutan Garam Terhadap Kandungan Rendemen, Bahan Kering, Serat Kasar Dan Bahan Ekstrak Tanpa Nitrogen (BETN) Umbi Gadung (*Dioscorea hispida*) Sebagai Pakan Ternak. *Jurnal Inspirasi Peternakan*, 1(1), 87–93.
- Aling, C., Tuturoong, R. A. V., Tulung, Y. L. R., dan Waani, M. R. (2020). Kecernaan Serat Kasar Dan Betn (Bahan Ekstrak Tanpa Nitrogen) Ransum Komplit Berbasis Tebon Jagung Pada Sapi Peranakan Ongole. *Zootec*, 40(2), 428. <https://doi.org/10.35792/zot.40.2.2020.28366>
- Amin, S., Barnett, G. V., Pathak, J. A., Roberts, C. J., and Sarangapani, P. S. (2014). Protein aggregation, particle formation, characterization & rheology. *Current Opinion in Colloid and Interface Science*, 19(5), 438–449. <https://doi.org/10.1016/j.cocis.2014.10.002>
- Aprilia, R. M., Hartutik, dan Marjuki. (2018). Evaluasi Kandungan Nutrien Konsentrat Sapi Perah Rakyat Di Kabupaten Malang. *Journal of Tropical Animal Nutrition*, 1(1), 54–59.
- Ayankoso, M. T., Oluwagbamila, D. M., and Abe, O. S. (2023). Effects of Activated Charcoal on Livestock Production: a Review. *Slovak Journal of Animal Science*, 56(01), 46–60. <https://doi.org/10.36547/sjas.791>
- Chu, G. M., Kim, J. H., Kim, H. Y., Ha, J. H., Jung, M. S., Song, Y., Cho, J. H., Lee, S. J., Ibrahim, R. I. H., Lee, S. S., and Song, Y. M. (2013). Effects of bamboo charcoal on the growth performance, blood characteristics and noxious gas emission in fattening pigs. *Journal of Applied Animal Research*, 41(1), 48–55. <https://doi.org/10.1080/09712119.2012.738219>
- Darmawan, A. L., Irawan, A., Dhalika, T., Tarmidi, A. R., -, M., Budiman, A., Kamil, K. A., and Hernaman, I. (2014). the Study on in Vitro Digestibility of Soaked Palm Oil Fiber By Filtrated Palm Oil Fruit Bunch Ash. *Majalah Ilmiah Peternakan*, 17(1), 1–3. <https://doi.org/10.24843/mip.2014.v17.i01.p01>
- Dung, N. T., van Binh, D., Mui, N. T., and Preston, T. R. (2010). Effect of cassava hay supplementation on milk production in lactating goats. *Livestock Research for Rural Development*, 22(3), 45.
- Erickson, P. S., Whitehouse, N. L., and Dunn, M. L. (2011). Activated carbon supplementation of dairy cow diets: Effects on apparent total-tract nutrient digestibility and taste preference. *Professional Animal Scientist*, 27(5), 428–434. [https://doi.org/10.15232/S1080-7446\(15\)30515-5](https://doi.org/10.15232/S1080-7446(15)30515-5)
- Fattah, A. H., Syamsu, J. A., Natsir, A., and Garantjang, S. (2019). VFA Concentration, Ammonia And pH Value In Vivo Ransum Rument System Made From Rice Fermentation Of Lamtoro Leaves, Gamal Leaves And Indigofera Leaves. *Advances in Environmental Biology*, 13(12), 4–9. <https://doi.org/10.22587/aeb.2019.13.12.2>
- Ginting, S. P. (2005). Sinkronisasi Degradasi Protein dan Energi dalam Rumen untuk Memaksimalkan Produksi Protein Mikroba. *Wartazoa*, 15(1), 1–10.

- Granum, G., Wanapat, M., Pakdee, P., Wachirapakorn, C., and Toburun, W. (2007). A comparative study on the effect of cassava hay supplementation in swamp buffaloes (*Bubalus bubalis*) and cattle (*Bos indicus*). *Asian-Australasian Journal of Animal Sciences*, 20(9), 1389–1396. <https://doi.org/10.5713/ajas.2007.1389>
- Hambakodu, M., and Ina, Y. T. (2019). Evaluasi Kecernaan In Vitro Bahan Pakan Hasil Samping Agro Industri (In vitro digestibility evaluation of feed ingredients from agro-industry by-product). *Jurnal Agripet*, 19(1), 7–12. <https://doi.org/10.17969/agripet.v19i1.12953>
- Hansen, H. H., Storm, I. M. L. D., and Sell, A. M. (2012). Effect of biochar on in vitro rumen methane production. *Acta Agriculturae Scandinavica A: Animal Sciences*, 62(4), 305–309. <https://doi.org/10.1080/09064702.2013.789548>
- Harniati, H., Islamiyati, R., dan Ismartoyo, I. (2019). Kecernaan Bahan Kering Dan Bahan Organik In Vitro Daun Maja (*Aegle marmelos*) Dan Daun Gamal (*Gliricidia sepium*). *Buletin Nutrisi Dan Makanan Ternak*, 13(1). <https://doi.org/10.20956/bnmt.v13i1.8192>
- Hartati, R., Anita, S., dan Bali, S. (2016). Potensi Arang Aktif Bambu Betung (*Dendrocalamus Asper*) Sebagai Adsorben Ion Zn²⁺ Dan SO₄²⁻ Dalam Air Sumur Bor Buruk Bakul, Bengkalis. *Repository University Of Riau*, 3(1991), 1–10.
- Huma, N., Anjum, F. M., Sehar, S., Issa Khan, M., and Hussain, S. (2008). Effect of soaking and cooking on nutritional quality and safety of legumes. *Nutrition and Food Science*, 38(6), 570–577. <https://doi.org/10.1108/00346650810920187>
- Ismartoyo, M. (2018). Effect of feeding whole cottonseed as a supplement on digestibility and rumen fermentation characteristics of sheep. *Bangladesh Journal of Animal Science*, 46(4), 239–243. <https://doi.org/10.3329/bjas.v46i4.36964>
- Kartika, P. N., and Nisa, F. C. (2015). Studi Pembuatan Osmodehidrat Buah Nanas (*Ananas comosus L.*) Perendaman Pineapple (*Ananas comosus L. Merr*) Osmodehydrate: Study on Sugar Concentration in Osmotic Solution and Soaking Time. *Pangan Dan Agroindustri*, 3(4), 1345–1355.
- Khampa, S., Chaowarat, P., Singhalert, R., and Wanapat, M. (2009). Effect of Malate and cassava hay in high-Quality Feed Block on Ruminant Fermentation Efficiency and Digestibility of Nutrients in Dairy Heifer. *Dairy Heifers*, 3(1), 8–12.
- Kiyothong, K., and Wanapat, M. (2004). Growth, hay yield and chemical composition of cassava and stylo 184 grown under intercropping. *Asian-Australasian Journal of Animal Sciences*, 17(6), 799–807. <https://doi.org/10.5713/ajas.2004.799>
- Kurniawati, A. (2007). Teknik produksi gas in-vitro untuk evaluasi pakan ternak: volume produksi gas dan kecernaan bahan pakan. *Jurnal Ilmiah Aplikasi Isotop Dan Radiasi*, 3(1), 40–49.
- Lambebo, T., and Deme, T. (2022). Evaluation of Nutritional Potential and Effect of

- Processing on Improving Nutrient Content of Cassava (*Mannihot esculenta* crantz) Root and Leaves. *BioRxiv*, 4 februari(2022).
- Latief, M. F., Amal, I., dan Aini, F. N. (2023). Perubahan Nutrisi dan Kualitas Fisik Jagung Akibat Pengeringan pada Vertical Corn Drier. *Jurnal Peternakan Lokal*, 5(2), 70–77. <https://doi.org/10.46918/peternakan.v5i2.1962>
- Leng, R. A., Inthapanya, S., and Preston, T. R. (2012). Biochar lowers net methane production from rumen fluid in vitro. *Livestock Research for Rural Development*, 24(6), 10.
- McDonald, P., Edwards, R. A., Grenhalgh, J. F. D., Morgan, C. A., Sinclair, L. A., and Wilkinson, R. G. (2018). Animal nutrition. In *Animal nutrition* (7th ed.). <https://doi.org/10.5962/bhl.title.155283>
- McFarlane, Z. D., Myer, P. R., Cope, E. R., Evans, N. D., Carson Bone, T., Biss, B. E., and Mulliniks, J. T. (2017). Effect of Biochar Type and Size on &i>in Vitro &i>Rumen Fermentation of Orchard Grass Hay. *Agricultural Sciences*, 08(04), 316–325. <https://doi.org/10.4236/as.2017.84023>
- Morgan, N. K., and Choct, M. (2016). Cassava: Nutrient composition and nutritive value in poultry diets. *Animal Nutrition*, 2(4), 253–261. <https://doi.org/10.1016/j.aninu.2016.08.010>
- Nurkhasanah, I., Kustiawan Nuswantara, L., Christiyanto, M., and Pangestu, E. (2020). Kecernaan Neutral Detergen Fiber (NDF), Acid Detergent Fiber (ADF) Dan Hemiselulosa Hijauan Pakan Secara in Vitro. *Jurnal Litbang Provinsi Jawa Tengah*, 18(1), 55–63. <https://doi.org/10.36762/jurnaljateng.v18i1.809>
- Ohanaka, A. U., Ukonu, E. C., Ogbuwu, I., Etuk, I., and Okoli, I. (2021). Evaluation of the Physic-Chemical Properties of Agro-Wastes Derived Activated Charcoal As a Potential Feed Additive in. *Int'l Journal Of Agric. And Rural Dev.*, 24(1), 5711–5719.
- Oni, A. O., Onwuka, C. F. I., Arigbede, O., Oni, O. O., Amele, U. Y., Yusuf, K. O., Oduguwa, B. O., and Onifade, O. S. (2010). Chemical composition and in sacco degradability of four varieties of cassava leaves grown in Southwestern Nigeria in the rumen of sheep. *Tropical Animal Health and Production*, 42(7), 1385–1393. <https://doi.org/10.1007/s11250-010-9596-0>
- Qomariyah, N., Retnani, Y., Jayanegara, A., Wina, E., and Permana, I. G. (2019). Utilization of Biochar and Liquid Smoke to Increase Livestock Performance. *Indonesian Bulletin of Animal and Veterinary Sciences*, 29(4), 171. <https://doi.org/10.14334/wartazoa.v29i4.2077>
- Rahalus, R., Tulung, B., Maarul, K., dan Wolayan, F. (2014). Pengaruh Penggunaan Konsentrat Dalam Pakan Rumput Benggala (*Panicum maximum*) Terhadap Kecernaan NDF dan ADF Pada Kambing Lokal. *Zootek*, 34(1), 75–82.
- Ripple, D. C., and Dimitrova, M. N. (2012). Protein Particles : What We Know and What We Don ' t Know Introduction. *Published as J. Pharm. Sci.*, 101(2012), 3568–3579.

- Riski, P., Purwanto, B. P., dan Atabany, A. (2016). Produksi dan Kualitas Susu Sapi FH Laktasi yang Diberi Pakan Daun Pelepah Sawit (Milk Production and Its Quality of FH Cows Fed Oil Palm Frond). *Jurnal Ilmu Produksi Dan Teknologi Hasil Peternakan*, 4(3), 345–349.
- Santoso, U., dan Aryani, I. (2007). Perubahan Komposisi Kimia Daun Ubi Kayu yang Difermentasi oleh Em4. *Jurnal Sain Peternakan Indonesia*, 2(2), 53–56. <https://doi.org/10.31186/jspi.id.2.2.53-56>
- Setiyawan, A. I., dan Thiasari, N. (2016). Pengaruh lama pemeraman terhadap nilai bahan kering, bahan organik dan serat kasar pakan komplit berbasis pucuk tebu terfermentasi menggunakan em-4. *Buana Sains*, 16(2), 183–188.
- Sirait, J., dan Simanihuruk, K. (2010). Potensi dan Pemanfaatan Daun Ubikayu dan Ubijalar Sebagai Sumber Pakan Ternak Ruminansia Kecil. *Wartazoa*, 20(2), 75–84. www.ciat.cgjar.org/asiacassava/pdf/7thregional_work_shop_2002/504.pdf.
- Svihus, B. (2014). Starch digestion capacity of poultry. *Poultry Science*, 93(9), 2394–2399. <https://doi.org/10.3382/ps.2014-03905>
- Syafrudin, A. I., Pangestu, E., dan Christiyanto, M. (2020). Nilai Total Digestible Nutrient pada Bahan Pakan By- Product Industri Pertanian sebagai Pakan Kambing yang Diuji secara In Vitro. *Jurnal Sain Peternakan Indonesia*, 15(3), 302–307. <https://doi.org/10.31186/jspi.id.15.3.302-307>
- Syawal, S., Garantjang, S., Natsir, A., and Ako, A. (2020). The effect of katuk (*Sauropus androgynus*) and gamal (*Gliricidia sepium*) supplementation on the dry matter digestibility, organic matter digestibility, and milk quality of Friesian Holstein. *IOP Conference Series: Earth and Environmental Science*, 492(1).
- Tallan, Y., Dato, wen O. D., dan Nenobais, M. (2021). Fraksi Serat Batang Pisang Hasil Hidrolisis Filtrat Abu Sekam Padi (FASP) sebagai Pakan Ruminansia. *Jurnal Peternakan Lahan Kering*, 3(1), 1366–1374.
- Tilley, J. M. A., and Terry, R. A. (1963). a Two-Stage Technique for the in Vitro Digestion of Forage Crops. *Grass and Forage Science*, 18(2), 104–111. <https://doi.org/10.1111/j.1365-2494.1963.tb00335.x>
- Usman, Y., Husin, M. N., dan Ratni, R. (2013). Pemberian Kulit Biji Kopi dalam Ransum Sapi Aceh Terhadap Kecernaan secara In Vitro. *Jurnal Agripet*, 13(1), 49–52. <https://doi.org/10.17969/agripet.v13i1.553>
- Van, D. T. T. (2006). *Some Animal and Feed Factors Affecting Feed Intake , Behaviour and Performance of Small Ruminants* (Issue March).
- Van Soest, P. J. (1965). Symposium on Factors Influencing the Voluntary Intake of Herbage by Ruminants: Voluntary Intake in Relation to Chemical Composition and Digestibility. *Journal of Animal Science*, 24(3), 834–843. <https://doi.org/10.2527/jas1965.243834x>
- Wajizah, S., Samadi, S., Usman, Y., dan Mariana, E. (2015). Evaluasi Nilai Nutrisi

dan Kecernaan In Vitro Pelepah Kelapa Sawit (Oil Palm Fronds) yang Difermentasi Menggunakan *Aspergillus niger* dengan Penambahan Sumber Karbohidrat yang Berbeda. *Jurnal Agripet*, 15(1), 13–19.

Wanapat, M. (2002). The role of cassava hay as animal feed. *7th Regional Workshop*, July, 21.

Widodo, Y. P., Nuswantara, L. K., dan Kusmiyati, F. (2019). Kecernaan Dan Fermentabilitas Nutrien Rumput Gajah Secara In Vitro Ditanam Dengan Pemupukan Arang Aktif Urea. *Jurnal Pengembangan Penyuluhan Pertanian*, 13(24), 77. <https://doi.org/10.36626/jppp.v13i24.95>

Yanuartono, Y., Indarjulianto, S., Nururrozi, A., dan Purnamaningsih, H. (2019). Review: Hidrogen Sianida dan Implikasinya pada Ternak. *Jurnal Ilmu Dan Teknologi Peternakan Tropis*, 6(2), 214. <https://doi.org/10.33772/jitro.v6i2.5638>

Yousuf, M. B., Belewu, M. A., Gbadamosi, A., and Ogudun, N. I. (2007). Replacing Cotton Seed Cake with Cassava Leaf Meal in corn based diets to fed the Goat. *Bulgarian Journal of Agricultural Science*, 13, 231-236.

Daftar Pustaka BAB IV

- Adejoro, F. A., Hassen, A., and Thantsha, M. S. (2018). Preparation of acacia tannin loaded lipid microparticles by solid-in-oil-in-water and melt dispersion methods, their characterization and evaluation of their effect on ruminal gas production In Vitro. *PLoS ONE*, 13(10), 1–15. <https://doi.org/10.1371/journal.pone.0206241>
- Agbede, T. M., and Oyewumi, A. (2022). Benefits of biochar, poultry manure and biochar–poultry manure for improvement of soil properties and sweet potato productivity in degraded tropical agricultural soils. *Resources, Environment and Sustainability*, 7(February), 100051. <https://doi.org/10.1016/j.resenv.2022.100051>
- Akhirany, N., Ismartoyo, Jusoff, K., Natsir, A., and Ako, A. (2013). The digestibility, degradation and index value of four local feeds for goat. *World Applied Sciences Journal*, 26(26), 60–66. <https://doi.org/10.5829/idosi.wasj.2013.26.nrrdsi.26011>
- Ako, A., Baba, S., Fatma, F., Jamila, J., and Rusdy, M. (2016). Effect of complete feed silage made from agricultural waste on milk yield and quality of dairy cows. *OnLine Journal of Biological Sciences*, 16(4), 159–164. <https://doi.org/10.3844/ojbsci.2016.159.164>
- Al-musawi, J. E., Hassan, S. A., and Muhammad, S. F. (2017). Effect of Cold Stress on Some Blood Parameters of Sheep and Goats. *International Journal of Science and Research (IJSR)*, 6(1), 1617–1620. <https://doi.org/10.21275/art20164378>
- Alam, M. K., Ogata, Y., Sako, Y., Al-Mamun, M., and Sano, H. (2010). Intermediary metabolism of plasma acetic acid, glucose and protein in sheep fed a rice straw-based diet. *Asian-Australasian Journal of Animal Sciences*, 23(10), 1333–1339. <https://doi.org/10.5713/ajas.2010.10077>
- Ali, M., Mehboob, H. A., Mirza, M. A., Raza, H., and Osredkar, M. (2017). Effect of hydrolysable tannin supplementation on production performance of dairy crossbred cows. *Journal of Animal and Plant Sciences*, 27(4), 1088–1093.
- Andama, M., and Oloya, B. (2017). Effectiveness of traditional processing techniques in reducing cyanide Levels in selected cassava varieties in Zombo District, Uganda. *International Journal of Food Science and Biotechnology*, 2(4), 121–125. <https://doi.org/10.11648/j.ijfsb.20170204.14>
- Arief and Pazla, R. (2023). Milk Production and Quality of Etawa Crossbred Goats with Non-Conventional Forages and Palm Concentrates. *American Journal of Animal and Veterinary Sciences*, 18(1), 9–18. <https://doi.org/10.3844/ajavsp.2023.9.18>
- Arief, Rusdimansyah, Sowmen, S., Pazla, R., and Rizqan. (2020). Milk production and quality of etawa crossbred dairy goat that given tithonia diversifolia, corn waste and concentrate based palm kernel cake. *Biodiversitas*, 21(9), 4004–4009. <https://doi.org/10.13057/biodiv/d210910>
- Arora, R., Bhojak, N., and Joshi, R. (2013). Comparative aspects of goat and cow milk. *Int. J. Engineering Sci. Invention*, 2(1), 7–10.

- Artanti, O. W., Ridla, M., and Khotijah, L. (2019). The Use of Cassava Leaf (*Manihot esculenta*) with the Different Processing on the Performances of Male Etawa Crossbred Goat. *Ilmiah, Jurnal Terpadu, Peternakan*, 7(2), 223–229.
- Asmaq, N., dan Marisa, J. (2020). Karakteristik Fisik dan Organoleptik Susu Segar di Medan Sunggal. *Jurnal Peternakan Indonesia (Indonesian Journal of Animal Science)*, 22(2), 168. <https://doi.org/10.25077/jpi.22.2.168-175.2020>
- Bahri, S., dan Tarmudji. (1984). Keracunan Sianida pada Ternak dan Cara Mengatasinya. *Balai Penelitian Penyakit Hewan*, 1(1), 61–64.
- Bara-Herczegh, O., Csanádi, J., and Török, G. (2009). Investigation of the protein fractions in goat milk with RP-HPLC to optimize the milk processing. *Analele Universității Din Oradea, Fascicula: Ecotoxicologie, Zootehnie Și Tehnologii de Industrie Alimentară*, January, 111–118. <http://www.cabdirect.org/abstracts/20113172914.html>
- Britt, J. S., Thomas, R. C., Speer, N. C., and Hall, M. B. (2003). Efficiency of converting nutrient dry matter to milk in Holstein herds. *Journal of Dairy Science*, 86(11), 3796–3801. [https://doi.org/10.3168/jds.S0022-0302\(03\)73987-3](https://doi.org/10.3168/jds.S0022-0302(03)73987-3)
- Budhi, C. U., dan Wibawati, P. ayu. (2020). Uji Organoleptik Dan Tingkat Keasaman Susu Kambing Etawa Kemasan Yang Dijual Di Kecamatan Kalipuro. *Kedokteran Hewan*, 166–171.
- Cant, J. P., Trout, D. R., Qiao, F., and Purdie, N. G. (2002). Milk synthetic response of the bovine mammary gland to an increase in the local concentration of arterial glucose. *Journal of Dairy Science*, 85(3), 494–503. [https://doi.org/10.3168/jds.S0022-0302\(02\)74100-3](https://doi.org/10.3168/jds.S0022-0302(02)74100-3)
- Chilliard, Y., Ferlay, A., Rouel, J., and Lamberet, G. (2003). A review of nutritional and physiological factors affecting goat milk lipid synthesis and lipolysis. *Journal of Dairy Science*, 86(5), 1751–1770. [https://doi.org/10.3168/jds.S0022-0302\(03\)73761-8](https://doi.org/10.3168/jds.S0022-0302(03)73761-8)
- De Ondarza, M. B., and Tricarico, J. M. (2017). REVIEW: Advantages and limitations of dairy efficiency measures and the effects of nutrition and feeding management interventions. *Professional Animal Scientist*, 33(4), 393–400. <https://doi.org/10.15232/pas.2017-01624>
- Dung, N. T., van Binh, D., Mui, N. T., and Preston, T. R. (2010). Effect of cassava hay supplementation on milk production in lactating goats. *Livestock Research for Rural Development*, 22(3), 45.
- Fattah, A. H., Syamsu, J. A., Natsir, A., and Garantjang, S. (2019). VFA Concentration, Ammonia And pH Value In Vivo Ransum Rument System Made From Rice Fermentation Of Lamtoro Leaves, Gamal Leaves And Indigofera Leaves. *Advances in Environmental Biology*, 13(12), 4–9. <https://doi.org/10.22587/aeb.2019.13.12.2>
- Gerlach, H., and Hans-Peter Schmidt. (2012). Biochar in poultry farming. *Ithaka*

- Gole, M. P., Fattah, S., dan Handayani, H. T. (2020). Pengaruh pemberian pakan konsentrat mengandung tepung bonggol pisang yang difermentasi dengan khamir (*Saccharomyces cerevisiae*) terhadap metabolit darah kambing lokal betina (Effect of including containing *Saccharomyces cerevisiae* fermented banana- c. *Jurnal Peternakan Lahan Kering*, 2(2), 852–858.
- Granum, G., Wanapat, M., Pakdee, P., Wachirapakorn, C., and Toburun, W. (2007). A comparative study on the effect of cassava hay supplementation in swamp buffaloes (*Bubalus bubalis*) and cattle (*Bos indicus*). *Asian-Australasian Journal of Animal Sciences*, 20(9), 1389–1396. <https://doi.org/10.5713/ajas.2007.1389>
- Gunawan, dan Purnama, R. D. (2001). Teknik pengambilan cairan rumen pada domba. *Temu Teknis Fungsional Non Peneliti*, 1978, 84–88.
- Harborne, J. (2006). *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan* (Kosasih Padmawinata & I. Soediro (eds.); Alih bahas). Institut teknologi bandung. https://opac.poltekkestasikmalaya.ac.id/index.php?p=show_detail&id=878&key words=
- Harniati, H., Islamiyati, R., dan Ismartoyo, I. (2019). Kecernaan Bahan Kering dan Bahan Organik In Vitro Daun Maja (*Aegle marmelos*) dan Daun Gamal (*Gliricidia sepium*). *Buletin Nutrisi Dan Makanan Ternak*, 13(1). <https://doi.org/10.20956/bnmt.v13i1.8192>
- Harun, N. L. A., Alimon, A. R., Jahromi, M. F., and Samsudin, A. A. (2017). Effects of feeding goats with *Leucaena leucocephala* and *Manihot esculenta* leaves supplemented diets on rumen fermentation profiles, urinary purine derivatives and rumen microbial population. *Journal of Applied Animal Research*, 45(1), 409–416. <https://doi.org/10.1080/09712119.2016.1205499>
- Hassan, M. M., and Carr, C. M. (2021). Biomass-derived porous carbonaceous materials and their composites as adsorbents for cationic and anionic dyes: A review. *Chemosphere*, 265.
- Huang, Q., Liu, X., Zhao, G., Hu, T., and Wang, Y. (2018). Potential and challenges of tannins as an alternative to in-feed antibiotics for farm animal production. In *Animal Nutrition* (Vol. 4, Issue 2, pp. 137–150). <https://doi.org/10.1016/j.aninu.2017.09.004>
- Huang, H. J., Lee, Y. H., Hsu, Y. H., Liao, C. Te, Lin, Y. F., and Chiu, H. W. (2021). Current strategies in assessment of nanotoxicity: Alternatives to in vivo animal testing. *International Journal of Molecular Sciences*, 22(8). <https://doi.org/10.3390/ijms22084216>
- Jamarun, N., Pazla, R., Arief, Jayanegara, A., and Yanti, G. (2020). Chemical composition and rumen fermentation profile of mangrove leaves (*Avicennia marina*) from West Sumatra, Indonesia. *Biodiversitas*, 21(11), 5230–5236. <https://doi.org/10.13057/biodiv/d211126>

- Jamarun, N., Pazla, R., Zain, M., and Arief. (2019). Comparison of in vitro digestibility and rumen fluid characteristics between the tithonia (*Tithonia diversifolia*) with elephant grass (*Pennisetum purpureum*). *IOP Conference Series: Earth and Environmental Science*, 287(1). <https://doi.org/10.1088/1755-1315/287/1/012019>
- Jayanegara, A., Togtokhbayar, N., Makkar, H. P. S., and Becker, K. (2009). Tannins determined by various methods as predictors of methane production reduction potential of plants by an in vitro rumen fermentation system. *Animal Feed Science and Technology*, 150(3–4), 230–237. <https://doi.org/10.1016/j.anifeedsci.2008.10.011>
- Jimoh, M. O., Afolayan, A. J., and Lewu, F. B. (2020). Nutrients and antinutrient constituents of *Amaranthus caudatus* L. Cultivated on different soils. *Saudi Journal of Biological Sciences*, 27(12), 3570–3580.
- Kammann, C., Ippolito, J., Hagemann, N., Borchard, N., Cayuela, M. L., Estavillo, J. M., Fuertes-Mendizabal, T., Jeffery, S., Kern, J., Novak, J., Rasse, D., Saarnio, S., Schmidt, H. P., Spokas, K., and Wrage-Mönnig, N. (2017). Biochar as a tool to reduce the agricultural greenhouse-gas burden—knowns, unknowns and future research needs. *Journal of Environmental Engineering and Landscape Management*, 25(2), 114–139. <https://doi.org/10.3846/16486897.2017.1319375>
- Katongole, C. B., and Yan, T. (2022). The Effects of Dietary Crude Protein Level on Ammonia Emissions from Slurry from Lactating Holstein-Friesian Cows as Measured in Open-Circuit Respiration Chambers. *Animals*, 12(10). <https://doi.org/10.3390/ani12101243>
- Khampa, S., Chaowarat, P., Singhalert, R., and Wanapat, M. (2009). Effect of Malate and cassava hay in high-Quality Feed Block on Ruminant Fermentation Efficiency and Digestibility of Nutrients in Dairy Heifer. *Dairy Heifers*, 3(1), 8–12.
- Kumar, S., Kumar, B., Kumar, R., Kumar, S., Khatkar, S. K., and Kanawjia, S. K. (2012). Nutritional Features of Goat Milk — A Review. *Indian Journal of Dairy Science*, 65(4), 266–273. <http://epubs.icar.org.in/ejournal/index.php/IJDS/article/view/25762>
- Liu, H., Vaddella, V., and Zhou, D. (2011). Effects of chestnut tannins and coconut oil on growth performance, methane emission, ruminal fermentation, and microbial populations in sheep. *Journal of Dairy Science*, 94(12), 6069–6077. <https://doi.org/10.3168/jds.2011-4508>
- Makkar, H. P. S. (2003). Effects and fate of tannins in ruminant animals, adaptation to tannins, and strategies to overcome detrimental effects of feeding tannin-rich feeds. *Small Ruminant Research*, 49(3), 241–256. [https://doi.org/10.1016/S0921-4488\(03\)00142-1](https://doi.org/10.1016/S0921-4488(03)00142-1)
- Manu, A., Balliarti, E., Keman, S., and Datta, F. (2007). Pengaruh Suplementasi Pakan Lokal terhadap Produktifitas Induk Kambing Bligon Bunting Tua yang Dipelihara di Padang Sabana Sumba. In *Animal Production* (Vol. 9, Issue 1, pp. 1–8).

- Marwah, M. P., Suranindyah, Y. Y., and Murti, T. W. (2010). Produksi dan komposisi susu kambing peranakan ettawa yang diberi suplemen daun katu (*Sauropus androgynus* (L) merr) pada awal masa laktasi. *Buletin Peternakan*, 34(2), 94–102.
- McDonald, P., Edwards, R. A., Grenhalgh, J. F. D., Morgan, C. A., Sinclair, L. A., and Wilkinson, R. G. (2018). Animal nutrition. In *Animal nutrition* (7th ed.). <https://doi.org/10.5962/bhl.title.155283>
- Min, B. R., Solaiman, S., Waldrip, H. M., Parker, D., Todd, R. W., and Brauer, D. (2020). Dietary mitigation of enteric methane emissions from ruminants: A review of plant tannin mitigation options. *Animal Nutrition*, 6(3), 231–246. <https://doi.org/10.1016/j.aninu.2020.05.002>
- Mirdhayati, I., Handoko, J., Khaidar, D. a N., Putra, U., Pertanian, F., Islam, U., Sultan, N., dan Kasim, S. (2008). Mutu susu segar di UPT Ruminansia besar Dinas Peternakan kabupaten Kampar Provinsi Riau. *Jurnal Peternakan*, 5(1), 14–21.
- Monteiro, J., Scotti-Campos, P., Pais, I., Figueiredo, A. C., Viegas, D., and Reboredo, F. (2022). Elemental composition, total fatty acids, soluble sugar content and essential oils of flowers and leaves of *Moringa oleifera* cultivated in Southern Portugal. *Heliyon*, 8(12). <https://doi.org/10.1016/j.heliyon.2022.e12647>
- Navyanti, F., and Adriyani, R. (2016). Hygiene Sanitation, Physical Qualities and Bacterial in Fresh Cow's Milk of X Milk Company in Surabaya. *Jurnal Kesehatan Lingkungan*, 8(1), 36. <https://doi.org/10.20473/jkl.v8i1.2015.36-47>
- Novianti, J., Purwanto, B. P., Astuti, D. A., dan Atabany, A. (2022). Produksi dan Kualitas Susu Kambing Saanen dengan Pemberian Daun *Moringa oleifera*, *Sauropus androgynous* L. Merr, dan *Coleus amboinicus* Lour. In Disertasi Pogram Studi Ilmu Produksi dan Teknologi Peternakan, Sekolah Pascasarjana, Institut Pertanian Bogor. Bogor.
- NRC. (1981). Nutrient Requirements of Goats. *Nutrient Requirements of Goats*, 15. <https://doi.org/10.17226/30>
- Nurhajjah, A., Purnomoadi, A., dan Harjanti, D. W. (2016). Hubungan Antara Konsumsi Serat Kasar dan Lemak Kasar dengan Kadar Total Solid dan Lemak Susu Kambing Peranakan Ettawa. *Jurnal Agripet*, 16(1), 1. <https://doi.org/10.17969/agripet.v16i1.3755>
- Nurhajati, T. (2013). Potensi Pemberian Pakan Kosentrat dengan Laktasi Berbeda terhadap Produksi Susu dan Laktose Susu Sapi Perah Peranakan Friesian Holstein. *Veterinaria Medika*, 6(3), 223–228.
- Oliveira, T. S. de, Leonel, F. de P., Da, C. J. S., Baffa, D. F., Pereira, J. C., and Zervoudakis, J. T. (2014). Factors affecting feed efficiency in dairy goats. *Revista Brasileira de Zootecnia*, 43(10), 524–529.
- Oni, A. O., Onwuka, C. F. I., Arigbede, O. ., Oni, O. O., Amele, U. Y., Yusuf, K. O., Oduguwa, B. O., and Onifade, O. S. (2010). Chemical composition and in sacco

- degradability of four varieties of cassava leaves grown in Southwestern Nigeria in the rumen of sheep. *Tropical Animal Health and Production*, 42(7), 1385–1393. <https://doi.org/10.1007/s11250-010-9596-0>
- Paengkoum, P., Liang, J. B., Jelan, Z. A., and Basery, M. (2006). Utilization of steam-treated oil palm fronds in growing Saanen goats: II. Supplementation with energy and urea. *Asian-Australasian Journal of Animal Sciences*, 19(11), 1623–1631. <https://doi.org/10.5713/ajas.2006.1623>
- Piccione, G., Monteverde, V., Rizzo, M., Vazzana, I., Assenza, A., Zumbo, A., and Niutta, P. P. (2014). Reference intervals of some electrophoretic and haematological parameters in Italian goats: Comparison between Girgentana and Aspromontana breeds. *Journal of Applied Animal Research*, 42(4), 434–439. <https://doi.org/10.1080/09712119.2013.875914>
- Prapaiwong, T., Srakaew, W., Poolthajit, S., Wachirapakorn, C., and Jarassaeng, C. (2023). Effects of Chestnut Hydrolysable Tannin on Intake, Digestibility, Rumen Fermentation, Milk Production and Somatic Cell Count in Crossbred Dairy Cows. *Veterinary Sciences*, 10(4), 1–14. <https://doi.org/10.3390/vetsci10040269>
- Purwanto, B., Atabany, A., Pascasarjana, S., Ilmu Produksi dan Teknologi Peternakan, D., and Pertanian Bogor, I. (2014). Milk Production Efficiency and Digestibility of Elephant Grass (*Pennisetum purpureum*) on FH Dairy Cow with Different Cutting Size. *Jurnal Ilmu Produksi Dan Teknologi Hasil Peternakan*, 02(01).
- Qomariyah, N., Ella, A., Nurdin Ahmad, S., Yusriani, Y., Miftakhus Sholikin, M., Rachmanto Prihambodo, T., Retnani, Y., Jayanegara, A., Wina, E., and Permana, I. G. (2023). Dietary biochar as a feed additive for increasing livestock performance: A meta-analysis of in vitro and in vivo experiment. *Czech Journal of Animal Science*, 68(2), 72–86. <https://doi.org/10.17221/124/2022-cjas>
- Qomariyah, N., Retnani, Y., Jayanegara, A., Wina, E., and Permana, I. G. (2019). Utilization of Biochar and Liquid Smoke to Increase Livestock Performance. *Indonesian Bulletin of Animal and Veterinary Sciences*, 29(4), 171. <https://doi.org/10.14334/wartazoa.v29i4.2077>
- Rajčević, M., Potočnik, K., and Levstek, J. (2003). Correlations between somatic cells count and milk composition with regard to the season. *Agriculturae Conspectus Scientificus*, 68(3), 221–226.
- Ratya, N., Taufik, E., and Arief, I. I. (2017). Karakteristik Kimia, Fisik dan Mikrobiologis Susu Kambing Peranakan Etawa di Bogor Chemical , Physical and Microbiological Characteristics of Etawa Crossbred Goat Milk In Bogor. *Januari*, 05(1), 1–4.
- Ribeiro, M. N., Ribeiro, N. L., Bozzi, R., and Costa, R. G. (2018). Physiological and biochemical blood variables of goats subjected to heat stress – A review. *Journal of Applied Animal Research*, 46(1), 1036–1041. <https://doi.org/10.1080/09712119.2018.1456439>
- Roza, E., Susanty, H., Aritonang, S. N., Sriwahyuni, P., Hendri, J., and Rizqan. (2024).

- Milk Production and Quality of Murrah Buffalo Supplemented by Turmeric Powder and Casava Leaf in Agam Regency, Indonesia. *Journal of Buffalo Science*, 13(18), 98–103. <https://doi.org/10.6000/1927-520X.2024.13.11>
- Salsabila, A. D., Tanuwiria, U. H., and Tasripin, D. S. (2023). JAMBU (The Effect of Feed Supplement on Consumption , Digestibility , and Efficiency of Milk Production of Lactating Dairy Cows in Bojong Kawung Dairy Cows Group Pasir Jambu). *Journal of Animal Husbandry Science*, 7(2), 91–98.
- Sari, I. P., Nuswantara, L. K., dan Achmadi, J. (2019). Pengaruh Suplementasi Karbohidrat Mudah Larut yang Berbeda dalam Pakan Berbasis Jerami Padi Amoniasi terhadap Degradabilitas Ruminal In Vitro. *Jurnal Sain Peternakan Indonesia*, 14(2), 161–170. <https://doi.org/10.31186/jspi.id.14.2.161-170>
- Satter, L. D., and Slyter, L. L. (1974). Effect of ammonia concentration on rumen microbial protein production in vitro. *British Journal of Nutrition*, 32(2), 199–208. <https://doi.org/10.1079/bjn19740073>
- Schmidt, H. P., Hagemann, N., Draper, K., and Kammann, C. (2019). The use of biochar in animal feeding. *PeerJ*, 2019(7), 1–54. <https://doi.org/10.7717/peerj.7373>
- Setiadi, D., Hartanto, R., and Harjanti, D. W. (2020). Effect of Curcuma Flour (*Curcuma xanthorrhiza Roxb*) Supplement on Crude Protein Consumption, Crude Protein Digestibility and Milk Protein Production in Lactation Dairy Cows. *Jurnal Ilmiah Peternakan Terpadu*, 8(3), 133–140.
- Silvi, S., Ako, Utamy, R. F., Maruddin, F., Gustina, S., and Umpuch, K. (2024). Production Performance and Milk Quality of Holstein Friesian Dairy Cow with the Utilization of Eggshell Meal Extract as a Source of Minerals. *International Journal of Agriculture and Biosciences*, 13(4), 626–631. <https://doi.org/10.47278/journal.ijab/2024.164>
- Siska, I., Ako, A., Natsir, A., and Utamy, R. F. (2024). Bamboo Activated Charcoal on Phytochemical Substances and Quality of Cassava Leaves (*Manihot Utilissima*). *BIO Web of Conferences*, 123, 1–11. <https://doi.org/10.1051/bioconf/202412301005>
- Siska, I., dan Anggrayni, Y. L. (2021). Hubungan konsumsi protein kasar terhadap total protein darah dan kandungan protein susu kambing Peranakan Ettawa (PE). *Jurnal Ilmu Ternak Universitas Padjadjaran*, 21(2), 102. <https://doi.org/10.24198/jit.v21i2.34392>
- Siska, I., Aritonang, S. N., dan Arnim. (2014). Pengaruh Penambahan Daun Ubi Kayu (*Manihot utilisima*) dalam Pakan Terhadap Performa Produksi dan kualitas Susu Kambing Peranakan Ettawa (PE). *Repository Universitas Andalas*. <https://core.ac.uk/reader/300554310>
- Sukarini, I. A. M. (2012). Produksi dan Komposisi Air Susu Kambing Peranakan Etawah yang diberi Tambahan Konsentrat pada Awal Laktasi. *Majalah Ilmiah Peternakan*, 9(1), 1–12.

- Sunaryati, Muktiani, A., & Achmadi, J. (2013). Suplementasi temulawak (*Curcuma xanthoriza*) dan Zn proteinat terhadap konsumsi dan produksi energi susu pada sapi perah. *Animal Agriculture Journal*, 2(1), 168–174.
- Suswono, M. P. (2014). Pedoman Pembibitan Kambing dan Domba Yang Baik. In *NOMOR 102/Permentan/OT.140/7/2014*. <https://peraturan.bpk.go.id/Home/Details/160448/permentan-no-102permentanot14072014-tahun-2014>
- Suyitman, Warly, L., Hellyward, J., and Pazla, R. (2021). Optimization of rumen bioprocess through the addition of phosphorus and sulfur minerals on ammoniated palm leaves and fronds (*Elaeis guineensis* jacq.). *American Journal of Animal and Veterinary Sciences*, 16(4), 225–232. <https://doi.org/10.3844/ajavsp.2021.225.232>
- Tanggela, M., dan Sobang, Y. U. L., (2020). Pengaruh Pemberian Pakan Konsentrat Mengandung Tepung Bonggol Pisang Hasil Fermentasi Khamir *Saccharomyces cerevisiae* terhadap Profil Darah Kambing *Jurnal Peternakan* 503–510. <http://publikasi.undana.ac.id/index.php/JPLK/article/view/k455>
- Thai Agricultural Standard. (2008). Raw Goat Milk. *National Bureau of Agricultural Commodity and Food Standards. Ministry of Agriculture and Cooperatives, Thailand.*, 1–15.
- Utari, F., Prasetyono, B. W. H., dan Muktiani, A. (2012). Kualitas Susu Kambing Perah Peranakan Ettawa Yang Diberi Suplementasi Protein Terproteksi Dalam Wafer Pakan Komplit Berbasis Limbah Agroindustri. *Animal Agriculture Journal*, 1(1), 427–441. <https://doi.org/10.1134/S0016793208040063>
- Wanapat, M., and Cherdthong, A. (2009). Use of real-time PCR technique in studying rumen cellulolytic bacteria population as affected by level of roughage in swamp buffalo. *Current Microbiology*, 58(4), 294–299. <https://doi.org/10.1007/s00284-008-9322-6>
- Wanapat, T. Puramongkon, and W. Siphuak. (2000). Feeding of Cassava Hay for Lactating Dairy Cows. *AsianAus. J. Anim. Sci.*, 13(4). <https://www.animbiosci.org/upload/pdf/13-62.pdf>
- Wang, H. F., Wang, J. L., Wang, C., Zhang, W. M., Liu, J. X., and Dai, B. (2012). Effect of bamboo vinegar as an antibiotic alternative on growth performance and fecal bacterial communities of weaned piglets. In *Livestock Science* (Vol. 144, Issues 1–2, pp. 173–180). <https://doi.org/10.1016/j.livsci.2011.11.015>
- Wijaya, A. I., Ismartoyo, I., and Natsir, A. (2023). Analysis of Rumen Degradation Characteristics of Forage Crude Protein in Goat. *Online Journal of Animal and Feed Research*, 13(3), 217–223. <https://doi.org/10.51227/ojafr.2023.33>
- Wilson, K. (2016). Biochar as Feed Supplement for Cattle. *Pdfs.Semanticscholar.Org*, 12. www.wilsonbiochar.com
- Zhang, Y., Zhang, S., Guan, W., Chen, F., Cheng, L., Lv, Y., and Chen, J. (2018).

GLUT1 and lactose synthetase are critical genes for lactose synthesis in lactating sows. *Nutrition and Metabolism*, 15(1), 1–13. <https://doi.org/10.1186/s12986-018-0276-9>

Zurriyati, Y., Noor, R. R. D., dan Maheswari, R. R. a. (2011). Analisis Molekuler Genotipe Kappa Kasein (K -Kasein) dan Komposisi Susu Kambing Peranakan Etawah , Saanen dan Persilangannya. *Jitv*, 16(1), 61–70.

Daftar Pustaka BAB V

- Adejoro, F. A., Hassen, A., and Thantsha, M. S. (2018). Preparation of acacia tannin loaded lipid microparticles by solid-in-oil-in-water and melt dispersion methods, their characterization and evaluation of their effect on ruminal gas production In Vitro. *PLoS ONE*, 13(10), 1–15. <https://doi.org/10.1371/journal.pone.0206241>
- Adni, J., Putri, A., Suharnas, E., dan Suliasih. (2021). Pengaruh Perendaman Dengan Larutan Garam Terhadap Kandungan Rendemen, Bahan Kering, Serat Kasar Dan Bahan Ekstrak Tanpa Nitrogen (BETN) Umbi Gadung (*Dioscorea hispida*) Sebagai Pakan Ternak. *Jurnal Inspirasi Peternakan*, 1(1), 87–93.
- Ali, M., Mehboob, H. A., Mirza, M. A., Raza, H., and Osredkar, M. (2017). Effect of hydrolysable tannin supplementation on production performance of dairy crossbred cows. *Journal of Animal and Plant Sciences*, 27(4), 1088–1093.
- Amin, M., Damrah Hasan, S., Yanuarianto, O., and Iqbal, M. (2015). Effect of Fermentation Duration on Quality of Ammoniation of Rice Straw with Probiotic *Bacillus* sp. *Jurnal Ilmu Dan Teknologi Peternakan Indonesia*, 1(1), 11–17.
- Ani, A. S., Pujaningsih, R. I., dan Widiyanto. (2015). Perlindungan Protein Menggunakan Tanin dan Saponin Terhadap Daya Fermentasi Rumen dan Sintesis Protein Mikroba (Protection of protein using tannins and Saponins of Rumen Digestibility and Microbes synthesis protein). *Jurnal Veteriner*, 16(3), 439–447. <https://cabidigitallibrary.org>
- Aprianto, S. A., Asril, dan Usman, Y. (2016). Evaluasi Kecernaan In Vitro Complete Feed Fermentasi Berbahan Dasar Ampas Sagu dengan Teknik Fermentasi Berbeda. *Jurnal Ilmiah Mahasiswa Pertanian Unsyiah*, 1(1), 1009–1016.
- Arief, and Pazla, R. (2023). Milk Production and Quality of Etawa Crossbred Goats with Non-Conventional Forages and Palm Concentrates. *American Journal of Animal and Veterinary Sciences*, 18(1), 9–18. <https://doi.org/10.3844/ajavsp.2023.9.18>
- Artanti, O. W., Ridla, M., and Khotijah, L. (2019). The Use of Cassava Leaf (*Manihot esculenta*) with the Different Processing on the Performances of Male Etawa Crossbred Goat. *Ilmiah, Jurnal Terpadu, Peternakan*, 7(2), 223–229.
- Bahri, S., Mukhtar, M., dan Nibras K. Laya. (2022). Kecernaan invitro Silase Pakan Komplit Menggunakan Jerami Jagung Organik dan Anorganik. *Jurnal Ilmu Dan Industri Peternakan*, 8(1), 84–95. <https://doi.org/10.24252/jiip.v8i1.23808>
- Bahri, S., dan Tarmudji. (1984). Keracunan Sianida pada Ternak dan Cara Mengatasinya. *Balai Penelitian Penyakit Hewan*, 1(1), 61–64.
- Beigh, Y. A., Ganai, A. M., and Ahmad, H. A. (2017). Prospects of complete feed system in ruminant feeding: A review. *Veterinary World*, 10(4), 424–437. <https://doi.org/10.14202/vetworld.2017.424-437>
- Besharati, M., Maggiolino, A., Palangi, V., Kaya, A., Jabbar, M., Eseceli, H., De Palo, P., and Lorenzo, J. M. (2022). Tannin in Ruminant Nutrition: Review. *Molecules*, 27(23), 1–26. <https://doi.org/10.3390/molecules27238273>

- Britt, J. S., Thomas, R. C., Speer, N. C., and Hall, M. B. (2003). Efficiency of converting nutrient dry matter to milk in Holstein herds. *Journal of Dairy Science*, *86*(11), 3796–3801. [https://doi.org/10.3168/jds.S0022-0302\(03\)73987-3](https://doi.org/10.3168/jds.S0022-0302(03)73987-3)
- Cherdthong, A., Wanapat, M., Kongmun, P., Pilajun, R., and Khejornsart, P. (2010). Rumen fermentation, microbial protein synthesis and cellulolytic bacterial population of swamp buffaloes as affected by roughage to concentrate ratio. In *Journal of Animal and Veterinary Advances* (Vol. 9, Issue 11, pp. 1667–1675). <https://doi.org/10.3923/javaa.2010.1667.1675>
- Chung, K. T., Wong, T. Y., Wei, C. I., Huang, Y. W., and Lin, Y. (1998). Tannins and human health: A review. *Critical Reviews in Food Science and Nutrition*, *38*(6), 421–464. <https://doi.org/10.1080/10408699891274273>
- Colombini, S., Colombari, G., Crovetto, G. M., Galassi, G., and Rapetti, L. (2009). Tannin treated lucerne silage in dairy cow feeding. *Italian Journal of Animal Science*, *8*(SUPPL. 2), 289–291. <https://doi.org/10.4081/ijas.2009.s2.289>
- Davidson, S., Hopkins, B. A., Diaz, D. E., Bolt, S. M., Brownie, C., Fellner, V., and Whitlow, L. W. (2003). Effects of amounts and degradability of dietary protein on lactation, nitrogen utilization, and excretion in early lactation holstein cows. *Journal of Dairy Science*, *86*(5), 1681–1689. [https://doi.org/10.3168/jds.S0022-0302\(03\)73754-0](https://doi.org/10.3168/jds.S0022-0302(03)73754-0)
- De Ondarza, M. B., and Tricarico, J. M. (2017). REVIEW: Advantages and limitations of dairy efficiency measures and the effects of nutrition and feeding management interventions. *Professional Animal Scientist*, *33*(4), 393–400. <https://doi.org/10.15232/pas.2017-01624>
- Erika, A., Quietud, V., Arturo, C., and Colima-manzanillo, C. (2020). Metabolism and your association with blood biochemical analytes. *Medicina Interna de Mexico*, *15*(1), 1–24. <http://dx.doi.org/>
- Fattah, A. H., Syamsu, J. A., Natsir, A., and Garantjang, S. (2019). VFA Concentration, Ammonia And pH Value In Vivo Ransum Rument System Made From Rice Fermentation Of Lamtoro Leaves, Gamal Leaves And Indigofera Leaves. *Advances in Environmental Biology*, *13*(12), 4–9. <https://doi.org/10.22587/aeb.2019.13.12.2>
- Fredriksz, S., and Joris, L. (2020). Using Sago Pith As Adhesive Substance in Vitro Digestibility of Complete Ration Biscuit. *Jurnal Hutan Pulau-Pulau Kecil*, *4*(1), 91–101. <https://doi.org/10.30598/jhppk.2020.4.1.91>
- Frutos, P., Hervás, G., Natalello, A., Luciano, G., Fondevila, M., Priolo, A., and Toral, P. G. (2020). Ability of tannins to modulate ruminal lipid metabolism and milk and meat fatty acid profiles. *Animal Feed Science and Technology*, *269*, 1–59. <https://doi.org/10.1016/j.anifeedsci.2020.114623>
- Getachew, G., Makkar, H. P. S., and Becker, K. (2000). Effect of polyethylene glycol on in vitro degradability of nitrogen and microbial protein synthesis from tannin-rich browse and herbaceous legumes. *British Journal of Nutrition*, *84*(1), 73–83. <https://doi.org/10.1017/s0007114500001252>

- Getachew, G., Pittroff, W., Putnam, D. H., Dandekar, A., Goyal, S., and DePeters, E. J. (2008). The influence of addition of gallic acid, tannic acid, or quebracho tannins to alfalfa hay on in vitro rumen fermentation and microbial protein synthesis. In *Animal Feed Science and Technology* (Vol. 140, Issues 3–4, pp. 444–461). <https://doi.org/10.1016/j.anifeedsci.2007.03.011>
- Gole, M. P., Fattah, S., and Handayani, H. T. (2020). Pengaruh pemberian pakan konsentrat mengandung tepung bonggol pisang yang difermentasi dengan khamir (*Saccharomyces cerevisiae*) terhadap metabolit darah kambing lokal betina (Effect of including containing *Saccharomyces cerevisiae* fermented banana- c. *Jurnal Peternakan Lahan Kering*, 2(2), 852–858.
- Hambakodu, M., dan Ina, Y. T. (2019). Evaluasi Kecernaan *In-vitro* Bahan Pakan Hasil Samping Agro Industri (Invitro digestibility evaluation of feed ingredients from agro-industry by-product). *Jurnal Agripet*, 19(1), 7–12. <https://doi.org/10.17969/agripet.v19i1.12953>
- Haque, M. R., and Bradbury, J. H. (2004). Preparation of linamarin from cassava leaves for use in a cassava cyanide kit. *Food Chemistry*, 85(1), 27–29. <https://doi.org/10.1016/j.foodchem.2003.06.001>
- Hermawan, I., Ayuningsih, B., Ramdani, D., dan Islam, R. Z. (2017). Pengaruh perendaman dengan filtrat abu jerami padi (FAJP) terhadap lignin dan serat kasar tongkol jagung. *Jurnal Agripet*, 17(2), 139–143. <https://doi.org/10.24843/mip.2016.v19.i01.p05>
- Huang, Q., Liu, X., Zhao, G., Hu, T., and Wang, Y. (2018). Potential and challenges of tannins as an alternative to in-feed antibiotics for farm animal production. In *Animal Nutrition* (Vol. 4, Issue 2, pp. 137–150). <https://doi.org/10.1016/j.aninu.2017.09.004>
- Imsya, A., Laconi, E. B., Wiryawan, K. G., and Widyastuti, Y. (2013). In Vitro Digestibility of Ration Containing Different Level of Palm Oil Frond Fermented with *Phanerochaete chrysosporium*. *Media Peternakan*, 36(2), 131–136. <https://doi.org/10.5398/medpet.2013.36.2.131>
- Jamarun, N., Pazla, R., Arief, Jayanegara, A., and Yanti, G. (2020). Chemical composition and rumen fermentation profile of mangrove leaves (*Avicennia marina*) from West Sumatra, Indonesia. *Biodiversitas*, 21(11), 5230–5236. <https://doi.org/10.13057/biodiv/d211126>
- Jamarun, N., Zain, M., Arief, and Pazla, R. (2017). Effects of calcium, phosphorus and manganese supplementation during oil palm frond fermentation by *Phanerochaete chrysosporium* on laccase activity and in vitro digestibility. *Pakistan Journal of Nutrition*, 16(3), 119–124. <https://doi.org/10.3923/pjn.2017.119.124>
- Jaszczak, E., Polkowska, Ż., Narkowicz, S., and Namieśnik, J. (2017). Cyanides in the environment—analysis—problems and challenges. *Environmental Science and Pollution Research*, 24(19), 15929–15948. <https://doi.org/10.1007/s11356-017-9081-7>

- Katongole, C. B., and Yan, T. (2020). Effect of varying dietary crude protein level on feed intake, nutrient digestibility, milk production, and nitrogen use efficiency by lactating holstein-friesian cows. *Animals*, 10(12), 1–14. <https://doi.org/10.3390/ani10122439>
- Katongole, C. B., and Yan, T. (2022). The Effects of Dietary Crude Protein Level on Ammonia Emissions from Slurry from Lactating Holstein-Friesian Cows as Measured in Open-Circuit Respiration Chambers. *Animals*, 12(10). <https://doi.org/10.3390/ani12101243>
- Kumar, K., Chaudhary, L. C., and Kumar, S. (2014). Exploitation of tannins to modulate rumen ecosystem and ruminants performance: A review. *Indian Journal of Animal Sciences*, 84(6), 609–618. <https://doi.org/10.56093/ijans.v84i6.41560>
- Lambebo, T., and Deme, T. (2022). Evaluation of Nutritional Potential and Effect of Processing on Improving Nutrient Content of Cassava (*Mannihot esculenta crantz*) Root and Leaves. *BioRxiv*, 4 februari(2022).
- Maciel, A. C., da Silva Pena, R., do Nascimento, L. D., de Oliveira, T. A., Chagas-Junior, G. C. A., and Lopes, A. S. (2023). Health exposure risks and bioremediation of cyanide in cassava processing effluents: An overview. *Journal of Water Process Engineering*, 55(April). <https://doi.org/10.1016/j.jwpe.2023.104079>
- Makkar, H. P. S. (2003). Effects and fate of tannins in ruminant animals, adaptation to tannins, and strategies to overcome detrimental effects of feeding tannin-rich feeds. *Small Ruminant Research*, 49(3), 241–256. [https://doi.org/10.1016/S0921-4488\(03\)00142-1](https://doi.org/10.1016/S0921-4488(03)00142-1)
- Marwah, M. P., Suranindyah, Y. Y., dan Murti, T. W. (2010). Produksi dan komposisi susu kambing peranakan ettawa yang diberi suplemen daun katu (*Sauropus androginus (L) merr*) pada awal masa laktasi. *Buletin Peternakan*, 34(2), 94–102.
- McDonald, P., Edwards, R. A., Grenhalgh, J. F. D., Morgan, C. A., Sinclair, L. A., and Wilkinson, R. G. (2018). Animal nutrition. In *Animal nutrition* (7th ed.). <https://doi.org/10.5962/bhl.title.155283>
- McSweeney, C. S., Palmer, B., McNeill, D. M., and Krause, D. O. (2001). Microbial interactions with tannins: Nutritional consequences for ruminants. *Animal Feed Science and Technology*, 91(1–2), 83–93. [https://doi.org/10.1016/S0377-8401\(01\)00232-2](https://doi.org/10.1016/S0377-8401(01)00232-2)
- Mergeduš, A., Pšenková, M., and Janžekovič, M. (2020). Tannins and their Effect on Production Efficiency of Ruminants. *Agricultura*, 12(1–2), 1–11. <https://doi.org/10.18690/agricultura.15.1-2.1-11.2018>
- Min, B. R., and Hart, S. P. (2003). Tannins for suppression of internal parasites. *Journal of Animal Science*, 81(14 suppl_2), E102–E109. www.asas.org/symposia/03esupp2/jas2418.pdf%5Cnhttp://dx.doi.org/2003.8114_suppl_2E102x

- Mueller-Harvey, I. (2006). Unravelling the conundrum of tannins in animal nutrition and health. *Journal of the Science of Food and Agriculture*, 2010–2037. <https://doi.org/10.1002/jsfa>
- Naumann, H. D., Tedeschi, L. O., Zeller, W. E., and Huntley, N. F. (2017). The role of condensed tannins in ruminant animal production: Advances, limitations and future directions. *Revista Brasileira de Zootecnia*, 46(12), 929–949. <https://doi.org/10.1590/S1806-92902017001200009>
- NRC. (2000). Nutrient Requirements of Beef Cattle. In *Nutrient Requirements of Beef Cattle* (Vol. 2000). <https://doi.org/10.17226/9791>
- Nurhajati, T. (2013). Potensi Pemberian Pakan Kosentrat dengan Laktasi Berbeda terhadap Produksi Susu dan Laktose Susu Sapi Perah Peranakan Friesian Holstein. *Veterinaria Medika*, 6(3), 223–228.
- Paengkoum, P., Liang, J. B., Jalan, Z. A., and Basery, M. (2006). Utilization of steam-treated oil palm fronds in growing Saanen goats: II. Supplementation with energy and urea. *Asian-Australasian Journal of Animal Sciences*, 19(11), 1623–1631. <https://doi.org/10.5713/ajas.2006.1623>
- Palmer, B., Jones, R. J., Wina, E., and Tangendjaja, B. (2000). The effect of sample drying conditions on estimates of condensed tannin and fibre content, dry matter digestibility, nitrogen digestibility and PEG binding of *Calliandra calothyrsus*. *Animal Feed Science and Technology*, 87(1–2), 29–40. [https://doi.org/10.1016/S0377-8401\(00\)00182-6](https://doi.org/10.1016/S0377-8401(00)00182-6)
- Pazla, R., Jamarun, N., Zain, M., Yanti, G., and Chandra, R. H. (2021). Quality evaluation of tithonia (*Tithonia diversifolia*) with fermentation using lactobacillus plantarum and aspergillus ficuum at different incubation times. *Biodiversitas*, 22(9), 3936–3942. <https://doi.org/10.13057/BIODIV/D220940>
- Pazla, R., Zain, M., Despal, Tanuwiria, U. H., Putri, E. M., Makmur, M., Zahera, R., Sari, L. A., Afnan, I. M., Rosmalia, A., Yulianti, Y. I., Putri, S. D., Mushawwir, A., and Apriliana, R. A. (2023). Evaluation of Rumen Degradable Protein Values from Various Tropical Foliages Using in Vitro and in Situ Methods. *International Journal of Veterinary Science*, 12(6), 860–868. <https://doi.org/10.47278/journal.ijvs/2023.045>
- Pramono, A., Sari, Y. A., Romadhon, S., Cahyadi, M., dan Nugroho, D. F. (2022). Evaluasi pakan suplemen terproteksi berdasarkan pencernaan bahan kering, pencernaan bahan organik dan pH secara In Vitro. *Livestock and Animal Research*, 20(3), 312. <https://doi.org/10.20961/lar.v20i3.64468>
- Pranata, R., dan Chuzaemi, S. (2020). Nilai Kecernaan *In-vitro* Pakan Lengkap Berbasis Kulit Kopi (*Coffea Sp.*) Menggunakan Penambahan Daun Tanaman Leguminosa In Vitro Digestibility Values of Coffee Hulls (*Coffea Sp.*) *Complete Feed with Leguminosa Leaves Addition*. 3(2), 48–54. <https://doi.org/10.21776/ub.jnt.2020.003.02.1>
- Prapaiwong, T., Srakaew, W., Poolthajit, S., Wachirapakorn, C., and Jarassaeng, C. (2023). Effects of Chestnut Hydrolysable Tannin on Intake, Digestibility, Rumen

- Fermentation, Milk Production and Somatic Cell Count in Crossbred Dairy Cows. *Veterinary Sciences*, 10(4), 1–14. <https://doi.org/10.3390/vetsci10040269>
- Ratya, N., Taufik, E., and Arief, I. I. (2017). Karakteristik Kimia, Fisik dan Mikrobiologis Susu Kambing Peranakan Etawa di Bogor Chemical , Physical and Microbiological Characteristics of Etawa Crossbred Goat Milk In Bogor. *Januari*, 05(1), 1–4.
- Ribeiro, K., Pacheco, F., Ferreira, J., Sousa Neto, E., Hastie, A., Krieger, G., Alvares, P., Forti, M., and Ometto, J. (2020). Tropical peatlands and their contribution to the global carbon cycle and climate change. *Global Change Biology*, 27. <https://doi.org/10.1111/gcb.15408>
- Rivera-Méndez, C., Plascencia, A., Torrentera, N., and Zinn, R. A. (2017). Effect of level and source of supplemental tannin on growth performance of steers during the late finishing phase. *Journal of Applied Animal Research*, 45(1), 199–203. <https://doi.org/10.1080/09712119.2016.1141776>
- Robson, S. (2007). Prussic Acid Poisoning in Livestock. *PrimeFacts*, 417(February), 1–3. http://www.dpi.nsw.gov.au/_data/assets/pdf_file/0013/111190/prussic-acid-poisoning-in-livestock.pdf
- Rustiyana, E., and Fathul, F. (2016). Effect of Substitution of Elephant Grass (*Pennisetum purpureum*) with Palm Leave Sheat on the Digestibility of Crude Protein and Crude Fiber Digestibility in Goats. *Jurnal Ilmiah Peternakan Terpadu*, 4(2), 161–165.
- Samadi, S., Wajizah, S., Usman, Y., Riayatsyah, D., and Firdausyi, Z. Al. (2016). Improving Sugarcane Bagasse as Animal Feed by Ammoniation and Followed by Fermentation with *Trichoderma harzianum* (In Vitro Study). *Animal Production*, 18(1), 14. <https://doi.org/10.20884/1.jap.2016.18.1.516>
- Sari, I. P., Nuswantara, L. K., dan Achmadi, J. (2019). Pengaruh Suplementasi Karbohidrat Mudah Larut yang Berbeda dalam Pakan Berbasis Jerami Padi Amoniasi terhadap Degradabilitas Ruminal In Vitro. *Jurnal Sain Peternakan Indonesia*, 14(2), 161–170. <https://doi.org/10.31186/jspi.id.14.2.161-170>
- Sharma, K., Kumar, V., Kaur, J., Tanwar, B., Goyal, A., Sharma, R., Gat, Y., and Kumar, A. (2021). Health effects, sources, utilization and safety of tannins: a critical review. *Toxin Reviews*, 40(4), 432–444. <https://doi.org/10.1080/15569543.2019.1662813>
- Soto-Blanco, B., and Górnaiak, S. L. (2010). Toxic effects of prolonged administration of leaves of cassava (*Manihot esculenta* Crantz) to goats. *Experimental and Toxicologic Pathology*, 62(4), 361–366. <https://doi.org/10.1016/j.etp.2009.05.011>
- Stephanie, and Purwadaria. (2014). Solid Substrate Fermentation of Cassava Peel for Poultry Feed Ingredient. *Indonesian Bulletin of Animal and Veterinary Sciences*, 23(1), 15–22. <https://doi.org/10.14334/wartazoa.v23i1.955>
- Suningsih, N., Ibrahim, W., Liandris, O., dan Yulianti, R. (2019). Kualitas Fisik dan

- Nutrisi Jerami Padi Fermentasi pada Berbagai Penambahan Starter Physical and Nutrition Quality of Fermented Rice Straw in Various Starter Additions N. Suningsih, W. Ibrahim, O. Liandris, dan R. Yulianti. *Jurnal Sain Peternakan Indonesia*, 14(2), 191–200.
- Surbakti, A. H., Adriani, A., dan Syarifuddin, H. (2022). Kandungan Fraksi Serat Hijauan Pakan Alami yang Tumbuh Diantara Tanaman Hutan Industri Eucalyptus sp pada Umur yang Berbeda. *Jurnal Ilmiah Ilmu-Ilmu Peternakan*, 25(2), 121–133. <https://doi.org/10.22437/jiip.v25i2.20088>
- Suyitman, Warly, L., Hellyward, J., and Pazla, R. (2021). Optimization of rumen bioprocess through the addition of phosphorus and sulfur minerals on ammoniated palm leaves and fronds (*Elaeis guineensis jacq.*). *American Journal of Animal and Veterinary Sciences*, 16(4), 225–232. <https://doi.org/10.3844/ajavsp.2021.225.232>
- Tanggasari, D., dan Jatnika, A. R. (2023). Pengaruh Pengeringan Lapis Tipis Jagung (*Zea mays L*) sebagai Bahan Pakan dengan Suhu yang Berbeda. *Jurnal Keteknikaan Pertanian Tropis Dan Biosistem*, 11(1), 73–81. <https://doi.org/10.21776/ub.jkptb.2023.011.01.07>
- Trisyulianti, E., Suryahadi, dan Rakhman, V. N. (2003). Pengaruh penggunaan molases dan tepung gaplek sebagai bahan perekat terhadap sifat fisik wafer ransum komplit. In *Media Peternak* (Vol. 26, Issue 2, pp. 35–39).
- Tweyongyere, R., and Katongole, I. (2002). Cyanogenic potential of cassava peels and their detoxification for utilization as livestock feed. *Veterinary and Human Toxicology*, 44(6), 366–369.
- Utama, C., Sulistiyanto, B., dan Rahmawati, R. D. (2020). Kualitas Fisik Organoleptis, Hardness Dan Kadar Air Pada Berbagai Pakan Ternak Bentuk Pellet. *Jurnal Litbang Provinsi Jawa Tengah*, 18(1), 43–53. <https://doi.org/10.36762/jurnaljateng.v18i1.808>
- Utari, F., Prasetyono, B. W. H., dan Muktiani, A. (2012). Kualitas Susu Kambing Perah Peranakan Ettawa Yang Diberi Suplementasi Protein Terproteksi Dalam Wafer Pakan Komplit Berbasis Limbah Agroindustri. *Animal Agriculture Journal*, 1(1), 427–441. <https://doi.org/10.1134/S0016793208040063>
- Van Soest, P. J. (1965). Symposium on Factors Influencing the Voluntary Intake of Herbage by Ruminants: Voluntary Intake in Relation to Chemical Composition and Digestibility. *Journal of Animal Science*, 24(3), 834–843. <https://doi.org/10.2527/jas1965.243834x>
- Waghorn, G. C., and Shelton, I. D. (1997). Effect of condensed tannins in Lotus corniculatus on. *Journal of Agricultural Science, Cambridge* (1997), 128, 365–372.
- Wahyuni, I. M. D., Muktiani, A., dan Christiyanto, M. (2014). Kecernaan Bahan Kering dan Bahan Organik dan Degradabilitas Serat pada Pakan yang Disuplementasi Tanin dan Saponin. *Jurnal Agripet*, 14(2), 115–124. <https://doi.org/10.17969/agripet.v14i2.1886>

- Wajizah, S., Samadi, S., Usman, Y., dan Mariana, E. (2015). Evaluasi Nilai Nutrisi dan Kecernaan In Vitro Pelelah Kelapa Sawit (*Oil Palm Fronds*) yang Difermentasi Menggunakan *Aspergillus niger* dengan Penambahan Sumber Karbohidrat yang Berbeda. *Jurnal Agripet*, 15(1), 13–19. <https://doi.org/10.17969/agripet.v15i1.2286>
- Yamashita, S. A., Rachmat, R. D., Tarmidi, A. R., Ayuningsih, B., dan Hernaman, I. (2020). Kecernaan Ransum yang Mengandung Limbah Roti pada Domba. *Jurnal Ilmu Dan Teknologi Peternakan Tropis*, 7(1), 47. <https://doi.org/10.33772/jitro.v7i1.9701>
- Yuningsih. (2012). Keracunan sianida pada hewan dan upaya pencegahannya. *Balai Besar Penelitian Veteriner*, 30, 21–26.
- Yuzbashian, E., Asghari, G., Mirmiran, P., Chan, C. B., and Azizi, F. (2021). Changes in dairy product consumption and subsequent type 2 diabetes among individuals with prediabetes: Tehran Lipid and Glucose Study. *Nutrition Journal*, 20(1), 1–12. <https://doi.org/10.1186/s12937-021-00745-x>
- Zamsari, M., dan Sutrisno, S. (2012). Pemanfaatan Tanin Alami Dalam Memproteksi Protein Bungkil Kelapa Ditinjau Dari Fermentabilitas Protein Secara In Vitro (Utilization of Natural Tannins in Protecting Coconut Meal Protein Judging from the Protein Fermentability In Vitro). *Animal Agriculture Journal*, 1(1), 405–416. <http://ejournal-s1.undip.ac.id/index.php/aaj>
- Zuhra, K., Petrosino, M., Janickova, L., Ascenção, K., Vignane, T., Petric, J., Khalaf, M., Philipp, T. M., Ravani, S., Anand, A., Martins, V., Santos, S., Erdemir, S., Malkondu, S., Sitek, B., Kelestemur, T., Kieronska-Rudek, A., Majtan, T., Filgueira, L., and Szabo, C. (2024). *Endogenously produced hydrogen cyanide serves as a novel mammalian gasotransmitter*. <https://doi.org/10.1101/2024.06.03.597146>
- Zulkarnain, Laconi, E. B., Jayanegara, A., dan Sofyan, A. (2021). Karakteristik Fermentasi Rumen Dan Kecernaan In Vitro Ampas Tahu Dengan Perlakuan Fermentasi Dan Penambahan Tanin. 1–14.

