

DAFTAR PUSTAKA

- Akhavan Rezayat, A., Dadgar Moghadam, M., Ghasemi Nour, M., Shirazinia, M., Ghodsi, H., Rouhbakhsh Zahmatkesh, M. R., Tavakolizadeh Noghabi, M., Hoseini, B., & Akhavan Rezayat, K. (2018). Association between smoking and non-alcoholic fatty liver disease: A systematic review and meta-analysis. *SAGE Open Medicine*, 6. <https://doi.org/10.1177/2050312117745223>
- Al Mahtab, M., Ghosh, J., Bhatia, S., Nagral, A., Bangar, M., Menezes, S., Butt, N., Manchanayake, J. H., & Singh, S. P. (2022). Gender Differences in Nonalcoholic Fatty Liver Disease. *Euroasian Journal of Hepato-Gastroenterology*, 12(S1), S19–S25. <https://doi.org/10.5005/jp-journals-10018-1370>
- Alam, S., Kawser, M., Nisar Ahmed, S. U., Alam, M. M., Islam, M. S., & Nasrin, S. (2024). Longer sitting times and bulk amounts of rice intake are associated with the increased risks of metabolic dysfunction-associated fatty liver diseases (MAFLD): A case-control study. *Clinical Nutrition Open Science*, 58, 275–288. <https://doi.org/10.1016/j.nutos.2024.10.002>
- Aljarallah, B. M. (2025). Prevalence and Risk Factors of Non-Alcoholic Fatty Liver Disease in Central Region of Saudi Arabia: A Cross-Sectional Study. *Journal of Pharmacy and Bioallied Sciences*, 17(Suppl 1), S332–S335. https://doi.org/10.4103/jpbs.jpbs_536_25
- Angelia, W., & Sunardi, D. (2024). Efektivitas Suplementasi Vitamin E Terhadap Perbaikan Kadar Enzim Transaminase pada Pasien Non-Alcoholic Fatty Liver Disease. *Jurnal Sehat Indonesia*, 6(1).
- Anjani, D. A. V. N. (2023). Non-alcoholic Fatty Liver Disease: Diagnosis and Treatment. *Jurnal Biologi Tropis*, 23(3), 213–224. <https://doi.org/10.29303/jbt.v23i3.5016>
- Barchetta, I., Cimini, F. A., & Cavallo, M. G. (2020). Vitamin D and Metabolic Dysfunction-Associated Fatty Liver Disease (MAFLD): An Update. *Nutrients*, 12(11), 3302. <https://doi.org/10.3390/nu12113302>
- Bhargava, B., Rao, P. N., Kulkarni, A. V., Vishnubhotla, R., Pramod, N., Anitha, C. T., & Mahadev, K. (2025). Prevalence of metabolic dysfunction-associated fatty liver disease among information technology employees in India. *Scientific Reports*, 15(1), 10124. <https://doi.org/10.1038/s41598-025-91482-2>
- Bo, Y., Lin, C., Guo, C., Wong, M., Huang, B., Lau, A., Huang, Y., & Lao, X. Q. (2024). Chronic exposure to ambient air pollution and the risk of non-alcoholic fatty liver disease: A cross-sectional study in Taiwan and Hong Kong. *Ecotoxicology and Environmental Safety*, 275. <https://doi.org/10.1016/j.ecoenv.2024.116245>
- Budiman, B. (2024). *Current Management of Metabolic Dysfunction-Associated Steatotic Liver Disease (MASLD)* (Vol. 25, Issue 1).
- Cao, L., An, Y., Liu, H., Jiang, J., Liu, W., Zhou, Y., Shi, M., Dai, W., Lv, Y., Zhao, Y., Lu, Y., Chen, L., & Xia, Y. (2024). Global epidemiology of type 2 diabetes in patients with NAFLD or MAFLD: a systematic review and meta-analysis. *BMC Medicine*, 22(1), 101. <https://doi.org/10.1186/s12916-024-03315-0>
- Cao, Y., Zhang, W., Lou, Y., Yan, Q., Zhang, Y., Qi, F., Xiang, L., Lv, T., Fang, Z., Yu, J., & Zhou, X. (2023). Sex- and reproductive status-specific relationships between body composition and non-alcoholic fatty liver disease. *BMC Gastroenterology*, 23(1), 364. <https://doi.org/10.1186/s12876-023-02997-9>
- Chandra, S. J., & Gunawan, P. A. (2024). Description of HbA1c Levels in Fatty Liver Disease Patients in a West Jakarta Private Hospital in 2018-2019. *International Journal of Public Health Excellence (IJPHE)*, 4(1), 044–050. <https://doi.org/10.55299/ijphe.v4i1.922>
- Charatcharoenwitthaya, P., Kuljirattitikal, K., Aksornchanya, O., Chaiyasoot, K.,

- Bandidniyamanon, W., & Charatcharoenwitthaya, N. (2021). Moderate-Intensity Aerobic vs Resistance Exercise and Dietary Modification in Patients with Nonalcoholic Fatty Liver Disease: A Randomized Clinical Trial. *Clinical and Translational Gastroenterology*, 12. <https://doi.org/10.14309/ctg.0000000000000316>
- Chen, C., Si, S., Du, J., & Li, H. (2024). Prospective cohort study of Helicobacter pylori infection on the risk of nonalcoholic fatty liver disease. *Facets*, 9(1), 1–8. <https://doi.org/10.1139/facets-2023-0146>
- Chung, N. T., Hsu, C. Y., Shih, N. C., & Wu, J. J. (2025). Elevated concurrent carotid atherosclerosis rates in patients with metabolic dysfunction-associated fatty liver disease (MAFLD) compared to non-alcoholic fatty liver disease (NAFLD): A cross-sectional observational study. *Nutrition, Metabolism and Cardiovascular Diseases*, 35(1). <https://doi.org/10.1016/j.numecd.2024.10.006>
- Cooper, K. M., Delk, M., Devuni, D., & Sarkar, M. (2023). Sex differences in chronic liver disease and benign liver lesions. *JHEP Reports*, 5(11), 100870. <https://doi.org/10.1016/j.jhepr.2023.100870>
- Darmayatni, S., Sa'diyah, A., Supiati, Muttaqin, M., Rachmawati, F., & Widia, C. (2023). *Kesehatan Keselamatan Kerja (K3)* (N. Rismawati, Ed.; 1st ed., Vol. 1). Widina Bhakti Persada.
- De, A., Bhagat, N., Mehta, M., Singh, P., Rathi, S., Verma, N., Taneja, S., Premkumar, M., & Duseja, A. (2025). Central Obesity is an Independent Determinant of Advanced Fibrosis in Lean Patients With Nonalcoholic Fatty Liver Disease. *Journal of Clinical and Experimental Hepatology*, 15(1). <https://doi.org/10.1016/j.jceh.2024.102400>
- de Brito, J. N., McDonough, D. J., Mathew, M., VanWagner, L. B., Schreiner, P. J., Gabriel, K. P., Jacobs, D. R., Terry, J. G., Carr, J. J., & Pereira, M. A. (2023). Young Adult Physical Activity Trajectories and Midlife Nonalcoholic Fatty Liver Disease. *JAMA Network Open*, 6(10), e2338952. <https://doi.org/10.1001/jamanetworkopen.2023.38952>
- Denova-Gutiérrez, E., Rivera-Paredes, B., Quezada-Sánchez, A. D., Armenta-Guirado, B. I., Muñoz-Aguirre, P., Flores, Y. N., Velázquez-Cruz, R., & Salmerón, J. (2025). Soft drink consumption and increased risk of nonalcoholic fatty liver disease: Results from the health workers cohort study. *Annals of Hepatology*, 30(1). <https://doi.org/10.1016/j.aohep.2024.101566>
- Dewi, K. P., Abida, A. N., Aswandani, A., Anggraeni, B. A. U., Shofa, D. A., Aunurrahman, M. R. A., & Husna, N. F. (2024). Hepatic Cirrhosis: A Literature Review. *Jurnal Biologi Tropis*, 24(1b), 35–41. <https://doi.org/10.29303/jbt.v24i1b.7801>
- Di Pietrantonio, D., Pace Palitti, V., Cichelli, A., & Tacconelli, S. (2024). Protective Effect of Caffeine and Chlorogenic Acids of Coffee in Liver Disease. *Foods*, 13(14), 2280. <https://doi.org/10.3390/foods13142280>
- Dick, S., Wheeler, K., & Keating, S. E. (2024). Opportunities for the management of metabolic dysfunction-associated fatty liver disease within Aboriginal and Torres Strait Islander peoples. *Australian and New Zealand Journal of Public Health*, 48(2). <https://doi.org/10.1016/j.anzjph.2024.100138>
- DiStefano, J. K. (2020). NAFLD and NASH in Postmenopausal Women: Implications for Diagnosis and Treatment. *Endocrinology*, 161(10). <https://doi.org/10.1210/endocr/bqaa134>
- Dolati, S., Ghojzadeh, M., Parsian, Z., Kangari, M., Vahed, N., Hamishehkar, H., & Soleimanpour, H. (2024). Tea and coffee consumption impact on the non-alcoholic fatty liver disease: a systematic review and meta-analysis. *Journal of Research in Clinical Medicine*, 12, 5. <https://doi.org/10.34172/jrcm.2024.33358>
- Ebadi, M., Ip, S., Bhanji, R. A., & Montano-Loza, A. J. (2021). Effect of coffee consumption on non-alcoholic fatty liver disease incidence, prevalence and risk of significant liver fibrosis:

- Systematic review with meta-analysis of observational studies. In *Nutrients* (Vol. 13, Issue 9). MDPI. <https://doi.org/10.3390/nu13093042>
- El Gazzar, W. B., Hannoun, L. M., Shaban, D. N., Rababa, F. M., Al-Maqableh, S. M., Zawahreh, H. B., Abu-Jaber, A. A., Al-Sarhan, S. M., Bassiouni, J. A., & Nabil, N. (2024). Awareness of non-alcoholic fatty liver disease among Jordanian parents of overweight and obese children. *Clinical Epidemiology and Global Health*, *30*. <https://doi.org/10.1016/j.cegh.2024.101858>
- Elvania, N. C. (2022). *Elvania, S. N., 2022. K3 Lingkungan. Widina Bhakti Persada, Bandung. ISBN* (1st ed., Vol. 1). Widina Bhakti Persada.
- En Li Cho, E., Ang, C. Z., Quek, J., Fu, C. E., Lim, L. K. E., Heng, Z. E. Q., Tan, D. J. H., Lim, W. H., Yong, J. N., Zeng, R., Chee, D., Nah, B., Lesmana, C. R. A., Bwa, A. H., Win, K. M., Faulkner, C., Aboona, M. B., Lim, M. C., Syn, N., ... Loomba, R. (2023). Global prevalence of non-alcoholic fatty liver disease in type 2 diabetes mellitus: an updated systematic review and meta-analysis. *Gut*, *72*(11), 2138–2148. <https://doi.org/10.1136/gutjnl-2023-330110>
- Fadhilah, J., Zariyah, H., Pramono, A., Purnomo, H. D., Syauqy, A., Afifah, D. N., Fadhillah, F. S., & Purwanti, R. A. (2024). Effect of synbiotic supplementation on liver function, metabolic profile and gut microbiota in non-alcoholic fatty liver disease (NAFLD): A meta-analysis of randomized controlled trials. In *Clinical Nutrition Open Science* (Vol. 56, pp. 128–151). Elsevier B.V. <https://doi.org/10.1016/j.nutos.2024.05.014>
- Feng, C., Yang, B., Wang, Z., Zhang, J., Fu, Y., Yu, B., Dong, S., Ma, H., Liu, H., Zeng, H., Reinhardt, J. D., & Yang, S. (2024). Relationship of long-term exposure to air pollutant mixture with metabolic-associated fatty liver disease and subtypes: A retrospective cohort study of the employed population of Southwest China. *Environment International*, *188*. <https://doi.org/10.1016/j.envint.2024.108734>
- Fitzinger, J., Rodriguez-Blanco, G., Herrmann, M., Borenich, A., Stauber, R., Aigner, E., & Mangge, H. (2024). Gender-Specific Bile Acid Profiles in Non-Alcoholic Fatty Liver Disease. *Nutrients*, *16*(2), 250. <https://doi.org/10.3390/nu16020250>
- Francque, S. M., Marchesini, G., Kautz, A., Walmsley, M., Dorner, R., Lazarus, J. V., Zelber-Sagi, S., Hallsworth, K., Busetto, L., Frühbeck, G., Dicker, D., Woodward, E., Korenjak, M., Willemse, J., Koek, G. H., Vinker, S., Ungan, M., Mendive, J. M., & Lionis, C. (2021). Non-alcoholic fatty liver disease: A patient guideline. *JHEP Reports*, *3*(5). <https://doi.org/10.1016/j.jhepr.2021.100322>
- Fresneda, S., Abbate, M., Busquets-Cortés, C., López-González, A., Fuster-Parra, P., Bennasar-Veny, M., & Yáñez, A. M. (2022). Sex and age differences in the association of fatty liver index-defined non-alcoholic fatty liver disease with cardiometabolic risk factors: a cross-sectional study. *Biology of Sex Differences*, *13*(1), 64. <https://doi.org/10.1186/s13293-022-00475-7>
- Gao, Y., Zhao, T., Song, S., Duo, Y., Gao, J., Yuan, T., & Zhao, W. (2023). Lean nonalcoholic fatty liver disease and risk of incident type 2 diabetes mellitus: A literature review and meta-analysis. *Diabetes Research and Clinical Practice*, *200*, 110699. <https://doi.org/10.1016/j.diabres.2023.110699>
- Gofton, C., Upendran, Y., Zheng, M. H., & George, J. (2023). MAFLD: How is it different from NAFLD? In *Clinical and Molecular Hepatology* (Vol. 29, pp. S17–S31). Korean Association for the Study of the Liver. <https://doi.org/10.3350/cmh.2022.0367>
- Golubeva, J. A., Sheptulina, A. F., Elkina, A. Yu., Liusina, E. O., Kiselev, A. R., & Drapkina, O. M. (2023). Which Comes First, Nonalcoholic Fatty Liver Disease or Arterial Hypertension? *Biomedicines*, *11*(9), 2465. <https://doi.org/10.3390/biomedicines11092465>
- Greco, S., Campigotto, M., D'Amuri, A., Fabbri, N., & Passaro, A. (2024). Dyslipidemia,

- Cholangitis and Fatty Liver Disease: The Close Underexplored Relationship: A Narrative Review. In *Journal of Clinical Medicine* (Vol. 13, Issue 9). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/jcm13092714>
- Guo, W., Lu, J., Qin, P., Li, X., Zhu, W., Wu, J., Xu, N., & Zhang, Q. (2020). The triglyceride-glucose index is associated with the severity of hepatic steatosis and the presence of liver fibrosis in non-alcoholic fatty liver disease: a cross-sectional study in Chinese adults. *Lipids in Health and Disease*, 19(1), 218. <https://doi.org/10.1186/s12944-020-01393-6>
- Hakim, A., Ismunandar, H., & Wahyuni, A. (2022). Manajemen Diabetes Melitus : An Update. In *Putu Ristyaning Ayu SangginglManajemen Diabetes Melitus : An Update Medula |* (Vol. 12).
- Han, J., Liu, C., Yang, H., Dong, Z., Li, X., Gao, R., Li, J., Zhang, Q., Ming, W. kit, Li, Z., Li, J., & Qi, X. (2025). Caffeine intake associated with a lower risk of liver fibrosis in different glucose status. *Journal of Advanced Research*. <https://doi.org/10.1016/j.jare.2025.02.004>
- HANDAJANI, F., PERMANA, I. G. P. B. T., TARUNA, D., & UNTARI, N. K. S. D. (2023). Efek Pemberian Eucheuma spinosum sebagai Profilaksis dalam Penghambatan Peningkatan SGPT pada Tikus yang Diinduksi Dexamethasone. *Hang Tuah Medical Journal*, 21(1), 10–24. <https://doi.org/10.30649/htmj.v21i1.359>
- Huang, X., Luo, M., Zeng, Y. Y., Yi, J., Lin, S., Wang, Y., Zheng, X., & Luo, X. (2025a). Effect of therapeutic lifestyle changes on patients with overweight/obesity and non-alcoholic fatty liver disease: A randomized controlled trial. *American Journal of the Medical Sciences*, 369(3), 373–379. <https://doi.org/10.1016/j.amjms.2024.10.005>
- Huang, X., Luo, M., Zeng, Y. Y., Yi, J., Lin, S., Wang, Y., Zheng, X., & Luo, X. (2025b). Effect of therapeutic lifestyle changes on patients with overweight/obesity and non-alcoholic fatty liver disease: A randomized controlled trial. *American Journal of the Medical Sciences*, 369(3), 373–379. <https://doi.org/10.1016/j.amjms.2024.10.005>
- Huang, Y.-P., Zhang, S., Zhang, M., Wang, Y., Wang, W.-H., Li, J., Li, C., & Lin, J.-N. (2021). Gender-specific prevalence of metabolic-associated fatty liver disease among government employees in Tianjin, China: a cross-sectional study. *BMJ Open*, 11(12), e056260. <https://doi.org/10.1136/bmjopen-2021-056260>
- lahtisham-UI-Haq, Nadeem, M., Sharma, A., Mugabi, R., Waseem, M., & Nayik, G. A. (2025). Beyond medication: Unveiling the role of diet and lifestyle in fatty liver disease management. In *Human Nutrition and Metabolism* (Vol. 40). Elsevier B.V. <https://doi.org/10.1016/j.hnm.2025.200317>
- Immanuel Setiawan, S., Kurniawan, J., Bhakti Asih, R., Tangerang, K., & Hepatobilier, D. (n.d.). *Pilihan Tatalaksana Penyakit Perlemakan Hati Non-Alkohol (Non-Alcoholic Fatty Liver Disease/ NAFLD)* (Vol. 48, Issue 3).
- Jiang, W., Mao, X., Liu, Z., Zhang, T., Jin, L., & Chen, X. (2023). Global Burden of Nonalcoholic Fatty Liver Disease, 1990 to 2019. *Journal of Clinical Gastroenterology*, 57(6), 631–639. <https://doi.org/10.1097/MCG.0000000000001739>
- Julián, M. T., Arteaga, I., Torán-Monserrat, P., Pera, G., Pérez-Montes de Oca, A., Ruiz-Rojano, I., Casademunt-Gras, E., Chacón, C., & Alonso, N. (2024). The Link between Abdominal Obesity Indices and the Progression of Liver Fibrosis: Insights from a Population-Based Study. *Nutrients*, 16(11), 1586. <https://doi.org/10.3390/nu16111586>
- Jung, H.-S., Chang, Y., Kwon, M.-J., Sung, E., Yun, K. E., Cho, Y. K., Shin, H., & Ryu, S. (2019). Smoking and the Risk of Non-Alcoholic Fatty Liver Disease: A Cohort Study. *American Journal of Gastroenterology*, 114(3), 453–463. <https://doi.org/10.1038/s41395-018-0283-5>
- Kim, B. S., Kim, H. J., Jeon, S. W., Kim, K. H., Kim, D. W., & Shin, J. H. (2025). Comparing non-alcoholic fatty liver disease indices in predicting the prevalence and incidence of metabolic

- syndrome in middle-aged adults. *Heliyon*, 11(7).
<https://doi.org/10.1016/j.heliyon.2025.e43073>
- Kim, K., Lee, Y.-J., Kwon, S.-C., Min, Y.-S., Lee, H. K., Baek, G., Kim, S. H., & Jang, E.-C. (2022). Correlation between shift work and non-alcoholic fatty liver disease among male workers in the steel manufacturing company of Korea: a cross-sectional study. *Annals of Occupational and Environmental Medicine*, 34(1).
<https://doi.org/10.35371/aoem.2022.34.e33>
- Kong, L., Yang, Y., Li, H., Shan, Y., Wang, X., & Shan, X. (2023). Prevalence of nonalcoholic fatty liver disease and the related risk factors among healthy adults: A cross-sectional study in Chongqing, China. *Frontiers in Public Health*, 11.
<https://doi.org/10.3389/fpubh.2023.1127489>
- Kositamongkol, C., Kanchanasurakit, S., Auttamalang, C., Inchai, N., Kabkaew, T., Kitpark, S., Chaiyakunapruk, N., Duangjai, A., Saokaew, S., & Phisalprapa, P. (2021). Coffee Consumption and Non-alcoholic Fatty Liver Disease: An Umbrella Review and a Systematic Review and Meta-analysis. *Frontiers in Pharmacology*, 12.
<https://doi.org/10.3389/fphar.2021.786596>
- Lee, Y., & Lee, W. (2024). Shift work and non-alcoholic fatty liver disease in young, healthy workers. *Scientific Reports*, 14(1). <https://doi.org/10.1038/s41598-024-70538-9>
- li, K., Wang, J., Dang, M., Ren, R., Fu, M., Wang, J., Zhang, Q., & Zhao, C. (2025). Global research trends in Chinese medicine for the treatment of non-alcoholic fatty liver disease (NAFLD): A bibliometric study. *Pharmacological Research - Modern Chinese Medicine*, 14.
<https://doi.org/10.1016/j.prmcm.2025.100585>
- Li, P., Yang, Q., Wang, X., Sun, S., Cao, W., Yu, S., Zhan, S., & Sun, F. (2023). Dose-response relationship between physical activity and nonalcoholic fatty liver disease: A prospective cohort study. *Chinese Medical Journal*, 136(12), 1494–1496.
<https://doi.org/10.1097/CM9.0000000000002532>
- Li, R., Wang, T., Luo, H., Fan, Y., Guan, Y., & Tian, Y. (2025). Causal effects and mediating pathways of metabolic dysfunction-associated fatty liver disease on novel subtypes of adult-onset diabetes: A two-step Mendelian randomization study. *Nutrition, Metabolism and Cardiovascular Diseases*, 35(6). <https://doi.org/10.1016/j.numecd.2025.103976>
- Lim, G.-Y., Chang, Y., Kim, I., Ryu, S., Kwon, R., & Song, J. (2023). Long working hours and increased risks of lean non-alcoholic fatty liver disease among Korean men and women. *Scientific Reports*, 13(1), 12230. <https://doi.org/10.1038/s41598-023-39154-x>
- Linden-Torres, E., Zambrano-Galván, G., Sahebkar, A., Ríos-Mier, M., & Simental-Mendía, L. E. (2022). Coffee consumption has no effect on circulating markers of liver function but increases adiponectin concentrations: A systematic review and meta-analysis of randomized controlled trials. *Nutrition Research*, 106, 24–34.
<https://doi.org/10.1016/j.nutres.2022.07.010>
- Liu, F., Chen, S., Li, X., Li, S., Xiao, Y., Han, J., Tu, Y., Bao, Y., Bai, W., & Yu, H. (2023). Obesity-Induced Hepatic Steatosis Is Partly Mediated by Visceral Fat Accumulation in Subjects with Overweight/Obesity: A Cross-Sectional Study. *Obesity Facts*, 16(2), 164–172. <https://doi.org/10.1159/000527595>
- Loomba, R., Friedman, S. L., & Shulman, G. I. (2021). Mechanisms and disease consequences of nonalcoholic fatty liver disease. *Cell*, 184(10), 2537–2564.
<https://doi.org/10.1016/j.cell.2021.04.015>
- Luo, H., Xing, L., Fu, T., Xiao, S., & Fan, L. (2024). Occupational stress trajectories and metabolic dysfunction-associated steatotic liver disease among female nurses: a prospective Cohort Study. *BMC Public Health*, 24(1), 3188. <https://doi.org/10.1186/s12889-024-20742-z>

- Ma, C., Yan, K., Wang, Z., Zhang, Q., Gao, L., Xu, T., Sai, J., Cheng, F., & Du, Y. (2021). The association between hypertension and nonalcoholic fatty liver disease (NAFLD): literature evidence and systems biology analysis. *Bioengineered*, *12*(1), 2187–2202. <https://doi.org/10.1080/21655979.2021.1933302>
- Maidstone, R., Rutter, M. K., Marjot, T., Ray, D. W., & Baxter, M. (2024). Shift work and evening chronotype are associated with hepatic fat fraction and non-alcoholic fatty liver disease in 282,303 UK biobank participants. *Endocrine Connections*, *13*(2). <https://doi.org/10.1530/EC-23-0472>
- Mantovani, A., Petracca, G., Beatrice, G., Tilg, H., Byrne, C. D., & Targher, G. (2021). Non-alcoholic fatty liver disease and risk of incident diabetes mellitus: an updated meta-analysis of 501 022 adult individuals. *Gut*, *70*(5), 962–969. <https://doi.org/10.1136/gutjnl-2020-322572>
- Mayasari, V. I., & Puspitasari, Y. (2022). Non-Alcoholic Fatty Liver Disease and Metabolic Syndrome: Diagnostic and Laboratory Approach. *Indonesian Journal of Clinical Pathology and Medical Laboratory*, *1*(1), 86–93.
- Moon, S. Y., Son, M., Kang, Y. W., Koh, M., Lee, J. Y., & Baek, Y. H. (2023). Alcohol consumption and the risk of liver disease: a nationwide, population-based study. *Frontiers in Medicine*, *10*. <https://doi.org/10.3389/fmed.2023.1290266>
- Nakanekar, A., & Jaiswal, R. (2025). Ayurvedic management of non-alcoholic fatty liver disease with obesity and rheumatoid arthritis– A case report. *Phytomedicine Plus*, *5*(3). <https://doi.org/10.1016/j.phyplu.2025.100787>
- Niezen, S., Mehta, M., Jiang, Z. G., & Tapper, E. B. (2022). Coffee Consumption Is Associated With Lower Liver Stiffness: A Nationally Representative Study. *Clinical Gastroenterology and Hepatology*, *20*(9), 2032-2040.e6. <https://doi.org/10.1016/j.cgh.2021.09.042>
- Nouredin, N., Nouredin, M., Singh, A., & Alkhouri, N. (2022). Progression of Nonalcoholic Fatty Liver Disease-Associated Fibrosis in a Large Cohort of Patients with Type 2 Diabetes. *Digestive Diseases and Sciences*, *67*(4), 1379–1388. <https://doi.org/10.1007/s10620-021-06955-x>
- Pan, K., Xu, J., Xu, Y., Wang, C., & Yu, J. (2024). The association between endocrine disrupting chemicals and nonalcoholic fatty liver disease: A systematic review and meta-analysis. In *Pharmacological Research* (Vol. 205). Academic Press. <https://doi.org/10.1016/j.phrs.2024.107251>
- Pirahesh, K., Zarrinnia, A., Nikniaz, L., & Nikniaz, Z. (2025). Association between sleep duration and risk of nonalcoholic fatty liver disease: A systematic review and meta-analysis. In *Preventive Medicine Reports* (Vol. 50). Elsevier Inc. <https://doi.org/10.1016/j.pmedr.2025.102968>
- Qi, F., Li, T., Deng, Q., & Fan, A. (2024). The Impact of Aerobic and Anaerobic Exercise Interventions on the Management and Outcomes of Non-Alcoholic Fatty Liver Disease. *Physiological Research*, *5/2024*, 671–686. <https://doi.org/10.33549/physiolres.935244>
- Rabelo, A. C. S., Andrade, A. K. de L., & Costa, D. C. (2024). The Role of Oxidative Stress in Alcoholic Fatty Liver Disease: A Systematic Review and Meta-Analysis of Preclinical Studies. *Nutrients*, *16*(8). <https://doi.org/10.3390/nu16081174>
- Rahayu Puji Astuti Nussa, O., Kurnianto, A., Sigit, M., Surabaya, K., Reproduksi Veteriner, L., Kedokteran Hewan, F., & Wijaya Kusuma Surabaya, U. (2024). Histopathological Changes of the Liver in Male White Rats (*Rattus Norvegicus*) Exposed to Conventional and Herbal Cigarette Smoke. *Jurnal Medika Veterinaria Februari, 2024*(1), 1–6. <https://doi.org/10.21157/j.med.vet.v14i2.35643>
- Rahmawati, R., Suardi, S., Fatmawati, A., Hasnah, Hj., & Yusuf, St. H. (2024). Pemeriksaan Kadar Serum Glutamic Pyruvic Transaminase (SGPT) Pada Peminum Alkohol Dan

- Perokok Aktif Di Kecamatan Rappocini Kota Makassar. *Jurnal Media Analis Kesehatan*, 15(1), 71–78. <https://doi.org/10.32382/jmak.v15i1.667>
- Ramírez-Mejía, M. M., Qi, X., Abenavoli, L., & Méndez-Sánchez, N. (2024a). The myth of the stigma of fatty liver: What does the evidence show? In *Annals of Hepatology* (Vol. 29, Issue 6). Elsevier Espana S.L.U. <https://doi.org/10.1016/j.aohep.2024.101535>
- Ramírez-Mejía, M. M., Qi, X., Abenavoli, L., & Méndez-Sánchez, N. (2024b). The myth of the stigma of fatty liver: What does the evidence show? In *Annals of Hepatology* (Vol. 29, Issue 6). Elsevier Espana S.L.U. <https://doi.org/10.1016/j.aohep.2024.101535>
- Rinjani, A. M., Septriana, M., & Herawati, L. (2022). ABNORMAL BLOOD LIPIDS LEVELS (DYSLIPIDEMIA) TREATMENT WITH ACUPUNCTURE METHOD. *Journal of Vocational Health Studies*, 5(3), 157. <https://doi.org/10.20473/jvhs.v5.i3.2022.157-165>
- Roumans, K. H. M., Basset Sagarminaga, J., Peters, H. P. F., Schrauwen, P., & Schrauwen-Hinderling, V. B. (2021). Liver fat storage pathways: methodologies and dietary effects. *Current Opinion in Lipidology*, 32(1), 9–15. <https://doi.org/10.1097/MOL.0000000000000720>
- Scheres, L. J. J., Brækkan, S. K., Verlaan, J. P. L., Cannegieter, S. C., Hansen, J. B., & Morelli, V. M. (2024). The fatty liver index and risk of incident venous thromboembolism: the Tromsø Study. *Research and Practice in Thrombosis and Haemostasis*, 8(4). <https://doi.org/10.1016/j.rpth.2024.102447>
- Shen, C., Tsoi, M.-F., Brosolo, G., Han Ng, C., Nws, C., Djh, T., Rwk, L., Pwl, T., & J-w, W. (n.d.). *Hypertension is prevalent in non-alcoholic fatty liver disease and increases all-cause and cardiovascular mortality.*
- Shen, D., Song, S., Hu, J., Cai, X., Zhu, Q., Zhang, Y., Ma, R., Zhou, P., Zhang, Z., Hong, J., & Li, N. (2025). The potential of spironolactone to mitigate the risk of nonalcoholic fatty liver disease in hypertensive populations: evidence from a cohort study. *European Journal of Gastroenterology & Hepatology*, 37(9), 1010–1020. <https://doi.org/10.1097/MEG.0000000000002986>
- Shi, R., Chai, K., Wang, H., Guo, S., Zhai, Y., Huang, J., Yang, S., Li, J., Zhou, J., Qiao, C., Sheng, X., Zhang, X., & Wu, J. (2024). Comparative effectiveness of five Chinese patent medicines for non-alcoholic fatty liver disease: A systematic review and Bayesian network meta-analysis. *Phytomedicine*, 135. <https://doi.org/10.1016/j.phymed.2024.156124>
- Song, E., Kim, J. A., Roh, E., Yu, J. H., Kim, N. H., Yoo, H. J., Seo, J. A., Kim, S. G., Kim, N. H., Baik, S. H., & Choi, K. M. (2021). Long Working Hours and Risk of Nonalcoholic Fatty Liver Disease: Korea National Health and Nutrition Examination Survey VII. *Frontiers in Endocrinology*, 12. <https://doi.org/10.3389/fendo.2021.647459>
- Song, Q., Liu, S., Ling, Q. H., Gao, Q. N., Yang, R. X., Chen, S. H., Wu, S., Chen, M. L., & Cai, J. (2022). Severity of Nonalcoholic Fatty Liver Disease is Associated With Cardiovascular Outcomes in Patients With Prehypertension or Hypertension: A Community–Based Cohort Study. *Frontiers in Endocrinology*, 13. <https://doi.org/10.3389/fendo.2022.942647>
- Sriwaningsi, L., Natadidjaja, H., Sudarma, V., Herwana, E., Studi Sarjana Kedokteran, P., Kedokteran, F., Trisakti, U., Ilmu Penyakit Dalam, B., Ilmu Gizi, B., & Ilmu Biomedik Fakultas Kedokteran, B. (2023). *HUBUNGAN OBESITAS DAN HIPERTRIGLISERIDEMIA DENGAN KEJADIAN PERLEMAKAN HATI PADA USIA 30-60 TAHUN.* 4(3).
- Sun, L., He, Z., Li, Y., Huo, Z., & Liu, L. (2025). The relationship between nutrient intake, lifestyle, and non-alcoholic fatty liver disease in patients with type 2 diabetes mellitus: Results from the National Health and Nutrition Examination Surveys 2007–2018. *Clinical Nutrition ESPEN*, 66, 446–453. <https://doi.org/10.1016/j.clnesp.2025.02.008>
- Supriatna, N., & Siregar, N. C. (2022). Innate Immune Response in Non Alcoholic Fatty Liver Disease: An Overview of Alterations in TLR9, Macrophages, and TNF α . *Proceedings Book*

- of International Conference and Exhibition on The Indonesian Medical Education Research Institute, 6, 75–84. <https://doi.org/10.69951/proceedingsbookoficeonimeri.v6i-131>
- Takenaka, H., Fujita, T., Masuda, A., Yano, Y., Watanabe, A., & Kodama, Y. (2020). Non-Alcoholic Fatty Liver Disease Is Strongly Associated with Smoking Status and Is Improved by Smoking Cessation in Japanese Males: A Retrospective Study. *The Kobe Journal of Medical Sciences*, 66(3), E102–E112.
- Tao, M., Zhou, G., Liu, J., He, M., Wang, C., Luo, X., & Zhang, L. (2023). Visceral adipose tissue and risk of nonalcoholic fatty liver disease: A Mendelian randomization study. *Clinical Endocrinology*, 99(4), 370–377. <https://doi.org/10.1111/cen.14953>
- Thamrin, Y. (2022). *Epidemiologi Okupasi* (1st ed., Vol. 1). Karya Sang Pencerah.
- Tokarski, R., Barbosa, S., Pignon, B., Aouizerate, B., Andrieu, C., Andre, M., Boukouaci, W., Capdevielle, D., Chereau, I., Dondé, C., Kobayashi, J. C., Dorey, J. M., Dubertret, C., Fakra, E., Fond, G., Goze, T., Leignier, S., Llorca, P. M., Mallet, J., ... Godin, O. (2025). Clinical and inflammatory markers associated with metabolic dysfunction-associated fatty liver disease in a cohort of individuals with chronic schizophrenia (FACE-SZ). *Journal of Psychosomatic Research*, 195. <https://doi.org/10.1016/j.jpsychores.2025.112192>
- Tsamos, G., Vasdeki, D., Koufakis, T., Michou, V., Makedou, K., & Tzimagiorgis, G. (2023). Therapeutic Potentials of Reducing Liver Fat in Non-Alcoholic Fatty Liver Disease: Close Association with Type 2 Diabetes. *Metabolites*, 13(4), 517. <https://doi.org/10.3390/metabo13040517>
- van Kleef, L. (2023). *Fatty liver disease in the general population: Redefining, early detection and disease management*. Erasmus University Rotterdam.
- Vo, J., Truyen, T. T. T., Uy-Evanado, A., Sargsyan, A., Chugh, H., Young, C., Hurst, S., Miyake, C. Y., Reinier, K., & Chugh, S. S. (2025). Sudden cardiac death associated with fatty liver disease. *IJC Heart and Vasculature*, 56. <https://doi.org/10.1016/j.ijcha.2025.101602>
- Wang, J., Li, H., Wang, X., Shi, R., Hu, J., Zeng, X., Luo, H., Yang, P., Luo, H., Cao, Y., Cai, X., Chen, S., & Wang, D. (2024). Association between triglyceride to high-density lipoprotein cholesterol ratio and nonalcoholic fatty liver disease and liver fibrosis in American adults: an observational study from the National Health and Nutrition Examination Survey 2017–2020. *Frontiers in Endocrinology*, 15. <https://doi.org/10.3389/fendo.2024.1362396>
- Wang, R., Wu, N., Qu, H., Zheng, X., Zhang, H., Zhu, L., Wang, X., Yao, X., & Zhang, L. (2025). The association between working hours and working type with non-alcoholic fatty liver disease: results from the NHANES 1999-2014. *Frontiers in Endocrinology*, 15. <https://doi.org/10.3389/fendo.2024.1499735>
- Wati, R., Rustiah, W., Rauf, D., & Rais, K. (2023). GAMBARAN PEMERIKSAAN KADAR BILIRUBIN TOTAL PADA PENGONSUMSI MINUMAN BERALKOHOL. *Jurnal Media Analis Kesehatan*, 14(1), 1. <https://doi.org/10.32382/mak.v14i1.3198>
- Wongtrakul, W., Niltwat, S., & Charatcharoenwiththaya, P. (2021). The Effects of Modest Alcohol Consumption on Non-alcoholic Fatty Liver Disease: A Systematic Review and Meta-Analysis. *Frontiers in Medicine*, 8. <https://doi.org/10.3389/fmed.2021.744713>
- Xue, Y., Peng, Y., Zhang, L., Ba, Y., Jin, G., & Liu, G. (2024). Effect of different exercise modalities on nonalcoholic fatty liver disease: a systematic review and network meta-analysis. *Scientific Reports*, 14(1). <https://doi.org/10.1038/s41598-024-51470-4>
- Yi, X., Zhu, S., & Zhu, L. (2022). Diagnostic accuracy of the visceral adiposity index in patients with metabolic-associated fatty liver disease: a meta-analysis. *Lipids in Health and Disease*, 21(1), 28. <https://doi.org/10.1186/s12944-022-01636-8>
- Ying, Y., Ji, Y., Ju, R., Chen, J., & Chen, M. (2025). Association between the triglyceride-glucose index and liver fibrosis in adults with metabolism-related fatty liver disease in the

- United States: a cross-sectional study of NHANES 2017–2020. *BMC Gastroenterology*, 25(1), 3. <https://doi.org/10.1186/s12876-024-03579-z>
- Younossi, Z. M., Tampi, R. P., Racila, A., Qiu, Y., Burns, L., Younossi, I., & Nader, F. (2020). Economic and Clinical Burden of Nonalcoholic Steatohepatitis in Patients With Type 2 Diabetes in the U.S. *Diabetes Care*, 43(2), 283–289. <https://doi.org/10.2337/dc19-1113>
- Yu, Y., Yu, Y., Wang, Y., Chen, Y., Wang, N., Wang, B., & Lu, Y. (2023). Nonalcoholic fatty liver disease and type 2 diabetes: an observational and Mendelian randomization study. *Frontiers in Endocrinology*, 14. <https://doi.org/10.3389/fendo.2023.1156381>
- Yuan, M., He, J., Hu, X., Yao, L., Chen, P., Wang, Z., Liu, P., Xiong, Z., Jiang, Y., & Li, L. (2024). Hypertension and NAFLD risk: Insights from the NHANES 2017–2018 and Mendelian randomization analyses. *Chinese Medical Journal*, 137(4), 457–464. <https://doi.org/10.1097/CM9.00000000000002753>
- Yusuf, M., & Kemenkes Palembang, P. (2022). HUBUNGAN BEBERAPA FAKTOR DENGAN KEJADIAN OBESITAS REMAJA DI PALEMBANG THE RELATIONSHIP OF SOME FACTORS WITH THE EVENT OF ADOLESCENT OBESITY AT PALEMBANG. *JPP) Jurnal Kesehatan Poltekkes Palembang*, 17(1), 2654–3427. <https://doi.org/10.36086/jpp.v17i1>
- Zhang, D., Zhang, L., Chen, S., Chen, R., Zhang, X., & Bai, F. (2023). Prevalence and Risk Factors of Metabolic-Associated Fatty Liver Disease Among Hospital Staff. *Diabetes, Metabolic Syndrome and Obesity*, Volume 16, 1221–1234. <https://doi.org/10.2147/DMSO.S407657>
- Zhang, M., Liu, B., Ke, W., Cai, Y., Zhang, L., Huang, W., Yan, X., & Chen, H. (2024). Correlation analysis between occupational stress and metabolic syndrome in workers of a petrochemical enterprise: based on two assessment models of occupational stress. *BMC Public Health*, 24(1), 802. <https://doi.org/10.1186/s12889-024-18305-3>
- Zhang, X., Wang, L., Wang, G., Li, J., Mu, Y., Wang, S., & Li, X. (2024). Association Between Nonalcoholic Fatty Liver Disease and the Risk of Cardiovascular Disease in the Middle-Age and Elderly Population of Northern China: A Cross-Sectional Study. *Diabetes, Metabolic Syndrome and Obesity*, 17, 3079–3085. <https://doi.org/10.2147/DMSO.S474912>