

## DAFTAR PUSTAKA

- Aduugna, D., Lemma, B., Jensen, M. B., & Gebrie, G. S. (2019). Evaluating the hydraulic capacity of existing drain systems and the management challenges of stormwater in Addis Ababa, Ethiopia. *Journal of Hydrology: Regional Studies*, 25(September), 100626. <https://doi.org/10.1016/j.ejrh.2019.100626>
- Al Amin, M. B. (2020). *Pemodelan Sistem Drainase Perkotaan Menggunakan SWMM*. Deepublish.
- Algafari, A., & Surur, F. (2021). Strategi Penanganan Banjir di Kelurahan Katimbang Kecamatan Biringkanaya Kota Makassar. *Jurnal Pendidikan Geografi Undiksha*, 9(2), 68–81.
- Ali, M. (2010). *Kerugian Bangunan Perumahan Akibat Rob Dan Arah Kebijakan Penangannya Di Kelurahan Bandarharjo Kota Semarang*. Skripsi, Universitas Diponegoro.
- Badan Pusat Statistik Kota Makassar. (2023). *Kecamatan Biringkanaya Dalam Angka*. <https://makassarkota.bps.go.id/publication/download.html?nrbvfeve=NzA2ZjBIOTRjYzQ3ZTY3MWRhYTUzZmZl&xzmn=aHR0cHM6Ly9tYWthc3NhcmtvdGEuYnBzLmdvLmlkL3B1YmxpY2F0aW9uLzlwMjMvMDkvMjYvNzA2ZjBIOTRjYzQ3ZTY3MWRhYTUzZmZl2tY2FtYXRhbi1iaXJpbmcta2FuYXlhLWRhbGFtLWFuZ2t>
- BPBD Makassar. (2019). *Tanggap Darurat Bencana*. BPBD Makassar.
- BPS Makassar. (2022). *Makassar Dalam Angka*. Badan Pusat Statistik Makassar.
- BPS Makassar. (2023). *Makassar Dalam Angka 2023*. In *Badan Pusat Statistik Makassar*.
- Butler, D., Ward, S., Sweetapple, C., Astarai-Imani, M., Diao, K., Farmani, R., & Fu, G. (2017). Reliable, resilient and sustainable water management: the Safe & SuRe approach. *Global Challenges*, 1(1), 63–77. <https://doi.org/10.1002/gch2.1010>
- Chow, V. Te. (1992). *Hidrolika Saluran Terbuka (Open Channel Hydrolics) Terjemahan*. Erlangga.
- Dessu, T., Korecha, D., Hunde, D., & Worku, A. (2020). Long-Term Land Use Land Cover Change in Urban Centers of Southwest Ethiopia From a Climate Change Perspective. *Frontiers in Climate*, 2(December), 1–23. <https://doi.org/10.3389/fclim.2020.577169>
- Dhakal, K. P., & Chevalier, L. R. (2017). Managing urban stormwater for urban sustainability: Barriers and policy solutions for green infrastructure application.

*Journal of Environmental Management*, 203(August), 171–181.  
<https://doi.org/10.1016/j.jenvman.2017.07.065>

- Disaster study center UNHAS, H. U. (2023). *Petakan Titik Rawan Genangan Di Makassar*. Antara News.
- Ditjen PPLP. (2011). *Diseminasi dan Sosialisasi Keteknikan Bidang PLP*. Direktorat Jendral Cipta Karya Kementerian Pekerjaan Umum.
- DSDA. (2021). *Drainase Vertikal*. <https://dsda.jakarta.go.id/submenu/drainasevertikal>
- Ertop, H., Kocięcka, J., Atilgan, A., Liberacki, D., Niemiec, M., & Rolbiecki, R. (2023). *The Importance of Rainwater Harvesting and Its Usage*. 15(12), 1–20.
- Fairizi, D. (2015). Analisis Dan Evaluasi Saluran Drainase Pada Kawasan Perumnas Talang Kelapa Di Subdas Lambidaro Kota Palembang. *Jurnal Teknik Sipil Dan Lingkungan*, 3(1), 755–765.
- Fajri, N., Andawayanti, U., & Lufira, R. D. (2022). Kajian Evaluasi Genangan Menggunakan Metode SWMM (Storm Water Management Model) di Daerah Jalan Soekarno Hatta (RS UB Hingga Patung Pesawat), Kota Malang. *Jurnal Teknologi Dan Rekayasa Sumber Daya Air*, 2(2), 272–280.
- Fang, J., Wahl, T., Fang, J., Sun, X., Kong, F., & Liu, M. (2021). Compound flood potential from storm surge and heavy precipitation in coastal China: Dependence, drivers, and impacts. *Hydrology and Earth System Sciences*, 25(8), 4403–4416.  
<https://doi.org/10.5194/hess-25-4403-2021>
- Furqani, F., Andawayanti, U., & Ismoyo, M. J. (2021). Upaya Pengendalian Genangan Berbasis Konservasi di Kecamatan Blimbing Kota Malang. *Jurnal Teknologi Dan Rekayasa Sumber Daya Air*, 1(2), 417–428.
- Government regulation, R. of I. (2008). *Peraturan Pemerintah No 26 Tahun 2008 tentang Rencana Tata Ruang Wilayah Nasional*. Sekretariat Negara.
- Hodson, T. O. (2022). Root-mean-square error (RMSE) or mean absolute error (MAE): when to use them or not. *Geoscientific Model Development*, 15(14), 5481–5487.  
<https://doi.org/10.5194/gmd-15-5481-2022>
- Hosseinzadehtalaei, P., Tabari, H., & Willems, P. (2020). Climate Change Impact On Shortduration Extreme Precipitation And Intensity–Duration–Frequency Curves Over Europe. *Journal of Hydrology*, 590(1), 1–10.
- Isik, S., Kalin, L., Schoonover, J. E., Srivastava, P., & Lockaby, B. G. (2013). Modeling Effects Of Changing Land Use/Cover On Daily Streamflow: An Artificial Neural Network And Curve Number Based Hybrid Approach. *Journal of Hydrology*, 485(1),

103–112. <https://doi.org/10.1016/j.jhydrol.2012.08.032>

- Kanso, T., Tedoldi, D., Gromaire, M. C., Ramier, D., Saad, M., & Chebbo, G. (2018). Horizontal and vertical variability of soil hydraulic properties in roadside sustainable drainage systems (SuDS)-nature and implications for hydrological performance evaluation. *Water (Switzerland)*, *10*(8). <https://doi.org/10.3390/w10080987>
- Karamma, R., Lopa, R. T., & Hatta, M. P. (2021). The Revitalization of Makassar Urban Drainage System Based on Eco Drainage Retention Pond. *INTEK: Jurnal Penelitian*, *8*(1), 47. <https://doi.org/10.31963/intek.v8i1.2811>
- Karamma, R., & Pallu, M. S. (2018). Comparison of Model Hidrograf Synthetic Units (HSS) with the Model of Hidrograf Observations on DAS Jeneberang Gowa Regency, Indonesia. *International Journal of Innovative Science and Research Technology*, *3*(2). [www.ijisrt.com617](http://www.ijisrt.com617)
- Kementerian Lingkungan Hidup dan Kehutanan RI. (2013). *Statistik PHKA 2013*. Kementerian Lingkungan Hidup dan Kehutanan RI.
- La Loggia, G., Puleo, V., & Freni, G. (2020). Floodability: A New Paradigm for Designing Urban Drainage and Achieving Sustainable Urban Growth. *Water Resources Management*, *34*(10), 3411–3424. <https://doi.org/10.1007/s11269-020-02620-6>
- Lembaga Penerbangan dan Antariksa Nasional. (2021). *5 Perbedaan Banjir dan Genangan Versi Lapan*. <https://news.detik.com/berita/d-5379367/5-perbedaan-banjir-dan-genangan-versi-lapan>
- Liu, Z., Ding, M., He, C., Li, J., & Wu, J. (2019). The Impairment Of Environmental Sustainability Due To Rapid Urbanization In The Dryland Region Of Northern China. *Landscape and Urban Planning*, *187*(1), 165–180.
- Lopa, R. T. (2013). Belajar dari Pengalaman Jepang dalam Upaya Mengendalikan Banjir dengan Restorasi Sungai. *PIT XXX HATHI*.
- Luciana, R. F., & Edijatno, S. F. (2013). Analisa Sistem Drainase Saluran Kupang Jaya akibat Pembangunan Apartemen Puncak Bukit Golf di Kota Surabaya. *Jurnal Teknik Pomits*, *1*(1), 1–5.
- Masduki. (1998). *Drainase Perkotaan*. ITB Press.
- Rahman, A. (2021). Rainwater harvesting for sustainable developments: Non-potable use, household irrigation and stormwater management. *Water (Switzerland)*, *13*(23). <https://doi.org/10.3390/w13233460>
- Rossmann, L. A. (2015). *Storm Water Management Model User's Manual Version 5.0. Cincinnati*. National Risk Management Research Laboratory.

- Sedyowati, L., & Suhartanto, E. (2015). Kajian Pengaruh Sistem Drainase dan Ruang Terbuka Hijau Eksisting pada Kawasan Ruas Jalan Utama Kota Malang (Suatu Upaya Pengendalian Genangan Di Daerah Perkotaan). *Jurnal Media Teknik Sipil*, 13(1), 56. <https://doi.org/10.22219/jmts.v13i1.2544>
- Sharannya, T. M., Al-Ansari, N., Barma, S. D., & Mahesha, A. (2020). Evaluation of satellite precipitation products in simulating streamflow in a humid tropical catchment of india using a semi-distributed hydrological model. *Water (Switzerland)*, 12(9). <https://doi.org/10.3390/w12092400>
- Singh, A., Dawson, D., Trigg, M., & Wright, N. (2021). A review of modelling methodologies for flood source area (FSA) identification. *Natural Hazards*, 107(2), 1047–1068. <https://doi.org/10.1007/s11069-021-04672-2>
- Soewarno, S. (1995). *Hidrologi: Aplikasi Metode Statistik untuk Analisis Data*. Nova.
- Stefanakis, A. I. (2019). The Role of ConstructedWetlands as Green Infrastructure for Sustainable Urban Water Management. *Sustainability (Switzerland)*, 11(24). <https://doi.org/10.3390/su11246981>
- Subarkah, I. (1980). *Konstruksi Bangunan Gedung*. Idea Darma.
- Suhardjono, S. (1984). *Drainase*. Badan Penerbit Universitas Brawijaya.
- Suripin. (2004). *Sistem Drainase Perkotaan Yang Berkelanjutan*. Andi.
- Sweya, L. N., Wilkinson, S., & Chang-Richard, A. (2018). Understanding Water Systems Resilience Problems In Tanzania. *Procedia Engineering*, 212(1), 488–495. <https://doi.org/10.1016/j.proeng.2018.01.063>
- Syahputra, H. D. (2023). *Design Sistem Drainase Sub Sistem Kali Pepe Hulu Kota Surakarta Dengan Penerapan Sustainable Urban Drainage System (SUDS)*. Skripsi, Universitas Diponegoro.
- Teshome Sewnet, M., & Revathi Devi, A. (2020). A review of recent studies on urban stormwater drainage system for urban flood management. *Preprints, October*, 1–15. <https://doi.org/10.20944/preprints202010.0295.v2>
- Triatmodjo, B. (2010). *Hidrologi Terapan (2nd ed.)*. Beta Offset.
- Vieira, A. S., Beal, C. D., Ghisi, E., & Stewart, R. A. (2014). Energy intensity of rainwater harvesting systems: A review. *Renewable and Sustainable Energy Reviews*, 34(June), 225–242. <https://doi.org/10.1016/j.rser.2014.03.012>
- Wahyuningtyas, A., Hariyani, S., & Sutikno, F. R. (2011). Strategi Penerapan Sumur Resapan sebagai Teknologi Ekkodrainase di Kota Malang (Studi Kasus: Sub DAS

Metro). *Jurnal Tata Kota Dan Daerah*, 3(1), 25–31.

Yudianto, D., & Roy, A. F. V. (2009). Pemanfaatan Kolam Retensi dan Sumur Resapan Pada Sistem Drainase Kawasan Padat Penduduk. *Jurnal Teknik Sipil*, 5(2), 103–121.

Zhou, Q., Panduro, T. E., Thorsen, B. J., & Arnbjerg-Nielsen, K. (2013). Adaption to extreme rainfall with open urban drainage system: An integrated hydrological cost-benefit analysis. *Environmental Management*, 51(3), 586–601. <https://doi.org/10.1007/s00267-012-0010-8>