

## DAFTAR PUSTAKA

- Abnisa, F., Niya, A.A., Daud, W. M. A., and Sahu, J. N., 2013, Characterization of bio-char from palm shell pyrolysis and its effect on the yield of bio-oil, *Bioresource Technology*, 128, 272–279.
- Ahmad, M., Lee, S. S., Rajapaksha, A. U., 2020, Activation of biochar derived from biomass using chemical and physical methods for environmental applications: A review, *Bioresource Technology*, 320, 124425.
- Auerbach, S.S., Bristol, D.W., Peckham, J.C., Travios, G.S., Hebert, C.D., and Chhabra, R.S., 2010, Toxicity and carcinogenicity studies of methylene blue trihydrate in F344N rats and B6C3F1 mice, *Food and Chemical Toxicology*, 48(1), 169-177.
- Bachri, S., Hilal, A., Pannyiwi, R., Lonik, L., dan Ismail., 2025, Ketersediaan Air Bersih dari Kontaminasi Sanitasi yang Buruk dan Penularan Penyakit dalam Meningkatkan Kesehatan dan Kesejahteraan Masyarakat di Desa Lainungan, Kabupaten Sidenreng Rappang, *Jurnal Pengabdian Masyarakat dan Riset Pendidikan*, 4(1), 4134-4138.
- Badan Pusat Statistik. 2022. Statistik Industri Manufaktur Indonesia. 2022. BPS RI.
- Badan Pusat Statistik. 2022. BPS Provinsi Sulawesi Selatan. 2022. BPS RI
- Badan Pusat Statistik. 2023. Statistik Minyak Sawit Indonesia. 2023. BPS RI
- Badan Standar Nasional. 1995. Arang Teknis. SNI-06-3730-1995. Jakarta.
- Bilal, M., Rasheed, T., and Iqbal, H. M. N., 2019, Magnetic nanoparticles as versatile carriers for water purification and wastewater treatment: A review, *Science of the Total Environment*, 688, 1202–1220.
- Chen, Y., Zhang, S., Chen, B., 2018, Effect of activation temperature on the evolution of surface structure and chemical composition of biochar derived from rice husk, *Carbon*, 132, 94–102.
- Dzung, N. A., 2020, Effect of ash content on surface structure and adsorption capacity of activated carbon prepared from biomass, *Journal of Environmental Chemical Engineering*, 8(5), 104–110.
- Christopher, M. S., and Pascal, D. K., 2014, Characterization of palm shell for materials reinforcement and water treatment. *Chemical Engineering and Materials Science*, 5(1), 1-6.



- Foo, K. Y., and Hameed, B. H., 2012, Insights into the modeling of adsorption isotherm systems. *Chemical Engineering Journal*, 156(1), 2–10.
- Funke, A., and Ziegler, F., 2010, Hydrothermal carbonization of biomass: A summary and discussion of chemical mechanisms for process engineering, *Biofuels, Bioproducts and Biorefining*, 4(2), 160–177.
- Goertzen, S.L., Theriault, K.D., Oikcle, A.M., Tarasuk, A.C., and Andreas, H.A., 2010, Standardization of The Boehm titration. Part I. CO<sub>2</sub> Expulsion and Endpoint Determination, *Carbon*, 48(4), 1252-1261.
- Hadisoebroto, G., Dewi, L., dan Hanifah, H.N., 2023, Efektivitas Adsorpsi Karbon Aktif Kulit Nangka Sebagai Bioadsorben Logam Pb dari Limbah Industri Farmasi, *Jurnal Ilmu Alam dan Lingkungan*, 14(1), 8-16.
- Hao, P., Zhao, Z., Tian, J., et al., 2013, Hierarchical porous carbon derived from sodium carbonate activation for high performance supercapacitors, *Electrochimica Acta*, 93, 230–236.
- Hidayu, A. R., & Muda, N., 2016, Preparation and characterization of impregnated activated carbon from palm kernel shell and coconut shell for CO<sub>2</sub> capture. *Procedia Engineering*, 148, 106–113.
- Jasri, K., Abdulhameed, A.S., Jawad, A.H., Alothman, Z.A., Yousef, T.A., Al Duajj, O.K., 2023, Mesoporous activated carbon produced from mixed wastes of oil palm frond and palm kernel shell using microwave radiation-assisted K<sub>2</sub>CO<sub>3</sub> activation for methylene blue dye removal: Optimization by response surface methodology, *Diamond & Related Materials*, 131(109581), 1-12.
- Khan, I., Saeed, K., Zekker, I., Zhang, B., Hendi, A.B., Ahmad, A., Ahmad, S., Zada, N., Ahmad, H., Shah, L.A., Shah, T., and Khan, I., 2022, Review on Methylene Blue: Its Properties, Uses, Toxicity and Photodegradation, *Water*, 14(242), 1-30.
- Khuluk, R.H., 2019, Removal of Methylene Blue by Adsorption onto Activated Carbon From Coconut Shell (*Cocos Nucifera L.*), *Indonesian Journal of Science and Technology*, 4(2), 229-240.
- Larasati, D.T., Prakoso, T., dan Rizkiana, J., 2021, Karbonisasi Limbah Kelapa Sawit Dengan Proses Hidrotermal Sebagai Bahan Baku Elektroda Supercapacitor, *Jurnal Chemurgy*, 5(1), 22-29.



theis., dan Sigit Hardiyanto M., 2018, Kinetika adsorpsi zat en biru oleh karbon aktif kulit kemiri (*Aleurites moluccana L.*) . *J. Chem. Res*, 6(1), 12-21.

- Li, Y., Liu, S., Zhang, Y., 2021, Influence of impregnation conditions on  $\text{Na}_2\text{CO}_3$  activation of biomass-derived carbon, *Journal of Analytical and Applied Pyrolysis*, 157, 105206.
- Libra, J.A., Ro, K.S., Kamman, C., Funke, A., Berge, N.D., Neubauer, Y., Titirici, M.M., Fuhner, C., Bens, O., Kern, J., and Emmerich, Y., 2011, Hydrothermal carbonization of biomass residuals: A comparative review of the chemistry, processes and applications of wet and dry pyrolysis. *Biofuels*, 2(1), 71–106.
- Liu, P., Song, W., Jiang, X., 2020, Mechanisms of  $\text{Na}_2\text{CO}_3$  activation for porous carbon synthesis from lignocellulosic biomass, *Journal of Analytical and Applied Pyrolysis*, 149, 104852.
- Lua, A. C., & Yang, T., 2004, Effect of activation temperature on the textural and chemical properties of potassium hydroxide activated carbon prepared from pistachio-nut shell, *Journal of Colloid and Interface Science*, 274(2), 594–601.
- Maulina, S., Handika, G., Irvan., and Iswanto., Quality Comparison of Activated Carbon Produced From Oil Palm Fronds by Chemical Activation Using Sodium Carbonate versus Sodium Chloride, *Journal Korean Wood Science Technology*, 48(4), 503-512.
- Paluch, D., Wozniak, A.B., Wiercinska, A.N., and Pietrzak, R., 2023, Removal of Methylene Blue and Methyl Red from Aqueous Solutions Using Activated Carbons Obtained by Chemical Activation of Caraway Seed, *Molecules*, 28(6306), 1-21.
- Pasa, J.I., Aldiansyag., Septiani, R., Prastika, N.D., Markus, R.M., Lestari, S., Sukemi. Gunawan, R., 2024, Adsorpsi Metilen Biru Dengan Menggunakan Arang Aktif Dari Daun Tanaman Doyo (*Curculigo latifolia*), *Jurnal Atomik*, 9(2); 69-77.
- Promraksa, A., and Rakmak, N., 2020, Biochar production from palm oil mill residues and application of the biochar to adsorb carbon dioxide, *Heliyon*, 6(5).
- Rahmadani, D., Sari, M., and Ahmad, N., 2022, Preparation and characterization of  $\text{Na}_2\text{CO}_3$ -activated carbon from palm kernel shell for dye removal, *Materials Today: Proceedings*, 62, 2851–2858.



n, A., & Han, J. I., 2021, Adsorption of cationic and anionic activated carbon prepared from palm kernel shell: kinetic and studies, *Journal of Environmental Chemical Engineering*, 9.

- Ristianingsih, Y., Lestari, I., and Istiani, A., 2022, Adsorption Equilibrium of Methylene Blue By Activated Carbon From Post-Anthesis Male Flower Palm Oil Waste, *EKSERGI*, 19(3), 129-133.
- Safa, Y., & Bhatti, H. N., 2011, Kinetic and equilibrium studies on the adsorption of Direct Red-31 and Direct Orange-26 dyes on rice husk activated carbon, *Desalination*, 272(1–3), 313–322.
- Serafin, J., Baca, M., & Biegun, M., 2017, Na<sub>2</sub>CO<sub>3</sub>-activated carbons: Characterization and evaluation of the effect of activation parameters on porosity development, *Microporous and Mesoporous Materials*, 250, 60–74.
- Sevilla, M., and Fuertes, A.B., 2009, The production of carbon materials by hydrothermal carbonization of cellulose, *Carbon*, 47(9), 2281–2289.
- Tan, I. A. W., Ahmad, A. L., and Hameed, B. H., 2020, Adsorption of basic dye on high-surface-area activated carbon prepared from coconut husk, *Journal of Hazardous Materials*, 154(1–3), 337–346.
- Teng, H., Yeh, T. S., & Hsu, L. Y., 1998, Preparation of activated carbon from bituminous coal with Na<sub>2</sub>CO<sub>3</sub> activation. *Carbon*, 36(9), 1387–1395.
- Titirici, M.M., Antonietti, M., and Thomas, A., 2007, A general route to carbon materials by hydrothermal carbonization of saccharides: Morphology control and applications, *Chemistry of Materials*, 19(17), 4205–4212.
- Tomczyk, A., Sokołowska, Z., and Boguta, P., 2020, Biochar physicochemical properties: pyrolysis temperature and feedstock kind effects, *Reviews in Environmental Science and Biotechnology*, 19(1), 191–215.
- Utami, M.R., Riyani, K., dan Setyaningtyas, T., 2024, Pengaruh Perlit sebagai Adsorben pada Adsorpsi Zat Warna Metilen Biru, *Chimica et Natura Acta*, 12(2), 91-97.
- Widiyanto, A.F., dan Kuswanto, S.Y., 2015, Polusi Air Tanah Akibat Limbah Industri dan Limbah Rumah Tangga, *Jurnal Kesehatan Masyarakat*, 10(2), 246-254.
- Yu, L., Zhang, W., Kong, X., 2019, Comparative study of chemical activation of biomass carbon by Na<sub>2</sub>CO<sub>3</sub> and K<sub>2</sub>CO<sub>3</sub>, *Microporous and Mesoporous Materials*, 281, 147–156.



, D., & Arifin, Z., 2020, Pembuatan dan karakterisasi karbon limbah biomassa sebagai adsorben logam berat, *Jurnal Kimia dan Lingkungan*, 17(2), 109–118.

Zhou, Y., Liu, X., and Xiang, J., 2017, Effect of alkaline activation agents on the pore structure and surface chemistry of activated carbons derived from biomass, *Waste and Biomass Valorization*, 8(7), 2193–2202.



Optimized using  
trial version  
[www.balesio.com](http://www.balesio.com)