

## DAFTAR PUSTAKA

- Abewaa, M., Amenu, D., and Ayele, M., 2024. Adsorption of methylene blue from textile industrial wastewater using activated carbon developed from *Rumex abyssinicus*. *Environmental Nanotechnology. Monitoring & Management*. 22: 101123.
- Al-Asadi, S. T., Mussa, Z., Al-Qaim, F. F., and Kamyab, H., 2025. A comprehensive review of methylene blue dye adsorption on activated carbon from edible fruit seeds: A case study on kinetics and adsorption models. *Carbon Trends*. 20(2): 100507.
- Al-Ghouti, M. A. and Al-Absi, R. S., 2024. Mechanistic understanding of the adsorption of cationic dyes on biomass-based carbonaceous adsorbents. *Chemosphere*. 349: 140643.
- Andriansyah, R., Elwina, E., dan Suryani, S., 2023. Pembuatan Karbon Aktif Dari Limbah Pelepah Kelapa Sawit (*Elaies Guineensis Jacq.*) Sebagai Media Peyerapan Ion Logam Fe Air Sumur Menggunakan Aktivator Asam Fosfat ( $H_3PO_4$ ). *Jurnal Riset, Inovasi, Teknologi & Terapan*. 1(2): 30-34.
- Anwar, D. I., and Mulyadi, D., 2015. Synthesis of Fe-TiO<sub>2</sub> Composite as a Photocatalyst for Degradation of Methylene Blue. *Procedia Chemistry*. 17: 49–54.
- Apriansyah, R., Gusti, D. R., Naswir, M., and Permana, E., 2024. Preparation Of Activated Carbon From Palm Shell By Chemical Activation With Koh As An Adsorbent Dye. *al Kimiya: Jurnal Ilmu Kimia dan Terapan*. 11(2): 172-177.
- Badan Pusat Statistik Provinsi Sulawesi Selatan. 2024. Produksi Tanaman Perkebunan Menurut Kabupaten/Kota dan Jenis Tanaman di Provinsi Sulawesi Selatan 2024. BPS Sulawesi Selatan.
- Badan Pusat Statistik. 2023. Statistik Kelapa Sawit Indonesia 2023. BPS RI.
- Badan Pusat Statistik. 2024. Statistik Kelapa Sawit Indonesia 2024. BPS RI.
- Badan Standar Nasional. 1995. Arang Teknis. SNI 06-3730-1995. Jakarta.
- Basu, P., 2010. Biomass gasification and pyrolysis: practical design and theory. *Springer*. New York : USA.
- Basu, P., and Missa, H., 2020. Kajian Kinetika Adsorpsi Metilen Biru pada Adsorben Sabut Kelapa. *Akta Kimia Indonesia*. 5(2): 76.
- Basu, P., and Missa, H., 2020. Some aspects of the surface chemistry of carbon blacks and carbon nanotubes. *Carbon*. 32(5): 759–769.



- Chen, X., Zhang, Y., and Wang, L. 2020. Effect of phosphoric acid activation on the textural and adsorption properties of biomass-based activated carbon. *Journal of Environmental Chemical Engineering*. 8(6): 104562.
- Chen, X., Zhang, Y., and Wang, L., 2020. Effect of ultrasonic-assisted pretreatment on surface cleaning and pore development of biomass precursors for activated carbon preparation. *Journal of Environmental Chemical Engineering*. 8(5): 104234.
- Chen, Y., Li, Z., and Huang, J., 2020. Effect of phosphoric acid activation on the pore structure and adsorption performance of biochar derived from palm shell. *Journal of Environmental Chemical Engineering*. 8(4): 103954.
- Chen, Y., Li, Z., and Huang, J., 2022. Effect of phosphoric acid activation on the pore structure and adsorption performance of biochar derived from palm shell. *Journal of Environmental Chemical Engineering*. 10(4): 103954.
- Chen, Y., Wang, Y., and Zhao, R., 2022. Influence of surface functional groups on methylene blue adsorption by biomass-derived activated carbon. *Environmental Science and Pollution Research*. 29(17): 25932–25944.
- Cui, L., Liu, C., and Wu, G., 2008. Performance and mechanism of methylene blue biosorption on orange peel. *Environmental technology*. 29(9): 1021-1030.
- Danarto, 2007. Adsorpsi Limbah Logam Berat Multikomponen Dengan Karbon Dari Sekam Padi. Skripsi. Universitas Sebelas Maret. Surakarta.
- Dewi, L.R., Rahmawati, E., dan Mulyadi, D., 2021. Pemanfaatan pelarut n-heksan dalam penghilangan minyak dan lemak pada bahan biomassa untuk pembuatan karbon aktif. *Jurnal Kimia Sains dan Aplikasi*. 24(2): 78–85.
- Diharyo, S., Damanik, Z., dan Gumiri, S., 2020. Pengaruh Lama Aktifasi Dengan  $H_3PO_4$  dan Ukuran Butir Arang Cangkang Kelapa Sawit Terhadap Ukuran Pori dan Luas Permukaan Butir Arang Aktif. *Prosiding Seminar Nasional Lingkungan Lahan Basah*. 5(1): 48-54.
- Fahmi, A. G., Abidin, Z., Kusmana, C., Kharisma, D., Prajaputra, V., and Rahmawati, W. R., 2019. Preparation and characterization of activated carbon from palm kernel shell at low temperature as an adsorbent for methylene blue. In *IOP conference series: earth and environmental science*. 9(1): 012015.
- K., and Singh, R., 2024. Enhanced methylene blue adsorption e-walled carbon nanostructures. *Journal of Environmental Engineering*. 12(3): 110874.



- Foo, K. Y. and Hameed, B. H., 2010. Insights into the modeling of adsorption isotherm systems. *Chemical Engineering Journal*. 156(1): 2–10.
- Foo, K. Y. and Hameed, B. H., 2011. Preparation and characterization of activated carbon from pistachio nut shells via chemical activation with phosphoric acid. *Biomass and Bioenergy*. 35(7): 3257–3263.
- Foo, K. Y. and Hameed, B. H., 2012. Coconut husk derived activated carbon via chemical activation with phosphoric acid: Adsorption and desorption of methylene blue. *Desalination*. 275(1–3): 302–305.
- Goertzen, S. L., Theriault, K. D., Oickle, A. M., Tarasuk, A. C. and Andreas, H. A., 2010. Standardization of the Boehm titration. Part I. CO<sub>2</sub> expulsion and endpoint determination. *Carbon*. 48(2010): 1252-1261.
- Gupta, S. S. and Bhattacharyya, K. G., 2005. Adsorption of Ni(II) on clays. *Journal of Colloid and Interface Science*. 95(1): 21-32.
- Hammed, B. H., 2009. Spent tea leaves: a new non-conventional and low-cost adsorbent for removal of basic dye from aqueous solutions. *Journal of Hazardous Materials*. 161(1-3): 753-759.
- Hanjono, Lienda, 1995. *Teknologi Kimia*. PT. Pranadya Pramita : Jakarta.
- Harris, D. C., 2020. *Quantitative Chemical Analysis (10th ed.)*. New York : W. H. Freeman and Company.
- Hidayat, M., Ramadhani, R., dan Yulianti, A., 2020. Pemanfaatan limbah padat industri kelapa sawit sebagai bahan baku material bernilai tambah. *Jurnal Teknologi Industri Pertanian*. 30(1): 45–52.
- Hidayat, M., Ramadhani, R., dan Yulianti, A., 2020. Pengaruh jenis pelarut terhadap efektivitas pembersihan bahan lignoselulosa sebelum karbonisasi. *Prosiding Seminar Nasional Kimia*. 6(1): 112–118.
- Husin, H., Yuliani, dan Yusnidar, 2018. Pengaruh tahap pencucian terhadap karakteristik karbon aktif dari biomassa. *Jurnal Rekayasa Proses*. 12(2): 87–93.
- Jagtoyen, M., and Derbyshire, F., 1998. Activated carbons from yellow poplar and white oak by H<sub>3</sub>PO<sub>4</sub> activation. *Carbon*. 36(7–8): 1085–1097.
- Manian, R., and Srinivasan, M. P., 2016. Hydrothermal activation of biomass waste to activated carbon with high porosity: *Chemical Engineering Journal*. 283: 789-805.
- Shair, M., 2021. Pembuatan Karbon Aktif melalui Karbonisasi Limbah Kelapa Sawit. *Periodic*. 9(1): 7-10.



- Kusumaningrum, P., Hatining, D., Sudarni, A., dan Wahyuningsih, S., 2022. Optimasi Pengaruh Waktu Kontak dan Dosis Adsorben Limbah Daun Kayu Putih (*Melaleuca cajuputi*) dengan Metode Isoterm Adsorpsi Langmuir. *Jurnal Teknik Kimia USU*. 11(2): 72–79.
- Larasati, T.D., Prakoso, T. dan Rizkiana, J., 2021. Karbonisasi Limbah Kelapa Sawit Dengan Proses Hidrotermal Sebagai Bahan Baku Elektroda Superkapasitor. *Jurnal Chemurgy*. 5(1): 22-29.
- Latupeirissa, J., Tanasale, M.F.J.D.P. dan Musa, S.H., 2018. Kinetika Adsorpsi Zat Warna Metilen Biru Oleh Karbon Aktif Dari Kulit Kemiri (*Aleurites moluccana* (L) Willd). *Indo. J. Chem. Res*. 6(1): 12-21.
- Lellis, B., Fávaro-Polonio, C. Z., Pamphile, J. A., and Polonio, J. C., 2019. Effects of textile dyes on health and the environment and bioremediation potential of living organisms. *Biotechnology Research and Innovation*. 3(2): 275-290.
- Li, S., Cheng, J., and Zhang, Y., 2018. Mechanism and structural evolution of lignocellulosic biomass during phosphoric acid activation. *Industrial Crops and Products*. 118: 214–223.
- Li, X., Liu, Y., & Chen, S., 2020. Removal of methylene blue from aqueous solution using biochar derived from agricultural waste: Adsorption kinetics and mechanism. *Journal of Molecular Liquids*. 309: 113168.
- Li, Y., Zhang, X., and Liu, Y., 2020. Adsorption of methylene blue onto activated carbons prepared from lignocellulosic biomass. *Environmental Science and Pollution Research*. 27(12): 14510–14522.
- Liu, X., Xu, Y., and Wang, S., 2019. Characterization of activated carbon prepared from lignocellulosic biomass by phosphoric acid activation. *Carbon Resources Conversion*. 2(1): 76–84.
- Lua, A. C., and Yang, T., 2004. Effect of activation temperature on the textural and chemical properties of potassium hydroxide activated carbon prepared from pistachio-nut shell. *Journal of Colloid and Interface Science*. 274(2): 594–601.
- Mauliddawati, V. T. dan Purnomo, A. S., 2014. Biodegradasi Metil Orange Oleh Jamur Pelapuk Coklat *Daedalea dickinsii*. *Jurnal Seni dan Sains*. 2(1): 1-



ar, H., dan Lubis, Z., 2021. Potensi pemanfaatan limbah padat it sebagai sumber energi terbarukan dan bahan baku karbon | *Rekayasa Proses*. 15(2): 77–85.

- Negm, N. A., Betiha, M. H., El-Wakeel, N. M., and Mohamed, E. A., 2024. An insight into recent developments in sustainable biofuel production using activated carbon catalyst produced via valorization of agricultural biomass: challenges, and environmental prospective. *Industrial Crops and Products*. 209: 117991.
- Neme, I., El-Hendawy, A. N. A., and Al-Asheh, S., 2022. Phosphoric acid activation mechanism and the structural evolution of activated carbon derived from lignocellulosic materials. *Carbon Trends*. 7: 100179.
- Nugraha, D., dan Lestari, P., 2023. Pengaruh aktivasi  $H_3PO_4$  terhadap sifat fisikokimia karbon aktif dari limbah cangkang kelapa sawit. *Jurnal Sains dan Teknologi Lingkungan*. 15(2): 45–56.
- Nwabanne, J. T. and Igbokwe, P. K., 2012. Preparation of activated carbon from palm kernel shell: Characterization and application for adsorption of organic pollutants. *Research Journal of Chemical Sciences*. 2(2): 45–53.
- Oladoye, P. O., Ajiboye, T. O., Omotola, E. O., and Oyewola, O. J., 2022. Methylene blue dye: Toxicity and potential elimination technology from wastewater. *Results in Engineering*. 16, 100678.
- Opoku, B. K., Isaac, A., Micheal, A. A., Bentum, J. K., and Muyoma, W. P., 2021. Characterization of chemically activated carbons produced from coconut and palm kernel shells using SEM and FTIR analyses. *American Journal of Applied Chemistry*. 9(3): 90-96.
- Pasa, J.I., Aldiansyag., Septiani, R., Prastika, N.D., Markus, R.M., Lestari, S., et al., 2024. Adsorpsi Metilen Biru Dengan Menggunakan Arang Aktif Dari Daun Tanaman Doyo (*Curculigo latifolia*). *Jurnal Atomik*. 9(2): 69-77.
- Patel R. and Suresh S., 2008. Kinetic and equilibrium studies on the biosorption of reactive black 5 dye by *Aspergillus foetidus*. *Bioresource Technology*. 99(1): 51-8.
- Putri, A. D., Sari, R. M., dan Hartono, T., 2022. Analisis kadar abu dan porositas karbon aktif hasil aktivasi asam fosfat. *Indonesian Journal of Environmental Research*. 10(1): 33–40.
- Rahman, M. A., Ismail, S., and Sulaiman, N. F., 2022. Valorization of palm kernel shell waste into activated carbon for environmental applications: A *Environmental Technology & Innovation*. 28: 102558.
- san, M. R., and Islam, M. S., 2023. Effect of surface oxygen pHpzc and adsorption performance of biochar. A review. *Technology Reports*. 22: 101470.



- Rahmawati, N., Yusuf, M., and Siregar, H., 2021. Structural improvement of activated carbon via chemical activation using phosphoric acid. *Environmental Science Advances*. 7(3): 112–121.
- Rashidi, N. A. and Yusup, S., 2017. A review on recent technological advancement in the activated carbon production from oil palm wastes. *Chemical Engineering Journal*. 314: 277–290.
- Rugayah, A., Astimar, A., and Norzita, N., 2014. Preparation and Characterisation of Activated Carbon from Palm Kernel Shell by Physical Activation with Steam. *Journal of Oil Palm Research*. 26(3): 251–264.
- Sahara, E., Sulihingtyas, W. D., dan Mahardika, I. P. A. S., 2017. Pembuatan dan Karakterisasi Arang Aktif dari Batang Tanam Gumitir (*Tagetes erecta*) yang Diaktivasi Dengan  $H_3PO_4$ . *Jurnal Kimia*. 11(1): 1-9.
- Saka, C., Şahin, Ö., and Kuşlu, S., 2019. Influence of phosphoric acid activation on the preparation and characterization of activated carbon from biomass wastes. *Renewable Energy*. 139: 1010–1019.
- Salleh , M. A. M., Mahmoud , D. K., Karim, W. A. W. A., and Idris, A., 2011. Cationic and anionic dye adsorption by agricultural solid wastes : A comprehensive review. *Desalination*. 280: 1–13.
- Skoog, D. A., Holler, F. J., and Crouch, S. R., 2018. *Principles of Instrumental Analysis* (7th ed.). Boston : Cengage Learning.
- Suherman, S., Hasanah, M., Ariandi, R., dan Ilmi, I., 2021. Pengaruh Suhu Pemanasan Terhadap Karakteristik Dan Mikrostruktur Karbon Aktif Pelepeh Kelapa Sawit. *Jurnal Industri Hasil Perkebunan*. 16(1): 1-9.
- Susanti, D., Pratiwi, L., and Handayani, R., 2022. Ultrasonic-assisted washing in biomass pretreatment for activated carbon synthesis. *Indonesian Journal of Environmental Technology*. 9(3): 133–140.
- Syidiq, R., Yusran, L. O., Anas, M., and Fayangto, S., 2019. Characterization of Activated Charcoal Oil Palm (*Elaeis Guineensis* Jacq) Shell Waste using SEM and FTIR: Effect of Activation Temperature. *Jurnal Ilmu Kimia*, 2(2): 67-74.

Tamara, M. G. 2016. Pemanfaatan Karbon Aktif Tempurung Kluwak (Pangium n) Sebagai Adsorben Zat Warna Metanil Kuning, Skripsi Tidak Fakultas Matematika dan Ilmu Pengetahuan Alam. Hasanuddin. Makassar.

us, B., Jayuska, A., Kimia, P. S., dan Tanjungpura, U., 2013. if Dari Limbah Cangkang Sawit Sebagai Adsorben Gas. 2(1): 30–33.

- Wijayanti, A., Susatyo, E. B., Kurniawan, C., dan Sukarjo, D., 2018. Adsorpsi Logam Cr(VI) dan Cu(II) pada Tanah dan Pengaruh Penambahan Pupuk Organik. *Indonesia Journal Chemical Science*. 7(3): 243-248.
- Zaini, M. A. A., Zakaria, S., and Abdullah, A. H., 2022. Comparative study of chemical activators on palm shell-based activated carbons: Textural and adsorption characteristics. *Materials Chemistry and Physics*. 276: 125459.
- Zhang, L., Zhao, H., and Chen, Y., 2021. Influence of chemical activation on the surface chemistry and adsorption behavior of biomass-based activated carbon. *Applied Surface Science*. 567: 150849.

