

## DAFTAR PUSTAKA

- Aidaros N H, Abdou A, (2022), “ Effect of contamination of bulk-fill flowable resin composite with different contaminants during packing on its surface microhardness and compressive strength: in vitro study”, *BMC Oral Health* 22:446, DOI : <https://doi.org/10.1186/s12903-022-02495-6>
- Akarsu S, Ebru C U, Yılmaz T, Yıldız D, Karademir S A, (2024), “The 24 months clinical evaluation of class II bulk fill composite restorations”, *Journal of Oral Health and Oral Epidemiology (Vesnu Publication)*, Vol 13(2), hal 72-77, DOI: <http://doi.org/10.34172/johoe.2308.1587>
- Alfallaj H, Jamjoom FZ, Alzaid A A, Alqarni H., (2023), “Case report : Polytetrafluoroethylene tape spacer for direct splinted teeth-supported provisional restoration: A dental technique”, *Heliyon*, Volume 9, Issue 4., <https://doi.org/10.1016/j.heliyon.2023.e15035>
- Alzaidy A A, Abd-alla M H, (2023), “The effect of different curing distances on the microhardness of flowable bulk-fill composite materials”, *Journal of Baghdad College of Dentistry*, Vol.35, No. 4 : 1817-1869; 2311-5270, DOI : <https://doi.org/10.26477/jbcd.v35i4.3507>
- Araújo F S, Takeshita W M, do Amaral R C, de Mendonça A A M, (2024), “Assessment of bulk-fill of resins microhardness longitudinal”, *Braz J Oral Sci.*;23:240398 , DOI : [10.20396/bjos.v23i00.8670398](https://doi.org/10.20396/bjos.v23i00.8670398)
- Bauer J, Mendes R P , de Macedo R C, Carvalho E M, Lopes L , Grazziotin Soares R, Lima D M, Oliveira B C, (2022), “Physicochemical, Mechanical, and Esthetic Properties of the Composite Resin Manipulated with Glove Powder and Adhesive as a Modeling Liquid”, *Materials*, 15(21), 7791. DOI : <https://doi.org/10.3390/ma15217791>
- Bergantin B T P, Di Leone C C L , Cruvinel T , Wang L, Buzalaf MAR , Borges A B , Honório H M, Rio D., (2022) ., “S-PRG-based composites erosive wear resistance and the effect on surrounding enamel “. *Sci Rep* ;12:833. doi: [10.1038/s41598-021-03745-3](https://doi.org/10.1038/s41598-021-03745-3)
- Berto-Inga J, Santander-Rengifo Flor, Castañeda ML, Gurreonero C L, Pérez-Vargas A C, Cornejo-Pinto A, Cervantes-Ganoza L, Cayo-Rojas C, (2023), “Surface Microhardness of Bulk-Fill Resin Composites Handled With Gloves”, *International Dental Journal* Vol 73, Issue 4, hal 489-495, DOI : <https://doi.org/10.1016/j.identj.2022.10.005>
- Birant S, Ozcan H, Koruyucu M , Seymen F., (2021), “Assesment of the compressive the current restorative materials “. *Pediatric Dental Journal* Vol 80-85., <https://doi.org/10.1016/j.pdj.2020.12.007>
- A E, Kaplan T T, Botsali M S., (2019), “Depth of Cure and Assessment of a New Composite vs. Bulk-fill Composites “. *Journal of Medical and Dental Science*, Vol 7(5) ,53-59., : : [researchgate.net/publication/336374301](https://www.researchgate.net/publication/336374301)



Chen A M, Ekambaram M, Chun Li K, Cooper P R., Mei M L.,(2024),. “A scoping review of the influence of clinical contaminants on bond strength in direct adhesive restorative procedures”., *Journal of Dentistry* 145 (104985)., Published by Elsevier Ltd.,DOI : <https://doi.org/10.1016/j.jdent.2024.104985>

Coffey N, (2022) “ The use of PTFE tape in restorative dentistry”, *Journal of the Irish Dental Association: Vol 68 (5)*, DOI : [10.58541/001c.82020](https://doi.org/10.58541/001c.82020)

Colombo M , Gallo S , Poggio C, Ricaldone V, Arciola C R Scribante Andrea,(2020), ” New Resin-Based Bulk-Fill Composites: *in vitro* Evaluation of Micro-Hardness and Depth of Cure as Infection Risk Indexes”,*Materials*, 13(6),1308,DOI:<https://doi.org/10.3390/ma13061308>

Comba A, Scotti N, Maravić T, Mazzoni A, Carossa M, Breschi L, Cadenaro M, (2020), ” Vickers Hardness and Shrinkage Stress Evaluation of Low and High Viscosity Bulk-Fill Resin Composite”, *Polymers*, 12, 1477; DOI: <https://doi.org/10.3390/polym12071477>

Cunha I, Torres O, Fidalgo-Pereira R, Henriques B, Özcan M, Souza J C M.,(2024), “ Contamination of Resin-Matrix Composites on Chairside Handling Using Latex or Nitrile Gloves: An In Vitro Study”, *Biomedical Materials & Devices* 2:1065–1077.DOI : <https://doi.org/10.1007/s44174-023-00136-2>

Daugherty M M, Lien W , Mansell M R, Risk D L, Savett D A , Vandewalle K S., (2018)., ” Effect of high-intensity curing lights on the polymerization of bulk-fill composites “.,*Dental Materials* Vol 34;10,1531-1534., <https://doi.org/10.1016/j.dental.2018.06.005>

Del Rio Diana Leyva, Johnston William Michael, (2023), “ Effect of monomer composition and filler fraction on surface microhardness and depth of cure of experimental resin composites “. , *Europe Journal Oral Science*. ;131:12933, DOI : <https://doi.org/10.1111/eos.12933>

Freire A, Bento V A A , Jussiani E I , Andreello A C, Marques M C S., (2025)., ” Resin composite aggregated S-PRG particles are not superior to non-S-PRG under microcosm biofilm “.,*Scientific Reports* vol. 15(2173)., DOI : <https://doi.org/10.1038/s41598-024-78396-1>

Georgiev G., Dikova T., (2021)., ” Hardness investigation of conventional, bulk fill and flowable dental composites” *Journal of Achievements in materials and Manufacturing Engineering* 109(2):68-77., DOI:[10.5604/01.3001.0015.6261](https://doi.org/10.5604/01.3001.0015.6261)

Haugen H J, Marovic D, Par M, Le Thieu M K, Reseland J E., Johnsen G F, (2020), ” Composites Have Similar Performance to Conventional Dental Composites”, *International Journal of Molecular Multidisciplinary Digital Publishing Institute* ,Vol. 21: 14, 5136, <https://doi.org/10.3390/ijms21145136>



- Hegde V, Vaidya M J, Jadhav K S.,(2023)., " Microtensile Bond Strength of Packable and Flowable Bulk-fill Composite Resin-based Restorative Materials to Dentin ".,Journal of Operative Dentistry and Endodontics: 10047-0123., <https://jodend.com/doi/JODE/pdf/10.5005/jp-journals-10047-0123>
- Hernandez G.,(2018)., "Uses and Techniques of Polytetrafluoroethylene (PTFE) in Dentistry".,ResearchGate.,at:<https://www.researchgate.net/publication/327288084>
- Ibrahim M S, AlKhalefah A S, Alsaghirat A A, Alburayh R A, Al abdullah N A,(2023), "Comparison between Different Bulk-Fill and Incremental Composite Materials Used for Class II Restorations in Primary and Permanent Teeth: In Vitro Assessments", *Materials*, 16, 6674, DOI : <https://doi.org/10.3390/ma16206674>
- Ibrahim M F, Selivany B J, Ali A B.,(2023)., " Abrasive resistance and microhardness of self-adhesive (Surefil one) and conventional bulk fill composites: An- in vitro study"., EDJ Vol.6 No.2., DOI:[10.15218/edj.2023.20](https://doi.org/10.15218/edj.2023.20)
- Imazato Satoshi, Nakatsuka Toshiyuki, Kitagawa Haruaki , Sasaki Jun-Ichi Ito Shuichi, Takeuchi Hiroki et al, (2023), " Multiple-Ion Releasing Bioactive Surface Pre-Reacted Glass-Ionomer (S-PRG) Filler: Innovative Technology for Dental Treatment and Care" , Journal. Functional Biomater (MDPI) : 14(4), 236. DOI : <https://doi.org/10.3390/jfb14040236>
- Iwasaki T\_, Kamiya N\_, Hirayama S\_, Tanimoto Y, (2022), " Evaluation of the mechanical behavior of bulk-fill and conventional flowable resin composites using dynamic micro-indentation ", *Dental Materials Journal* Vol 41(1),87-94,DOI: <https://doi.org/10.4012/dmj.2021-116>
- Jakupović S, Pervan N, Mešić E, Glamočić A G, Bajsman A , Muratović E, Kazazić L, Kovačević A K, (2024), " Assessment of Microhardness of Conventional and Bulk-Fill Resin Composites Using Different Light-Curing Intensity" *Polymers* ,15, 2250. DOI : <https://doi.org/10.3390/polym15102250>
- Jaturanont P, Weingtanchantra D, Kosinanondh S, Sirisakdiwan P, Changlee V, Yanpanit T, Kusolphat R and Tankham P.,(2018)., "Effect of Different Contamination on Microhardness of Resin Composite".,RSU International Research Conference.pp.1028–1034., <https://rsucon.rsu.ac.th/files/proceedings/inter2018/G1-IN18-014.pdf>
- Javed F, Siddiqui F, Majid A, Iftkhar H, (2024) " Beyond Traditional Fillings : Why Bulk-Fill Composites are Changing the game" *International Journal of research and review, Galore Knowledge Publication Pvt. Ltd*, Vol 11(10), hal 198-203, DOI: <https://doi.org/10.52403/ijrr.20241018>



\_, Durmus A, Durmus Z.,( 2018 )., "Structural and mechanical of a giomer-based bulk fill restorative in different curing ..J Appl Oral Sci, 16;26., doi: [10.1590/1678-7757-2016-0662](https://doi.org/10.1590/1678-7757-2016-0662)

- Klein C, von Ohle C, Wolff D, Meller C.,(2022)., A quantitative assessment of silicone and PTFE-based stamp techniques for restoring occlusal anatomy using resin-based composites”, *Clinical Oral Investigations* 26: 207–215  
<https://doi.org/10.1007/s00784-021-03992-8>
- Macan M, Marošević A, Špiljak B , Šimunović L, Par M, Marović D , Juric-Kacunic D, Tarle Z,(2023),” Proposition of New Testing Procedure for the Mechanical Properties of Bulk-Fill Materials”, *Materials*, Basel, Switzerland,16, 4868.  
DOI:<https://doi.org/10.3390/ma16134868>
- Martins N. M, Schmit G.U, Oliveira H. L, Madruga M.M, Moraes R.R, Cenci M.S.,(2015)., “Contamination of Composite Resin by Glove Powder and Saliva Contaminants: Impact on Mechanical Properties and Incremental Layer Debonding”., *Operative Dentistry*, 40-4, 396-402. DOI: [10.2341/13-105-L](https://doi.org/10.2341/13-105-L)
- Matos, J. D. M.; Nakano, L. J. N.; Lopes, G. R. S.; Bottino, M. A.; Vasconcelos, J. E. L.; Jesus, R. H. & Maciel, L. C.,( 2021),”Characterization of bulk-fill resin composites in terms of physical,chemical, mechanical and optical properties and clinical behavior”. *Int. J. Odontostomat.*, 15(1):226-233, 2021.DOI: <http://dx.doi.org/10.4067/S0718-381X2021000100226>
- Menezes A., Barbosa L N, Leite J V C, Barbosa L M M, Montenegro R V, Dantas R V F, De Souza G M., de Andrade A K M, e Lima R B W, (2024)” Clinical Outcomes of Bulk-Fill Resin Composite Restorations: A 10-Year Mapping Review and Evidence Gap Map”,*Journal of esthetics and restorative dental (wiley)* DOI : <https://doi.org/10.1111/jerd.13339>
- Oskoe S S, Navimipour E J, Bahari M, Ajami A A, Oskoe P A, Abbasi .,(2012)., Effect of composite resin contamination with powdered and unpowdered latex gloves on its shear bond strength to bovine dentin”, *Operative Dentistry*,37(5):492-500., DOI: [10.2341/11-088-L](https://doi.org/10.2341/11-088-L)
- Rizzante F A P, Duque J A, Duarte M A H, Mondelli R F L, Mendonça G, Ishikirama S K.,(2019)., ” Polymerization shrinkage, microhardness and depth of cure of bulk fill resin composites”, *Dental Materials Journal*; 38(3): 403–410, DOI: [10.4012/dmj.2018-063](https://doi.org/10.4012/dmj.2018-063)
- Saati K , DMD, MSc; Khansari S, DMD; Mahdisiar F, DMD, MSc; Valizadeh S , DMD, MSc;(2021), “Evaluation of Microhardness of Two Bulk-fill Composite Resins Compared to a Conventional Composite Resin on Surface and in Different Depths”, *J Dent Shiraz Univ Med Sci.*; 23(1): 58-64. DOI: <https://doi.org/10.30476/dentjods.2021.87669.1278>
- Sattar M M, Patel M., Alani ,(2017)., “ Clinical applications of polyethylene (PTFE) tape in restorative dentistry”, *British Dental Journal*, 222, 151–158 ,DOI : [10.1038/sj.bdj.2017.110](https://doi.org/10.1038/sj.bdj.2017.110)



- Strini B S, de Lima Marques J F, Pereira R, Sobral-Souza D F, Pecorari V G A, Liporoni P C S, Aguiar F H B,(2022),” Comparative Evaluation of Bulk-Fill Composite Resins: Knoop Microhardness, Diametral Tensile Strength and Degree of Conversion”, *Clinical, Cosmetic and Investigational Dentistry*:14 225–233, DOI : <https://doi.org/10.2147/CCIDE.S376195>
- Villasante R Ñ, Sanchez J C, Tay L Y, (2019), “Effect of the manual manipulation of composite resin with latex gloves”, *Journal Of Oral Research* 8(4):310-315, DOI: [10.17126/joralres.2019.046](https://doi.org/10.17126/joralres.2019.046)
- Xavier A F C, Da Silveira O C, Da Silva F J J, Freire W P, De Alencar C R B, Cavalcanti A L.,(2017).,” Influence of different manipulation methods on the microhardness of nanoparticulate restorative composites “.,*Journal of Dental Health, Oral Disorders & Therapy* ;8(7):676–679., DOI: [10.15406/jdhodt.2017.08.00314](https://doi.org/10.15406/jdhodt.2017.08.00314)
- Zhou Yuan, Hiraishi Noriko, Shimada Yasushi, Wang Guoqing, Tagami Junji, Feng Xiping, (2021), “Evaluation of tooth demineralization and interfacial bacterial penetration around resin composites containing surface pre-reacted glass-ionomer (S-PRG) filler”, *Dental Materials, Elsevier*, [Vol. 37\(5\)](https://doi.org/10.1016/j.dental.2021.02.009),849-862, DOI : <https://doi.org/10.1016/j.dental.2021.02.009>

