

## DAFTAR PUSTAKA

- Abijeth, B. (2017). A short review on force degradation in elastic/elastomeric chains. *International Journal of Current Advanced Research*, 6(4), 3323–3325.
- Alavi, S., & Farahi, A. (2012). The effect of ethanol-containing mouthwashes on the tensile strength of orthodontic elastomeric ligatures. *Journal of Orthodontic Science*, 1(3), 76–81.
- Anindita P, A. (2020). Penurunan gaya regang (force decay) elastomeric chain GEN I dan GEN II pada perendaman saliva buatan. *Jurnal Kedokteran Gigi Universitas Jember*, 15(2), 45–52.
- Asridiana, E. T. (2019). Efektivitas penggunaan obat kumur beralkohol dan non-alkohol terhadap penurunan indeks plak. *Media Kesehatan Gigi Poltekkes Makassar*, 17(2).
- Bakri, R., Ranggung, B. M., & Hidayati, N. (2025). Difference in force decay latex and non-latex elastic band. *Journal of Orthodontic Science*, 14(1), 7.
- Behnaz, M., Namvar, F., Sohrabi, S., et al (2018). Effect of bleaching mouthwash on force decay of orthodontic elastomeric chains. *Journal of Contemporary Dental Practice*, 19(2), 221–225. doi.org/10.5005/jp-journals-10024-2240
- Bivriando H, Darwis, R. (2022). Comparison of volume and pH of saliva after using alcoholic mouthwash with non-alcohol in users of fixed orthodontics. *SONDE (Sound of Dentistry)*, 7(1).
- Brantley, W. A., & Eliades, T. (2001). *Orthodontic materials: Scientific and clinical aspects*. Thieme.
- Buchman, J. P. (2011). Force degradation of orthodontic elastomeric chains. *American Journal of Orthodontics and Dentofacial Orthopedics*, 139(6), 749–756.
- Bunta, O., Mureşan, V., Pacurar, M., et al (2019). Mechanical strength variety of orthodontic polymeric chains: In-vitro assessment and mathematical model. *Materiale Plastice*, 56(3), 596–599.
- Erwansyah, E. (2021). *Philosophical study of growth and development orthodontics*. FKG Universitas Hasanuddin.
- Graber, R. (2018). *Orthodontics: Current principles and techniques* (6th ed.). *American Journal of Orthodontics and Dentofacial Orthopedics*, 153(1), 161. doi.org/10.1016/j.ajodo.2017.11.010
- Habar, E.H., Dase, C.B., Hubu, T.J. et al(2021). Hubungan perawatan ortodonti dan TMJ. *Makassar Dental Journal*, 12(2), 176–178.
- Halimi, A., Benyahia, H., Doukkali, A., et al (2012). A systematic review of force decay in orthodontic elastomeric power chains. *International Orthodontics*, 10(3), 223–240. doi.org/10.1016/j.ortho.2012.06.013
- Manjusha, K.P., Sreekumar, K., et al (2018). Influence of oral conditions on the force degradation of elastomeric chains. *Indian Journal of Dental Research*, 29(2), 150–155.



- Manjusha, K.P., Sreekumar, K., et al (2018). Influence of oral conditions on the force degradation of elastomeric chains. *Indian Journal of Dental Research*, 29(2), 150–155.
- Manjusha, K.P., Sreekumar, K., et al (2018). Perbedaan efektivitas obat kumur beralkohol dan non-alkohol dalam penurunan akumulasi plak siswa MTs Bustanul Ulum. *Jurnal Media Kesehatan Gigi*, 17(2).

- Luqyana, M. (2022). Pengaruh jenis mouthwash terhadap elastisitas elastomer ortodonti. *Jurnal Ilmiah Kedokteran Gigi*, 20(1), 22–28.
- Masoud, M.I. (2013). Force decay of orthodontic elastomeric chains. *The Angle Orthodontist*, 83(3), 447–452.
- McCullough, M. J.(2008). The role of alcohol in oral carcinogenesis with particular reference to alcohol-containing mouthwashes. *Australian Dental Journal*, 53(4), 302–305.
- Mehta, A., Gupta, A., Ali et al. (2013). Green tea catechins in dental applications. *Journal of Clinical and Diagnostic Research*, 7(5), 887–891.
- Mirhashemi, A. H., Farahmand, N., & Soltan, E. et al(2016). Application of elastomeric chains in orthodontics: Past, present and future. *Iranian Journal of Orthodontics*, 10(7), 300-301
- Nagappan, N., & John, J. (2012). Antimicrobial efficacy of herbal and chlorhexidine mouth rinse — A systematic review. *IOSR Journal of Dental and Medical Sciences (JDMS)*, 2(4), 5–10.
- Nahidh, M., Faleh, A., Nourie, et al (2017). The effect of herbal mouthwashes on the force decay of elastomeric chains: An in-vitro study. *International Journal of Medical Research & Health Sciences*, 6(10), 45–53.
- Olejnik, E., & Szymańska, J. (2021). Active ingredients of mouthwashes. *Acta Poloniae Pharmaceutica – Drug Research*, 77(6), 825–832. doi.org/10.32383/APPDR/128897
- Oshagh, M., Khajeh, F., Heidari, S., et al (2015). The effect of different environmental factors on force degradation of three common systems of orthodontic space closure. *Dental Research Journal (Isfahan)*, 12(1), 1–6.
- Pawinru, A., Ranggang, B. M., & Anwar, M. et al (2024). Ethanol intake and bone remodeling. *Journal of International Dental and Medical Research*, 17(1), 88–94.
- Prabuseenivasan, S., Jayakumar, M., & Ignacimuthu, S. et al (2006). In vitro antibacterial activity of some plant essential oils. *BMC Complementary and Alternative Medicine*, 6, Article 39.
- Rahman, A., & Kadhum, S. (2022). Force degradation of orthodontic elastomeric chains: A literature review. *Journal of Baghdad College of Dentistry*, 34(4), 2311–2320.
- Ranggang, B. M. (2020). Knowledge of bad habits and malocclusion. *Journal of Dentomaxillofacial Science*, 5(1), 48–51.
- Sabri, H., Derakhshan Barjoei, M. M., Azarm, A., et al. (2023). The Yin and Yang of sodium lauryl sulfate use for oral and periodontal health: A literature review. *Journal of Dentistry (Tehran, Iran)*, 24(3), 262–276.
- Santana, W., Thahar, B., Mardiaty, E., et al (2017). The effect of alcoholic mouthwash, non-alcoholic mouthwash and artificial saliva towards the power chains force decay. *Padjadjaran Journal of Dentistry*, 29(3), 195–201.
- Stroede, C. L., Sadek, H., Navalgund, A., et al. (2012). Viscoelastic properties of elastomeric . *American Journal of Orthodontics and Dentofacial Orthopedics*, 141(3), 315–326.



Eriwati, Y. K., & Indrani, D. J. et al(2018). Effect of temperature on tensile force of ontic power chain in artificial saliva solution. *Journal of Physics: Conference Series*, 062006.

- Syahrul, D., Waliyanto, S., Suwongto, P. S. (2023). The use of chlorhexidine mouthwashes can reduce the accumulation of dental plaque in users of fixed orthodontic devices. *Interdental Jurnal Kedokteran Gigi (IJKG)*, 19(1), 43–48.
- Wibowo, B., Heryumani, J., Dyah Karunia, D. (2015). Pengaruh besar kompresi dan lama perendaman dalam saliva buatan terhadap kekuatan open coil spring nikel titanium. *Jurnal Kedokteran Gigi Universitas Gadjah Mada*, 6(4), 327–333.
- Williams, J. L., & Kvon, P. M. (2000). Degradation of polyurethane elastomers. *Journal of Biomedical Materials Research*, 53(1), 76–81.
- Yang, L. & Feng, J. (2023). Force degradation of two orthodontic accessories analyzed in vivo and in vitro. *BMC Oral Health*, 23, Article 1001.
- Younus, A.A., Kayarkar, V.S., Wankhade, S. et al(2023). Force decay of orthodontic elastomeric chains: A systematic review. *IP Indian Journal of Orthodontics and Dentofacial Research*, 9(1), 26–29.
- Younus, R., et al. (2023). Oral environment impact on power chains. *Pakistan Orthodontic Journal*, 15(1), 23–29.
- Zheng, B., Al-Somairi, Zhao, Y., et al(2023). Effect of filament types and loops number on the force degradation of elastomeric chains used for orthodontic treatment: An in-vitro study. *BMC Oral Health*, 23, Article 812.
- Zhou, Y., Wang, Y., Wang, X., et al (2014). The impact of orthodontic treatment on the quality of life: A systematic review.

