

DAFTAR PUSTAKA

- Acuña, L.E.B. *et al.* (2011) "Mandibular fossa depth variations: relation to age and dental state," *Int J Morphol*, 29, pp. 1189–1194.
- Afnia, S., Azhari, A. and Pramanik, F. (2022) "Bentuk dan inklinasi eminensia artikularis serta kedalaman fossa glenoidalis berdasarkan usia ditinjau dari radiograf panoramik Morphology and inclination of articular eminence and glenoid fossa depth based on age observed in panoramic radiograph," *Padjadjaran Journal of Dental Researchers and Students*, 6(1), pp. 15–21.
- Ahmed, J. *et al.* (2021) 'Morphological assessment of TMJ spaces, mandibular condyle, and glenoid fossa using cone beam computed tomography (CBCT): a retrospective analysis', *Indian Journal of Radiology and Imaging*, 31(01), pp. 78–85.
- Akbar, F.H. *et al.* (2023) 'Nasal Morphology Anthropological Assesment of the Toraja Regency as Basic Data for Forensic Identification.', *Journal of Pharmaceutical Negative Results*, 14(2).
- Al-koshab, M., Nambiar, P. and John, J. (2015) 'Assessment of condyle and glenoid fossa morphology using CBCT in South-East Asians', *PloS one*, 10(3), p. e0121682
- Alhammad, M.S. *et al.* (2023) "Dimensional and positional temporomandibular joint osseous characteristics in normodivergent facial patterns with and without temporomandibular disorders," *Clinical Oral Investigations*, 27(9), pp. 5011–5020.
- Al-Saedi, A.I.L. *et al.* (2020) 'A panoramic study of the morphology of mandibular condyle in a sample of population from Basrah city', *Int j morphol*, 38(6), pp. 1707–1712.
- Anisuzzaman, M.M. *et al.* (2019) "Evaluation of mandibular condylar morphology by orthopantomogram in Bangladeshi population," *Update Dental College Journal*, 9(1), pp. 29–31.
- Angelopoulos, C. *et al.* (2017) 'CBCT and the Diagnosis of Temporomandibular Joint Disease', in *Maxillofacial Cone Beam Computed Tomography: Principles, Techniques and Clinical Applications*. Springer, pp. 951–1016.
- Atasoy, B. *et al.* (2025) 'Associations between masseter and temporal muscle measurements and sarcopenia and nutritional status in older adults', *Die Radiologie*, pp. 1–10.
- Bertakis, K.D. *et al.* (2000) 'Gender differences in the utilization of health care services.', *The Journal of family practice*, 49(2), pp. 147–152.
- Cevidanes, L.H.S. *et al.* (2014) '3D osteoarthritic changes in TMJ condylar morphology correlates with specific systemic and local biomarkers of disease', *Osteoarthritis and Cartilage*, 22(10), pp. 1657–1667. Available at: <https://doi.org/10.1016/j.joca.2014.06.014>.
- Chairunnisa, R. and Harahap, R. (2022) "The increasing risk of temporomandibular disorder and articular eminence inclination due to tooth loss," *Padjadjaran Journal of Dentistry*, 34(2), pp. 154–162.
- Chandra, G. *et al.* (2024) "Morphometric variations of human mandible in Indian population: comparison between subjects having healthy and ankylosed temporomandibular joint," *medRxiv*, pp. 2009–2024.
- Chiang, M.-T. *et al.* (2015) 'Evaluation of missing-tooth effect on articular eminence inclination of temporomandibular joint', *Journal of Dental sciences*, 10(4), pp. 383–387.
- Choudhary, A. *et al.* (2020) 'Association of temporomandibular joint morphology in patients with and without temporomandibular joint dysfunction: A cone-beam computed tomography based study', *Arch journal*, 17(5), pp. 338–346.
- S. and Cha, B.-K. (2010) 'Changes in height and inclination of the articular eminence rowth period', *Korean Journal of Orthodontics*, 40(6), pp. 411–420.
- 1, K. and Kivovics, P. (2012) 'Anatomical changes in the structure of the idibular joint caused by complete edentulousness', *Gerodontology*, 29(2),



pp. 111–116.

- de Melo, D.P. *et al.* (2021) 'The morphometric measurements of the temporomandibular joint', *Frontiers of Oral and Maxillofacial Medicine*, 3.
- Dhabale, G.S., Bhowate, R.R. and Bhowate, R. (2022) "Cone-beam computed tomography for temporomandibular joint imaging," *Cureus*, 14(11).
- Dua, N. *et al.* (2024) "Effect of Age, Gender & Dental Status on Mandibular Morphology and Articular Eminence Inclination-Panoramic Study.," *Journal of Punjab Academy of Forensic Medicine & Toxicology*, 24(1).
- Fan, X.-C. *et al.* (2020) "Is there an association between temporomandibular disorders and articular eminence inclination? A systematic review," *Diagnostics*, 11(1), p. 29.
- Fan, X.-C. *et al.* (2021) "Temporomandibular joint osseous morphology of class I and class II malocclusions in the normal skeletal pattern: a cone-beam computed tomography study," *Diagnostics*, 11(3), p. 541.
- Fatola, D., Adiputra, S. and Chairunnisa, R. (2021) "Risk factors of temporomandibular disorders: literature review," *Makassar Dental Journal*, 10(3), pp. 288–293.
- Gupta, A. *et al.* (2022) "Assessment of Condylar Shape through Digital Panoramic Radiograph among Nepalese Population: A Proposal for Classification," *BioMed Research International*, 2022.
- Gupta, A. (2022) 'Age estimation using Orthopantomographs—a study on radiomorphometric parameters of mandibular ramus and gonial angle in south Indian population', *Authorea Preprints* [Preprint].
- Hegde, S., Praveen, B.N. and Shetty, S.R. (2013) "Morphological and radiological variations of mandibular condyles in health and diseases: a systematic review," *Dentistry*, 3(1), p. 154.
- Hu, X. *et al.* (2024) 'Age and Gender-related Morphometric Assessment and Degenerative Changes of Temporomandibular Joint in Symptomatic Subjects and Controls using Cone Beam Computed Tomography (CBCT): A Comparative Analysis.', *Current medical imaging*, 20, p. e15734056248617. Available at: <https://doi.org/10.2174/0115734056248617231002110417>.
- İlgüy, D. *et al.* (2014) "Articular eminence inclination, height, and condyle morphology on cone beam computed tomography," *The Scientific World Journal*, 2014.
- Ismail, A. and Al Yafi, F. (2024) "The role of radiographic imaging in the diagnosis and management of periodontal and peri-implant diseases," *Dental Clinics*, 68(2), pp. 247–258.
- Jaber, M. *et al.* (2023) "A Comparative Study of Condylar Bone Pathology in Patients with and without Temporomandibular Joint Disorders Using Orthopantomography," *Journal of Clinical Medicine*, 12(18), p. 5802.
- Jasinevicius, T.R. *et al.* (2005) 'The angle of the articular eminence in modern dentate African-Americans and European-Americans', *CRANIO®*, 23(4), pp. 249–256.
- Jawahar, A. and Maragathavalli, G. (2019) 'Analysis of Condylar Morphological Variations Using Digital Panoramic Radiographs-A Retrospective Study.', *Indian Journal of Public Health Research & Development*, 10(11).
- Jiang, H. *et al.* (2015) 'Assessment of osseous morphology of temporomandibular joint in asymptomatic participants with chewing-side preference', *Journal of Oral Rehabilitation*, 42(2), pp. 105–112.



) "Radiographic Assessment of Posterior Slope of Articular Eminence in Mandibular Joint Caused by Edentulousness." Rajiv Gandhi University of Health Sciences, India).

rghe, R.M. (2025) 'Assessment of condylar and glenoid fossa dimension in dental skeletal malocclusions', *Journal of Orthodontic Science*, 14(1), p. 16.

- Kanjani, V. *et al.* (2020) 'Morphometric variations in sigmoid notch and condyle of the mandible: a retrospective forensic digital analysis in North Indian population', *Archives of Medicine and Health Sciences*, 8(1), pp. 31–34.
- Kaur, B. and Padda, S. (2017) 'The prevalence, radiographic appearance and gender predilection of bifid mandibular condyles in Punjabi population of North India: a retrospective study', *Journal of Indian Academy of Oral Medicine and Radiology*, 29(3), pp. 180–185.
- Katsavrias, E.G. (2002) 'Changes in articular eminence inclination during the craniofacial growth period', *The Angle Orthodontist*, 72(3), pp. 258–264.
- Khounghanian, R.M. *et al.* (2021) "Age related variations of the mandibular condyle in a sample of Saudi population," *J Edu Res Review*, 9(1), pp. 6–12.
- Krishnan, V. *et al.* (2023) "A Panoramic Radiographic Evaluation of the Influence of Age and Edentulism on the Articular Eminence of the Temporomandibular Joint.," *Journal of Morphological Sciences*, 40.
- Kurusu, A., Horiuchi, M. and Soma, K. (2009) "Relationship between occlusal force and mandibular condyle morphology: evaluated by limited cone-beam computed tomography," *The Angle Orthodontist*, 79(6), pp. 1063–1069.
- Lewis, C. *et al.* (2023) 'Race and ethnic categories: a brief review of global terms and nomenclature. *Cureus*, 15 (7), e41253'.
- Lipson, M. *et al.* (2014) 'Reconstructing Austronesian population history in island Southeast Asia', *Nature communications*, 5(1), p. 4689.
- Melbia Shiny, S. (2016) "Assessment of Age Related Changes in Articular Eminence Inclination and Coronoid Morphology using Orthopantomograms." Sree Mookambika Institute of Dental Sciences, Kulasekharam.
- Menezes, A. V *et al.* (2008) 'The prevalence of bifid mandibular condyle detected in a Brazilian population', *Dentomaxillofacial Radiology*, 37(4), pp. 220–223.
- Nam, H., Shim, Y.-J. and Kang, J.-K. (2019) 'Articular eminence morphology of temporomandibular joint in young Korean adults', *Journal of Oral Medicine and Pain*, 44(2), pp. 59–64
- Neves, F.S. *et al.* (2013) 'Detection of bifid mandibular condyle by panoramic radiography and cone beam computed tomography', *Brazilian Journal of Oral Sciences*, 12, pp. 16–19.
- de Oliveira Reis, L. *et al.* (2022) "Evaluation of the dimensions, morphology, and position of the mandibular condyles in individuals with neurofibromatosis 1: a case-control study," *Clinical Oral Investigations*, 26(1), pp. 159–169.
- Okeson, J.P. (1989) 'Management of temporomandibular disorders', *St Louis. Mosby Company*, pp. 3–58.
- Oruba, Z. *et al.* (2020) 'Flattening of the articular eminence is associated with the loss of occlusal support: Radiological study', *Australian dental journal*, 65(1), pp. 53–57.
- Ozbilen, E.O. *et al.* (2023) "Evaluation of Mandibular Condyle Shape Distribution Using Digital Panoramic Images," *European Journal of Research in Dentistry*, 7(2), pp. 89–94.
- Ozkan, A. *et al.* (2012) 'Evaluation of articular eminence morphology and inclination in TMJ internal derangement patients with MRI', *Int J Morphol*, 30(2), pp. 740–744.
- Paknahad, M. *et al.* (2016) "Is mandibular fossa morphology and articular eminence inclination associated with temporomandibular dysfunction?," *Journal of Dentistry*, 17(2), p. 134.
- Rao, A. *et al.* (no date) 'Evaluation of TMJ Morphology in Various Growth Patterns in North Indian A CBCT Study', *International journal of health sciences*, 6(S5), pp. 10584–10596.
- , C. and Tanteri, G. (2019) *MRI of the Temporomandibular Joint: Correlation aging and Pathology*. Springer Nature.
- ! (2015) 'Shape and symmetry of human condyle and mandibular fossa', *Int J ratol*, 9(1), pp. 65–72.



- Rieuwpassa, I.E., Toppo, S. and Haerawati, S.D. (2012) 'Difference of size and shape of dental arch between male and female of Buginese, Makassarese, and Toraja', *J Dentomaxillofacial Sci*, 11(3), pp. 156–160.
- Sa, S.C. *et al.* (2017) 'Relationship between articular eminence inclination and alterations of the mandibular condyle: a CBCT study', *Brazilian oral research*, 31(0), p. e25.
- Shaikh, A.H. *et al.* (2022) 'Assessment of radiographic morphology of mandibular condyles: a radiographic study', *Folia Morphologica*, 81(2), pp. 481–486.
- Simanjuntak, T. (2008) *Austronesian in Sulawesi*. Center for Prehistoric and Austronesian Studies Yogyakarta, Indonesia.
- Singh, B. *et al.* (2020) "Evaluation of normal morphology of mandibular condyle: A radiographic survey," *Journal of Clinical Imaging Science*, 10(1), pp. 1–16. Available at: https://doi.org/10.25259/JCIS_84_2020.
- Singh, M. and Chakrabarty, A. (2015) 'Anatomical variations in condylar shape and symmetry: study of 100 patients', *Int J Sci Res*, 4(12), pp. 933–935.
- Sonal, V. *et al.* (2016) 'Evaluation of condylar morphology using panoramic radiography', *Journal of Advanced Clinical and Research Insights*, 3(1), pp. 5–8.
- Song, J. *et al.* (2020) 'Cone-beam CT evaluation of temporomandibular joint in permanent dentition according to Angle's classification', *Oral Radiology*, 36, pp. 261–266.
- Sülün, T. *et al.* (2001) 'Morphology of the mandibular fossa and inclination of the articular eminence in patients with internal derangement and in symptom-free volunteers', *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology, and Endodontology*, 92(1), pp. 98–107.
- Sümbüllü, M.A. *et al.* (2012) 'Radiological examination of the articular eminence morphology using cone beam CT', *Dentomaxillofacial Radiology*, 41(3), pp. 234–240.
- Takeuchi, K. *et al.* (2020) 'Dentist gender-related differences in patients' oral health behaviour.', *Journal of oral science*, 62(1), pp. 32–35. Available at: <https://doi.org/10.2334/josnusd.18-0462>.
- Uke, W.A.W. and Rahman, F.U.A. (2025) "Assessment of condyle head shape, fossa glenoidalis depth, and articular eminensia inclination in an adult Bugis-Makassar population," *National Journal of Maxillofacial Surgery*, 16(2), pp. 249–255.
- Unal Erzurumlu, Z. and Celenk, P. (2020) 'A radiological evaluation of the effects of edentulousness on the temporomandibular joint', *Journal of oral rehabilitation*, 47(3), pp. 319–324
- Vasegh, Z. *et al.* (2023) "Assessment of bony changes in temporomandibular joint in patients using cone beam computed tomography—a cross sectional study," *Head & Face Medicine*, 19(1), p. 47.
- Vırlan, M.J.R. *et al.* (2021) "Factors influencing the articular eminence of the temporomandibular joint," *Experimental and Therapeutic Medicine*, 22(4), pp. 1–



5
d Pharoah Michael, J. (2012) *Oral radiology: principles and interpretation*.
YANTO, W. (2022) *Mengenal Suku-Suku di Indonesia*. CV MEDIA
ATIVE Wilkie, G. and Al-Ani, Z. (2022) "Temporomandibular joint
tion and clinical
ce," *British dental journal*, 233(7), pp. 539–546.

- Wu, C.-K. *et al.* (2012) 'Assessments of inclinations of the mandibular fossa by computed tomography in an Asian population', *Clinical oral investigations*, 16(2), pp. 443–450.
- Yang, J.H. *et al.* (2021) 'Anatomical characteristics of the masseter muscle in mandibular prognathism', *Applied Sciences*, 11(10), p. 4444.
- Zhang, L.-Z. *et al.* (2016) "Three-dimensional measurement and cluster analysis for determining the size ranges of Chinese temporomandibular joint replacement prosthesis," *Medicine*, 95(8), p. e2897.

