

DAFTAR PUSTAKA

- Byrne, RA, Rossello, X, Coughlan, JJ, Barbato, E, Berry, C, Chieffo, A, Claeys, MJ, Dan, G-A, Dweck, MR, Galbraith, M, Gilard, M, Hinterbuchner, L, Jankowska, EA, Jüni, P, Kimura, T, Kunadian, V, Leosdottir, M, Lorusso, R, Pedretti, RFE, Rigopoulos, AG, Rubini Gimenez, M, Thiele, H, Vranckx, P, Wassmann, S, Wenger, NK & Ibanez, B (ESC Scientific Document Group) (2023) '2023 ESC Guidelines for the management of acute coronary syndromes', *European Heart Journal*, 44(38), pp. 3720–3826. doi: 10.1093/eurheartj/ehad191
- Caiazza, A., Russo, L., Sabbatini, M. and Russo, D., 2014. Hemodynamic and tubular changes induced by contrast media. *BioMed Research International*, 2014, Article ID 578974. <https://doi.org/10.1155/2014/578974>
- Higuchi, S., Kabeya, Y., Nishina, Y., Miura, Y., Shibata, S., Hata, N., et al., 2022. Clinical impact of noncontrast percutaneous coronary intervention in patients with acute coronary syndrome. *The Journal of Medical Investigation*, 69(1–2), pp.57–64. <https://doi.org/10.2152/jmi.69.57>
- Impellizzeri, A., Armillotta, M., Bergamaschi, L., Amicone, S., Suma, N., Bodega, F., et al., 2022. 1024 prognostic value of CI-AKI and its relationship with periprocedural myocardial damage in NSTEMI. *European Heart Journal Supplements*, 24(Supplement_K), pp.Suac121–533. <https://doi.org/10.1093/eurheartjsupp/suac121.1024>
- Islam, A.W., Munwar, S., Bhuiyan, A.H., Talukder, S., Reza, A., Ahmed, T., et al., 2017. Serum creatinine level doesn't change much at 2nd day after percutaneous coronary intervention (PCI): Amount of contrast injected may be the key factor. *Cardiovascular Journal*, 9(2), pp.155–158.
- Jiang, M.Y., 2020. Impact of acute kidney injury and baseline renal impairment on prognosis among patients undergoing percutaneous coronary intervention. *Acta Cardiologica Sinica*, 36(3), pp.223–232. [https://doi.org/10.6515/ACS.202005_36\(3\).20190920A](https://doi.org/10.6515/ACS.202005_36(3).20190920A)
- Kanda, D., Takumi, T., Tokushige, A., Ikeda, Y. and Ohishi, M., 2023. Different effects of medications for hypertension on renal function between patients with and without diabetes mellitus undergoing percutaneous coronary intervention: A retrospective single-center cohort study. *BMC Cardiovascular Disorders*, 23(1), 516. <https://doi.org/10.1186/s12872-023-03554-3>
- Kusirisin, P., Chattipakorn, S.C. and Chattipakorn, N., 2020. Contrast-induced nephropathy and oxidative stress: Mechanistic insights for better interventional approaches. *Journal of Translational Medicine*, 18(1), 400. <https://doi.org/10.1186/s12967-020-02592-4>
- Li, Y. and Wang, J., 2024. Contrast-induced acute kidney injury: A review of definition, pathogenesis, risk factors, prevention and treatment. *BMC Nephrology*, 25, 140. <https://doi.org/10.1186/s12882-024-03570-6>
- Li, Y., Zhao, L., Xu, T., Lv, Q., He, J., Wang, Y., et al., 2022. Association between contrast volume-to-creatinine clearance ratio and the risk of perioperative myocardial infarction after elective percutaneous coronary intervention. *International Heart Journal*, 63(5), pp.825–832. <https://doi.org/10.1536/ihj.21-709>
- Lin, Y., Pan, W., Ning, S., Song, X., Jin, Z. & Lv, S. (2013) 'Prevalence and management of hypertension in patients with acute coronary syndrome vary with gender: Observations from the Chinese registry of acute coronary events (CRACE)', *Molecular Medicine Reports*, 8(1), pp. 173–177. doi: 10.3892/mmr.2013.1461

- Mumtaz, M., Quratulain, F.Q., Umair, F., Nasim, S.N., Ali, H. and Zafar, K., 2022. Contrast induced nephropathy in patients of acute coronary syndrome with normal renal functions undergoing percutaneous coronary intervention. *Journal of Cardiovascular Diseases*, 18(2), pp.101–105.
- Rear, R., Bell, R. M. & Hausenloy, D. J. (2016) 'Contrast-induced nephropathy following angiography and cardiac interventions', *Heart*, 102(8), pp. 638–648. doi: 10.1136/heartjnl-2014-306962
- Saji, K., Namiuchi, S., Sugie, T., Takii, T. and Kato, A., 2017. Irreversible deterioration of estimated glomerular filtration rate in patients with acute myocardial infarction after primary percutaneous coronary intervention. *Cardiovascular Intervention and Therapeutics*, 32(4), pp.285–291. <https://doi.org/10.1007/s12928-016-0425-2>
- Santosa, Y.P., Harca, A.D., Yuwono, A., Hermanto, A., Oliver, M.S., Sukmadja, E. and Soewardi, R.J., 2022. Is it safe to do percutaneous coronary intervention in moderate to severe chronic kidney disease patients? A prospective cohort study. *Cureus*, 14(10), e30312. <https://doi.org/10.7759/cureus.30312>
- Shahjehan RD, Sharma S, Bhutta BS. Coronary Artery Disease. [Updated 2024 Oct 9]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2025 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK564304/>
- Tajti, P., Ayoub, M., Ahres, A., Rahimi, F., Behnes, M., Buettner, H.J., et al., 2022. Procedural outcomes of chronic total occlusion percutaneous coronary interventions in patients with acute kidney injury. *Cardiology Journal*, 30(6), pp.847–856. <https://doi.org/10.5603/CJ.a2022.0084>
- Tsai, T.T., Patel, U.D., Chang, T.I., et al., 2014. Contemporary incidence, predictors, and outcomes of acute kidney injury in patients undergoing percutaneous coronary interventions: Insights from the NCDR Cath-PCI Registry. *JACC: Cardiovascular Interventions*, 7(1), pp.1–9. <https://doi.org/10.1016/j.jcin.2013.06.016>
- Widaningsih, Y., Natsir, R., Arif, M., Bahrin, U., Kasim, H., Mangerangi, F., et al., 2017. Analysis of serum creatinine level and contrast volume in contrast induced nephropathy incidence after percutaneous coronary intervention. *International Journal of Sciences: Basic and Applied Research*, 33(2), pp.216–226.
- Wohlfahrt, P., & Cifkova, R. (2019). Epidemiological Aspects (Prevalence and Risk of Heart Failure Related to Blood Pressure). In *Hypertension and Heart Failure* (pp. 3-22). Springer.