

## DAFTAR PUSTAKA

- Artika, S. R., Ambo-Rappe, R. (promotor). (2020). Morphological and Physiological Responses of *Enhalus acoroides* Seedlings Under Varying Temperature and Nutrient Treatment. *Frontiers in Marine Science* — menelaah respons lamun (termasuk aspek nutrisi) pada tahap benih/seedling; berguna untuk memahami efek nutrisi pada pertumbuhan awal yang berkontribusi pada kerapatan.
- Assyam, N.A. 2023. Skripsi. Analisis Kandungan Nutrien Sedimen Di Perairan Pulau Sagara Kabupaten Pangkep dan Kaitannya Dengan Kerapatan Lamun. Universitas Hasanuddin.
- Auliyah, N. 2018. Komposisi Jenis Lamun (*Seagrass*) di Kawasan Pantai Malagoso Desa Dumolodo Kecamatan Gentuma Raya Kabupaten Gorontalo. *Gorontalo Fisheries Journal*, 1(1), 12-25.
- Burkholder, J. M., Tomasko, D. A., & Touchette, B. W. (2007). Seagrasses and eutrophication. *Journal of Experimental Marine Biology and Ecology*, 350(1-2), 46-72.
- Braun-Blanquet, J. (1965). *Pflanzensoziologie. Grundzüge der Vegetationskunde*. Wien: Springer-Verlag.
- Björk, M., Short, F., Mcleod, E., & Beer, S. (2008). Managing seagrasses for resilience to climate change. IUCN.
- Collier, C.J., Ow, Y.X., Langlois, L., Uthicke, S., Johansson, C.L., O'Brien, K.R., Hrebien,
- Duarte, C. M. (1991). Seagrass depth limits. *Aquatic Botany*, 40(4), 363–377.
- Duarte, C.M., 1990. Seagrass nutrient content. *Mar. Ecol. Prog. Ser.* 67, 201–207.
- Dennison, W. C. (1987). Effects of light on seagrass photosynthesis. *Aquatic Botany*, 27(1), 15–26.
- Erfteemeijer, P. L. A. and Middelburg, J. 1993. Sediment-nutrient Interaction in Tropical Seagrass Beds: a Comparison Between a Terigenous and a Carbonat Sedimentary Environment in South Sulawesi. *Marine Progress Series*, 102:187-198.
- Fachrul, F.M., H. Haeruman, dan L.C. Sitepu. 2005. Komunitas Fitoplankton Sebagai Bio- indikator Kualitas Perairan Teluk Jakarta. Seminar Nasional MIPA 2005. FMIPA- Universitas Indonesia. 24-26 November 2005, Jakarta. 10 him.
- Fahmi, G., Saputra, D. K., & Sari, N. W. P. (2023). The influence of environmental factors on seagrass community structure in tropical waters. *Journal of Marine Science and Engineering*, 11(4), 789.
- Eftri, 2023. Skripsi Hubungan Kondisi Padang Lamun Dengan Penggunaan Jangkar dan Kulkambing Kabupaten Pangkep. Universitas Hasanuddin.
- et al. (2024). The Effect of Sediment Mud Content on Primary Seagrass and Unvegetated Intertidal Flats. *Estuaries and Coasts*. 0



- Fourqurean, J. W., Zieman, J. C., & Powell, G. V. N. (1992). Relationships between porewater nutrients and seagrasses in a subtropical carbonate environment. *Marine Biology*, 114(1), 57-65.
- Galloway, J. N., Aber, J. D., Erisman, J. W., Seitzinger, S. P., Howarth, R. W., Cowling, E. B., & Cosby, B. J. (2003). The nitrogen cascade. *BioScience*, 53(4), 341–356.
- Handayani, D. R., Armid, A., & Emiyarti, E. 2016. Disertasi. Hubungan kandungan nutrien dalam substrat terhadap kepadatan lamun di Perairan Desa Lalowaru Kecamatan Moramo Utara. Universitas Haluoleo.
- Hartati, R., Zainuri, M., Ambariyanto, A., Trianto, A. & Mahendrajaya, R.T., 2018. Similarity microalgal epiphyte composition on seagrass of *Enhalus acoroides* and *Thalassia hemprichii* from different waters. IOP Conference Series: Earth and Environmental Science.
- Hartoko, A., F. Prijadi S., & Ayuningtyas I. 2013. Analisis Klorofil A Nitrat dan Phospat Pada Vegetasi Mangrove Berdasarkan Data Lapangan dan Data Satelit Geoeye Di Pulau Parang, Kepulauan Karimunjawa. *Diponegoro Journal of Maquares*, 2(2): 28-37.
- Hidayat, W., Warpala, I. S., & Dewi, N. S. R. 2018. Komposisi jenis lamun (seagrass) dan karakteristik biofisik perairan di kawasan Pelabuhan Desa Celukan bawang Kecamatan Gerokgak Kabupaten Buleleng Bali. *Jurnal Pendidikan Biologi Undiksha*, 5(3), 133-145.
- Hutabarat, S., & Evans, S. M. (2012). *Pengantar Oseanografi*. Jakarta: UI Press.
- Hemminga, M. A., & Duarte, C. M. (2000). *Seagrass Ecology*. Cambridge: Cambridge University Press.
- Isabella, D.C.V. 2011. Analisis Keberadaan Perifiton dalam Kaitannya dengan Parameter Fisika-Kimia dan Karakteristik Padang Lamun di Pulau Pari. Skripsi. Sekolah Pascasarjana. Institut Pertanian Bogor. Bogor.
- Jiang, Z., Liu, J., Zhang, J., & Zhou, Y. (2023). Sediment nutrient availability drives the growth and dynamics of temperate seagrass (*Zostera marina*). *Estuarine, Coastal and Shelf Science*, 281, 108201.
- Kordi K. M. G.H. 2011. *Ekosistem Lamun (seagrass): Fungsi, Potensi, dan Pengelolaan*. Jakarta: Rineka Cipta
- Kiswara, W. 2004. *Kondisi Padang Lamun (seagrass) di Teluk Banten 1998 – 2001*. Pusat Penelitian dan Pengembangan Oseanologi – Lembaga Ilmu Pengetahuan Indonesia. Jakarta.
- Kilminster, K., McMahon, K., Waycott, M., Kendrick, G. A., Scanes, P., McKenzie, L., ... & Glasby, T. (2015). Unravelling complexity in seagrass systems for : Australia as a microcosm. *Science of The Total Environment*,
- Padang Lamun Indonesia 2017. Pusat Penelitian Oseanografi – u Pengetahuan Indonesia
- Rasheed, M. A., Collier, C. J., & McKenzie, L. J. (2022). Light n turbidity and sediment suspension decreases seagrass growth,



- biomass, and meadow condition. *Marine Environmental Research*, 178, 105627.
- Le Brasse, M. C. et al. (2022). Simulated response of St. Joseph Bay, Florida, seagrass to light reduction: The quantity and quality of light available to seagrass is affected by anthropogenic activities through increasing concentrations of suspended sediments. *Marine Ecology Progress Series*.
- Lloyd, D.S., Koenings, J.P., & LaPerriere, J.D. (1987). "Effects of turbidity in fresh waters of Alaska." *North American Journal of Fisheries Management*, 7(1), 18-33.
- Mabrouk, L., Hamza, A., Mahfoudi, M. & Bradai, M.N., 2012. *Spatial and temporal variations of epiphytic *Ostreopsis siamensis* on *Posidonia oceanica* (L.) *Delile leaves in Mahdia* (Tunisia). *CBM-Cahiers de Biologie Marine*.*
- Manaba, N. F. 2022. *Disertasi*. Pengaruh Kelimpahan Epifit Terhadap Laju Pertumbuhan Lamun *Enhalus acoroides* di Pulau Sabutung Desa Mattiro Kanja, Kabupaten Pangkep, Propinsi Sulawesi Selatan. Universitas Hasanuddin.
- Monoarfa, A. 1992. Pedoman Penentuan Tingkat Kesuburan Perairan Berdasarkan Kandungan Fosfat Sedimen. Direktorat Jenderal Perikanan, Departemen Pertanian, Jakarta.
- Nguyen, H. T., Le, T. P. D., & Smith, J. M. (2024). Spatial dynamics of seagrass communities in Southeast Asian waters: Implications for conservation management. *Estuarine, Coastal and Shelf Science*, 289, 108395
- Patriquin, D.G. 1992. The Origin of Nitrogen and Phosphorus for Growth of The Marine Angiosperm *Thalassia testudinum*. *Mar. Biol* 15: 35-46.
- Rahmawati, S., Irawan, A., Supriyadi, I. H., & Azkab, M. H. 2017. Panduan monitoring padang lamun. Bogor: COREMAP-CTI Lembaga Ilmu Pengetahuan Indonesia.
- Rasheed, M. A., McKenzie, L. J., Taylor, H. A., & Coles, R. G. (2014). Long-term climate-associated dynamics of a tropical seagrass meadow: implications for monitoring and management. *Ecological Indicators*, 45, 617–627.
- Rohani Ambo-Rappe, - (2021) The first nation-wide assessment identifies valuable blue-carbon seagrass habitat in Indonesia is in moderate condition. *Science of the Total Environment*.
- Rohani Ambo-Rappe, - (2022) The success of seagrass restoration using *Enhalus acoroides* seeds is correlated with substrate and hydrodynamic conditions. Rohani Ambo-Rappe.
- Rappe,A.,(2013). Struktur komunitas lamun dan faktor lingkungan yang memengaruhinya di perairan pesisir Sulawesi Selatan. *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 5(2), 421–431.
- Riniatsih, I., & Wulandari, S. (2017). Hubungan kerapatan lamun dengan kandungan fosfat pada sedimen di Pantai Kartini, Jepara. *Buletin Oseanografi* 73–82.
- & Haslianti. 2018. Studi kualitas air kaitanya dengan pertumbuhan *Kappaphycus alvarezii* pada rakit jaring apung di perairan Pantai Bau-Bau Sulawesi Tenggara. *Jurnal Manajemen Sumber Daya* ): 155–164.



- Schanz, A. Asmus H. 2003. Impact of hydrodynamics on development of intertidal seagrasses in the Wadden Sea. *Mar Ecol Prog Ser* 261: 123-134.
- Short, F. T., & Coles, R. G. (2001). *Global Seagrass Research Methods*. Elsevier.
- Short, F. T., & Duarte, C. M. (2001). Methods for the Measurement of Seagrass Growth and Production. In F. T
- Simpson, S.L., & Batley, G.E. (Eds.). (2016). *Sediment Quality Assessment: A Practical Guide* (2nd ed.). CSIRO Publishing.
- Syahr, N., Hamsiah, & Djafar, S. (2025). Analisis kondisi dan karakteristik morfometrik lamun di perairan Tanah Lemo, Kelurahan Tanah Lemo, Kabupaten Bulukumba. *Jurnal Ilmiah Wahana Laut Lestari (JiWALL)*, FPIK Universitas Muslim Indonesia.
- Touchette, B. W., and Burkholder, J. M. (2000). Overview of the physiological ecology of carbon metabolism in seagrasses. *J. Exp. Mar. Biol. Ecol.* 250, 169–205.
- V. & Adams, M.P., 2017. Optimum temperatures for net primary productivity of three tropical seagrass species. *Frontiers in Plant Science*.
- Wetzel, R. G. (2001). *Limnology: Lake and River Ecosystems*. Academic Press.
- Wentworth, C. K. (1922). A scale of grade and class terms for clastic sediments. *The Journal of Geology*, 30(5), 377–392.

