

DAFTAR PUSTAKA

- Allen, G. R., & McKenna, S. A. (2001). A Marine Rapid Assessment of the Togeau and Banggai Islands, Sulawesi, Indonesia. Conservation International, Washington DC.
- Ambo-Rappe, R. (2020). Seagrass meadows for fisheries in Indonesia: a preliminary study. *IOP Conference Series: Earth and Environmental Science*, 564, 012017. <https://doi.org/10.1088/1755-1315/564/1/012017>
- Arbi, U. Y., Wirawati, I., Widyastuti, E., Hadiyanto, H., Ibrahim, P. S., Vimono, I. B., Pitriana, P., Cappenberg, H. A. W., Nugroho, D. A., & Sani, S. Y. (2022). *Fauna Bentos Ekosistem Pesisir Indonesia*. Epigraf Komunikata Prima, Sukoharjo.
- Bieler, R. (1992). Gastropod phylogeny and systematics. *Annual Review of Ecology and Systematics*, 23(1), 311–338. <https://doi.org/10.1146/annurev.es.23.110192.001523>
- Bikashvili, A., Kachlishvili, N., Japoshvili, B., & Mumladze, L. (2022). Species diversity and DNA barcode library of freshwater Molluscs of South Caucasus. *Biodiversity Data Journal*, 10, e84887. <https://doi.org/10.3897/BDJ.10.e84887>
- Boyd, A. D., Walker, N. S., Valdez, S. R., Zhang, Y. S., Altieri, A. H., Gulis, V., Crain, C., & Silliman, B. (2022). Invertebrate grazing on live turtlegrass (*Thalassia testudinum*): A common interaction that may facilitate fungal growth. *Frontiers in Marine Science*, 8(January), 1–10. <https://doi.org/10.3389/fmars.2021.789380>
- Carreras-Colom, E., Follesa, M. C., Carugati, L., Mulas, A., Bellodi, A., & Cau, A. (2024). Marine macro-litter mass outweighs biomass in trawl catches along abyssal seafloors of Sardinia channel (Italy). *Environmental Science and Pollution Research*, 31(30), 43405–43416. <https://doi.org/10.1007/s11356-024-33909-3>
- Costello, M. J., Coll, M., Danovaro, R., Halpin, P., Ojaveer, H., & Miloslavich, P. (2021). Census of Marine Biodiversity Knowledge, Resources, and Challenges. *PLoS One*, 5, e12110. <https://doi.org/10.1371/journal.pone.0012110>
- Monteclaro, H. M., & Santander-de Leon, S. M. S (2024). Distribution, and recruitment of conch (Gastropoda: Strombidae)



in intertidal zones. *Regional Studies in Marine Science*, 77, 103660. <https://doi.org/10.1016/j.rsma.2024.103660>

Diamante, R. A. M., Monteclaro, H. M., Altamirano, J. P., & Santander-de Leon, S. M. S. (2025). Gleaning fishery of conch (Gastropoda: Strombidae) in seagrass beds of Guimaras Island, the Philippines. *Pilippine Journal of Science*, 154, 1467–1482. https://philjournalsci.dost.gov.ph/wp-content/uploads/2026/01/gleaning-fishery-of-conch-in-seagrass-beds-fo-Guimaras_.pdf

Fanoro, T. F. R., Scarlet, M. P., & Bandeira, S. O. (2023). Intertidal gleaning exclusion as a trigger for seagrass species and fauna recovery and passive seagrass rehabilitation. *Diversity*, 15(6), 1–18. <https://doi.org/10.3390/d15060772>

Folmer, O., Black, M., Hoeh, W., Lutz, R., & Vrijenhoek, R. (1994). DNA primers for amplification of mitochondrial cytochrome C oxidase subunit I from diverse metazoan invertebrates. *Molecular Marine Biology and Biotechnology*, 3, 294–299. <https://pubmed.ncbi.nlm.nih.gov/7881515/>

Furfaro, G., & Mariottini, P. (2021). Looking at the nudibranch famili myrrhinidae (Gastropoda, Heterobranchia) from a mitochondrial '2D Folding Structure' Point of View. *Life*, 11. <https://doi.org/10.3390/life11060583>

GBIF (2026). GBIF: The Global Biodiversity Information Facility, <https://www.gbif.org/>

Gielings R, Fais M,. Fontaneto, D., Creer S, Costa FO, Renema W, & Macher J-N (2021) DNA Metabarcoding Methods for the study of marine benthic Meiofauna: A Review. *Frontiers in Marine Science*, 8, 730063. <https://doi.org/10.3389/fmars.2021.730063>

Habib, K. A., Neogi, A. K., Rahman, M., Oh, J., Lee, Y.-H., & Kim, C.-G. (2021). DNA barcoding of brackish and marine water fishes and shellfishes of Sundarbans, the world's largest mangrove ecosystem. *PLOS ONE*, 16(8), e0255110. <https://doi.org/10.1371/journal.pone.0255110>

Hardy, E. (2026). Hardy's internet guide to marine gastropods. In *Conchology*, <https://conchology.be/?t=261>

Antine, J. F. (2006). Plant-herbivore interactions in seagrass *Journal of Experimental Marine Biology and Ecology*, 330(1), <https://doi.org/10.1016/j.jembe.2005.12.044>

, D., Wang, A., Liu, C., & Yang, Y. (2025). Species diversity of mollusca, Bivalvia) in the intertidal zone of Hainan Island



revealed by DNA barcoding analysis. *ZooKeys*, 1241, 247–260. <https://doi.org/10.3897/zookeys.1241.139908>

Jiang, Z., Huang, D., Fang, Y., Cui, L., Zhao, C., Liu, S., Wu, Y., Chen, Q., Ranvilage, C. I. P. M., He, J., & Huang, X. (2020). Home for marine species: Seagrass leaves as vital spawning grounds and food source. *Frontiers in Marine Science*, 7(April), 1–9. <https://doi.org/10.3389/fmars.2020.00194>

Layton, K. K. S., Martel, A. L., & Hebert, P. D. N. (2014). Patterns of DNA barcode variation in Canadian marine molluscs. *PLoS ONE*, 9(4), 19. <https://doi.org/10.1371/journal.pone.0095003>

Leray, M., Boehm, J. T., Mills, S. C., & Meyer, C. P. (2012). Moorea BIOCDE barcode library as a tool for understanding predator–prey interactions: insights into the diet of common predatory coral reef fishes. *Coral Reefs*, 31(2), 383–388. <https://doi.org/10.1007/s00338-011-0845-0>

Mahjabin, M., Tasnim, Z., Datta, S. K., Haque, W., & Ahmed, M. S. (2023). DNA barcoding and phylogenetic analysis of some gastropod molluscs (class-gastropoda) from three ecological habitats of Bangladesh. *Bioresearch Communications*, 9(2), 1305–1309. <https://doi.org/10.3329/brc.v9i2.67082>

Mai, N. C., Hoe, P. T., Trung, L. Q., Van, N. T., Hoa, L. X., Chieu, H. D., Thung, D. C., Tuan, B. M., Nho, P. T. D., Lien, L. Q., & Linh, T. M. (2025). DNA barcode identification for gastropod and bivalve species in coastal bays and islands of Vietnam. *Diversity*, 17(12), 1–14. <https://doi.org/10.3390/d17120863>

Maynawang, I. S., Macusi, E. D., Fadli, N., & Nallos, I. M. (2023). Diversity of harvested gastropods in Guang-Guang, Mati City, Davao Oriental, Philippines. *Hayati Journal of Biosciences*, 31, 153–160. <https://doi.org/10.4308/hjb.31.1.153-160>

Maxwell, S., Rymer, T., & Dekkers, A. (2020). *Canarium urceus* (Linné, 1758) Studies Part 1: The Recircumscription of *Strombus urceus* Linné, 1758 (Neostromboidae: Strombidae). *The Festivus*, 52, 113–127. <https://doi.org/10.54173/F522113>

Id, S. J., & Rymer, T. L. (2023). Population structure and of *Canarium (Canarium) incisum* and *Canarium (Canarium)* (Mollusca: Neostromboidae: Strombidae) from the with preliminary notes on aperture colouration based on



DARtseq data. *Acta Zooligica*, 104, 255–261.
<https://doi.org/10.1111/azo.12421>

MolluscaBase eds. (2026). *MolluscaBase*. Accessed at
<https://www.molluscabase.org>. <https://doi.org/10.14284/448>

Mugnai, F., Megléc, E., Costantini, F., Abbiati, M., Bavestrello, G., Bertasi, F., Bo, M., Capa, M., Chenuil, A., Colangelo, M. A., De Clerck, O., Gutiérrez, J. M., Lattanzi, L., Leduc, M., Martin, D., Matterson, K. O., Mikac, B., Plaisance, L., Ponti, M., Riesgo, A., Rossi, V., Turicchia, E., Waeschenbach, A., & Wangensteen, O. S. (2021). Are well-studied marine biodiversity hotspots still blackspots for animal barcoding? *Global Ecology and Conservation*, 32, e01909.
<https://doi.org/10.1016/j.gecco.2021.e01909>

Mustika, A., Irawan, A., & Sari, L. I. (2025). The characteristics of megagastropod abundance in the seagrass beds of Malahing Village, Bontang City, East Kalimantan. *Jurnal Biologi Tropis*. <https://doi.org/10.29303/jbt.v25i3.9108>

Nadiarti, N., Nafie, Y. A. La, Priosambodo, D., & Husain, A. A. A. (2021). Significant effect of human trampling on subtidal seagrass beds. *AACL Bioflux*, 14(2), 910–917. <http://www.bioflux.com.ro/docs/2021.910-917.pdf>

Nordlund, L. M., Unsworth, R. K. F., Gullström, M., & Cullen-Unsworth, L. C. (2018). Global significance of seagrass fishery activity. *Fish and Fisheries*, 19(3), 399–412. <https://doi.org/10.1111/faf.12259>

Palomares, M. L. D. & Pauly, D. (eds) (2026) *SeaLifeBase*. World Wide Web electronic publication. <http://www.sealifebase.org>.

Pangarungan, J. N. P., Makasiar, E. A. K., Trillo, J. P., & Moneva, C. S. O. (2022). Microhabitat preference of Strombidae in selected intertidal areas of Zamboanga del Norte and Misamis Occidental, Philippines. *Mindanao Journal of Science and Technology*, 20(1), 87–100.
<https://doi.org/10.61310/mndjstecbe.1043.22>

Passamonti, M. (2015). The family Cypraeidae (Gastropoda Cypraeoidea) an unexpected case of neglected animals. *Biodiversity Journal*, 6, 449–466.
[http://www.biodiversityjournal.com/pdf/6\(1\)_449-466.pdf](http://www.biodiversityjournal.com/pdf/6(1)_449-466.pdf)

Sheth P., Duda T. F., Kaufenstein S., Kohn A.J., Olivera B. M., & Meyer C. (2014). Molecular phylogeny and evolution of the gastropods (Gastropoda, Conoidea). *Molecular Phylogenetics and Evolution*, 88, 290–303. <https://doi.org/10.1016/j.ympev.2014.05.023>



- Qingxia, Li, F., Zheng, J., Liu, C., Wang, A., Yang, Y., & Gu, Z. (2023). *Mitogenomic phylogeny of Cypraeidae (Gastropoda: Mesogastropoda)*. 11. <https://doi.org/10.3389/fevo.2023.1138297>
- Quevedo, J. M. D., Uchiyama, Y., & Kohsaka, R. (2023). Understanding rural and urban perceptions of seagrass ecosystem services for their blue carbon conservation strategies in the Philippines. *Ecological Research*, 38(4), 521–540. <https://doi.org/10.1111/1440-1703.12325>
- Ratnasingham, S., & Hebert, P. D. N. (2007). The barcode of life data system BOLD. *Molecular Ecology Notes*, 7(3), 355–364. <https://doi.org/10.1111/j.1471-8286.2006.01678.x>
- Remigio, E., & Hebert, P. (2003). Testing the utility of partial COI sequences for phylogenetic estimates of gastropod relationships. *Molecular Phylogenetics and Evolution*, 29 3, 641–647. [https://doi.org/10.1016/s1055-7903\(03\)00140-4](https://doi.org/10.1016/s1055-7903(03)00140-4)
- Salis, R., Sunde, J., Gubonin, N., Franzén, M., & Forsman, A. (2024). Performance of DNA metabarcoding, standard barcoding and morphological approaches in the identification of insect biodiversity. *Molecular Ecology Resources*, 24(8), 1–15. <https://doi.org/10.1111/1755-0998.14018>
- Sasmitha, Y., Candri, D. A., & Ahyadi, H. (2025). *Diversity of Mollusks (Bivalvia and Gastropoda) in the Intertidal Zone of Medana Beach, North Lombok*. 20(6), 1028–1035.
- Serdiati, N., Ndobe, S., Rosyida, E., & Moore, A. M. (2023). Barcoding a glass eel migration: a snapshot of taxa migrating upstream in the Palu River, Central Sulawesi, Indonesia. *IOP Conf Ser Earth Environ Sci* 1272, 012020. <https://doi.org/10.1088/1755-1315/1272/1/012020>
- Setiamarga, D. H. E., Shimizu, M., Nakashima, S., Osaki, C., Hirota, K., Anggraeni, L., Van Tu, D., & Sasaki, T. (2025). DNA barcoding of museum-vouchered samples collected from fish markets reveals an unexpected diversity of consumed gastropods in Vietnam. *Future Foods*, 12, 100689. <https://doi.org/https://doi.org/10.1016/j.fufo.2025.100689>
- Setiamarga, D. H. E., Satrio, A., & Blicharska, M. (2023). The Where, the How, and the Where: gleaning fishery: Livelihoods, food security, threats and conservation on the island of Malalison, Philippines. *Ocean and Coastal Management*, 244(August), 106806. <https://doi.org/10.1016/j.ocecoaman.2023.106806>



- Sturm, C. F., Pearce, T. A., Valdés, Á. (eds.) (2006). *The Mollusks: A guide to their study, collection and preservation*. American Malacological Society, Pittsburgh
- Tamura, K., Stecher, G., & Kumar, S. (2021). MEGA11: Molecular Evolutionary Genetics Analysis Version 11. *Molecular Biology and Evolution*, 38(7), 3022–3027. <https://doi.org/10.1093/molbev/msab120>
- Tang, K. H. D., & Hadibarata, T. (2022). Seagrass Meadows under the Changing Climate: A Review of the Impacts of Climate Stressors. *Research in Ecology*, 4(1), 27–36. <https://doi.org/10.30564/re.v4i1.4363>
- Ward, R. D. (2009). DNA barcode divergence among species and genera of birds and fishes. *Molecular Ecology Resources*, 9(4), 1077–1085. <https://doi.org/10.1111/j.1755-0998.2009.02541.x>
- Wallner-Hahn, S., Dahlgren, M., & de la Torre-Castro, M. (2022). Linking seagrass ecosystem services to food security: The example of southwestern Madagascar's small-scale fisheries. *Ecosystem Services*, 53(November 2020), 101381. <https://doi.org/10.1016/j.ecoser.2021.101381>
- Weigand, H., Beermann, A. J., Čiampor, F., Costa, F. O., Csabai, Z., Duarte, S., Geiger, M. F., Grabowski, M., Rimet, F., Rulik, B., Strand, M., Szucsich, N., Weigand, A. M., Willassen, E., Wyler, S. A., Bouchez, A., Borja, A., Čiamporová-Zaťovičová, Z., Ferreira, S., & Ekrem, T. (2019). DNA barcode reference libraries for the monitoring of aquatic biota in Europe: Gap-analysis and recommendations for future work. *Science of The Total Environment*, 678, 499–524. <https://doi.org/https://doi.org/10.1016/j.scitotenv.2019.04.247>
- WoRMS Editorial Board. (2025). *World Register of Marine Species*. Flanders Marine Institute (VLIZ). <https://doi.org/10.14284/170>
- Zhou, Y., Trujillo-González, A., Nicol, S., Huerlimann, R., Sarre, S. D., & Gleeson, D. (2025). Evaluation of DNA barcoding reference databases for marine species in the western and central Pacific Ocean. *PeerJ*, 13, e19674. <https://doi.org/10.7717/peerj.19674>

