

DAFTAR PUSTAKA

- Al Azad, S., Estim, A., Mustafa, S., & Sumbing, M. V., 2017. Assessment of Nutrients in Seaweed Tank from Land Based Integrated Multitrophic Aquaculture Module. *Journal of Geoscience and Environment Protection*, 05(08), 137–147. <https://doi.org/10.4236/gep.2017.58012>
- Aliah, R. S., 2016. Keragaan Model Budidaya Perikanan Terintegrasi Multi Tropik Di Pantai Utara Karawang, Jawa Barat. *Jurnal Teknologi Lingkungan*, 13(1), 47–58. <https://doi.org/10.29122/jtl.v13i1.1404>
- An, B. N. T., & Anh, N. T., 2020. Co-culture of Nile tilapia (*Oreochromis niloticus*) and red seaweed (*Gracilaria tenuistipitata*) Under Different Feeding Rates. *Journal of Applied Phycology*, 32(3), 2031–2040. <https://doi.org/https://doi.org/10.1007/s10811-020-02110-7>
- Anam, M. K., Basuki, F., & Widowati, L. L., 2017. Performa Pertumbuhan, Kelulushidupan, Dan Produksi Biomassa Ikan Nila (*Oreochromis Niloticus*) Dengan Debit Air Yang Berbeda Pada Sistem Budidaya Minapadi Di Dusun Kandhangan, Sleman, Yogyakarta. *Sains Akuakultur Tropis : Indonesian Journal of Tropical Aquaculture*, 1(1), 52–61. <https://doi.org/10.14710/sat.v1i1.2456>
- Andika, M., Muliani, K., & Munawar., 2024. Growth and survival of milkfish (*Chanos chanos*), tiger prawns (*Panaeus monodon*), and oysters (*Crassostrea sp.*) in *integrated multi-trophic aquaculture system with varying stocking densities*. *Journal of Marine Studies*, 1(1), 1–9.
- Anggadiredja, T. J., Zatznika, A., H., P., & Istini, S. (2006). Rumput laut. Penebar Swadaya.
- Atkinson, L. C., & Vaughn, C. C. (2014). Biogeochemical Hotspots : Temporal And Spatial Scaling Of The Impact Of Freshwater Mussels On Ecosystem Function. *Freshwater Biology*, 60(3), 563–574.
- Azhar, M. H., & Memiş, D. (2023). Application of the IMTA (Integrated Multi-Trophic Aquaculture) System in Freshwater, Brackish and Marine Aquaculture. *Aquatic Sciences and Engineering*, 38(2), 106–121. <https://doi.org/10.26650/ASE20231252136>
- Basir, A. P., Saimima, A., Djaya, E. S., Hamdja, S., & Apung, K. J. (2022). : *Jurnal Ilmu Perikanan & Masyarakat Pesisir Stp Hatta-Sjahir* *Issn: 2549-7502*. 8, 51–60.
- Boyd, C. E. (1990). *Water Quality Management in Aquaculture and Fisheries Science*. Elsevier Scientific Publishing Company.
- Buck, B. H., Nevejan, N., Willw, M., Chambers, M. D., & Chopin, T. (2017). Aquaculture perspective of multi-use sites in the open ocean: The untapped potential for marine resources in the anthropocene. In *Aquaculture Perspective of Multi-Use Sites in the Open Ocean: The Untapped Potential for Marine Resources in the Anthropocene*. 4. <https://doi.org/10.1007/978-3-319-51159-7>
- Cempanati, C., Willer, D., Schubert, J., & Aldridge, D. C. (2022). Sustainable Intensification of Aquaculture through Nutrient Recycling and Circular Economies: More Fish, Less Waste, Blue Growth. *Reviews in Fisheries Science and Aquaculture*, 30(2), 143–169.
- Chatzivasileiou, D., Dimitriou, P. D., Theodorou, J., Kalantzi, I., Magiopoulos, I., Papageorgiou, N., Pitta, P., Tsapakis, M., & Karakassis, I. (2022). An IMTA in Greece: Co-Culture of Fish, Bivalves, and Holothurians. *Journal of Marine Science and Engineering*, 10(6). <https://doi.org/10.3390/jmse10060776>
- Cho CY, . & Bureau, D. (2001). A review of diet formulation strategies and feeding systems to reduce excretory and feed wastes in aquaculture. *Aquaculture Research*, 32, 349–360.



J. A., Reid, G., Cross, S., & Moore, C. (2012). Open-water integrated multi-trophic Environmental biomitigation and economic diversification of fed aquaculture by iaculture. *Reviews in Aquaculture*, 4(4), 209–220. <https://doi.org/10.1111/j.1753-074.x>

, Chatzoglou, E., Schoina, E., Politakis, N., Kogiannou, D., Fountoulaki, E., Androni, opoulou, A., Assimakopoulou, G., & Nathanailides, C. (2024). Growth Performance ental Quality Indices and Biomarkers in a Co-Culture of the European Sea Bass

with Filter and Deposit Feeders: A Case Study of an IMTA System. *Fishes*, 9(2). <https://doi.org/10.3390/fishes9020069>

Dame, R. F. (2011). *Ecology of marine Bivalves : An ecosystem approach*. CRC Press.

Dauda, A. B., Ajadi, A., & Tola-Fabunmi, A. S., & Akinwole, A. O. (2019). aste production in aquaculture: Sources, components and managements in different culture systems. *Aquaculture and Fisheries*, 4(3), 81–88. <https://doi.org/https://doi.org/10.1016/j.aaf.2018.10.002>

Edwards, P. (2015). Aquaculture environment interactions: Past, present and likely future trends. *Aquaculture*, 447, 2–14. <https://doi.org/10.1016/j.aquaculture.2015.02.001>

Effendie, M. I. 1979. (1979). *Metode Biologi Perikanan*. Yayasan Dewi Sri.

Effendie, M. I. (2002). *Biologi Perikanan*. ayasan Pustaka Nusantara.

Effendie, M. I. (2012). Biologi perikanan. In *Yayasan Pustaka Nusatama*. Yayasan Pustaka Nusatama.

El-Leithy, A. A. A., Hemeda, S. A., El Naby, W. S. H. A., El-Deeb, S. I., & and Helmy, Z. . (2019). Optimum salinity for Nile tilapia (*O. niloticus*) Growth and mRNA Transcripts of Ion-Regulation, Inflammatory, Stress- and Immune- Related Genes. *Fish Physiology and Biochemistry*, 45(4) :, 1217–1232. <https://doi.org/https://doi.org/10.1007/s10695-019-00640-7>

Emerenciano, M. G. C., Rombenso, A. N., Vieira, F. D. N., Martins, M. A., Coman, G. J., Truong, H. H., Noble, T. H., & Simon, C. J. (2022). Intensification of penaeid shrimp culture: An applied review of advances in production systems, nutrition and breeding. *Animals*, 12(3). <https://doi.org/10.3390/ani12030236>

Endraswari, D., Cokrowati, N., & dan Lumbessy, S. (2021). Fortifikasi Pakan Ikan Dengan Tepung Rumput Laut *Gracilaria sp.* pada budidaya ikan Nila (*Oreochromis niloticus*). *Jurnal Kelautan*, 14(1), 70–81.

FAO. (2022). *Integrated multithropic aquaculture : lessons from China*.

FAO. (2022). *The State of World Fisheries and Aquaculture 2022. Towards Blue Transformation*. <https://doi.org/https://doi.org/https://doi.org/10.4060/cc0461en>

Francissca, N. E., & Muhsoni, F. F. (2021). Laju Pertumbuhan Dan Kelangsungan Hidup Ikan Nila (*Oreochromis niloticus*) Pada Salinitas Yang Berbeda. *Juvenil:Jurnal Ilmiah Kelautan Dan Perikanan*, 2(3), 166–175. <https://doi.org/10.21107/juvenil.v2i3.11271>

Hamsiah, Cahyono, I., Heriansah, Kantun, W., & Kabangnga, A. (2021). Kelulus hidupan Biota pada Sistem Integrated Multi Trophic Aquaculture (IMTA) - Padi. *Jurnal Sumberdaya Akuatik Indopasifik*, 5(2), 127–136.

Heriansah., Syamsuddin, R., & Najamuddin., and S. (2022). Growth of *Kappaphcus alvarezii* in Vertical Method of Multi-Trophic System Based on Feeding Rate. *Egyptian Journal of Aquatic Biology and Fisheries*, 26(5) :, 1197– 1210. <https://doi.org/https://doi.org/10.21608/ejabf.2022.267643>

Heriansah, Syamsuddin, R., Najamuddin, & Syafiuddin. (2022). Growth of *Kappaphcus alvarezii* in vertical method of multi-trophic system based on feeding rate. *Egyptian Journal of Aquatic Biology and Fisheries*, 26(5), 1197–1210. <https://doi.org/10.21608/ejabf.2022.267643>

Holdt, S. L., & Edwards, M. D. (2014). Cost-effective IMTA: a comparison of the production efficiencies of mussels and seaweed. *Journal of Applied Phycology*, 26(2), 933–945. <https://doi.org/10.1007/s10811-014-0273-y>



, R., Yaqin, K., Trijuno, D. D., Sani, Y. A., Ghulam, S., Mariam, S. &, & Khatima, H. on Rate And Remediation Effectiveness Of Blood Cockle (*Tegillarca granosa*) As diator Of *Vannamei* Shrimp Pond Effluent. 26(8), 3985–3993. [10.13057/biodiv/d260828](https://doi.org/10.13057/biodiv/d260828)

din., D. (2022). Manajemen Kualitas Air Pada Pembenihan Ikan Nila (*Oreochromis* Balai Benih Ikan Teja Timur Pamekasan. *Juvenil*, 3(2), 27–31.

<https://doi.org/https://journal.trunojoyo.ac.id/juvenil>

- Irawan, S., Warsidah, Safitri, I., Sofiana, M. S. J., & Nurdiansyah, I. (2022). Kandungan Logam Berat Cadmium (Cd) Pada Kerang Kepah , Air , Dan Sedimen Di Mangrove Desa Peniti Kabupaten Mempawah. *Oceanologia*, 1(2), 64–68.
- Irmadiati., Lumbessy, S. &, & Azhar, F. (2021). Pengaruh Penambahan Tepung Rumput Laut *Eucheuma spinosum* pada Pakan Terhadap Pertumbuhan dan Kelangsungan Hidup Ikan Mas (*Cyprinus carpio*). *Acta Aquatica: Aquatic Sciences Journal*, 8(3), 146–152. <https://doi.org/10.29103/aa.v8i3.4500>
- Jerónimo, D., Lillebø, A. I., Santos, A., Cremades, J., & Calado, R. (2020). Performance Of Polychaete Assisted Sand Filters Under Contrasting Nutrient Loads In An Integrated Multi-Trophic Aquaculture System. *Scientific Reports*, 10(1), 1–10. <https://doi.org/10.1038/s41598-020-77764-x>
- Kabangnga, A., Zulkhairiyah &, & Rumambo, C. T. T. (2020). Monitoring Dan Mitigasi Gas H₂S Limbah Organik Tambak Intensif Dengan Menggunakan Biomarker Sederhana. *Jurnal Airaha*, 9(1), 1–6.
- Kari, A., Wee, W., Khalidah, N., Hamid, A., Mahmoud, A., Dawood, O., Nur, N., Binti, A., & Seong, L. (2024). The Roles Of Polysaccharides In *Tilapia* Farming . *Aquaculture and Fisheries*, 9(1), 20–27. <https://doi.org/10.1016/j.aaf.2022.09.005>
- Khairuman, Am., & Amri, K. (2005). *Budi Daya Ikan Nila Secara Intensif*. AgroMedia.
- Khanjani, M. H., Zahedi, S. &, & Mohammadi, A. (2022). Integrated multithropic Aquaculture (IMTA) as an enviromentally friendly system for sustainble aquaculture: functionally, species, and application of biofloc technologi (BFT). *Enviromental Science and Pollution Research*, 29(45), 67513–67531.
- Khotimah, K., Sari, M. P., Hasanah, A. U., Acak, R., & Ral, L. (2023). *Pengaruh Penambahan Jenis Pakan Buatan Terhadap Pertumbuhan Nila Merah (Oreochormis niloticus) Effect of Different Additional Foods on the Growth of Nila Fish (Oreochormis niloticus)*. 3(2), 12–15.
- Knowler, D., Chopin, T., Martínez-Espiñeira, R., Neori, A., Nobre, A., Noce, A., & Reid, G. (2020). The Economics Of Integrated Multi-Trophic Aquaculture: Where Are We Now And Where Do We Need To Go. *Reviews in Aquaculture*, 12(3), 1579–1594. <https://doi.org/10.1111/raq.12399>
- Kusumawati, A., Lysa, Haeruddin., &, & Suprpto, D. (2015). Filtration Rate Kerang Darah dan Kerang Hijau dalam Memfiltrasi Bahan Organik Tersuspensi Limbah Tambak Udang Intensif. *Diponegoro Journal of Maquares*, 4(1), 131–137.
- Liu, Y., Zhang, J., Wu, W., Zhong, Y., Li, H., Wang, X., Yang, J., & Zhang, Y. (2022). Effects of Shellfish and Macro-Algae IMTA in North China on the Environment, Inorganic Carbon System, Organic Carbon System, and Sea–Air CO₂ Fluxes. *Frontiers in Marine Science*, 9(April), 1–11. <https://doi.org/10.3389/fmars.2022.864306>
- Lukwambe, B., Nicholaus, R., Yang, W. &, & Zheng, Z. (2020). Blood clams (*Tegillarca granosa*) bioturbation alter succession of bacterioplankton community and nutrient removal performance in an aquaculture wastewater bioremediation system. *Aquaculture*, 516, 734520.
- Magbanua, T. O., & Ragaza, J. A. (2019). Growth and whole-body proximate composition of *O. niloticus* Nile tilapia fed pea meal : A systematic review and meta-analysis.
- Mehar, M., Mekkawy, W., Mcdougall, C., & Benzie, J. A. H. (2023). *Tilapia (Oreochromis niloticus)* trait preferences by women and men farmers in Jessore and Mymensingh districts of Bangladesh. *Aquaculture*. 562 :738799. <https://doi.org/10.1016/j.aquaculture.2022.738799>



↳ Largo, D. B. (2021). Integrated culture of *Eucheuma denticulatum*, *Perna viridis*, *rea* sp. in Carcar Bay, Cebu, Philippines. *Aquaculture Reports*, 20, 100683. [10.1016/j.aqrep.2021.100683](https://doi.org/10.1016/j.aqrep.2021.100683)

↳ Riisgard. (1978). Efficiency of particle retention in thirteen species of suspension feeding molluscs. *Ophelia*, 17, 239-346.

- Mulyani, Y. S., Yulisman, & Fitrani, M. (2014). Pertumbuhan dan efisiensi pakan ikan nila *O. niloticus* yang dipuasakan secara periodik. *Jurnal Akuakultur Rawa Indonesia*, 2(1), 01–12.
- Mustofa, A., Hastuti, S., & Rachmawati, D. (2018). 20366-41347-2-Pb (1). *Pengaruh Periode Pemuasaan Terhadap Efisiensi Pemanfaatan Pakan, Pertumbuhan Dan Kelulushidupan Ikan Mas (Cyprinus Carpio)*. 7(1), 18–20.
- Nagasoe, S., Hisada, T., Nishitani, G., & Takeuchi, H. (2019). Phytoplankton uptake and growth rate in the Japanese egg cockle *Fulvia mutica*. *International Aquatic Research*, 11(4), 359–375. <https://doi.org/10.1007/s40071-019-00244-0>
- Nederlof, M. A. J., Verdegem, M. C. J., Smaal, A. C., & Jansen, H. M. (2022). Nutrient retention efficiencies in integrated multi-trophic aquaculture. *Reviews in Aquaculture*, 14(3), 1194–1212. <https://doi.org/10.1111/raq.12645>
- Neori, A., Chopin, T., Troell, M., Buschmann, A. H., Kraemer, G. P., Halling, C., Shpigel, M., & Yarish, C. (2004). Integrated aquaculture: Rationale, evolution and state of the art emphasizing seaweed biofiltration in modern mariculture. *Aquaculture*, 231(1–4), 361–391. <https://doi.org/10.1016/j.aquaculture.2003.11.015>
- Newell, R. (2004). Ecosystem influences of natural and cultivated populations of suspension-feeding bivalve mollusca: A review. *Journal of Shellfish Research*, 23(1), 51–61.
- Nicholaus, R., Lukwambe, B., Zhao, L., Yang, W., Zhu, Jinyong., & Zheng, Z. (2019). Bioturbation of blood clam *Tegillarca granosa* on benthic nutrient fluxes and microbial community in an aquaculture wastewater treatment system. *Biodegradation*, 142, 73–82.
- Ningsih, I. R. (2017). Laju Filtrasi Kerang Hijau, *Perna Viridis* (Linn, 1758) Yang Berbeda Ukuran Pada Berbagai Salinitas Terhadap Mikroalga *Chaetoceros Calcitrans* (Paulsen, 1968). *Skripsi*. Program Studi Budidaya Perairan Jurusan Perikanan Dan Kelautan Fakultas Pertanian Universitas Lampung. (1-29)
- Nurfadillah, N., Hasri, I., Purnama, M. R., Damora, A., & Mellisa, S. (2021). DEPIK The application of integrated multi-trophic aquaculture (IMTA) using floating net cages on *Tilapia fish* with native fish (Peres , Lemeduk , and Depik). *Jurnal Ilmu-Ilmu Perairan, Pesisir Dan Perikanan*, 10(3), 219–224. <https://doi.org/10.13170/depik.10.3.22465>
- Nuryanto, N., Afifah, D. N., Sulchan, M., Martosuyono, P., & Ihsani, K. (2022). *Potential of Nile Tilapia (Oreochromis niloticus) as an Alternative Complementary Food Ingredient for Stunting Children*. 10, 1170–1177.
- Olivier, A. V. D. S., Malham, S. K., Jones, L., Vay, L. Le, Christie, M., & Wilson, J. (2020). A global review of the ecosystem services provided by bivalve aquaculture. *Reviews in Aquaculture*, 12(3), 3–25. <https://doi.org/10.1111/raq.12301>
- Papageorgiou, N., Dimitriou, P. D., Chatzivasileiou, D., Tsapakis, M., & And Karakassis, L. (2023). *Can IMTA provide added ecosystem value services in the fi sh farms of Greece January*. <https://doi.org/10.3389/fmars.2022.1083099>
- Pe´rez-Camacho, A., Beiras, R., & Albetosa. (1994). Effects of algal food concentration and body size on the ingestion rates of *Ruditapes decussatus (Bivalvia)* veliger larvae. *Mar Ecol Prog Ser*, 115, 87–92.
- Peng, F., Gao, Y., Zhu, X., Pang, Q., Wang, L., Xu, W., Yu, J., Gao, P., Huang, Jingxian., & Cui, Y. (2020). Removal of High-Strength Ammonia Nitrogen in Biofilters: Nitrifying Bacterial Community Compositions and Their Effects on Nitrogen Transformation. *Water*, 12(3), 712.
- Petersen, J. K., Holmer, M., Termansen, M., & Hasler, B. (2019). Nutrient extraction through bivalves. In I. J. G. Ferreira, J. Grant, J. K. Petersen, & O. Strand (Eds.). *In Good and services bivalves* (pp. 179–208). springer open. <https://doi.org/10.1007/978-3->



- Retnosari, D., Rejeki, S., Susilowati, T., & Ariyati, R. W. (2019). Filtration rate of organic matter by green mussel (*Perna viridis*) as a biofilter and the impact on growth and survival rate of tiger shrimp (*Penaeus monodon*). *Jurnal Sains Akuakultur Tropis*, 3, 36–46.
- Riisgård, H. U. (2001). On measurement of filtration rate in bivalve. In *the stony road to reliable data : Review and interpretation data* (pp. 275–291).
- Rong, Y., Tang, Y., Ren, L., Taylor, W. D., Razlutskiy, V., Naselli-flores, L., Liu, Z., & Zhang, X. (2021). Effects of the Filter-Feeding Benthic Bivalve *Corbicula fluminea* on Plankton Community and Water Quality in Aquatic Ecosystems : A Mesocosm Study. *Water*, 13(1827), 1–12.
- Rosa, J., Lemos, M. F. L., Crespo, D., Nunes, M., Freitas, A., Ramos, F., Pardal, M. Â., & Leston, S. (2020). Integrated multitrophic aquaculture systems – Potential risks for food safety. *Trends in Food Science and Technology*, 96, 79–90. <https://doi.org/10.1016/j.tifs.2019.12.008>
- Rukmana, R., & Yudirachman, H. (2015). *sukses budi daya ikan nila secara intensif* (S. Wibowo (ed.)). Lily publisher.
- Sagita, A., Kurnia, R., & Sulistiono, S. (2017). Budidaya Kerang Hijau (*Perna Viridis* L.) Dengan Metode Dan Kepadatan Berbeda Di Perairan Pesisir Kuala Langsa, Aceh. *Jurnal Riset Akuakultur*, 12(1), 57. <https://doi.org/10.15578/jra.12.1.2017.57-68>
- Sanz-Lazaro, C., & Sanchez-Jerez, P. (2020). Regional Integrated Multi-Trophic Aquaculture (RIMTA): Spatially separated, ecologically linked. *Journal of Environmental Management*, 271: 11092, 1–26.
- Sari, E. D. R. (2018). Pengaruh penambahan kitosan cangkang kerang dara (*A. granosa*) dengan lama penyimpanan berbeda terhadap jumlah koloni bakteri dan sifat organoleptik bakso daging sapi sebagai sumber belajar biologi. *Skripsi*. Universitas Muhammadiyah Malang.
- Shima, H., Asakura, T., Sekata, K., Koiso, Masahiko., & Kikuchi, J. (2024). Feed Components and Timing to Improve the Feed Conversion Ratio for Sustainable Aquaculture Using Starch. *IJMS*, 25(14), 7921.
- Sibarani, Afdelima, D., Susilowa, T., & Tristiana, Y. (2015). *Kata kunci : Padat Penebaran; rGH; Ikan Nila; Resirkulasi; Pertumbuhan; Kelangsungan Hidup*. 4, 84–90.
- Sinaga, R., Undap, S. L., Kusen, D. J., Pangemanan, N. P. ., & Mudeng, Jopyy Pangemanan, J. (2021). Studi kualitas air di area akuakultur Desa Eris Kabupaten Minahasa. In *Budidaya Perairan* (Vol. 9, Issue 2, pp. 41–53).
- Sri-uam, P., D., S., Sorawit, P., D., & Prasert, P. (2016). *Integrated Multi-trophic Recirculating Aquaculture System for Nile Tilapia (*Oreochromis niloticus*)*. 8(7), 1–15.
- Sugiyono. (2014). *Metode Penelitian Kuantitatif Kualitatif dan R & D*. CV Alfa Beta.
- Suryaningrum, F. M. (2014). Aplikasi Bioflok Pada Pemeliharaan Benih Ikan Nila (*Oreochromis niloticus*). *Jurnal Manajemen Perikanan Dan Kelautan*, 1, 1–9.
- Sutanto, P., Supriyanto, T., & dan Widjajanto, D. (2023). Pengaruh Penyaringan Padatan Terlarut terhadap Oksigen Terlarut pada Proses Aerasi Air Kolam Ikan. *Seminar nasional inovasi vokasi*, 2(1), 204–212.
- Syahrir, M., Renitasari, D. P., Ihwan, & Saridu, S. A. (2021). Bioremediation of organic waste matter in white legs shrimp ponds using blood shells (*A. granosa*). *IOP Conference Series: Earth and Environmental Science*, 860(1). <https://doi.org/10.1088/1755-1315/860/1/012097>



187). *The Nutrition and Feeding of Farmed Fish and Shrimp-A Training Manual*. United Nations.

Jet, A., Aubin, J., Nahon, S., & Lecocq, T. (2021). When more is more: taking species diversity to move towards sustainable aquaculture. *Biological Reviews*, 4. <https://doi.org/10.1111/brv.12677>

essy, S. Y., & Mulyani, L. F. (2024). *Penambahan Tepung Rumput Laut Sargassum*

Sp Dengan Lama Waktu Fermentasi Berbeda Pada Pakan Komersil Ikan Nila (*Oreochromis niloticus*). 7 (2), 55–64. <https://doi.org/10.31957//acr.v7i2.4113>
<http://ejournal.uncen.ac.id/index.php/ACR>

- Wartenberg, R., Feng, L., Wu, J. J., Mak, Y. L., Chan, L. L., Telfer, C., Lam, P. K. S., Wartenberg, R., Feng, L., Wu, J. J., Mak, Y. L., & Chan, L. L. (2017). The impacts of suspended mariculture on coastal zones in China and the scope for Integrated Multi-Trophic Aquaculture The impacts of suspended mariculture on coastal zones in China and the. *Ecosystem Health and Sustainability*, 3(6). <https://doi.org/10.1080/20964129.2017.1340268>
- Widowati, L. L., Budi Prayitno, S., Rejeki, S., Elfitasari, T., Purnomo, P. W., Ariyati, R. W., Bosma, R. H., & Aubin, J. (2021). Organic matter reduction using four densities of seaweed (*Gracilaria verrucosa*) and green mussel (*Perna viridis*) to improve water quality for aquaculture in Java, Indonesia. *Aquatic Living Resources*, 34. <https://doi.org/10.1051/alr/2021002>
- Wijayanti, M., Khotimah, H., Sasanti, A. D., Dwinanti, S. H. & Rarassari, M. A. (2019). Akuaponik Di Desa Kecamatan Gelumbang , Kabupaten Muara Enim Sumatra Selatan. *Journal of Aquaculture and Fish Health*, 8(3), 139–140.
- Winter, J. (1978). A review of the knowledge of suspension feeding in lamellibranchiate bivalves, with special reference to artificial aquaculture systems. *Aquaculture*, 13, 1–33.
- Wittayanupakorn, S., Musig, Wanna., & You., M. (2013). Filter feeding by blood cockle, *A. granosa*, for water quality improvement in closed culture system of pacific white shrimp (*Litopaneaus vannamei*). *Kastsart University Fisheries Research Bulletin*, 37(3), 1–12.
- Yanuar, V. (2016). Perbedaan Suhu Air dalam Akuarium Pemeliharaan Terhadap Laju Pertumbuhan Benih Ikan Nila (*Oreochromis Niloticus*) Water Temperature Difference in The Aquarium Maintenance On Growth Rate of Tilapia Fish (*Oreocromis niloticus*) gizi dalam masa mendatang. *Juristek*, 5((1):), 105–111.
- Yulianto, H., Delis, P. C., Damai, A. A., Diantari, R., Suparmono, Penmau, D. E., & Febriani, S. (2019). Effect of Pilsbryoconcha exilis as organic matter removal in the aquaponic system. *Aquasains*, 7(2), 725–734.
- Yuniarsih, E., Nirmala, K., & Radiarta, I. N. (2014). Tingkat Penyerapan Nitrogen Dan Fosfor Pada Budidaya Rumput Laut Berbasis Imta (*Integrated Multi-Trophic Aquaculture*) Di Teluk Gerupuk, Lombok Tengah, Nusa Tenggara Barat. *Jurnal Riset Akuakultur*, 9(3), 487. <https://doi.org/10.15578/jra.9.3.2014.487-500>
- Zenneveld, N., E. A. Huisman, & Boon., an J. H. (1991). *Prinsip-prinsip budidaya ikan*. PT. Gramedia Pustaka Umum.
- Zhao, Y., Zhang, C., Zhou, H., Song, L., & Wang, J., and Zhao, J. (2020). Transcriptome Changes for Nile Tilapia (*Oreochromis niloticus*) in Response to Alkalinity Stress. *Comparative Biochemistry and Physiology - Part D: Genomics and Proteomics*, 33, 100651. <https://doi.org/https://doi.org/10.1016/j.cbd.2019.100651>

{Bibliography

