DAFTAR PUSTAKA

Agostinetto, D., Oliveira, C., Langaro, A., Silva, J. & Barbieri, G. 2022. Differences in biochemical, physiological and molecular response mechanisms of rice, weedy rice and barnyardgrass subjected to drought. Pesquisa Agropecuária Tropical, 52, e70487. https://doi.org/10.1590/1983-40632022v5270487

Ahmed, A. F., Yu, H., Yang, X. & Jiang, W., 2014. Deficit irrigation affects growth, yield, vitamin C content, and irrigation water use efficiency of hot pepper grown in soilless culture. HortScience, 49(6), 722–728. https://doi.org/10.21273/HORTSCI.49.6.722.

Akbar MR, Purwoko BS, Dewi IS, Suwarno WB. 2018. Determination of drought tolerance selection index of rainfed paddy rice dihaploid strains at germination phase. *J. Agron. Indonesia*. 46(2): 133-139.

Aldi M.P, Ida R.M & Djarwatiningsih P.S. 2023. Pengaruh Masa Simpan dan Suhu Simpan Terhadap Viabilitas dan Vigor Benih Coating Kedelai. Jurnal Agrium Vol 20 (1) : 1-7

Ali, L. G., Nulit, R., Ibrahim, M. H. & Yien, C. Y. S. 2021. Potassium nitrate and silicon dioxide priming improve germination, seedling growth and protective enzymes of rice var. FARO44 under drought. Journal of Plant Nutrition, 44(16), 2385–2398. https://doi.org/10.1080/01904167.2021.1921201

Anwar, M. P., Jahan, R., Rahman, M. R., Sultana, S., Haque, M. A., & Islam, A. K. M. S. 2021.Seed priming for increased seed germination and enhanced seedling vigor of winter rice.IOP Conference Series: Earth and Environmental Science, 756(1), 012047.https://doi.org/10.1088/1755-1315/756/1/012047

Amiri, E., Razavipour, T., Farid, A. & Bannayan, M. 2011. Effects of crop density and irrigation management on water productivity of rice production in northern Iran: Field and modeling approach. Communications in Soil Science and Plant Analysis, 42(17), 2085–2099. https://doi.org/10.1080/00103624.2011.596238

Ao, H., Torimaru, T., Akaji, Y., Akada, S., Matsuda, Y. & Kisanuki, H., 2023. Free-proline and total flavonoid responses in leaves of Fagus crenata current-year seedlings to short-term soil drought stress. Sylwan, 167(1), 26–36. https://doi.org/10.26202/sylwan.2023006.

Arif, Chusnul, Kurniawan P. Wicaksono, Agus Suryanto, & Rizki Budiarto. 2023. "Drought Impacts on Nutrient Uptake and Yield of Indonesian Rice Varieties: Field Evidence from Central Java." Agricultural Water Management 27 (8):108-105.

Ashraf M & Foolad MR. 2005. Presowing seed treatment-a shotgun apprach to improve germination, plant growth, and crop yield under saline and non saline conditions. Adv Agron 88: 223-271

Azmi Z. 2025. Stategi Peningkatkan Total Factor Productivity Padi Melalui Perbaikan Infrastruktur Pertanian. Jurnal Perencanaan Pembangunan Pertanian Vol 2 No 1 : 1-21

Badan Pusat Statistik (BPS). 2024. Produksi Padi Nasional Tahun 2024. BPS RI. Jakarta

Badan Pusat Statistik (BPS). 2025. Luas Panen Padi Tahun 2024 Diperkirakan Sebesar 10.05 Juta Hektare Dengan Produksi Padi Sekitar 52,66 Juta Ton Gabah Kering Giling (GKG). https://www.bps.go.id/id/pressrelease/2024/10/15/2376/luas-panen-dan-produksi-padi.html?utm_source=chatgpt.com

Badan Pusat Statistik (BPS). 2025. Survei Sosial Ekonomi Nasional (Susenas) Tentang Konsumsi Pangan, Termasuk Beras. bps.go.id/subject/16/konsumsi-dan-pengeluaran.html

Direktorat Statistik Kependudukan dan Ketanaga Kerjaan. 2025. Proyeksi Penduduk Indonesia 2020-2025. Badan Pusat Statistik. Jakarta

Balai Besar Penelitian Tanaman Padi (BB Padi). 2021. Kebutuhan Air Tanaman Padi Sawah Berdasarkan Data Iklim Spesifik Lokasi. Balitbangtan, Kementerian Pertanian RI. Bogor

Baniya, S., Thapa, L. & Pokhrel, C. 2020. Effect of water-deficit stress on the selected landraces and improved varieties of rice (*Oryza sativa* L.) in Nepal. Agrivita Journal of Agricultural Science, 42(2) : 316-325 https://doi.org/10.17503/agrivita.v42i2.2554

Batlang, U., Baisakh, N., Ambavaram, M. M. R., & Pereira, A. 2013. Phenotypic and physiological evaluation for drought and salinity stress responses in rice. In Y. Yang (Ed.), *Rice Protocols* (Methods in Molecular Biology, Vol. 956, pp. 209–225). Humana Press. https://doi.org/10.1007/978-1-62703-194-3_15

Bhattacharjee, B., Ali, A., Rangappa, K., Choudhury, B & Mishra, V., 2023. A detailed study on genetic diversity, antioxidant machinery, and expression profile of drought-responsive genes in rice genotypes exposed to artificial osmotic stress. Scientific Reports, 13(1), 12345. https://doi.org/10.1038/s41598-023-45661-8

Biju, S., Fuentes, S. & Gupta, D. 2018. The use of infrared thermal imaging as a non-destructive screening tool for identifying drought-tolerant lentil genotypes. Plant Physiology and Biochemistry, 127, 11–24. https://doi.org/10.1016/j.plaphy.2018.03.005

Bodner G, Nakhforoosh A & Kaul HP. 2015. Management Of Crop Water Under Drouht : A Review. Agron Sustain Dev. 35 (2) : 401-442 drought tolerance. Semina Ciências Agrárias, 41(2), 421-434. https://doi.org/10.5433/1679-0359.2020v41n2p421

Food and Agriculture Organization of the United Nations (FAO). 2023. The Impact of Drought on Rice Production in Asia. FAO Rice Market Monitor. Rome: FAO

Ghosh S, Shahed MA, Robin AHK. 2020. Polyethylene glycol induced osmotic stress affects germination and seedling establishment of wheat genotypes. *Plant Breed. Biotechnol*. 8: 174-185.

Gong, W., Ju, Z., Chai, J., Zhou, X., Lin, D., Su, W & Zhao, G. 2022. Physiological and transcription analyses reveal the regulatory mechanism in oat (Avena sativa) seedlings with different drought resistance under PEG-induced drought stress. Agronomy, 12(5), 1005. https://doi.org/10.3390/agronomy12051005

Goraguddi, P., Kharate, P., Maurya, S. & Jha, Z., 2023. In-vitro selection of drought tolerant doubled haploid rice lines using polyethylene glycol (PEG). Environment Conservation Journal, 24(4), 52-63. https://doi.org/10.36953/ecj.17272538

Guimarães, C., Stone, L. & Silva, A. 2016. Evapotranspiration and grain yield of upland rice as affected by water deficit. Revista Brasileira de Engenharia Agrícola e Ambiental, 20(5), 441-446. https://doi.org/10.1590/1807-1929/agriambi.v20n5p441-446

Habibi, K., & Indrawati, A. 2025. Pengaruh lama pemanasan terhadap perkecambahan benih kelapa sawit (Elaeis guineensis Jacq.). Jurnal Ilmiah Pertanian (JIPERTA), 7(2), 277–284.

Hao, S., Guo, X & Wang, W. 2010. Aftereffects of rewatering after water stress on the rice growth. Nongye Jixie Xuebao/Transactions of the Chinese Society of Agricultural Machinery, 41(7), 76–79. https://doi.org/10.3969/j.issn.1000-1298.2010.07.016

Hassan, M., Dahu, N., Hongning, T., Qian, Z., Yueming, Y., Li, Y. & Wang, S. 2023. Drought stress in rice: Morpho-physiological and molecular responses and marker-assisted breeding. Frontiers in Plant Science, 14, 1215371. https://doi.org/10.3389/fpls.2023.1215371

Hayat, Shamsul, Aqeel Ahmad, Nisa Mubarik, Mujahid Alam & Mohamed A. El-Sheikh. 2023. "Proline as a Key Player in Plant Drought Tolerance: Current Understanding and Future Prospects." *Plant Science* 334:111742

Hellal FA, El-Shabrawi HM, El-Hady MA, Khatab IA, El-Sayed SAA, Abdelly C. 2017. Influence of PEG induced drought stress on molecular and biochemical constituents and seedling growth of Egyptian barley genotypes. *J. Genet. Eng. Biotechnol*. 16(1): 203-212

Jin, Y., Yang, H., Wei, Z., Ma, H. & Ge, X. 2013. Rice male development under drought stress: Phenotypic changes and stage-dependent transcriptomic reprogramming. Molecular Plant, 6 (5), 1630–1645. https://doi.org/10.1093/mp/sst067

Kaya, C., Ugurlar, F., Ashraf, M., Alyemeni, M. N. & Ahmad, P. 2023. Exploring the synergistic effects of melatonin and salicylic acid in enhancing drought stress tolerance in tomato plants through fine-tuning oxidative-nitrosative processes and methylglyoxal metabolism. Scientia Horticulturae, 321, 112368. https://doi.org/10.1016/j.scienta.2023.112368

Kawaguchi R, Suriyasak C, Matsumoto R, Sawada Y, Sakai Y, Hamaoka N. 2023. Regulation of reactive oxygen species and phytohormones in osmotic stress tolerance during seed germination in Indica rice. *Front. Plant Sci.* 14: 1-12

Kementerian Pertanian Republik Indonesia. 2025. Konsumsi dan Neraca Penyediaan-Penggunaan Beras. Buletin Konsumsi Pangan Vol 16 No 1 : 13-24

Kementrian Pertanian. 2025. Analisis Kinerja Perdagangan Beras. Pusat Data dan Sistem Informasi Kementrian Pertanian Volume 15 No 1 A : 1-66

Khan AZ, Shah T, Khan S, Rehman A, Akbar H, Muhammad A & Khalil SK. 2017. Influence of seed invigoration techniques on germination and seedling vigor of maize (*Zea mays* L.). Cercetari Agronomice in Moldova. 3(171): 61-70

Khan MN, Zhang J, Luo T, Liu J, Ni F, Rizwan M, Fahad S, Hu L. 2019. Morpho-physiological and biochemical responses of tolerant and sensitive rapeseed genotypes to drought stress during early seedling growth stage. *Acta Physiol. Plant*. 41(2): 1-13.

Khaton MA, Sagar A, Tajkia JE, Islam MS, Mahmud MS, Hossain AKMZ. 2016. Effect of moisture stress on morphological and yield attributes of four sorghum varieties. *Progress. Agric.* 27(3): 265-271.

Kocheva, K., Lambrev, P., Georgiev, G., Goltsev, V. & Karabaliev, M. 2004. Evaluation of chlorophyll fluorescence and membrane injury in the leaves of barley cultivars under osmotic stress. Bioelectrochemistry, 63(1–2), 121–124. https://doi.org/10.1016/j.bioelechem.2003.09.020

Kososidis A, Khah E, Mavromatis A, Pavli O, Vlachostergios DN. 2020. Effect of PEG-induced drought stress on germination of ten chickpea (*Cicer arietinum* L.) genotypes. *Not. Bot. Horti Agrobot. Cluj-Napoca* 48(1): 294-304.

Kota S, Vispo NA, Quintana MR, Cabral CLU, Centeno CA, Egdane J (2023). Development of a phenotyping protocol for combined drought and salinity stress at seedling stage in rice. *Front. Plant Sci*. 14: 1-12.

Kumar, S., Dwivedi, S. K. & Singh, S. S. 2023. Effect of water stress at reproductive stage on yield potential and stability of rice (*Oryza sativa* L.) genotypes grown in rainfed lowland conditions. Electronic Journal of Plant Breeding, 5(3), 331–339. https://www.scopus.com/inward/record.uri?eid=2-s2.0-85047880981

Li, J., Yang, L., Yin, Z., Jiang, J., Zhang, M., Guo, X., ye, Z., Zhao, Y., Xiong, H., Zhang, Z., Shao, Y., Jiang, C., Zhang, H., An, G., Paek, N., Ali, J., & Li, Z. 2016. OsASR5 enhances drought tolerance through a stomatal closure pathway associated with ABA and H2O2 signalling in rice. Plant Biotechnology Journal, 15(2), 183-196. https://doi.org/10.1111/pbi.12601

Li, Q., Wang, X., Sun, Z., Wu, Y., Malkodslo, M. M., Ge, J., Jing, Z., Zhou, Q., Cai, J., Zhong, Y., Huang, M. & Jiang, D. 2023. DNA methylation levels of TaP5CS and TaBADH are associated with enhanced tolerance to PEG-induced drought stress triggered by drought priming in wheat. Plant Physiology and Biochemistry, 200, 107769. https://doi.org/10.1016/j.plaphy.2023.107769

Ling, Y., Wang, D., Peng, Y., Peng, D. & Li, Z. 2025. Cross-stressful adaptation to drought and high salinity is related to variable antioxidant defense, proline metabolism, and Dehydrin b expression in white clover. Agronomy, 15(1), 126. https://doi.org/10.3390/agronomy15010126

Lirong, W., Pengshan, Z., Xin, Z., Xiaopeng, W., Xiaofei, M. & Yi, L. 2016. Physiological adaptations to osmotic stress and characterization of a polyethylene glycol-responsive gene in Braya humilis. Acta Societatis Botanicorum Poloniae, 85(1), 3487. https://doi.org/10.5586/asbp.3487

Maritim, T. K., Kamunya, S. M., Mireji, P., Mwendia, C., Muoki, R. C., Cheruiyot, E. K. & Wachira, F. N., 2015. Physiological and biochemical response of tea (*Camellia sinensis* (L.) O. Kuntze] to water-deficit stress. Journal of Horticultural Science and Biotechnology, 90(4), 395–400. https://doi.org/10.1080/14620316.2015.11513200.

Maruyama, A., Hamasaki, T., Sameshima, R., Nemoto, M., Ohno, H., Ozawa, K & Wakiyama, Y. 2015. Panicle emergence pattern and grain yield of rice plants in response to high temperature stress. Journal of Agricultural Meteorology, 71(4), 282-291. https://doi.org/10.2480/agrmet.d-15-00008

Mazhar, M., Ishtiaq, M., Hussain, I., Parveen, A., Bhatti, K., Azeem, M. and Nasir, N., Thind, S., Ajaib, M., Maqbool, M., Sardar, T., Muzammil, K & Nassir, N. 2022. Seed nano-priming with zinc oxide nanoparticles in rice mitigates drought and enhances agronomic profile. PLoS One, 17(3), e0264967. https://doi.org/10.1371/journal.pone.0264967

Mehmood, M., Tanveer, N. A., Joyia, F. A., Ullah, I. & Mohamed, H. I. 2025. Effect of high temperature on pollen grains and yield in economically important crops: a review. Planta, 261 (6), 141. https://doi.org/10.1007/s00425-025-04714-0

Pertiwi S.R. Trisda K & Halimursyadah H. 2022. Pengaruh Jenis Varietas dan Periode Simpan Terhadap Viabilitas dan Vigor Benih Kedelai (*Glycine max* L Merril.) Jurnal Ilmiah Mahasiswa Pertanian Vol 7 (4) : 166-170.

Pitaloka, M., Caine, R., Hepworth, C., Harrison, E., Sloan, J., Chutteang, C., Phunthong, C., Nongngok, R., Toojinda, T., Ruengphayak, S., Arikit, S., Gray, J. E., & Vanavichit, A. 2022. Induced genetic variations in stomatal density and size of rice strongly affects water use efficiency and responses to drought stresses. Frontiers in Plant Science, 13, 801706. https://doi.org/10.3389/fpls.2022.801706

Prastio P.R, Suharno S & Siwitri M. 2023. Invigorasi Mutu Fisiologis Benih Padi Varietas IR-64 dengan Berbagai Jenis Bahan dan Konsentrasi Organik Priming. Jurnal Triton Vol 14 (1) : 87-99.

Purbajati, E. D., Kusmiyati, F., Fuskhah, E., Rosyida, R., Adinurani, P. G. & Vinčeviča-Gaile, Z. 2019. Selection for drought-resistant rice (*Oryza sativa* L.) using polyethylene glycol. IOP Conference Series: Earth and Environmental Science, 293, 012017.

Purwanto, E., Danendra, F., Handoyo, G. & Rahayu, M., 2025. Response growth and yield of local black rice variety Mutiara to drought stress. BIO Web of Conferences, 155, 01032. https://doi.org/10.1051/bioconf/202515501032

Qian, D., Wang, M., Niu, Y., Yang, Y. & Xiang, Y. 2025. Sexual reproduction in plants under high temperature and drought stress. *Cell Reports*, 44 (3), 115390. https://doi.org/10.1016/j.celrep.2025.115390

Rahmi, N., & Yuliani, D. 2021. Pengaruh Coating Benih Terhadap Viabilitas Dan Vigor Benih Kedelai Selama Penyimpanan. Jurnal Ilmiah Pertanian, 18(1), 56–64

Rai, A. N., & Penna, S. 2024. Programmed cell death in plants under severe drought: Mechanisms and implications. Trends in Plant Science, 29(3), 245-259.

Rokins, P., Velu, G. & Mary, J. 2022. Plant growth-promoting rhizobacteria mediated moisture stress alleviation in the early stages of rice (*Oryza sativa* L.) variety CO 51. Journal of Applied and Natural Science, 14(4), 1124-1129. https://doi.org/10.31018/jans.v14i4.3776

Sagar A, Rauf F, Mia MA, Shabi TH, Rahman T, Hossain AKMZ. 2020. Polyethylene glycol (PEG) induced drought stress on five rice genotypes at early seedling stage. *J. Bangladesh Agric. Univ*. 18(3): 606-614.

Sales NM, Pérez-García F, Silveira FAO. 2013. Consistent variation in seed germination across an environmental gradient in a neotropical savanna. S. Afr. J. Bot. 87: 129-133.

Salomi, R., Vignesh, P & Bharathkumar, S. 2024. Drought tolerance improvement for grain yield of a modern rice variety based on morphological and physiological

Wang, L., Zhang, H., Li, X., Chen, Y., & Liu, J. 2023. Leaf greenness index (SPAD) as a predictor of flowering time in rice under water-limited conditions. Field Crops Research, 291, 108792. https://doi.org/10.1016/j.fcr.2022.108792

Wang, Y., Lu, Y., Guo, Z., Ding, Y & Ding, C. 2020. Rice centroradialis 1, a TFL1-like gene, responses to drought stress and regulates rice flowering transition. Rice, 13(1), 35. https://doi.org/10.1186/s12284-020-00430-3

Xiao, M., Li, Y., Lu, B & Miao, Z. 2018. Response of physiological indicators to environmental factors under water level regulation of paddy fields in southern China. Water, 10(12), 1772. https://doi.org/10.3390/w10121772

Xu, S., Fu, Q., Dong, S., Ji, F & Wang, K. 2009. Evaluation of effects of water stress on growing and yield of paddy based on RAGA-PPC model in cold area. Nongye Gongcheng Xuebao/Transactions of the Chinese Society of Agricultural Engineering, 25(SUPPL. 2), 29–33. https://doi.org/10.3969/j.issn.1002-6819.2009.z2.006

Yadav, S., R. K. Singh, A. Kumar, P. C. Sharma & V. P. Singh. 2022. Impact of Low-Quality Seed on Crop Establishment and Yield in Rice. Field Crops Research 287:108665

Zampieri, M., Ceglar, A., Dentener, F., & Toreti, A. 2023. Global crop yield reductions due to drought: A meta-analysis. Agricultural and Forest Meteorology, 342, 109345

Zhang, F., Xue, H., Lu, X., Zhang, B., Wang, F., Ma, Y & Zhang, Z. 2015. Autotetraploidization enhances drought stress tolerance in two apple cultivars. Trees: Structure and Function, 29(6), 1773–1780. https://doi.org/10.1007/s00468-015-1258-4.

Zhang, H., Li, X., Wang, Y., Chen, L., & Davies, W. J. 2023. Stomatal closure and the trade-off between water conservation and carbon gain in plants under drought stress. Plant Physiology, 192(2), 901-917. https://doi.org/10.1093/plphys/kiad123

Zhang, Hui, Xia Li, and William J & Davies. 2023. "Morphological Adaptations of Drought-Tolerant Crops: From Roots to Shoots." Plant Physiology 192 (3): 501-515.

Zhang, Y., Li, H., Wang, X., Chen, J., & Liu, M. 2022. Grain yield per water input: A universal metric for water-use efficiency in cereal crops. Journal of Experimental Botany, 73(12), 4125-4140. https://doi.org/10.1093/jxb/erac189

Zhang, Yang & Edward Smith. 2023. "Molecular Dynamics of Osmolyte-Water Interactions in Plant Cells." *Biophysical Journal* 122 (11): 2256-2270.