

DAFTAR PUSTAKA

- Ahmad, ahmad, Kadir, S., Malaka, R., Soraya, G. V., & Hardjo, M. (2023). Effect of Dangke consumption on body weight, blood glucose, and total cholesterol in rats subjected to high-fat and fructose diet. *Gaceta Médica de Caracas*, 131.
- Azzaky, F. F., Njoto, I., Setiawan, H., & Tjandra, L. (2023). Hubungan Kadar Diet Sukrosa dengan Peningkatan Kadar Gula Darah sebagai Faktor Risiko Diabetes Mellitus pada Mencit (*mus-musculus*) Wistar (*Rattus Norvegicus*). *Jurnal Ilmiah Kedokteran Wijaya Kusuma*
- Bergner, C.L., Smolinsky, A.N., Hart, P.C., Dufour, B.D., Egan, R.J., LaPorte, J.L., and Kalueff, A.V. 2010. Mouse Models for Studying Depression-Like States and Antidepressant Drugs. In: G. Proetzel & M. V. Wiles, eds. *Mouse Models for Drug Discovery*. s.l.: Humana Press, pp. 267-282.
- Bindels, L.B., Delzenne, N.M., Cani, P.D., Walter, J., 2015. Towards a more comprehensive concept for prebiotics. *Nat. Rev. Gastroenterol. Hepatol.* 12, 303–310.
- Bibbò, S., Fusco, S., Ianiro, G., Settanni, C. R., Ferrarese, D., Grassi, C., Cammarota, G., & Gasbarrini, A. (2022). Gut mikrobiota in anxiety and depression: Pathogenesis and therapeutics. *Frontiers in Gastroenterology*, 1, 1–10. <https://doi.org/10.3389/fgstr.2022.1019578>
- Can, A., Dao, D.T., Terrillion, C.E., Piantadosi, S.C., Bhat, S., and Gould, T.D. 2012. The tail suspension test. *JoVe: Journal of Visualized Experiment*, 59: e3769.
- Cajigas, I. J., T. Will and E. M. Schuman. 2010. Protein Synthesis and Synaptic Plasticity. *The EMBO Journal* 29: 2746–2752.
- Coppa, G.V., Zampini, L., Galeazzi, T., Facinelli, B., Ferrante, L., Capretti, R., Orazio, G., 2006. Human milk oligosaccharides inhibit the adhesion to Caco-2 cells of diarrheal pathogens: *Escherichia coli*, *Vibrio cholerae*, and *Salmonella ftyris*. *Pediatr. Res.* 59, 377–382.
- Carabotti, M., Scirocco, A., Maselli, M. A., & Severi, C. (2015). The gut-brain axis: Interactions between enteric mikrobiota, central and enteric nervous systems. *Annals of Gastroenterology*, 28(2), 203–209.
- Dinan, T.G., Stanton, C., Cryan, J.F., 2013. Psychobiotics: a novel class of psychotropic. *Biol. Psychiatry* 74, 720–726.
- Duncan, S. H., Iyer, A., & Russell, W. R. (2021). Impact of protein on the composition and metabolism of the human gut mikrobiota and health. *Proceedings of the Nutrition Society*, 80(2), 173–185. <https://doi.org/DOI:10.1017/S0029665120008022>
- Enrekang, K. (2021). *Prosiding* 5. 146–151 Fadhillah, A. N., Hafsan, H., & Nur, F. (2015). Penurunan kadar kolesterol oleh bakteri asam laktat asal dangke secara in vitro. *Prosiding Seminar Nasional Biologi*, 1(1)
- Frisbee, J.C., Brooks, S.D., Stanley, S.C., and d'Audiffret, A.C. 2015. An unpredictable chronic mild stress protocol for instigating depressive symptoms, behavioral changes and negative health outcomes in rodents. *JoVe: Journal of Visualized Experiments*, 106: e53109
- Gao, M., Song, Y., Liu, Y., Miao, Y., Guo, Y., & Chai, H. (2024). TNF- α /TNFR1

- activated astrocytes exacerbate depression-like behavior in CUMS mice. *Cell Death Discovery*, 10(1), 220. <https://doi.org/10.1038/s41420-024-01987-4>
- Hadizadeh, M., Hamidi, G. A., & Salami, M. (2019). Probiotic supplementation improves the cognitive function and the anxiety-like behaviors in the stressed rats. *Iranian Journal of Basic Medical Sciences*, 22(5), 506–514. <https://doi.org/10.22038/ijbms.2019.33956.8078>
- Hatta, W., Sudarwanto, M. B., Sudirman, I., & Malaka, R. (2014). Survei karakteristik pengolahan dan kualitas produk dangke susu sapi di Kabupaten Enrekang, Sulawesi Selatan. *JITP*, 3(3).
- Irfan, M. (2018). Kualitas Mikrobiologis Dangke yang Dibuat Pada Berbagai Level Ekstrak Getah Pepaya dan Suhu Pemanasan. *Jurnal Perbal*, 6(3), 7–15.
- Jang, H.-H., Bae, J. H., Kim, M.-J., Park, M. Y., Kim, H. R., & Lee, Y.-M. (2020). *Agrimonia pilosa* Ledeb. Ameliorates Hyperglycemia and Hepatic Steatosis in Ovariectomized Rats Fed a High-Fat Diet. *Nutrients*, 12(6). <https://doi.org/10.3390/nu12061631>
- Kaufmann, F.N., Costa, A.P., Ghisleni, G., Diaz, A.P., Rodrigues, A.L.S., Peluffo, H., Kaster, M.P., 2017. NLRP3 inflammasome-driven pathways in depression: clinical and preclinical findings. *Brain Behav. Immun.* 64, 367–383.
- Kujoth GC, Bradshaw PC, Haroon S, Prolla TA. 2007. The role of mitochondrial DNA mutations in mammals aging. *Plos Genet*
- Liu, J., A. Wang, L. Li, Y. Huang, P. Xue and A. Hao. 2010. Oxidative Stress Mediates Hippocampal Neuron Death in Rats After Lithium–Pilocarpine-Induced Status Epilepticus. *Seizure* 19: 165-172.
- Li, R., Wang, X., Qin, T., Qu, R., Ma, S., 2016. Apigenin ameliorates chronic mild stress-induced depressive behavior by inhibiting interleukin-1 β production and NLRP3 inflammasome activation in the rat brain. *Behav. Brain Res.* 296, 318–325.
- Novel, Sinta Sasika, Sukma Nuswantara, dan Supartini Syarif. (2010). *Genetika Laboratorium*. Jakarta Timur : CV. Trans Info Media.
- Liu, Y., Wang, H., Gui, S., Zeng, B., Pu, J., Zheng, P., Zeng, L., Luo, Y., Wu, Y., Zhou, C., Song, J., Ji, P., Wei, H., & Xie, P. (2021). Proteomics analysis of the gut–brain axis in a gut microbiota-dysbiosis model of depression. *Translational Psychiatry*, 11(1), 1–8. <https://doi.org/10.1038/s41398-021-01689-w>
- Markov, D. D., & Novosadova, E. V. (2022). Chronic unpredictable mild stress model of depression: possible sources of poor reproducibility and latent variables. *Biology*, 11(11), 1621.
- Muthmainah, & Wiyono Nanang. (2017). *Modulasi neurogenesis untuk pengembangan terapi depresi*. 44(12), 1–5.
- Nurhayati, Betty dan Sri Darmawati. (2017). *Biologi Sel dan Molekuler*. Bahan ajar TLM.
- Nicosia, F. D., Puglisi, I., Pino, A., Caggia, C., & Randazzo, C. L. (2022). Plant Milk-Clotting Enzymes for Cheesemaking. *Foods*, 11(6), 871.
- Nollet, M., Guisquet, A.-M.L., and Belzung, C. 2013. Models of depression: unpredictable chronic mild stress in mice. *Current Protocols in Pharmacology*, 5 (65): 1-17.
- Nur Fatmawati. (2017). Potensi Bakteri Asam Laktat yang di Isolasi Dari Dangke

Sebagai Kandidat Probiotik Dalam Menghambat Bakteri Patogen [Universitas Hasanuddin. Makassar]. In *Program Pasca Sarjana*. http://digilib.unhas.ac.id/uploaded_files/temporary/DigitalCollection/YmE1MTY5ZGJkNWVkyTEwNTY1MGFIM2QwMGi3ODbkNGY3ZDI3YWM1Yang

- Oliveira, J. F., Gomes, C. A., Vaz, S. H., Sousa, N., & Pinto, L. (2016). Editorial: Glial Plasticity in Depression. *Frontiers in Cellular Neuroscience*, *10*, 163. <https://doi.org/10.3389/fncel.2016.00163>
- Ouwehand, A. C. (2017). A review of dose-responses of probiotics in human studies. *Beneficial Microbes*, *8*(2), 143–151. <https://doi.org/10.3920/BM2016.0140>
- Peng, Y.-L. Liu, Y.-N., Liu, L., Wang, X., Jiang, C.-L., & Wang, Y.-X. 2012. Inducible nitric oxide synthase is involved in the modulation of depressive behaviors induced by unpredictable chronic mild stress.. *Journal of Neuroinflammation*, *9* (75): 1-12
- Prihatini, I., & Dewi, R. K. (2021). Kandungan Enzim Papain pada Pepaya (*Carica papaya* L) Terhadap Metabolisme Tubuh. *Jurnal Tadris IPA Indonesia*, *1*(3), 449–458.
- Primo, M. J., Fonseca-Rodrigues, D., Almeida, A., Teixeira, P. M., & Pinto-Ribeiro, F. (2023). Sucrose preference test: A systematic review of protocols for the assessment of anhedonia in rodents. *European Neuropsychopharmacology*, *77*, 80–92. <https://doi.org/https://doi.org/10.1016/j.euroneuro.2023.08.496>
- Rao, J., Qiao, Y., Xie, R., Lin, L., Jiang, J., Wang, C., & Li, G. (2021). Fecal microbiota transplantation ameliorates stress-induced depression-like behaviors associated with the inhibition of glial and NLRP3 inflammasome in rat brain. *Journal of Psychiatric Research*, *137*(January), 147–157. <https://doi.org/10.1016/j.jpsychires.2021.02.057>
- Rejeki, P. S., Putri, E. A. C., & Prasetya, R. E. (2018). Ovariektomi Pada *Mencit* (*mus-musculus*) Dan *Mencit*. In *Airlangga University Press*.
- Rodríguez-Romero, J. de J., Durán-Castañeda, A. C., Cárdenas-Castro, A. P., Sánchez-Burgos, J. A., Zamora-Gasga, V. M., & Sáyago-Ayerdi, S. G. (2022). What we know about protein gut metabolites: Implications and insights for human health and diseases. *Food Chemistry: X*, *13*, 100195. <https://doi.org/10.1016/j.fochx.2021.100195>
- Rutsch, A., Kantsjö, J. B., & Ronchi, F. (2020). The Gut-Brain Axis: How Mikrobiota and Host Inflammasome Influence Brain Physiology and Pathology. *Frontiers in Immunology*, *11*(December), 1–24. <https://doi.org/10.3389/fimmu.2020.604179>
- Salami, M., & Soheili, M. (2022). The mikrobiota-gut- hippocampus axis. *Frontiers in Neuroscience*, *16*, 1065995. <https://doi.org/10.3389/fnins.2022.1065995>
- Syaikal, 2016. Rendemen dan Kualitas Organoleptik Keju Segar dengan Pengumpulan Getah Pepaya dan Sari Buah Nanas pada Berbagai Level”. Skripsi. Fakultas Peternakan Universitas Hasanuddin. Makassar)
- Shu, G., Huang, J., Bao, C., Meng, J., Chen, H., & Cao, J. (2018). Effect of different proteases on the degree of hydrolysis and angiotensin I-converting enzyme-inhibitory activity in goat and cow milk. *Biomolecules*, *8*(4), 101.
- Sulmiyati, S., & Said, N. S. (2018). Karakteristik dangke susu kerbau dengan penambahan crude papain kering. *Agritech*, *38*(3), 345–352.
- Tang, J., Xue, W., Xia, B., Ren, L., Tao, W., Chen, C., Zhang, H., Wu, R., Wang, Q.,

- Wu, H., Duan, J., Chen, G., 2015. Involvement of normalized NMDA receptor and mTOR-related signaling in rapid antidepressant effects of Yueju and ketamine on chronically stressed mice. *Sci. Rep.* 5, 13573.
- Rotenstein, L.S., Ramos, M.A., Torre, M., Segal, J.B., Peluso, M.J., Guille, C., Sen, S., Mata, D.A., 2016. Prevalence of depression, depressive symptoms, and suicidal ideation among medical students: a systematic review and meta-analysis. *Jama* 316 (21), 2214–2236.
- Vandenplas, Y., Zakharova, I., Dmitrieva, Y., 2015. Oligosaccharides in infant formula: more evidence to validate the role of prebiotics. *Br. J. Nutr.* 113, 1339–1344.
- Waitzberg, D., Guarner, F., Hojsak, I., Ianiro, G., Polk, D. B., & Sokol, H. (2024). Can the Evidence-Based Use of Probiotics (Notably *Saccharomyces boulardii* CNCM I-745 and *Lactobacillus rhamnosus* GG) Mitigate the Clinical Effects of Antibiotic-Associated Dysbiosis? *Advances in Therapy*, 41(3), 901–914. <https://doi.org/10.1007/s12325-024-02783-3>
- Wang, L., T. J. Maher and R. J. Wurtman. 2007. Oral L-Glutamine Increases GABA Level in Striatal Tissue and Extracellular Fluid. *The FASEB Journal* 21: 1227-1232
- Wu, S., Bhat, Z. F., Gounder, R. S., Mohamed Ahmed, I. A., Al-Juhaimi, F. Y., Ding, Y., & Bekhit, A. E.-D. A. (2022). Effect of Dietary Protein and Processing on Gut Mikrobiota-A Systematic Review. *Nutrients*, 14(3). <https://doi.org/10.3390/nu14030453>
- Yan, T., Nian, T., Liao, Z., Xiao, F., Wu, B., Bi, K., He, B., & Jia, Y. (2020). Antidepressant effects of a polysaccharide from okra (*Abelmoschus esculentus* (L) Moench) by anti-inflammation and rebalancing the gut mikrobiota. *International Journal of Biological Macromolecules*, 144(L), 427–440. <https://doi.org/10.1016/j.ijbiomac.2019.12.138>
- Ye, M., Ji, F., Huang, C., Li, F., Zhang, C., Zhang, Y., Wang, R., Ma, K., Lu, X., & Wang, H. (2024). A novel probiotic formula, BLLL, ameliorates chronic stress-induced depression-like behaviors in mice by reducing neuroinflammation and increasing neurotrophic factors. *Frontiers in Pharmacology*, 15, 1398292.
- Yustinasari, L. R., Hestianah, E. P., Kuncorojati, S., & Juniastuti, T. (2017). *Mozart KV 448 Menurunkan Densitas dan Aktivitas Neuroglia Hipokampus Mencit (Mus musculus) Selama Stres Prenatal No . 416-KE Mozart KV 448 decreased densities and activities of hippocampus neuroglia of mice (Mus musculus) during prenatal stress No . 4. 35(416).*
- Yusuf, M., Fitriani, U. A. N., & Saleh, R. (2022). Dangke: Local Indigenous Cheese from Enrekang, South Sulawesi Indonesia. *IOP Conference Series: Earth and Environmental Science*, 1097(1), 12064.
- Zakariah, M. A., Malaka, R., Laga, A., Ako, A., Zakariah, M., & Mauliah, F. U. (2022). Quality and storage time of traditional dangke cheese inoculated with indigenous lactic acid bacteria isolated from Enrekang District, South Sulawesi, Indonesia. *Biodiversitas*, 23(6), 3270–3276. <https://doi.org/10.13057/biodiv/d230656>
- Zhang, Y., Huang, R., Cheng, M., Wang, L., Chao, J., Li, J., Zheng, P., Xie, P., Zhang, Z., & Yao, H. (2019). Gut mikrobiota from NLRP3-deficient mice ameliorates depressive-like behaviors by regulating astrocyte dysfunction via circHIPK2. *Microbiome*, 7(1), 1–16. <https://doi.org/10.1186/s40168-019-0733-3>
- Zhang, Y., Zhang, J., Wu, J., Zhu, Q., Chen, C., & Li, Y. (2023). Implications of gut

mikrobiota dysbiosis and fecal metabolite changes in psychologically stressed mice. *Frontiers in Microbiology*, 14, 1124454.

Zhou, L., Foster, J.A., 2015. Psychobiotics and the gut–brain axis: in the pursuit of happiness. *Neuropsychiatr. Dis. Treat.* 11, 715–723