

DAFTAR PUSTAKA

- Abdallah R.A.B, Marwa H., Jabnoun-Khiareddine H., Daami-Remadi M. (2023). Eksplorasi isolat *Aspergillus* spp. non-fitopatogenik yang diperoleh dari tanah dan kompos sebagai sumber potensial metabolit bioaktif untuk pengendalian busuk kering Fusarium pada kentang. *Jurnal Mikrobiologi Brasil* 54 : 1103–1113. <https://doi.org/10.1007/s42770-023-00925-3>
- Abdelaziz, A. M., Kalaba, M. H., Hashem, A. H., Sharaf, M. H., & Attia, M. S. (2022). Biostimulation of tomato growth and biokontrol of Basal rotdisease using certain endophytic fungi. *Botanical Studies*, 63(1), 34. <https://doi.org/10.1186/s40529-022-00364-7>
- Abdul, A. A., Henny, S., & Nur, I. (2019). Interaction of physiology character-secondary metabolic of fusarium oxysporum on tomatoes of basal rotsymptom. *Materials Science Forum*, 967 MSF, 95–100. <https://doi.org/10.4028/www.scientific.net/MSF.967.95>
- Adhi, S. R., & Suganda, T. (2020). Potensi cendawan rhizosfer bawang merah dalam menekan Fusarium oxysporum f.sp. cepae, penyebab penyakit busuk umbi bawang merah. *Kultivasi*, 19(1), 1015. <https://doi.org/10.24198/kultivasi.v19i1.22877>
- Ahmad, W. (2020). Preliminary phytochemical, antimicrobial and photochemical study of Calotropis gigantea leaf extract. *Current Chemistry Letters*. <https://doi.org/10.5267/j.ccl.2019.10.001>
- Ahmad, W. (2020). Preliminary phytochemical, antimicrobial and photochemical study of Calotropis gigantea leaf extract. *Current Chemistry Letters*. <https://doi.org/10.5267/j.ccl.2019.10.001>
- Ainy, E. Q., Ratnayani, R., & Susilawati, L. (2015). Uji Aktivitas Antagonis *Trichoderma Harzianum* 11035 Terhadap *Colletotrichum capsici* TCKR2 dan *Colletotrichum acutatum* TCK1 Penyebab Antraknosa pada Tanaman. *Jurnal Biologi*, 892–897
- Aktar, M. T., Hossain, K. S., & Bashar, M. A. (2014). Antagonistic potential of rhizosphere fungi against leaf spot and fruit rot pathogens of brinjal. *Bangladesh Journal of Botany*, 43(2), 213–217. <https://doi.org/10.3329/bjb.v43i2.21675>
- Aktar, M., & Shamsi, S. (2020). Antagonistic potentials of selected soil fungi against three pathogenic fungi of tagetes erecta L. and T. patula l. *Dhaka University Journal of Biological Sciences*, 29(2), 147–153. <https://doi.org/10.3329/dujbs.v29i2.48734>
- Altieri, M., & Nicholls, C. (2018). Biodiversity and pest management in agroecosystems. <https://doi.org/10.1201/9781482277937>
- Amaria, W., Harni, R., & Samsudin. (2015). Evaluasi cendawan antagonis dalam Menghambat pertumbuhan Rigidoporus microporus Penyebab Penyakit Cendawan Akar Putih Pada Tanaman Karet Evaluation Of Antagonistic Fungi In Inhibiting The Growth Of Rigidoporus microporus Causing White Root Disease In Rubber Pla. *J. Tidp*, 2(1), 51–60.
- Ambar, A. A., Syam, A., Setyawati, H., & Iلمي, N. (2015). The Effect of Fusaric Acid Application on the Lignin and Suberin Formation as Resistance Indicator on Tomato. *International Journal of Agriculture System*, 3(1), 59–64.
- Anjali, Kumar, S., Korra, T., Thakur, R., Arutselvan, R., Kashyap, A. S., Nehela, Y., Chaplygin, V., Minkina, T., & Keswani, C. (2023). Role of plant secondary metabolites in defence and transcriptional regulation in response to biotic stress. *Plant Stress*, 8, 100154. <https://doi.org/10.1016/j.stress.2023.100154>
- Aprialy, A. S., Sjam, S., Dewi, V. S., & Agustina, Y. E. (2021). The synergy of Calotropis gigantea and Cresscentia cujete plant extracts as an inhibitor of egg hatching and antifeedant against Spodoptera frugiperda. *IOP Conference Series*

- Apriyani, S., P.M. Azzumar, & S. Wahyuni, 2021. Keragaman Hama pada Pertanaman Bawang Merah (*Allium ascalonicum* L.) di Kabupetan Pati. *Jurnal Litbang Provinsi Jawa Tengah* 19(1): 13 – 20.
- Ara, Masud, M., Akter, K., Islam, & Ahmmed, A. (2022). Integrated management of purple blotch disease complex for onion seed production in Bangladesh. *Bangladesh Journal of Agriculture*. 31–44. <https://doi.org/10.3329/bjagri.v46i1-6.59971>
- Arannilewa, S. T., Ekrakene, T., & Akinneye, J. O. (2006). Laboratory evaluation of four medicinal plants as protectants against the maize weevil, *Sitophilus zeamais* (Mots). *African Journal of Biotechnology*, 5(21), 2032–2036.
- Aremu, H. K., Oyewole, O. I., Adenmosun, A., Oyafajo, L., Iwalewa, Z. O., Ademola, A., Azeez, L. A., & Adeleke, M. A. (2024). Bioactive components in *Psidium guajava* extracts elicit biotoxic attributes and distinct antioxidant enzyme modulation in the larvae of vectors of lymphatic filariasis and dengue. *Experimental Parasitology*, 261, 108766. <https://doi.org/10.1016/j.exppara.2024.108766>
- Arie Ramadhina, A. R., Lisnawita, L., & Lubis, L. (2013). Penggunaan Cendawan Antagonis *Trichoderma* Sp. Dan *Gliocladium* Sp. Untuk Mengendalikan Penyakit Busuk pangkal umbi Pada Tanaman Bawang Merah (*Allium Ascalonicum* L.). *Jurnal Agroekoteknologi Universitas Sumatera Utara*, 1(3), 95317.
- Armila, Z., Ambar, A. A., Ilimi, N., Harsani, & Rahim, I. (2019). Potensi Cendawan *Trichoderma* sp Dalam Pengendalian *Phytophthora palmivora* Secara In Vitro. *Prosiding Seminar Nasional 2019*, 2, 26–27.
- Arunthirumeni, M., Vinitha, G., & Shivakumar, M. S. (2022). Antifeedant and larvicidal activity of bioactive compounds isolated from entomopathogenic fungi *Penicillium* sp. for the kontrol of agricultural and medically important insect pest (*Spodoptera litura* and *Culex quinquefasciatus*). *Parasitology International*, 92, 102688. <https://doi.org/10.1016/j.parint.2022.102688>
- Aswini, A., Sharmila, T., Raaga, K., R, S. D., & Krishna, M. S. R. (2016). In vitro antifungal activity of *Trichoderma* strains on patogenic fungi inciting hot pepper (*Capsicum annum* L.). *Journal of Chemical and Pharmaceutical Research*, 8(4), 425–430
- Atallah, O. O., Mazrou, Y. S. A., Atia, M. M., Nehela, Y., Abdelrhim, A. S., & Nader, M. M. (2022). Polyphasic characterization of four *Aspergillus* species as potential biokontrol agents for white mold disease of bean. *Journal of Fungi*, 8(6), 626. <https://doi.org/10.3390/jof8060626>
- Atallah, O., & Yassin, S. (2020). *Aspergillus* spp. eliminate *Sclerotinia sclerotiorum* by imbalancing the ambient oxalic acid concentration and parasitizing its sclerotia. *Environmental Microbiology*, 22(12), 5265–5279. <https://doi.org/10.1111/1462-2920.15213>
- Attia, M. S., El-Wakil, D. A., Hashem, A. H., & Abdelaziz, A. M. (2022). Antagonistic Effect of Plant Growth-Promoting Fungi Against Basal rot Disease in Tomato: In vitro and In vivo Study. *Applied Biochemistry and Biotechnology*, 194(11), 5100–5118. <https://doi.org/10.1007/s12010-022-03975-9>
- Awal, M. A., Prismantoro, D., Dwisandi, R. F., Chua, K., Mispan, M. S., Suhaimi, N. S. M., Safitri, R., & Doni, F. (2025). Deciphering the biokontrol strategies of *Trichoderma yunnanense* TM10 against *Fusarium oxysporum* f. sp. cepae, the causal agent of wilt disease in shallots (*Allium cepa* var. *aggregatum*). *Current Research in Microbial Sciences*, 9, 100484. <https://doi.org/10.1016/j.crmicr.2025.100484>
- Azis Ambar, A., Priyatmojo, A., Hadisutrisno, B., & Pusposendjojo, D. N. (2010). Virulensi 9 isolat *F. oxysporum* f.sp. *Lycopersici* dan perkembangan gejala busuk pangkal umbipada dua varietas tomat di rumah kaca. *Agrin*, 14(2), 89–96.

- Azniza, V. (2014). *Sistem Konvensional Dan Organik Dan Potensinya Sebagai*. 14(1), 16–24.
- Bandara H.M.H.N., Lam O.L.T., Jin L.J., Samaranayake L. (2012). Pensinyalan kimia mikroba: perspektif saat ini. *Kritik Rev Mikrobiol* 38: 217–249.
- Barakat, F. M., Abada, K. A., Abou-Zeid, N. M., & El-Gammal, Y. H. E. (2014). Effect of Volatile and Non-Volatile Compounds of *Trichoderma spp.* on Botrytis Fabae the Causative Agent of Faba Bean Chocolate Spot. *American Journal of Life Sciences*, 2(6), 11. <https://doi.org/10.11648/j.ajls.s.2014020602.12>
- Barriusso J, Hogan D.A., Keshavarz T, Martinez MJ (2018). Peran penginderaan kuorum dan komunikasi kimia dalam bioteknologi dan patogenesis cendawan. *FEMS Microbiol Rev* 42: 627–638.
- Basuki, R. S., Khaririyatun, N., & Sembiring, A. (2017). Studi Adopsi Varietas Bawang Merah Bima Brebes dari Balitsa di Kabupaten Brebes (Adoption Study of Bima Brebes Shallot from IVEGRI in Brebes District). *J.Hort.*, 27(2), 261–268.
- Bektas, Y., & Eulgem, T. (2015). Synthetic plant defense elicitors. *Frontiers in Plant Science*, 5, 804. <https://doi.org/10.3389/fpls.2014.00804>
- Beccari, G., Hao, G., & Liu, H. (2022). Editorial: Fusarium patogenesis: Infection mechanisms and disease progression in host plants. *Frontiers in Plant Science*, 13(October), 8–10. <https://doi.org/10.3389/fpls.2022.1020404>
- Berliana, I., & Nugroho, S. A. (2013). Potensi Ekstrak Buah Maja (Aegle marmelos (L) Corr.) Sebagai Fungisida Nabati Penyakit Cendawan Akar Putih (Rigidoporus microporus). *Prosiding Seminar Nasional Pertanian Peternakan Terpadu 2, 1904*, 163–171.
- Bertrand, S., Bohni, N., Schnee, S., Schumpp, O., Gindro, K., & Wolfender, J. (2014). Metabolite induction via microorganism co-culture: A potential way to enhance chemical diversity for drug discovery. *Biotechnology Advances*, 32(6), 1180–1204. <https://doi.org/10.1016/j.biotechadv.2014.03.001>.
- Bok, J. W., Chung, D., Balajee, S. A., Marr, K. A., Andes, D., Nielsen, K. F., Frisvad, J. C., Kirby, K. A., & Keller, N. P. (2006). GLIZ, a transcriptional regulator of gliotoxin biosynthesis, contributes to *Aspergillus fumigatus* virulence. *Infection and Immunity*, 74(12), 6761–6768. <https://doi.org/10.1128/iai.00780-06>
- Bonanomi, G., Antignani, V., Capodilupo, M., & Scala, F. (2009). Identifying the characteristics of organic soil amendments that suppress soilborne plant diseases. *Soil Biology and Biochemistry*, 42(2), 136–144. <https://doi.org/10.1016/j.soilbio.2009.10.012>
- Boughalleb-M'Hamdi, N., Salem, I. B., & M'Hamdi, M. (2018). Evaluation of the efficiency of *Trichoderma*, *Penicillium*, and *Aspergillus* species as biological control agents against four soil-borne fungi of melon and watermelon. *Egyptian Journal of Biological Pest Control*, 28(1). <https://doi.org/10.1186/s41938-017-0010-3>
- Bubici, G., Kaushal, M., Prigigallo, M. I., Cabanás, C. G., & Mercado-Blanco, J. (2019). Biological control agents against basal rot of banana. *Frontiers in Microbiology*, 10, 616. <https://doi.org/10.3389/fmicb.2019.00616>
- CABI. (2019). Lembar Data *Spodoptera exigua* (Ulat Tentara Bit). [Dokumen WWW]. Kompedium Perlindungan Tanaman..
- Capinera, J.L. (2017). Ulat Tentara Musim Gugur Spodoptera frugiperda (JE Smith) (Insekta: Lepidoptera: Noctuidae). IFAS Extension. Universitas Florida. *IFAS Extension*. Universitas Florida.
- Cardoza R.E, McCormick S.P., Martínez-Reyes N., Laura Lindo L., Mayo-Prieto S, Carro-Huerga G., Casquero P.A., Gutiérrez S. (2022). Pengaruh Farnesol pada Fisiologi

Trichoderma dan Interaksi Cendawan-Tanaman. J Cendawan 8: 1266.

- Chen, J., Zhou, L., Din, I. U., Arafat, Y., Li, Q., Wang, J., Wu, T., Wu, L., Wu, H., Qin, X., Pokhrel, G. R., Lin, S., & Lin, W. (2021). Antagonistic Activity of *Trichoderma* spp. Against *Fusarium oxysporum* in Rhizosphere of *Radix pseudostellariae* Triggers the Expression of Host Defense Genes and Improves Its Growth Under Long-Term Monoculture System. *Frontiers in Microbiology*, 12, 579920. <https://doi.org/10.3389/fmicb.2021.579920>
- Chen, J., Zhou, L., Din, I. U., Arafat, Y., Li, Q., Wang, J., Wu, T., Wu, L., Wu, H., Qin, X., Pokhrel, G. R., Lin, S., & Lin, W. (2021). Antagonistic Activity of *Trichoderma* spp. Against *Fusarium oxysporum* in Rhizosphere of *Radix pseudostellariae* Triggers the Expression of Host Defense Genes and Improves Its Growth Under Long-Term Monoculture System. *Frontiers in Microbiology*, 12, 579920. <https://doi.org/10.3389/fmicb.2021.579920>
- Choi H.W., Ahsan S.M. (2022) Aktivitas biokontrol *Aspergillus terreus* ANU-301 terhadap dua penyakit tanaman yang berbeda, busuk pangkaltomat dan busuk lunak kentang. *Plant Pathol J* 38: 33-45.
- Conn E.K., Lutton J.S., Rosenberger SA (2012) Panduan Penyakit Bawang. Kesehatan Tanaman, 72 halaman
- Cook R.J., & Baker K.F., 1983. The nature and practice of biological control of plant pathogens. *The American Phytopathological Society*, St. Paul, Minnesota 539 p.
- Cowan, M. M. (1999). Plant products as antimicrobial agents. *Clinical Microbiology Reviews*, 12(4), 564–582. <https://doi.org/10.1128/cmr.12.4.564>
- Dai, C. C., Yu, B. Y., & Li, X. (2008). Screening of endophytic fungi that promote the growth of *Euphorbia pekinensis*. *African Journal of Biotechnology*, 7(19), 3505–3510.
- Daigham G.E, Mahfouz, A.Y, Abdelaziz A.M., Nofel M.M., Attia M.S. (2023). Peran protektif cendawan pemacu pertumbuhan tanaman *Aspergillus chevalieri* OP593083 dan *Aspergillus egyptiacus* OP593080 sebagai pendekatan biokontrol terhadap penyakit bercak daun *Alternaria* pada tanaman *Vicia faba*. *Biomass Conv aBioref*.<https://doi.org/10.1007/s13399-023-04510-4>
- Darmanto, I. W., Supriyatdi, D., & Sudirman, A. (2019). Pengendalian Ulat grayak (*Spodoptera litura* F.) dengan Ekstrak Ubi Gadung dan Ekstrak Buah Maja (Armyworm [*Spodoptera litura* F.] Management using *Dioscorea* Tuber and *Aegle* Fruit Extract). *Jurnal Agro Industri Perkebunan*, 7(1), 23–30.
- Das, B. B., & Dkhar, M. S. (2011). Rhizosphere Microbial Populations and Physico Chemical Properties as Affected by Organic and Inorganic Farming Practices. & *Environ. Sci*, 10(2), 140–150.
- De Lamo, F. J., & Takken, F. L. W. (2020). Biokontrol by *Fusarium oxysporum* Using Endophyte-Mediated Resistance. *Frontiers in Plant Science*, 11, 37. <https://doi.org/10.3389/fpls.2020.00037>
- Deguine, J., Aubertot, J., Flor, R. J., Lescourret, F., Wyckhuys, K. A., & Ratnadass, A. (2021). Integrated pest management: good intentions, hard realities. A review. *Agronomy for Sustainable Development*, 41(3). <https://doi.org/10.1007/s13593-021-00689-w>
- Dennis, C., & Webster, J. (1971). Antagonistic properties of species-groups of *Trichoderma*. II. Production of volatile antibiotics. *Agrios, G. N. (2005). Plant pathology*. Elsevier.
- Dhiaswari D.R. (2019). Pengaruh Perilaku Petani Bawang Merah dan Penggunaan Pestisida terhadap Dampak bagi Lingkungan Hidup di Desa Klampok Kecamatan Wanasari kabupaten Brebes. *Edu Geografi* 7.
- Dourou M., La Porta C.A.M. (2023) Sebuah jalur untuk menyelidiki interaksi cendawan-

- cendawan: Isolat *Trichoderma* terhadap cendawan yang berasosiasi dengan tumbuhan. *J Fungi* 9: 461. <https://doi.org/10.3390/jof9040461>
- Dubey, N. K., Srivastava, B., & Kumar, A. (2008). Current Status of Plant Products as Botanical Pesticides in storage pest management. *Biopesticides*, 1(2), 182–186.
- Dukare, A. S., Paul, S., Nambi, V. E., Gupta, R. K., Singh, R., Sharma, K., & Vishwakarma, R. K. (2018). Exploitation of microbial antagonists for the kontrol of postharvest diseases of fruits: a review. *Critical Reviews in Food Science and Nutrition*, 59(9), 1498–1513. <https://doi.org/10.1080/10408398.2017.1417235>
- Edy N., Anshary A., Lakani I, Anggara A.A., Zahlin N.H. (2023). Pengendalian hayati *Fusarium oxysporum* pada penyakit layu bawang merah menggunakan mikoriza arbuskula yang dikombinasikan dengan *Trichoderma* sp., *Pseudomonas* sp., dan *Bacillus*. Prosiding Konferensi Interdisipliner Internasional ke-2 tentang Ilmu Lingkungan dan Pembangunan Berkelanjutan 2022, Lingkungan dan Pembangunan Berkelanjutan (IICESD-ESD 2022), Kemajuan dalam Penelitian Ilmu Hayati 36.https://doi.org/10.2991/978-94-6463-334-4_23
- Erdiansyah, I., & Zaini, Q. (2023). Identifikasi Karakteristik Agen Hayati *Aspergillus niger* dan Uji Daya Hambat terhadap Perkembangan Penyakit Bercak Daun pada Kacang Tanah. *Agropross : National Conference Proceedings of Agriculture, 2023*, 296–306. <https://doi.org/10.25047/agropross.2023.483>
- Fariantika, A., Rahayu, S.E., Dharmawan, A. (2019). Uji Ekstrak Buah Maja (*Aegle marmelos*) terhadap Mortalitas dan Penghambatan Makan *Spodoptera litura*. *Jurnal Ilmu Hayati*. 3, 31–37.
- Fatma, M., Chatri, M., Fifendy, M., & Handayani, D. (2021). Effect of Papaya Leaf Extract (*Carica papaya* L.) on Colony Diameter and Percentage of Growth Inhibition of *Fusarium oxysporum* Pengaruh Ekstrak Daun Pepaya (*Carica papaya* L.) terhadap *Fusarium oxysporum*. *Serambi Biologi*, 6(2), 9–14.
- Fety, Khotimah, S., & Mukarlina. (2015). Uji Antagonis Cendawan Rhizosfer Isolat Lokal terhadap *Phytophthora* sp. yang Diisolasi dari Batang Langsung (*Lansium domesticum* Corr.). *Jurnal Protobion*, 4(1), 218–225.
- Fofana, O., Bi, R. D. R. V., & Kouassi, K. C. (2025). Evaluation of Biokontrol of *Mycosphaerella fijiensis* by five Species of Rhizosphere Fungi of Plantain. *Journal of Basic Microbiology*, 65(9), e70020. <https://doi.org/10.1002/jobm.70020>
- Forte, F. P., Schmid, J., Dijkwel, P. P., Nagy, I., Hume, D. E., Johnson, R. D., Simpson, W. R., Monk, S. M., Zhang, N., Sehrish, T., & Asp, T. (2020). Fungal Endophyte Colonization Patterns Alter Over Time in the Novel Association Between *Lolium perenne* and *Epichloë* Endophyte AR37. *Frontiers in Plant Science*, 11(October), 1– 10. <https://doi.org/10.3389/fpls.2020.570026>
- Frey-Klett, P., Burlinson, P., Deveau, A., Barret, M., Tarkka, M., & Sarniguet, A. (2011). Bacterial-Fungal Interactions: Hyphens between Agricultural, Clinical, Environmental, and Food Microbiologists. *Microbiology and Molecular Biology Reviews*, 75(4), 583–609. <https://doi.org/10.1128/mubr.00020-11>
- Gangaraj, R., Kundu, A., Rana, V. S., Das, A., Chawla, G., Prakash, G., Debbarma, R., Nagaraja, A., Bainsla, N. K., Gupta, N. C., & Kamil, D. (2023). Metabolomic profiling and its association with the bio-efficacy of *Aspergillus niger* strain against Basal rot of

- guava. *Frontiers in Microbiology*, 14. <https://doi.org/10.3389/fmicb.2023.1142144>
- García-Gil J.C., Plaza C., Soler-Rovira P., Polo A (2000). Efek jangka panjang aplikasi kompos sampah kota terhadap aktivitas enzim tanah dan biomassa mikroba. *Soil Biol Biochem* 32: 1907–1913.
- Gowda, B. H., shekher, S., & Saifulla, M. (2020). Studies on Growth of *Fusarium oxysporum* f. sp. *vasinfectum* Isolates causing Okra Wilt on Different Culture Media. *International Journal of Current Microbiology and Applied Sciences*, 9(9), 1419–1423. <https://doi.org/10.20546/ijcmas.2020.909.179>
- Grainha T., Jorge P., Alves D., Lopes S.P., Pereira M.O. (2020). Mengungkap komunikasi *Pseudomonas aeruginosa* dan *Candida albicans* dalam skenario koinfeksi: Wawasan melalui analisis jaringan. *Front. Cell Infect Microbiol* 10: 550505. <https://doi.org/10.3389/fcimb.2020.550505>
- Hadiwiyono, Sari K., Poromarto S.H. (2020). Kehilangan hasil akibat busuk pangkal batang (*Fusarium oxysporum* f.sp. *cepae*) pada beberapa varietas bawang merah. *Caraka Tani J Sustain Agric* 35: 250-257. <http://dx.doi.org/10.20961/carakatani.v35i2.26916>
- Hadiwiyono, Sudadi & Claudia, SS. 2014. Cendawan Pelarut Fosfat untuk Menekan Penyakit Moler (*F. oxysporum* f. sp. *cepae*) dan Meningkatkan Pertumbuhan Bawang Merah. *Journal of Soil Science and Agroclimatology* 11(2): 130 – 138.
- Hanafiah, K.A. 2010. Rancangan Uji Coba Teori dan Aplikasi. PT. Raja Grafindo Persada.
- Handelsman, J., & Stabb, E. V. (1996). Biokontrol of soilborne plant pathogens. *Plant Cell*, 8(10), 1855–1869. <https://doi.org/10.1105/tpc.8.10.1855>
- Hartmann M., Frey B., Mayer J., Mader P., Widmer F. (2015) Keragaman mikroba tanah yang berbeda pada pertanian organik dan konvensional jangka panjang. *ISME J* 9: 1177–1194.
- Hasanuddin. (2013). *Prosiding Seminar Nasional 2013, Pekanbaru. November, 26–31.*
- Hasiani, V. V., Ahmad, I., & Rijai, L. (2015). Isolasi Cendawan Endofit dan Produksi Metabolit Sekunder Antioksidan dari Daun Pacar (*Lawsonia inermis* L.). *Jurnal Sains Dan Kesehatan*, 1(4), 146–153. <https://doi.org/10.25026/jsk.v1i4.32>
- Hiscox J., Baldrian P., Rogers H.J., Boddy L. (2010). Perubahan aktivitas enzim oksidatif selama interaksi miselium interspesifik yang melibatkan cendawan pelapuk putih *Trametes versicolor*. *Fungal Genet Biol* 47: 562–571. doi:10.1016/j.fgb.2010.03.007
- Howell, C. R. (2003). Mechanisms employed by trichoderma species in the biological kontrol of plant diseases: the history and evolution of current concepts. *Plant Disease*, 87(1), 4–10. <https://doi.org/10.1094/pdis.2003.87.1.4>
- Hsue, A.G. & N.C. 1989. Biologi dan Morfologi Reproduksi Ulat Tentara Bit *Spodoptera exigua* (Huubner) (Lepidoptera; Noctuidae). *Jurnal Entomologi Tiongkok*. 9, 239–250.
- Huang, F., Liu, Z., Mou, H., Li, J., Zhang, P., & Jia, Z. (2019). Impact of farmland mulching practices on the soil bacterial community structure in the semiarid area of the loess plateau in China. *European Journal of Soil Biology*, 92, 8–15. <https://doi.org/10.1016/j.ejsobi.2019.04.001>
- Hussein, H.S., Salem, M.Z.M., Soliman, A.M., Eldesouky, SE. (2023). Studi perbandingan tiga ekstrak tumbuhan sebagai strategi pengendalian baru terhadap *Spodoptera littoralis* (Boisd.) (Lepidoptera: Noctuidae). *Sci Rep*. 13, 1–13. <https://doi.org/10.1038/s41598-023-30588-x>
- Hutabalian, M., Pinem, M., & Oemry, S. (2015). Uji Antagonisme Beberapa Cendawan Saprofit Dan Endofit Dari Tanaman Pisang Terhadap *Fusarium Oxysporum* F.Sp. *Cubens* Di Laboratorium. *Jurnal Agroekoteknologi Universitas Sumatera Utara*, 3(2), 104451.

- Illi, N., Ambar, A.A., Laba, M.S. (2016). Populasi Arthropoda Hama Dan Musuh Alaminya Yang Terpapar Pestisida Kimiawi Dan Pestisida Nabati Pada Pertanaman Padi Di Kecamatan Patampanua, Kabupaten Pinrang. *Jurnal Agrotan*. 2, 34–44.
- Ismail N., Rosmana A., Sjam S., Ratnawati R. (2020.) Pengendalian busuk umbi basal bawang merah melalui integrasi *Trichoderma asperellum*, sisa tanaman kompos dan mulsa alami. *J Pure Appl Mikrobiol* 14:1779-1788. <https://doi.org/10.22207/JPAM.14.3.16>.
- Isman, M. B. (2019). Botanical Insecticides in the Twenty-First Century—Fulfilling their promise. *Annual Review of Entomology*, 65(1), 233–249. <https://doi.org/10.1146/annurev-ento-011019-025010>
- Jeyaseelan, E., Tharmila, S., & Niranjan, K. (2012). Antagonistic activity of *Trichoderma* spp. and *Bacillus* spp. against *Pythium aphanidermatum* isolated from tomato damping off. *Archives of Applied Science Research*, 4(4), 1623–1627.
- Juwanda, M., Khotimah, K., & dan Amin, M. (2016). Peningkatan Ketahanan Bawang Merah Terhadap Penyakit Busuk pangkal umbiMelalui Induksi Ketahanan Dengan Asam Salisilat Secara Invitro. *Agrin*, 20(1), 15–28.
- Jaiswal A.K., Elad Y., Paudel I., Graber E.R. Cytryn E., Frenkel O. (2017). Menghubungkan komposisi, keanekaragaman, dan aktivitas mikroba bawah tanah dengan penekanan penyakit tular tanah dan peningkatan pertumbuhan tomat yang diberi biochar. *Sci Rep* 7: 44382.
- Jang J.Y., Choi Y.H., Shin T.S., Kim T.H., Shin K.S., Park H.W., Kim Y.H., Kim H., Choi G.J., Jang K.S. (2016). Pengendalian hayati *Meloidogyne incognita* oleh *Aspergillus niger* F22 penghasil asam oksalat. *PLoS ONE* 11: e0156230
- Jin N., Liu S.M., Peng H., Huang W.K., Kong L.A., Wu Y.H., Chen Y.P., Ge F.Y., Jian H., Peng D.L. (2019). Isolasi dan karakterisasi *Aspergillus niger* NBC001 yang mendasari supresi terhadap Heterodera Glycines. *Sci. Rep.* 9: 591.
- Jomori, T., Hara, Y., Sasaoka, M. *et al.* (2020). *Mycobacterium smegmatis* alters the production of secondary metabolites by marine-derived *Aspergillus niger*. *J Nat Med* 74, 76–82. <https://doi.org/10.1007/s11418-019-01345-0>
- Joos L., Herren G.L., Couvreur M., Binnemans I., Oni F.E., Höfte M., Debode J., Bert W., Steel H. (2020). Kompos merupakan media pembawa *Trichoderma harzianum*. *Bio Kontrol* 65: 737–749. <https://doi.org/10.1007/s10526-020-10040-z>
- Kaewsalong N., Songkumarn P., Duangmal K., Dethoup T.. (2019.) Efek sinergis kombinasi galur baru spesies *Trichoderma* dan ekstrak *Coscinium fenestratum* dalam mengendalikan malai kotor pada padi. *J Plant Pathol* 101: 367–372. <https://doi.org/10.1007/S42161-018-0191-Y>.
- Kalsoom, R., Chohan, S., Haider, M. S., & Abid, M. (2019). Synergistic effect of plant extracts and fungicide against purple blotch disease of onion. *Plant Protection*, 3(2). <https://doi.org/10.33804/pp.003.02.0135>
- Kanwal, I., Iffat, A., Shaukat, M. B., Shafique, T., Majeed, Y., Zafar, M. I., Awan, H. M., Tabbasum, I., Iqbal, A., Tatar, M., Mortazavi, P., Ali, A., Bejaoli, R., Aslam, H., & Seenab, F. (2022). Insights into Basal rot of Tomato (*Fusarium oxysporum* f. sp. *lycopersici*) and its Management Strategies Iqra. *Journal of Agriculture and Biology*, 1(2), 31–42. <https://doi.org/https://doi.org/10.55627/agribiol.002.01.0753> 31
- Kar, D., Kuanar, A., & Pattanaik, P. K. (2016). Antimicrobial Activities of Different Parts of *Calotropis gigantea*: a Naturally Occurring Prophylactic Medicinal Shrub. *Iranian Journal of Science and Technology Transactions a Science*, 42(3), 1057–1062. <https://doi.org/10.1007/s40995-016-0079-7>
- Kardinan, A. (2011). Penggunaan Pestisida Nabati Sebagai Kearifan Lokal Dalam

Pengendalian Hama Tanaman Menuju Sistem Pertanian Organik. *Pengembangan Inovasi Pertanian*, 4(4), 262–278. file:///C:/Users/MUTI/AppData/Local/Mendeley Ltd./Mendeley Desktop/Downloaded/Menuju, Pertanian - 2011 - Kearifan Lokal Dalam Pengendalian Hama.Pdf

- Karunasinghe, T. G., Maharachchikumbura, S. S. N., Velazhahan, R., & Al-Sadi, A. M. (2020). Antagonistic Activity of Endophytic and Rhizosphere Fungi Isolated From Sea Purslane (*Sesuvium portulacastrum*) Against *Pythium* Damping off of Cucumber. *Plant Disease*, 104(8), 2158–2167. <https://doi.org/10.1094/pdis-01-20-0003-re>
- Kaur, S., Samota, M. K., Choudhary, M., Choudhary, M., Pandey, A. K., Sharma, A., & Thakur, J. (2022). How do plants defend themselves against pathogens-Biochemical mechanisms and genetic interventions. *Physiology and Molecular Biology of Plants*, 28(2), 485–504. <https://doi.org/10.1007/s12298-022-01146-y>
- Kaur, T., Datta, R., Mahajan, A., Kaur, A., & Kaur, S. (2025). Endophytic colonization of cauliflower by *Aspergillus flavus* and *Aspergillus niger* reduces performance and host preference in tobacco caterpillar, *Spodoptera litura*. *Entomologia Experimentalis Et Applicata*, 173(9), 1011–1021. <https://doi.org/10.1111/eea.13606>
- Kedang, V. M. K., Rianto, R. A., Al Kholik, I. A., & Hadi, U. K. (2020). Uji Potensi Ekstrak Daun Biduri (*Calotropis gigantea*) sebagai Akarisida terhadap Investasi Gurem (*Ornithonyssus bursa*) pada Ayam Buras. *Jurnal Medik Veteriner*. <https://doi.org/10.20473/jmv.vol3.iss2.2020.208-215>
- Keller, N. P. (2018). Fungal secondary metabolism: regulation, function and drug discovery. *Nature Reviews Microbiology*, 17(3), 167–180. <https://doi.org/10.1038/s41579-018-0121-1>
- Khatun, A., Shamsi, S., & Bashar, A. (2021). Antagonistic potentiality of some soil fungi against six fungal pathogens isolated from cotton (*Gossypium hirsutum* L.) seeds. *Journal of the Asiatic Society of Bangladesh Science*, 46(2), 143–153. <https://doi.org/10.3329/jasbs.v46i2.54410>
- Kholidiya, W. R. N., Meilawaty, Z., & Astuti, P. (2024). Antibacterial potential of Biduri leaf extract (*Calotropis gigantea*) against the growth of *Streptococcus mutans* ATCC 35668 colonies: an experimental laboratory. *Padjadjaran Journal of Dentistry*, 36(1), 77. <https://doi.org/10.24198/pjd.vol36no1.52850>
- Kishi, M., N. Hirschhorn, M. Djajadisastra, L.N., Satterlee S., Strowman. (1995). Hubungan Penyemprotan Pestisida dengan Tanda dan Gejala pada Petani Indonesia. *Scand J Work Environ Health*. 21, 124–133.
- Kumar, P., Singh, R., & Agnihotri, S. (2025). Analysis of Comparative Antioxidant and Antimicrobial Activity of Extracts of *Calotropis gigantea*. *International Journal for Multidisciplinary Research*, 7(5). <https://doi.org/10.36948/ijfmr.2025.v07i05.58035>
- Kurniati, A., & Ali, M. (2018). Isolasi dan Uji Antagonis Cendawan Asal Rhizosfer Tanaman Bawang Merah (*Allium ascalonicum* L.) Terhadap *Alternaria porri* Ellis Cif. *JOM Faperta UR*, 5(1), 1–9.
- Kursa, W., Jamiołkowska, A., Wyrostek, J., & Kowalski, R. (2022). Antifungal Effect of Plant Extracts on the Growth of the Cereal Pathogen *Fusarium* spp.—An In Vitro Study. *Agronomy*, 12(12). <https://doi.org/10.3390/agronomy12123204>.
- Latifah, A., Kustantinah, ., & Soesanto, L. (2011). Pemanfaatan Beberapa Isolat *Trichoderma harzianum* Sebagai Agen Pengendali Hayati Penyakit Busuk pangkal umbi Pada Bawang Merah In Planta. *Eugenia*, 17(2), 86–95. <https://doi.org/10.35791/eug.17.2.2011.4105>

- Lenc, L., Kwasna, H., Jeske, M., Jonczyk, K., & Sadowski, C. (2016). Fungal pathogens and antagonists in root-soil zone in organic and integrated systems of potato production. *Journal of Plant Protection Research*, 56(2), 167–177. <https://doi.org/10.1515/jppr-2016-0029>
- Lestari, F., & Wida D., 2014. Uji Efikasi Ekstrak Daun dan Biji Tanaman Suren, Mimba, dan Sirsak terhadap Mortalitas Hama Ulat Gaharu. *Jurnal Penelitian Hutan Tanaman* 11(3): 165 – 171.
- La Bella, E., Riolo, M., Luz, C., Baglieri, A., Puglisi, I., Meca, G., & Cacciola, S. O. (2024). Fermentates of consortia of lactic acid bacteria and a cyanobacterium are effective against toxigenic fungi contaminating agricultural produces. *Biological Kontrol*, 191, 105478. <https://doi.org/10.1016/j.biokontrol.2024.105478>
- Li, B., Yang, P., Feng, Y., Du, C., Qi, G., & Zhao, X. (2024). Rhizospheric microbiota of suppressive soil protect plants against *Fusarium solani* infection. *Pest Management Science*, 80(9), 4186–4198. <https://doi.org/10.1002/ps.8122>
- Li, B., Yang, P., Feng, Y., Du, C., Qi, G., & Zhao, X. (2024). Rhizospheric microbiota of suppressive soil protect plants against *Fusarium solani* infection. *Pest Management Science*, 80(9), 4186–4198. <https://doi.org/10.1002/ps.8122>
- Liu, J., Li, S., Yue, S., Tian, J., Chen, H., Jiang, H., Siddique, K. H., Zhan, A., Fang, Q., & Yu, Q. (2021). Soil microbial community and network changes after long-term use of plastic mulch and nitrogen fertilization on semiarid farmland. *Geoderma*, 396, 115086. <https://doi.org/10.1016/j.geoderma.2021.115086>
- Liu, S., Tao, C., Zhang, L., Wang, Z., Xiong, W., Xiang, D., Sheng, O., Wang, J., Li, R., Shen, Z., Li, C., Shen, Q., & Kowalchuk, G. A. (2023). Plant pathogen resistance is mediated by recruitment of specific rhizosphere fungi. *The ISME Journal*, 17(6), 931–942. <https://doi.org/10.1038/s41396-023-01406-z>
- Lee H., Finckbeiner S., Yu J.S, Wiemer D.F, Eisner T., Attygalle A.B. (2007). Karakterisasi (E,E)-farnesol dan ester asam lemaknya dari kelenjar aroma dubur nutria (*Myocastor coypus*) menggunakan kromatografi gas-spektrometri massa dan kromatografi gas-spektrometri inframerah. *J Chromatog, A*, 1165: 136–143.
- Liu H., Xiong W., Zhang R., Hang X., Wang D., Li R., Shen Q. (2018). Aplikasi berbagai aditif organik secara berkelanjutan dapat menekan penyakit tomat dengan menginduksi mikrobiota rhizosfer yang sehat melalui perubahan mikroflora tanah secara keseluruhan. *Plant Soil* 423: 229–240.
- López-Mondéjar R., Bernal-Vicente A., Ros M., Tittarelli F., Canali S., Intrigliolo F., Pascual J.A. (2010). Pemanfaatan media tanam berbasis kompos jeruk yang diperkaya *Trichoderma harzianum* T-78 dalam produksi bibit *Cucumis melo* L.. *Bioresour Technol* 101:3718-372.
- Maeder, P., Fliessbach, A., Dubois, D., Gunst, L., Fried, P., & Niggli, U. (2002). Soil fertility and biodiversity in organic farming. *Science*, 296(5573), 1694–1697. <https://doi.org/10.1126/science.1071148>
- Mandepudi, B. (2013). *Experimental Studies on Antioxidant Properties of Calotropis gigantea Solvent Extracts*. May.
- Mari, M., Guizzardi, M., & Pratella, G. (1996). Biological kontrol of gray mold in pears by antagonistic bacteria. *Biological Kontrol*, 7(1), 30–37. <https://doi.org/10.1006/bcon.1996.0060>
- Marsadi, D., Supartha, I. W., & Sunari, A. A. A. S. (2017). Invasi dan Tingkat Serangan Ulat Bawang (*Spodoptera exigua* Hubner) pada Dua Kultivar Tanaman Bawang Merah di Desa Songan, Kecamatan Kintamani, Kabupaten Bangli. *Jurnal Agroekoteknologi Tropika*, 6(4), 360–369. <https://ojs.unud.ac.id/index.php/JAT>
- Marsadi, D., Supartha, I.W., Sunari, A.A.A.A. (2017). Invasi dan Tingkat Serangan Ulat Bawang (*Spodoptera exigua* Hubner) pada D.a Kultivar Tanaman Bawang Merah

- di Desa Songan, Kecamatan Kintamani, Kabupaten Bangli. *Jurnal Agroekoteknologi Tropika*, 6, 33–37.
- Masriany, Sari, A., dan Armita, D. (2020). Diversitas Senyawa Volatil dari Berbagai Jenis Tanaman Dan Potensinya Sebagai Pengendali Hama yang Ramah Lingkungan. *Prosiding Seminar Nasional Biologi di Era Pandemi COVID-19*. 475–481.
- Mazzola, M. (2007). Manipulation of rhizosphere bacterial communities to induce suppressive soils. *PubMed*, 39(3), 213–220. <https://pubmed.ncbi.nlm.nih.gov/19259490>
- Mejía, L. C., Rojas, E. I., Maynard, Z., Bael, S. Van, Arnold, A. E., Hebbar, P., Samuels, G. J., Robbins, N., & Herre, E. A. (2008). Endophytic fungi as biokontrol agents of *Theobroma cacao* pathogens. *Biological Kontrol*, 46(1), 4–14. <https://doi.org/10.1016/j.biokontrol.2008.01.012>
- Micallef, S. A., Callahan, M. T., McEgan, R., & Martinez, L. (2023). Soil Microclimate and Persistence of Foodborne Patogens *Escherichia coli* O157:H7, *Listeria monocytogenes*, and *Salmonella enterica* Newport in Soil Affected by Mulch Type. *Journal of Food Protection*, 86(11), 100159. <https://doi.org/10.1016/j.jfp.2023.100159>
- Milanović, S. D., Simović, N., Dobrosavljević, J., Milenković, I. L., Branković, Z., Čirković, J., Radojković, A., Perać, S., Jovanović, J., Tadić, V., Žugić, A., & Branković, G. (2025). Bioactivity of the Tree of Heaven Leaf Extracts Incorporated into Biopolymer Matrix Against Spongy Moth Larvae. *Forests*, 16(2), 375. <https://doi.org/10.3390/f16020375>
- Moekasan, T. K., Setiawati, W., Hasan, F., Runa, R., & Somantri, A. (2013). Penetapan Ambang Pengendalian *Spodoptera exigua* pada Tanaman Bawang Merah Menggunakan Feromonoid Seks. *Jurnal Hortikultura*, 23(1), 80. <https://doi.org/10.21082/jhort.v23n1.2013.p80-90>
- Moekasan, TK, Prabaningrum, L., Meitha, D., Ratnawati, L., Penelitian, B., Sayuran, T., Penelitian, P., Pengembangan, D., Badan, H., Dan, P., Pertanian, P. (2005). Penerapan pht pada sistem tanam tumpanggilir bawang merah dan cabai.
- Muhae-Ud-Din, G., Kalsoom, R., Yang, Z., Chohan, S., Haider, M. S., Ahmed, D., & Abid, M. (2024). Identification of *Alternaria* species associated with purple blotch disease of onions in Southern Punjab of Pakistan and evaluation of plant-based fungicides for disease kontrol. *Tropical Plant Pathology*, 49(5), 601–611. <https://doi.org/10.1007/s40858-024-00654-4>.
- Mutlu-Ingok, A., Devecioglu, D., Dikmetas, D. N., Karbancioglu-Guler, F., & Capanoglu, E. (2022). Antibacterial, Antifungal, Antimycotoxigenic, and Antioxidant Activities of Essential Oils: An Updated Review. *Molecules*, 25. <https://doi.org/doi:10.3390/molecules25204711>
- Musdalifa, Ambar, A. A., & Putera, M. I. (2017). Pemanfaatan agen i hayati dalam mengendalikan pertumbuhan perakaran dan penyakit Busuk pangkal umbicabai besar (*Capsicum annum* L) Utilization of biological agencies in kontrolling root growth and basal rotin chili (*Capsicum annum* L). *Jurnal Galung Tropika*, 6(3), 224–233.
- Mustafa, A., Naseer, S., Saeed, S., Kalsoom, R., Ahmad, S., Khan, A. A., Shahzad, U., Umer, M., & Ali, Y. (2024). Effectiveness of onion germplasm, fungicides, and plant extracts in managing purple blotch disease of onion. *Plant Protection*, 8(2), 293–301. <https://doi.org/10.33804/pp.008.02.5115>
- Nagamani, P., Bhagat, S., Biswas, M. K., & Viswanath, K. (2017). Effect of Volatile and Non Volatile Compounds of *Trichoderma* spp. against Soil Borne Diseases of Chickpea. *International Journal of Current Microbiology and Applied Sciences*, 6(7), 1486–1491. <https://doi.org/10.20546/ijcmas.2017.607.177>

- Nasir B., Toana, M.H., Lasmini S.J., Prabowo, N. (2020). Efektivitas Ekstrak Nerium Oleander Linn. Terhadap *Spodoptera exigua* Hubner. Pada Tanaman Bawang Merah Yang Diberi Mulsa Jerami Padi Di Lahan Kering., dalam: *Prosiding Seminar Nasional Pertanian VII: Pola Pertanian Lahan Kering Berkelanjutan*.
- Naziya, B., Murali, M., & Amruthesh, K. N. (2019). Plant Growth-Promoting Fungi (PGPF) Instigate Plant Growth and Induce Disease Resistance in *Capsicum annum* L. upon Infection with *Colletotrichum capsici* (Syd.) Butler & Bisby. *Biomolecules*, 10(1), 41. <https://doi.org/10.3390/biom10010041>
- Noviyanty, Y., Hepiyansori, & Agustian, Y. (2020). Identifikasi dan penetapan kadar senyawa tanin pada ekstrak daun biduri (*Calotropis gigantea*) metode spektrofotometri UV-Vis. *Jurnal Ilmiah Manuntung*, 6(1), 57–64. http://jurnal.akfarsam.ac.id/index.php/jim_akfarsam/article/view/307
- Nunes P.S.O., Lacerda-Junior G.V., Mascarin G.M., Guimarães R.A., Medeiros F.H.V., Arthurs S, Bettioli W. (2024). Konsorsium mikroba produk biologis: Apakah mereka punya masa depan?. *Pengendalian Hayati* 188: 105439.
- Nurani, A. R., Sudiarta, I. P., & Darmiati, N. N. (2018). Uji Efektifitas Cendawan *Beauveria bassiana* Bals. terhadap Ulat Grayak (*Spodoptera litura* F.) pada Tanaman Tembakau. *Jurnal Agroekoteknologi Tropika*, 7(1), 11–23.
- Nurbailis, N., Martinius, M., & Azniza, V. (2014). Keanekaragaman Cendawan Pada Rhizosfer Tanaman Cabai Sistem Konvensional Dan Organik Dan Potensinya Sebagai Agen Pengendali Hayati *Colletotrichum gloeosporioides*. *Jurnal Hama Dan Penyakit Tumbuhan Tropika*, 14(1), 16–24. <https://doi.org/10.23960/j.hptt.11416-24>
- Nursyirman, N. (2013). Studi Musuh Alami (*Spodoptera Exigua* Hbn) pada Agroekosistem Tanaman Bawang Merah Kajian Musuh Alami *Spodoptera Exigua* pada Agroekosistem Bawang Merah Nusyirwan. *Jurnal Penelitian Pertanian Terapan*. 13, 33–37.
- Oszmianski, J., J.K., Ostek, Biernat, A. (2015). Kandungan senyawa fenolik dalam jaringan daun *Aesculus glabra* dan *Aesculus parviflora* Walt. *Molecules*. 20, 2176–2189.
- Ozyigit, I. I., Kahraman, M. V., & Ercan, O. (2007). Relation between explant age, total phenols and regeneration response in tissue cultured cotton (*Gossypium hirsutum* L.). *African Journal of Biotechnology*, 6(1), 003–008.
- Pal, K. K., & Gardener, B. M. (2006). Biological control of plant pathogens. The Plant Health Instructor. <https://doi.org/10.1094/phi-a-2006-1117-02>
- Pal, K. K., & Gardener, B. M. (2006). Biological control of plant pathogens. The Plant Health Instructor. <https://doi.org/10.1094/phi-a-2006-1117-02>
- Palayukan, P.A., Sjam, S., Melina, Sulaeha, Rosmana, A., Dewi, V.S., Budirman. (2021). Penerapan Kombinasi *Calotropis gigantea* L. Dan *Crescentia cujete* L. Serta *Schirpophaga innotata* dan *Leptocorisa acuta* Thunb. Dan predator pada tanaman padi. *Konferensi IOP Ser Earth Environ Sci* 807. <https://doi.org/10.1088/1755-1315/807/2/022087>
- Pant, P., Negi, A., Rawat, J., & Kumar, R. (2024). Characterization of rhizospheric fungi and their in vitro antagonistic potential against myco-phytopathogens invading *Macrotyloma uniflorum* plants. *International Microbiology*, 28(S1), 91–109. <https://doi.org/10.1007/s10123-024-00520-y>
- Paparang, M., Memah, V. V., & Kaligis, J. B. (2016). Populasi Dan Persentase Serangan Larva *Spodoptera Exigua* Hubner Pada Tanaman Bawang Daun Dan Bawang Merah Di Desa Ampreg Kecamatan Langowan Barat. *Cocos*, 7(7), 1–10. doi.org/10.35791/cocos.v7i7.13936
- Pasigai, M.A., dan Paiman (2023). Keragaan Teknologi untuk Meningkatkan

- Produktivitas Bawang Merah Varietas Lembah Palu: Sebuah Review. *Jurnal Hortikultura Indonesia*. 14, 9–16. <https://doi.org/10.29244/jhi.14.1.9-16>
- Pellan, L., Dieye, C. a. T., Durand, N., Fontana, A., Strub, C., & Schorr-Galindo, S. (2021). Biokontrol Agents: Toolbox for the Screening of Weapons against Mycotoxigenic Fusarium. *Journal of Fungi*, 7(6), 446. <https://doi.org/10.3390/jof7060446>
- Prakash, P., & Karthick Raja Namasivayam, S. (2014). Screenig of bioactive compounds by Gc-Ms from fusarium venenatum. *International Journal of PharmTech Research*, 6(6), 1833–1837.
- Purwantisari, S.-, & Hastuti, R. B. (2012). Isolasi dan Identifikasi Cendawan Indigenous Rhizosfer Tanaman Kentang dari Lahan Pertanian Kentang Organik di Desa Pakis, Magelang. *Bioma : Berkala Ilmiah Biologi*, 11(2), 45. <https://doi.org/10.14710/bioma.11.2.45-53>
- Putri, W. K., Khotimah, S., & Linda, R. (2015). Cendawan Rhizosfer Sebagai Agen Antagonis Pengendali Penyakit Lapuk Fusarium Pada Batang Tanaman Karet (*Hevea brasiliensis* MuellArg). *Jurnal Protobiont*, 4(3), 14–18.
- Padder S.A., Prasad R., Shah A.B. (2018). Penginderaan kuorum: Mode komunikasi antar cendawan yang kurang dikenal.Penelitian Mikrobiologi210: 51 – 58<https://doi.org/10.1016/j.micres.2018.03.007>.
- Paul D., Gopal J., Kumar M., Manikandan M. (2018). Alam untuk penyelamatan alam: Membungkam obrolan mikroba. *Chem Biol Interact* 280: 86–98. <https://doi.org/10.1016/j.cbi.2017.12.018>
- Perez L., Besoáin X., Reyes M., Pardo G., Montealegre J. (2002) Ekspresi enzim hidrolitik dinding sel cendawan ekstraseluler pada berbagai isolat *Trichoderma harzianum* berkorelasi dengan kemampuannya mengendalikan *Pyrenochaeta lycopersici*. *Biol Res* 35: 401–410. <http://dx.doi.org/10.4067/S0716-97602002000300014>
- Qi, Y., Ossowicki, A., Yergeau, É., Vigani, G., Geissen, V., & Garbeva, P. (2022). Plastic mulch film residues in agriculture: impact on soil suppressiveness, plant growth, and microbial communities. *FEMS Microbiology Ecology*, 98(2). <https://doi.org/10.1093/femsec/fiac017>
- Rabelo, M.M., Santos, I.B., Paula-moraes, S. V. (2022). Stabilitas Resistensi terhadap Insektisida Diamida dan Piretroid di Amerika Serikat.
- Rahayu, M. (2013). Ragam penyakit tular tanah pada tanaman aneka kacang dan strategi pengendalian non kimiawi. *Prosiding Seminar Hasil Penelitian Tanaman Aneka Kacang Dan Umbi*, 816–830.
- Rahmad Bernadip Bayu, at all. (2014). Keanekaragaman Cendawan dan Bakteri Rhizosfer Bawang Merah Terhadap Patogen Moler. *Sains Tanah-Jurnal Ilmu Tanah Dan Agroklimatologi*, 11(1), 52–60.
- Rahman, S. M. M., Maniruzzaman, S. M., Nusrat, S., & Khair, A. (2015). In vitro Evaluation of Botanical Extract, Bioagents and Fungicides against Purple Blotch Diseases of Bunch Onion in Bangladesh. *Advances in Zoology and Botany*, 3(4), 179–183. <https://doi.org/10.13189/azb.2015.030403>
- Rajesh Chowdary, L., Suneel Kumar, G.V., Bharathi, S., Sarada, O., Nagaraju, Y., Manikyanahalli Chandrashekara, dan K., Naga Harish, G. (2024). Kelangsungan hidup di luar musim dan riwayat hidup ulat grayak bit, *Spodoptera exigua* (Hubner) pada berbagai tanaman inang. *Rep Sains* 14, 1–13. <https://doi.org/10.1038/s41598-024-64639-8>
- Rashad, Y. M., Abdalla, S. A., & Shehata, A. S. (2022). *Aspergillus flavus* YRB2 from *Thymelaea hirsuta* (L.) Endl., a non-aflatoxigenic endophyte with ability to overexpress defense-related genes against *Fusarium* root rot of maize. *BMC Microbiology*, 22(1), 229. <https://doi.org/10.1186/s12866-022-02651-6>

- Ratnawati R., Sjam S., Rosmana A., Tresnapura U.S. (2020). Spesies *Trichoderma* endofit asal bawang merah Lembah Palu dengan potensi pengendalian patogen bercak ungu *Alternaria porri*. *Intl J Agric Biol.* 22: 977–982. <http://www.fspublishers.org/10.17957/IJAB/15.1376>
- Rezki, A.A., Sjam, S., Tamrin. (2025). Pengaruh Kombinasi Tanaman Refugia dengan Aplikasi Biopestisida terhadap Populasi dan Intensitas Serangan *Spodoptera exigua* (Hubner) (Lepidoptera; Noctuidae). *IOP Conf Ser Earth Environ Sci* 1446, 012002. <https://doi.org/10.1088/1755-1315/1446/1/012002>
- Rismayani. (2013). Manfaat Buah Maja Sebagai Pestisida Nabati Untuk Hama Penggerek Buah Kakao (*Conopomorpha cramerella*). *Warta Penelitian Dan Pengembangan Tanaman Industri*, 19(3), 1–3.
- Risnawati. (2024). Keanekaragaman Arthropoda pada Tanaman Sayuran (Selada, Pakcoy, dan Sawi) yang dikelola secara Organik. Skripsi.
- Roca-Couso, R., Flores-Félix, J. D., & Rivas, R. (2021). Mechanisms of Action of Microbial Biokontrol Agents against *Botrytis cinerea*. *Journal of Fungi*, 7(12), 1045. <https://doi.org/10.3390/jof7121045>
- Sabrini, Z., Rukmi, I., & Ferniah, R. S. (2021). Aktivitas Enzimatis Biakan Kapang *Aspergillus* Section Nigri DUCC (Diponegoro University Culture Collection) Dan Identifikasi Molekuler Isolat Potensial. *Bioma : Berkala Ilmiah Biologi*, 23(1), 1–5. <https://doi.org/10.14710/bioma.23.1.1-5>
- Saenong, M. S. (2017). Tumbuhan Indonesia Potensial sebagai Insektisida Nabati untuk Mengendalikan Hama Kumbang Bubuk Jagung (*Sitophilus* spp.). *Jurnal Penelitian Dan Pengembangan Pertanian*, 35(3), 131. <https://doi.org/10.21082/jp3.v35n3.2016.p131-142>
- Safrida, Rosa Mardiana, & Husna, N. (2021). Uji Efek Anti Fungi Ekstrak Daun Biduri (*Calotropis gigantea* L.) Terhadap Pertumbuhan Cendawan Trichophyton mentagrophytes. *Pharmauho: Jurnal Farmasi, Sains, Dan Kesehatan*, 7(1), 17. <https://doi.org/10.33772/pharmauho.v7i1.13841>
- Santos, L. C. D., Azevedo, L. S., De Siqueira, E. P., Coimbra, M. C., Alves, S. N., Castro, A. H. F., & Lima, L. a. R. D. S. (2025). Larvicidal Activity of Phytochemicals From *Handroanthus impetiginosus* Seeds Against *Culex quinquefasciatus*. *Chemistry & Biodiversity*, 22(12), e01126. <https://doi.org/10.1002/cbdv.202501126>
- Santoso, S. E., & Soesanto, L. (2012). Penekanan Hayati Penyakit Moler Pada Bawang Merah Dengan *Trichoderma Harzianum*, *Trichoderma Koningii*, Dan *Pseudomonas Fluorescens* P60. *Jurnal Hama Dan Penyakit Tumbuhan Tropika*, 7(1), 53–61.
- Santoyo G., Guzmán P., Parra-Cota F.I., Villalobos Sdl, Mosqueda M.D.C., Glick BR . (2021). Stimulasi pertumbuhan tanaman oleh konsorsium mikroba. *Agronomi* 11: 219. <https://doi.org/10.3390/agronomy1102021>.
- Sari, D.E. (2019). Efek Repellent Ekstrak *Calotropis Gigantea* R. Br. Terhadap *Paraucosmetus Pallicornis* Dallas. *Agrominansia* 3, 103–109. <https://doi.org/10.34003/271976>
- Schröder, P., & Hartmann, A. (2003). New developments in rhizosphere research. *Journal of Soils and Sediments*, 3(4), 227. <https://doi.org/10.1007/BF02988661>
- Schwartz H.F. dan Mohan S.K. (2008) Kompedium Penyakit dan Hama Bawang Merah dan Bawang Putih, edisi kedua. American Phytopathological Society, Press, St. Paul, Minnesota, AS. <https://doi.org/10.1094/9780890545003.002>
- Shahabuddin, WA. (2002). Aktivitas Insektisida Ekstrak Daun Widuri (*Calotropis gigantea*) terhadap Larva *Spodoptera exigua*. *J.Agroland* 6, 319–325.
- Shiade, S. R. G., Zand-Silakhoor, A., Fathi, A., Rahimi, R., Minkina, T., Rajput, V. D., Zulfiqar, U., & Chaudhary, T. (2024). Plant metabolites and signaling pathways in

- response to biotic and abiotic stresses: Exploring bio stimulant applications. *Plant Stress*, 12, 100454. <https://doi.org/10.1016/j.stress.2024.100454>
- Shukla, P. S., Borza, T., Critchley, A. T., & Prithviraj, B. (2021). Seaweed-Based Compounds and Products for Sustainable Protection against Plant Patogens. *Marine Drugs*, 19(2), 59. <https://doi.org/10.3390/md19020059>
- Sjam, S., Rosmana, A., Vien, S.D., Sulaeha, T., Farida, Agung, M., Adhyaksa, H. (2023). Aktivitas insektisida kombinasi ekstrak fermentasi *Calatropis gigantea* L. dan *Crescentea cujete* L. terhadap hama dan musuh alami padi. *IOP Conf Ser Earth Environ Sci*. 1208. <https://doi.org/10.1088/1755-1315/1208/1/012026>
- Southwood M.J., Viljoen A., Mcleod A. (2015). Sumber inokulum *Fusarium oxysporum* f.sp. cepae pada bawang merah di Provinsi Western Cape, Afrika Selatan. *Perlindungan Tanaman* 75. <https://doi.org/10.1016/j.cropro.2015.05.014>
- Spadaro, D., & Droby, S. (2015). Development of biokontrol products for postharvest diseases of fruit: The importance of elucidating the mechanisms of action of yeast antagonists. *Trends in Food Science & Technology*, 47, 39–49. <https://doi.org/10.1016/j.tifs.2015.11.003>
- Spadaro, D., & Gullino, M. L. (2003). State of the art and future prospects of the biological control of postharvest fruit diseases. *International Journal of Food Microbiology*, 91(2), 185–194. [https://doi.org/10.1016/s0168-1605\(03\)00380-5](https://doi.org/10.1016/s0168-1605(03)00380-5)
- Srivastava, D. A., Harris, R., Breuer, G., & Levy, M. (2021). Secretion-Based Modes of Action of Biokontrol Agents with a Focus on *Pseudozyma aphidis*. *Plants*, 10(2), 210. <https://doi.org/10.3390/plants10020210>
- Srivastava, S., Kadooka, C., & Uchida, J. Y. (2018). *Fusarium* species as patogen on orchids. *Microbiological Research*, 207(July 2017), 188–195. <https://doi.org/10.1016/j.micres.2017.12.002>
- Stenberg, J. A., Sundh, I., Becher, P. G., Björkman, C., Dubey, M., Egan, P. A., Friberg, H., Gil, J. F., Jensen, D. F., Jonsson, M., Karlsson, M., Khalil, S., Ninkovic, V., Reherrmann, G., Vetukuri, R. R., & Viketoft, M. (2021). When is it biological kontrol? A framework of definitions, mechanisms, and classifications. *Journal of Pest Science*, 94(3), 665–676. <https://doi.org/10.1007/s10340-021-01354-7>
- Sumayanti, H.I. (2021). Identifikasi Hama Tanaman Padi Sawah (*Oryza sativa* L.) dan Musuh Alami di Kecamatan Curug Kota Serang Provinsi Banten. *Jurnal Ilmu Pertanian Tirtayasa* 3, 229–241. <https://doi.org/10.33512/jipt.v3i1.11799>
- Sunarti. (2011). Pengaruh pemberian mulsa jerami terhadap populasi hama kepik hijau (*Nezara viridula*) yang menyerang tanaman kedelai (*Glycine max* L.) varietas burangrang. *Jurnal Dinamika* 02, 52–61
- Suprapti, S., Djarwanto, D., & Komarayati, S. (2018). Pemanfaatan Sisa Media Cendawan Pelapuk Pada Dekomposisi Limbah Padat Pulp *Acacia.mangium*. *Jurnal Penelitian Hasil Hutan*, 35(4), 243254. <https://doi.org/10.20886/jphh.2017.35.4.243-254>
- Supriadi. (2013). Optimasi Pemanfaatan Beragam Jenis Pestisida Untuk Mengendalikan Hama Dan Penyakit Tanaman. *Jurnal Litbang Pertanian*, 32(1), 1–9.
- Suriani, A. Sebayang, H. Mirsam, S. Pakki, M. Azrai & A. Muis (2021), Kontrol of *Fusarium verticillioides* on corn with a combination of *Bacillus subtilis* TM3 formulation and botanical pesticides.
- Suryadi, Y., Susilowati, D., Samudra, I., Akhdiya, A., Kosasih, J., & Aminah, S. (2023). Effect of antagonistic bacteria and its formulation to kontrol basal rotdisease on shallot. *E3S Web of Conferences*, 373, 07009. <https://doi.org/10.1051/e3sconf/202337307009>
- Suryaningsih, E., & Hadisoeganda, W. W. (2014). Pestisida botani untuk mengendalikan

hama dan penyakit pada tanaman sayuran.

- Susanti, D., Mulyadi, & Wiyatiningsih, S. (2016). Karakterisasi Isolat-Isolat *F. oxysporum f.sp. cepae* Penyebab Penyakit Moler Pada Bawang Merah Dari Daerah Nganjuk Dan Probolinggo. *Plumula*, 5(2), 153–160.
- Syamsir, M. (2022). Frekuensi Aplikasi Ekstrak Campuran Tanaman Biduri (*Calotropis gigantea*) dan Maja (*Crescentia cujete*) Terhadap *Spodoptera frugiperda* (JE Smith) Pada Tanaman Jagung Kuning Dan Jagung Pulut. Skripsi.
- Syed, S., Tollamadugu, N. P., & Lian, B. (2020). *Aspergillus* and *Fusarium* kontrol in the early stages of *Arachis hypogaea* (groundnut crop) by plant growth-promoting rhizobacteria (PGPR) consortium. *Microbiological Research*, 240, 126562. <https://doi.org/10.1016/j.micres.2020.126562>
- Tambingsila, M. (2016). Identifikasi dan uji efektivitas cendawan rhizosfer tanaman kakao sebagai antagonis pengendali (*Phytophthora palmivora* B.) penyebab busuk buah kakao. *Jurnal Agropet*, 13(1), 12–23.
- Tarjoko, T., & Mujiono, M. (2021). Aplikasi Pestisida Nabati Maja - Gadung dan Metabolit Sekunder *Beauveria Bassiana* Bals. Untuk Mengendalikan Hama Thrips Sp. Pada Tanaman Cabai Rawit. *Proceedings Series on Physical & Formal Sciences*, 2, 187–193. <https://doi.org/10.30595/pspfs.v2i.179>
- Taufiq M, Rahmanta, Ayu S.F. (2021) Pengajuan dan penawaran bawang merah di Provinsi Sumatera Utara. *J Agrica* 14. <http://ojs.uma.ac.id/index.php/agrica> 10.31289/agrica.v14i1.4759
- Thaha, V. (2019). Pengendalian Hama *Spodoptera exigua* Hubner. Pada Tanaman Bawang Merah Varietas Lembah Palu dengan Penggunaan Pupuk dan Mulsa. *J.Agroland* 26 26, 86–95.
- Thambugala, K. M., Daranagama, D. A., Phillips, A. J. L., Kannangara, S. D., & Promputtha, I. (2020). Fungi vs. Fungi in Biokontrol: An Overview of Fungal Antagonists Applied Against Fungal Plant Patogens. *Frontiers in Cellular and Infection Microbiology*, 10, 604923. <https://doi.org/10.3389/fcimb.2020.604923>
- Tian, L., Zhu, X., Guo, Y., Zhou, Q., Wang, L., & Li, W. (2024). Antagonism of rhizosphere *Trichoderma brevicompactum* DTN19 against the pathogenic fungi causing corm rot in saffron (*Crocus sativus* L.) in vitro. *Frontiers in Microbiology*, 15, 1454670. <https://doi.org/10.3389/fmicb.2024.1454670>
- Triwidodo, H., & Tanjung, M. H. (2020). Hama Penyakit Utama Tanaman Bawang Merah (*Allium Ascalonicum*) dan Tindakan Pengendalian di Brebes, Jawa Tengah. *Agrovigor: Jurnal Agroekoteknologi*, 13(2), 149–154. <https://doi.org/10.21107/agrovigor.v13i2.7131>
- Tukiran, Pramudya, A., Wardana, Nurlaila, E., Santi, A. M., & Hidayati, N. (2016). Analisis Awal Fitokimia pada Ekstrak Metanol Kulit Batang Tumbuhan *Syzygium* (Myrtaceae). *Prosiding Seminar Nasional Kimia Dan Workshop, September*, 2–8.
- Tyśkiewicz, R., Nowak, A., Ozimek, E., & Jaroszuk-ściseł, J. (2022). *Trichoderma*: The Current Status of Its Application in Agriculture for the Biokontrol of Fungal Phytopatogens and Stimulation of Plant Growth. *International Journal of Molecular Sciences*, 23(4). <https://doi.org/10.3390/ijms23042329>
- Upadhyay, R., Saini, R., Shukla, P. K., & Tiwari, K. N. (2024). Role of secondary metabolites in plant defense mechanisms: a molecular and biotechnological insights. *Phytochemistry Reviews*, 24(1), 953–983. <https://doi.org/10.1007/s11101-024-09976-2>
- Vallad G.E., Cooperband L., Goodman R.M. (2003). Penekanan penyakit daun tanaman yang dimediasi oleh sisa-sisa pabrik kertas yang dikomposkan menunjukkan ciri-ciri molekuler ketahanan yang diinduksi. *Physiol Mol Plant Pathol*. 63: 65–77.
- Vega, F. E., Posada, F., Catherine Aime, M., Pava-Ripoll, M., Infante, F., & Rehner, S. A.

- (2008). Entomopatogenic fungal endophytes. *Biological Kontrol*, 46(1), 72–82. <https://doi.org/10.1016/j.biokontrol.2008.01.008>.
- Viterbo A., Montero M., Ramot O., Friesem D., Monte E., Llobell A., & Chet I. (2002). Regulasi ekspresi chit36 endochitinase dari *Trichoderma asperellum* (T. harzianum T-203).
- Wan, P., Zhang, N., Li, Y., Li, S., Li, F., Cui, Z., & Zhang, F. (2022). Reducing plant pathogens could increase crop yields after plastic film mulching. *The Science of the Total Environment*, 861, 160615. <https://doi.org/10.1016/j.scitotenv.2022.160615>
- Wang, H., Guo, Q., Li, X., Yang, T., Su, Z., Zhang, H., & Zhang, C. (2020). Effects of long-term no-tillage with different straw mulching frequencies on soil microbial community and the abundances of two soil-borne pathogens. *Applied Soil Ecology*, 148, 103488. <https://doi.org/10.1016/j.apsoil.2019.103488>
- Wang, Y., Liu, L., Luo, Y., Awasthi, M. K., Yang, J., Duan, Y., Li, H., & Zhao, Z. (2020a). Mulching practices alter the bacterial-fungal community and network in favor of soil quality in a semiarid orchard system. *The Science of the Total Environment*, 725, 138527. <https://doi.org/10.1016/j.scitotenv.2020.138527>
- Wang, Y., Liu, L., Luo, Y., Awasthi, M. K., Yang, J., Duan, Y., Li, H., & Zhao, Z. (2020b). Mulching practices alter the bacterial-fungal community and network in favor of soil quality in a semiarid orchard system. *The Science of the Total Environment*, 725, 138527. <https://doi.org/10.1016/j.scitotenv.2020.138527>
- Waterhouse, A. 1999. *Follin-Ciocalteu Micro Method for Total Phenol in Wine*. <https://waterhouse.ucdavis.edu/folin-ciocalteu-micro-method-total-phenol-wine> 9/04/2022
- Wei, L., Zhang, Q., Xie, A., Xiao, Y., Guo, K., Mu, S., Xie, Y., Li, Z., & He, T. (2022). Isolation of Bioactive Compounds, Antibacterial Activity, and Action Mechanism of Spore Powder From *Aspergillus niger* xj. *Frontiers in Microbiology*, 13(July), 1–13. <https://doi.org/10.3389/fmicb.2022.934857>
- Whipps, J. M. (2001). Microbial interactions and biokontrol in the rhizosphere. *Journal of Experimental Botany*, 52(suppl 1), 487–511. https://doi.org/10.1093/jexbot/52.suppl_1.487
- Widiantini, F., Nasahi, C., Yulia, E., & Noviyawati, S. (2018). Potensi Metabolit Sekunder Asal Bakteri Endofit dalam Menekan Pertumbuhan Miselium *Ganoderma boninense*. *Jurnal Fitopatologi Indonesia*, 14(3), 104. <https://doi.org/10.14692/jfi.14.3.104>.
- Witono, Y. (2008). Deklorofilasi Ekstrak Protease Dari Tanaman Biduri (*Calotropis gigantea*) Dengan Adsorban Celite. *Berkala Penelitian Hayati*. <https://doi.org/10.23869/bphjbr.13.2.20084>
- Wiyono S., Widodo, Khamidi T., Sobir, Suryaningsih A.S. (2022). Kombinasi Agen Biokontrol untuk Pengendalian Penyakit Bawang Merah di Lapangan. *J Fitopatol Indonesia* 18: 248–254. <https://doi.org/10.14692/jfi.18.6.248–254>
- Wonorahardjo, S., Nurindah, N., Sunarto, D., Sujak, S., Zakia, N. (2015). Analisis senyawa volatil dari ekstrak tanaman yang berpotensi sebagai atraktan arasitoid telur wereng batang coklat, *Anagrus nilaparvatae* (Pang et Wang) Hymenoptera: Mymaridae. *J Entomol Indonesia* 12, 48–57. <https://doi.org/10.5994/jei.12.1.48>
- Wu P.H., Chang H.X., Shen Y.M. (2023). Pengaruh fungisida sintetis dan ramah lingkungan terhadap pengendalian embun tepung dan mikrobioma filosfer mentimun. *PLoS ONE* 18: e0282809. <https://doi.org/10.1371/journal.pone.0282809>.
- Wu, C., Ma, Y., Ma, Y., Wang, D., Shan, Y., Song, X., Hu, H., Ren, X., Ma, X., Cui, J., Ma, Y., & Ma, Y. (2021). Integrated microbiology and metabolomics analysis reveal plastic mulch film residue affects soil microorganisms and their metabolic functions.

- Journal of Hazardous Materials*, 423(Pt B), 127258. <https://doi.org/10.1016/j.jhazmat.2021.12725>Vega, F. E., Posada, F., Catherine Aime, M., Pava-Ripoll, M., Infante, F., & Rehner, S. A. (2008). Entomopatogenic fungal endophytes. *Biological Kontrol*, 46(1), 72–82. <https://doi.org/10.1016/j.biokontrol.2008.01.008>.
- Wulandari, E. (2017). Efektivitas Ekstrak Buah Bintaro (*Cerbera odollam* Gaertn.) Terhadap Mortalitas Ulat Grayak (*Spodoptera litura* Fab.) dan Pemanfaatannya Sebagai Poster. *Repositori Digital Universitas Jember*. 12.
- Yan, X., Guo, S., Gao, K., Sun, S., Yin, C., & Tian, Y. (2023). The Impact of the Soil Survival of the Patogen of Basal roton Soil Nutrient Cycling Mediated by Microorganisms. *Microorganisms*, 11(9). <https://doi.org/10.3390/microorganisms11092207>
- Zehnder, G., Gurr, G. M., Kühne, S., Wade, M. R., Wratten, S. D., & Wyss, E. (2006). Arthropod pest management in organic crops. *Annual Review of Entomology*, 52(1), 57–80. <https://doi.org/10.1146/annurev.ento.52.110405.091337>
- Zulfikar, T., Siregar, T. N., Rozaliyani, A., & Sutriana, A. (2024). Antimicrobial Potential of *Calotropis gigantea* Leaf Against *Klebsiella pneumoniae* in Ventilator-Associated Pneumonia. *Journal of Human Earth and Future*, 5(3), 456–470. <https://doi.org/10.28991/hef-2024-05-03-010>