

1.6 Daftar Pustaka BAB 1

- Alves, A., Crous, P. W., Correia, A., and Phillips, A. L. (2008). Morphological and molecular data reveal cryptic speciation in *Lasiodiplodia theobromae*. *Fungal Diversity*, 28, 1–13.
- Badan Pusat Statistik (BPS). (2023). Produksi kakao Indonesia capai 667.300 ton pada 2022. Data Indonesia.id. <https://dataindonesia.id>
- Badan Pusat Statistik (BPS). (2001–2020). Statistik Kakao Indonesia. Badan Pusat Statistik, Jakarta.
- Černohlávková, J., Baldrian, P., & Šnajdr, J. (2018). Fungal role in the soil: decomposition, nutrient cycling and biological interactions. *Frontiers in Microbiology*, 9, Article 707. <https://doi.org/10.3389/fmicb.2018.00707>
- Goenadi, D. H., & Isroi. (2003). Aplikasi bioteknologi dalam upaya efisiensi agribisnis yang berkelanjutan. <http://www.ipard.com/artperkebun/dhgl.asp>.
- Huda-Shakirah, A. R., Mohamed Nor, N. M. I., Zakaria, L., Leong, Y. H., & Mohd, M. H. (2022). *Lasiodiplodia theobromae* as a causal pathogen of leaf blight, stem canker, and pod rot of *Theobroma cacao* in Malaysia. *Scientific Reports*, 12(1), 8966. <https://doi.org/10.1038/s41598-022-13057-9>
- International Cocoa Organization (ICCO). (2001–2020). *The World Cocoa Economy: Past and Present*. ICCO, London, UK.
- Kabelka, D., Konvalina, P., Kopecký, M., Klenotová, E., & Šíma, J. (2025). Assessment of soil organic matter and its microbial role at selected locations in the South Bohemia region (Czech Republic). *Land*, 14(1), 183. <https://doi.org/10.3390/land14010183>
- Kementerian Pertanian Republik Indonesia. (2024). *Statistik Perkebunan Unggulan Nasional 2023-2025*. Jakarta: Direktorat Jenderal Perkebunan.
- Kuswinanti, T., Rosmana, A., & Nasaruddin. (2010). Efektivitas penggunaan filtrat mikroba dari larutan bioaktivator untuk menekan pertumbuhan cendawan *Phytophthora palmivora*. Fakultas Pertanian, Universitas Hasanuddin, Makassar.
- Kuswinanti, T., Rosmana, A., & Rahim, A. (2012). Penanganan limbah tanaman kakao melalui pemanfaatan isolat putih dan coklat isolat lokal sebagai dekomposer. Laporan Penelitian Berbasis Prodi, Universitas Hasanuddin, Makassar.
- Liu, Y., Lan, X., Hou, H., Ji, J., Liu, X., & Lv, Z. (2024). Multifaceted ability of organic fertilizers to improve crop productivity and abiotic stress tolerance: A review and perspectives. *Agronomy*, 14(6), 1141. <https://doi.org/10.3390/agronomy14061141>
- Lo, C. T. (1998). General mechanisms of action of microbial biocontrol agents. *Plant Pathol Bulletin*, 7, 155–166.
- Nasaruddin. (2010). Pemanfaatan Limbah Kakao. Jurusan Agroteknologi, Fakultas Pertanian, Universitas Hasanuddin, Makassar.
- Nivethadevi, P., Swaminathan, C., & Kannan, (2021). Soil organic matter decomposition: Roles, factors, and mechanisms. In *The Latest Trends in Soil Sciences* (Vol. 1, pp. 61-91). Integrated Publications
- Okagu I. U., Okeke E. S., Ezeorba W. C. F., Ndefo, J. C., & Ezeorba, T. P. C. (2023). Overhauling the ecotoxicological impact of synthetic pesticides using plants' natural products: A focus on *Zanthoxylum* metabolites. *Environmental Science and Pollution Research*, 30(26), 67997–68021. <https://doi.org/10.1007/s11356-023-27258-w>

- Prasetyo, H., Purwati, P., & Arsensi, I. (2018). Pemanfaatan jamur *Trichoderma* sp. sebagai antagonis patogen busuk sulur tanaman buah naga merah (*Hylocereus polyrhizus*) secara in vitro. *Agrifarm: Jurnal Ilmu Pertanian*, 7(1), 19–27. <https://doi.org/10.24903/ajip.v7i1.2018>
- Punithalingam, E. (1980). *Plant Diseases Attributed to Botryodiplodia theobromae*. J. Cramer, Vaduz.
- Reijntjes, C., Haverkort, B., & Waters-Bayer, A. (1992). *Pertanian Masa Depan: Pengantar untuk Pertanian Berkelanjutan dengan Input Luar Rendah* (Terj. Y. Sukoco & S. S.). Kanisius, Yogyakarta.
- Sharma, R., Singh, D., & Sharma, S. (2022). Biocontrol potential of *Pleurotus* species against soil-borne phytopathogenic fungi: Mechanisms and applications. *Biocontrol Science and Technology*, 32(4), 403–417. <https://doi.org/10.1080/09583157.2022.2035093>
- Teixidó, N., Usall, J., & Torres, R. (2022). Insights into the successful development of biocontrol agents: production, formulation, packaging, and shelf life as key aspects. *Horticulturae*, 8(4), 305. <https://doi.org/10.3390/horticulturae8040305>
- Tyagi A, Tamang T., Kashtoh H., Mir R. A., Mir, Z. A., Manzoor, S., Manzar, N., Gani, G., Vishwakarma, S. K., Almalki, M. A., & Ali, S. (2024). A review on biocontrol agents as a sustainable approach for crop disease management: applications, production, and future perspectives. *Horticulturae*, 10(8), 805. <https://doi.org/10.3390/horticulturae10080805>
- Xu, X. M., Jeffries, P., Pautasso, M., & Jeger, M. J. (2011). A numerical study of the combined use of two biocontrol agents with different biocontrol mechanisms in controlling foliar pathogens. *Phytopathology*, 101(9), 1032–1044. <https://doi.org/10.1094/PHYTO-10-10-0272>

2.6 Daftar Pustaka BAB 2

- Borkertas S, Viskelis J, Viskelis P, Streimikyte P, Gasiunaite U, Urbonaviciene D. 2025. Fungal biomass fermentation: Valorizing the food industry's waste. *Ferment* 11 (6): 351. DOI: 10.3390/fermentation11060351
- Boyetchko, S. M., Pedersen, E. A., Punja, Z. K., & Reddy, M. S. (1999). Formulation of biopesticides using microbial agents. In F. R. Hall & J. J. Menn (Eds.), *Biopesticides: Use and Delivery* (pp. 487–508). Springer. https://doi.org/10.1007/978-1-4615-4735-4_22
- Contreras-Cornejo HA, Macías-Rodríguez L, del-Val E, Larsen J. 2016. Ecological functions of *Trichoderma* spp. and their secondary metabolites in the rhizosphere: Interactions with plants. *FEMS Microbiol Ecol* 92 (4): fiw036. DOI: 10.1093/femsec/fiw036
- Elshahawy, I. E., Saied, N., Abd-El-Kareem, F., & Morsy, A. (2017). Biocontrol of onion white rot disease using formulated *Trichoderma* species on wheat bran powder. *Archives of Phytopathology and Plant Protection*, 50(13–14), 150–166. <https://doi.org/10.1080/03235408.2016.1276423>
- Escalante, M. R. T., Acanto, R. B., Conlu, M. T. N., Langcoy, M. G. F., Lirazan, S. V., & Mario, J. A. B. (2022). Growth of *Trichoderma harzianum* using starch-based household kitchen waste. *International Research Journal of Science, Technology, Education, and Management*, 2(4), 114-123. <https://doi.org/10.5281/zenodo.7563509>
- Escalante, M. R. T., Acanto, R. B., Conlu, M. T. N., Langcoy, M. G. F., Lirazan, S. V., & Mario, J. A. B. (2022). Growth of *Trichoderma harzianum* using starch-based household kitchen waste. *International Research Journal of Science, Technology, Education, and Management*, 2(4), 114–123. <https://doi.org/10.5281/zenodo.7563509>
- Harman, G. E. (1991). *Trichoderma* spp., including *T. harzianum*, *T. viride*, *T. koningii*, and *T. hamatum*. Cornell University, Ithaca, NY, USA
- Janusz G, Pawlik A, Sulej J, Świdierska-Burek U, Jarosz-Wilkołazka A, Paszczyński A. 2017. Lignin degradation: Microorganisms, enzymes involved, genome analysis, and evolution. *FEMS Microbiol Rev* 41 (6): 941–962. DOI: 10.1093/femsre/fux049
- Khan, A., Zaidi, A., & Owais, M. (2023). Microbial bioformulation: Principles, components, and applications. *Frontiers in Plant Science*. <https://doi.org/10.3389/fpls.2023.1270039>
- Liu, Z., He, Y., Zhang, Y., & Cao, X. (2018). Effects of bentonite on soil physical and chemical properties, nutrient uptake and rice yield. *Journal of Soils and Sediments*, 18(8), 2448–2458. <https://doi.org/10.1007/s11368-018-1955-2>
- Naswir, M., Arita, S., Marsi, & Salni. (2013). Characterization of Bentonite by XRD and SEM-EDS and Use to Increase pH and Color Removal, Fe and Organic Substances in Peat Water. *Journal of Clean Energy Technologies*, 1(4), 313-317.
- Sapwarobol, S., Saphyakhajorn, W. (2021). Biological Functions and Activities of Rice Bran as a Functional Ingredient: A Review. *Nutr Metab Insights*. 14: 11786388211058559. doi: 10.1177/11786388211058559
- Sharma, P., & Kumar, V. (2017). Integrated pest management: A sustainable approach to crop protection. In P. Sharma (Ed.), *Agriculture and Environment*:

- Perspectives on Sustainable Development (pp. 45–58). Springer.
- Sindhu R, Binod P, Pandey A. 2016. Biological pretreatment of lignocellulosic biomass: An overview. *Bioresour. Technol* 199:76–82. DOI: 10.1016/j.biortech.2015.08.030
- Tut G, Magan N, Brain P, Xu X. 2021. Critical evaluation of two commercial biocontrol agents for their efficacy against *B. cinerea* under in vitro and in vivo conditions in relation to different abiotic factors. *Agronomy* 11 (9): 1868. DOI: 10.3390/agronomy11091868
- Xia, Y., & Lin, X. (2022). Efficient biodegradation of straw and persistent organic pollutants by recombinant *Trichoderma reesei* expressing laccase: enzyme production and solid-state fermentation performance. *Bioresources and Bioprocessing*, 9, 51. <https://doi.org/10.1186/s40643-022-00581-9>
- Zhang, J., & Zhang, N. (2018). Effects of *Pleurotus ostreatus* on the biodegradation of organic waste in agricultural fields. *Journal of Agricultural Science*, 10(3), 110–119. <https://doi.org/10.5539/jas.v10n3p110>
- Zhu, J., & Zhang, Z. (2016). Enhancement of soil fertility and crop yield by integrating *Trichoderma harzianum* in organic farming. *Sustainable Agriculture Research*, 5(2), 75–85. <https://doi.org/10.5539/sar.v5n2p75>

Daftar Pustaka BAB III

- Aloo, B. N., Mbega, E. R., Makumba, B. A., & Tumuhairwe, J. B. (2022). Effects of Carrier Materials and Storage Temperatures on the Viability and Stability of Three Biofertilizer Inoculants Obtained from Potato (*Solanum tuberosum* L.) Rhizosphere. *Agriculture*, 12(2), 140. <https://doi.org/10.3390/agriculture12020140>
- Alves, A., Crous, P. W., Correia, A., and Phillips, A. L. (2008). Morphological and molecular data reveal cryptic speciation in *Lasiodiplodia theobromae*. *Fungal Diversity*, 28, 1–13.
- Asaad, M., Lologau, B. A., Nurjanani, & Warda. (2010). Kajian pengendalian penyakit busuk buah kakao (*Phytophthora* sp.) menggunakan *Trichoderma* dan kombinasinya dengan penyarangan buah. Balai Pengkajian Teknologi Pertanian Sulawesi Selatan, Makassar.
- Asman, A., Rosmana, A., Bailey, B. A., Ali, S. S., Iwanami, T., Sjam, S., Amin, N., & Kuswinanti, T. (2024). Pathogenicity of *Lasiodiplodia theobromae* isolated from cocoa die-back disease in South Sulawesi, Indonesia. *Journal of Phytopathology*, 172(4), e13352. <https://doi.org/10.1111/jph.13352>
- Bakr, R., Abdelmoteleb, A., Mendez-Trujillo, V., Gonzalez-Mendoza, D., & Hewedy, O. (2025). The Potential of Beneficial Microbes for Sustainable Alternative Approaches to Control Phytopathogenic Diseases. *Microbiology Research*, 16(5), 105. <https://doi.org/10.3390/microbiolres16050105>
- Bellettini MB, Fiorda FA, Maieves HA, Teixeira GL, Ávila S, Hornung PS, Júnior AM, Ribani RH. 2019. Factors affecting mushroom *Pleurotus* spp. *Saudi J. Biol Sci* 26 (4): 633–646. DOI: 10.1016/j.sjbs.2016.12.005
- Chatri, M., Handayani, D., & Septiani, J. A. (2018). Influence of media (mixture of rice and sugarcane) on *Trichoderma harzianum* growth and its resistance to *Fusarium oxysporum* in vitro. *Bioscience*, 2(1), 50–60.
- Choudaker, K. R., Singh, V. K., Kashyap, A. S., Patel, A. V., Sameriya, K. K., Yadav, D., Manzar, N., Kamil, D., Prasad, L., & Saharan, M. S. (2024). Evaluating the efficacy of microbial antagonists in inducing resistance, promoting growth, and providing biological control against powdery mildew in wheat. *Frontiers in Microbiology*, 15. <https://doi.org/10.3389/fmicb.2024.1419547>
- Contreras-Cornejo HA, Schmoll M, Esquivel-Ayala BA, González-Esquivel CE, Rocha-Ramírez V, Larsen J. 2024. Mechanisms of plant growth promotion activated by *Trichoderma* in natural and managed terrestrial ecosystems. *Microbiol Res* 281: 127621. DOI: 10.1016/j.micres.2024.127621
- Ebrahimi-Zarandi, M., Saberi Riseh, R., & Tarkka, M. T. (2022). Actinobacteria as effective biocontrol agents against plant pathogens: an overview of their role in eliciting plant defense. *Microorganisms*, 10(9), 1739. <https://doi.org/10.3390/microorganisms10091739>
- Ferreira, F. V., & Musumeci, M. A. (2021). *Trichoderma* as a biological control agent:

- Scope and prospects to improve efficacy. *World Journal of Microbiology and Biotechnology*, 37(5), 90. <https://doi.org/10.1007/s11274-021-03048-y>
- D, G. Q. H. P. (2022). *Molecular characterization of wild Pleurotus ostreatus (MW457626) and evaluation of β -glucans polysaccharide activities*. *Molecular characterization of wild Pleurotus ostreatus (MW457626) and evaluation of β -glucans polysaccharide activities*, 8(1).
- Hardianti, A. R., Rahayu, Y. S., & Asri, M. T. (2014). Efektivitas waktu pemberian *Trichoderma harzianum* dalam mengatasi serangan layu *Fusarium* pada tanaman tomat varietas Ratna. *Lentera Bio*, 3(1), 21–25.
- Izquierdo-García L. F., González-Almario A., Cotes A. M., Moreno-Velandia C. A. (2020). *Trichoderma virens* GI006 and *Bacillus velezensis* Bs006: a compatible interaction controlling *Fusarium* wilt of cape gooseberry. *Sci. Rep.* 10:6857. [10.1038/s41598-020-63689-y](https://doi.org/10.1038/s41598-020-63689-y)
- Keswani, C., Bisen, K., Singh, V., Sarma, B. K., & Singh, H. B. (2016). Formulation technology of biocontrol agents: Present status and future prospects. In N. Arora, S. Mehnaz, & R. Balestrini (Eds.), *Bioformulations: For sustainable agriculture* (pp. 35–52). Springer, New Delhi. https://doi.org/10.1007/978-81-322-2779-3_2
- Kim, S. (2021). Mushroom Ligninolytic Enzymes: Features and Application of Potential Enzymes for Conversion of Lignin into Bio-Based Chemicals and Materials. *Appl. Sci.*, 11(13), 6161. <https://doi.org/10.3390/app11136161>
- Larran, S., Simón, M. R., Santamarina, M. P., Caselles, J. R., Consolo, V. F., & Perelló, A. (2023). Endophytic *Trichoderma* strains increase soybean growth and promote charcoal rot disease control. *Journal of the Saudi Society of Agricultural Sciences*. <https://doi.org/10.1016/j.jssas.2023.03.005>
- Li, W., Wang, Y., Yu, X., Zhu, Y., Zhao, Y., Liu, W., & Zhao, J. (2022). Ligninolytic characteristics of *Pleurotus ostreatus* cultivated on cotton stalk media. *Frontiers in Microbiology*, 13. <https://doi.org/10.3389/fmicb.2022.1035040>
- Manzar, N., Kashyap, A. S., Goutam, R. S., Rajawat, M. V. S., Sharma, P. K., Sharma, S. K., & Singh, H. V. (2022). *Trichoderma*: An emerging versatile biocontrol agent—Insights into potential mechanisms. *Sustainability*, 14(19), 12786. <https://doi.org/10.3390/su141912786>
- Minchev, Z., Kostenko, O., Soler, R., & Pozo, M. J. (2021). Microbial consortia for effective biocontrol of root and foliar diseases in tomatoes. *Frontiers in Plant Science*, 12, 756368. <https://doi.org/10.3389/fpls.2021.756368>
- Mollah, M. M. I., & Hassan, N. (2023). Efficacy of *Trichoderma harzianum* as a biological fungicide against fungal diseases of potato: Late blight and early blight. *Journal of Natural Pesticide Research*, 100047. <https://doi.org/10.1016/j.napere.2023.100047>
- Nicolotti, G., & Varese, G. C. (1996). Screening of antagonistic fungi against airborne infection by *Heterobasidion annosum* on Norway spruce. *Forest Ecology and Management*, 88(3), 249–257. [https://doi.org/10.1016/S0378-1127\(96\)03814-8](https://doi.org/10.1016/S0378-1127(96)03814-8)

- Ofori DA, Su W, Zheng T, Datsomor O, Titriku JK, Xiang X, Kandhro AG, Ahmed MI, Mawuli EW, Awuah RT, Zheng A. 2024. Roles of phyllosphere microbes in rice health and productivity. *Plants* 13 (23): 3268. DOI: 10.3390/plants13233268
- Palmieri D, Ianiri G, Del Grosso C, Barone G, De Curtis F, Castoria R, Lima G. 2022. Advances and perspectives in the use of biocontrol agents against fungal plant diseases. *Horticulturae* 8 (7): 577. DOI: 10.3390/horticulturae8070577
- Pani, S., Kumar, A., & Sharma, A. (2021). *Trichoderma harzianum*: An overview. *Bulletin of Environment, Pharmacology and Life Sciences*, 10(6), 32–39.
- Pinar O, Rodríguez-Couto S. 2024. Biologically active secondary metabolites from white-rot fungi. *Front Chem* 12: 1363354. DOI: 10.3389/fchem.2024.1363354
- Pradhan, D. A., Bagagoni, P., & Makandar, R. (2023). Assessing rhizosphere *Trichoderma asperellum* strains for root colonization and antagonistic competencies against *Fusarium wilt*. *Biological Control*, 184, 105280. <https://doi.org/10.1016/j.biocontrol.2023.105280>
- Punithalingam, E. (1980). Plant diseases attributed to *Botryodiplodia theobromae* J. Cramer, Vaduz.
- Satria, F. M., Nugraha, A., Yudha, E. P., & Ernah, E. (2021). Faktor-faktor yang mempengaruhi permintaan industri hilir domestik terhadap biji kakao. *Agricore: Jurnal Agribisnis dan Sosial Ekonomi Pertanian*, 5(2), 139-150. <https://doi.org/10.24198/agricore.v5i2.30800>
- Shao Y, Gu S, Peng H, Zhang L, Li S, Berendsen RL, Yang T, Dong C, Wei Z, Xu Y, Shen Q. 2025. Synergistic interactions between *Trichoderma* and soil microbiomes improve plant iron availability and growth. *Npj Biofilms Microbiomes* 11 (1): 1–11. DOI: 10.1038/s41522-025-00684-z
- Susanti, A., Hoesain, M., & Prastowo, S. (2022). The impact of synthetic pesticide application on public health. *AGARICUS: Advances Agriculture Science & Farming*, 2(2), 86-93. <https://doi.org/10.32764/agaricus.v2i2.3284>
- Trianto, A., Sabdono, A., Radjasa, O. K., Pramesti, R., Taufiq, N., Bahry, M. S., Triningsih, D. W., Sulistiowati, S., and Afriyanto (2019). Optimization of antifungal substance production by sponge-associated *Trichoderma harzianum* cultivated in tofu dregs and rice bran. *Research Journal of Biotechnology*, 14(10), 68–73.
- Triveni S., Prasanna R., Saxena A. K. (2012). *Optimization of conditions for in vitro development of Trichoderma viride-based biofilms as potential inoculants. Folia Microbiol.* 57 431–437. 10.1007/s12223-012-0154-1
- Turgeman, T., Shatil-Cohen, A., Moshelion, M., Teper-Bamnolker, P., Skory, C. D., Lichter, A., & Eshel, D. (2016). The role of aquaporins in pH-dependent germination of *Rhizopus delemar* spores. *PLoS ONE*, 11(3), e0150543. <https://doi.org/10.1371/journal.pone.0150543>
- Tut G, Magan N, Brain P, Xu X. 2021. Critical evaluation of two commercial biocontrol agents for their efficacy against *B. cinerea* under in vitro and in vivo conditions in relation to different abiotic factors. *Agronomy* 11 (9): 1868. DOI: 10.3390/agronomy11091868

- Tyśkiewicz R, Nowak A, Ozimek E, Jaroszuk-Ścisieł J. 2022. *Trichoderma*: Current status of its application in agriculture for the biocontrol of fungal phytopathogens and stimulation of plant growth. *Int J Mol Sci* 23 (4): 2329. DOI: 10.3390/ijms23042329
- Warmink J. A., Nazir R., Corten B., van Elsas J. D. (2011). Hitchhikers on the fungal highway: *the helper effect for bacterial migration via fungal hyphae*. *Soil Biol. Biochem.* 43 760–765. 10.1016/j.soilbio.2010.12.009
- Woo, M. W., & Bhandari, B. (2013). Spray drying for food powder production. In B. Bhandari (Ed.), *Handbook of Food Powders* (pp. 29–56). Woodhead Publishing. <https://doi.org/10.1533/9780857098672.1.29>
- Xiao Z, Zhao Q, Li W, Gao L, Liu G. Strain improvement of *Trichoderma harzianum* for enhanced biocontrol capacity: Strategies and prospects. *Front Microbiol.* 2023 Apr 13;14:1146210. doi: 10.3389/fmicb.2023.1146210
- Chen, X., Lu, Y., Liu, X., Gu, Y., & Li, F. (2025). *Trichoderma : Dual Roles in Biocontrol and Plant Growth Promotion*. 1–15.
- Yan, L., & Khan, R. A. A. (2021). Biological control of bacterial wilt in tomato through metabolites produced by the biocontrol fungus *Trichoderma harzianum*. *Egyptian Journal of Biological Pest Control*, 31(1), 1–9. <https://doi.org/10.1186/s41938-021-00371-3>
- Yang, F., Wang, X., Jiang, H., Chang, X., Chen, W., Shi, G., Tian, B., & Yao, Q. (2025). Formation of a Novel Antagonistic Bacterial Combination to Enhance Biocontrol of Cucumber Fusarium Wilt. *Microorganisms*, 13(1), 133. <https://doi.org/10.3390/microorganisms13010133>

keberlanjutan kesuburan tanah.

4.1 Daftar Pustaka BAB IV

- Angelina, E., Papatheodorou, E. M., Demirtzoglou, T., & Monokrousos, N. (2020). Effects of *Bacillus subtilis* and *Pseudomonas fluorescens* Inoculation on Attributes of the Lettuce (*Lactuca sativa* L.) Soil Rhizosphere Microbial Community: The Role of the Management System. *Agronomy*, 10(9), 1428. <https://doi.org/10.3390/agronomy10091428>
- Asman, A., Baharuddin Patandjengi, & Haris Bahrin et al. (2022). Peningkatan Produktivitas Kedelai di Kabupaten Bone melalui Pendampingan Petani Kedelai dan Introduksi Teknologi Pupuk Hayati. *Jurnal Dinamika Pengabdian*, 7(2), 321-328. <https://doi.org/10.20956/jdp.v7i2.19865>
- Asngad, A. 2005. Perubahan Kadar Protein Pada Fermentasi Jerami Padi Dengan Penambahan Onggok Untuk Makanan Ternak. Universitas Muhammadiyah Surakarta.
- Asngad, A. dan Suparti. 2005. Model Pengembangan Pembuatan Pupuk Organik dengan Inokulan (Studi Kasus Sampah Di TPA Mojosongo Surakarta dalam *Jurnal Penelitian Sains & Teknologi*, 6 (20): 101 – 11
- Azis, F. A., Choo M., Suhaimi H., Abas P. E. (2023). Effect of Initial Carbon-to-Nitrogen Ratio on Kitchen Waste Composting Maturity. *Sustainability*, 15(7), 6191. <https://doi.org/10.3390/su15076191>
- Bernal MP, Sommer SG, Chadwick D, Qing C, Guoxue L, Michel FC. 2017. Current approaches and future trends in compost quality criteria for agronomic, environmental and human health benefits. *Adv Agro* 144: 143–233. Elsevier. DOI: 10.1016/bs.agron.2017.03.002
- Contreras-Soto, M. B., Tovar-Pedraza, J. M., Solano-Báez, A. R., Bayardo-Rosales, H., & Márquez-Licona, G. (2025). Biocontrol Strategies Against Plant-Parasitic Nematodes Using *Trichoderma* spp.: Mechanisms, Applications, and Management Perspectives. *Journal of Fungi*, 11(7), 517. <https://doi.org/10.3390/jof11070517>
- De Sousa WN, Brito NF, Felseburgh CA, Vieira TA, Lustosa DC. 2021. Evaluation of *Trichoderma* spp. isolates in cocoa seed treatment and seedling production. *Plants* 10 (9): 1964. DOI: 10.3390/plants10091964
- Djali M, Kayaputri IL, Kurniati D, Sukarminah E, Mudjenan IMH, Utama GL. 2021. Degradation of lignocellulose cocoa shell (*Theobroma cacao* L.) by various types of mold treatment. *J Food Qual* 2021: 1–8. DOI: 10.1155/2021/6127029
- Donald, L., Pipite, A., Subramani, R., Owen, J., Keyzers, R. A., & Taufan, T. (2022). *Streptomyces*: Still the Biggest Producer of New Natural Secondary Metabolites, a Current Perspective. *Microbiology Research*, 13(3), 418-465. <https://doi.org/10.3390/microbiolres13030031>
- Du T, Yang H, Niu X. 2021. Phosphorus-containing compounds regulate mineralization. *Mater Today Chem* 22:100579. DOI:

- 10.1016/j.mtchem.2021.100579
- El-Ramady, H., Abdalla, N., Fawzy, Z., Badgar, K., Llanaj, X., Törös, G., Hajdú, P., Eid, Y., & Prokisch, J. (2022). Green Biotechnology of Oyster Mushroom (*Pleurotus ostreatus* L.): A Sustainable Strategy for Myco-Remediation and Bio-Fermentation. *Sustainability*, 14(6), 3667. <https://doi.org/10.3390/su14063667>
- Fitrianti, F., Wibowo, D., & Sari, P. (2016). *Efektivitas isolat jamur pelapuk dan mikroorganisme lokal dalam penguraian limbah kulit kakao*. Agrovital: Jurnal Penelitian Pertanian, 1(1), 1–10.
- Gautam, S.P., P.S. Bundela, A.K. Pandey, Jamaluddin, M.K. Awasthi and S. Sarsaiya. 2012. Diversity of Cellulolytic Microbes and Biodegradation of Municipal Solid Waste by a Potential Strain. *International Journal of Microbiology*: 1-12
- Goenadi. 2000. Teknik Pembuatan Kompos. Rajawali, Jakarta: Badan Pusat Statistik.
- Gonilha DBDL, Santos CHB, Frezarin ET, Siqueira JS, Rigobelo EC. 2024. Biological strategies to minimize fertilizer use in maize: Efficacy of *Trichoderma harzianum* and *Bacillus subtilis*. *Microbiol Res* 15 (4): 2261–2273. DOI: 10.3390/microbiolres15040151
- He, Y., Xing, Y., Yan, G., Liu, G., Liu, T., & Wang, Q. (2023). Long-Term Nitrogen Addition Could Modify Degradation of Soil Organic Matter through Changes in Soil Enzymatic Activity in a Natural Secondary Forest. *Forests*, 14(10), 2049. <https://doi.org/10.3390/f14102049>
- Hilali S, Stierlin E, Tello Martín ML, Amaral D, Pérez-Clavijo M, Girão M, Carvalho MdF, Pérez Bonilla AM, de Diego S, Ramírez P, Ozorio R. 2025. From waste to value: Investigating mushroom stems from *Pleurotus ostreatus* grown on mealworm frass as a nutritional source for aquaculture feed. *Sustainability* 17 (14): 6496. DOI: 10.3390/su17146496
- Juradi, M., Tando, E., & Suwitra, K. (2019). Inovasi Teknologi Pemanfaatan Limbah Kulit Buah Kakao (*Theobroma cacao* L.) Sebagai Pupuk Organik Ramah Lingkungan. *AGRO RADIX : Jurnal Ilmu Pertanian*, 2(2), 9-17. <https://doi.org/https://doi.org/10.52166/agroteknologi.v2i2.1586>
- Khan AL, Waqas M, Hussain J, Al-Harrasi A, Al-Rawahi A, Lee IJ, Hamayun M. 2019. Endophytic fungi: Resource for gibberellins and crop abiotic stress resistance. *Crit Rev Biotechnol* 35 (1): 62–74. DOI: 10.3109/07388551.2013.800018
- Kumar A, Verma JP, Yadav AN. 2020. Plant growth-promoting fungi: Advances, prospects, and challenges. *Microbiol Res* 241: 126597. DOI: 10.1016/j.micres.2020.126597
- Kumar, V., Koul, B., Taak, P., Yadav, D., & Song, M. (2023). Journey of *Trichoderma* from Pilot Scale to Mass Production: A Review. *Agriculture*, 13(10), 2022. <https://doi.org/10.3390/agriculture13102022>
- Kuswinanti, T., Rosmana, A., & Rahim, A. (2012). Penanganan limbah tanaman kakao melalui pemanfaatan isolat putih dan coklat isolat lokal sebagai dekomposer. Laporan Penelitian Berbasis Prodi, Universitas Hasanuddin,

Makassar.

- Mahapatra S, Ali MH, Samal K. 2022. Assessment of compost maturity-stability indices and recent development of composting bins. *Energy Nexus* 6:100062. DOI: 10.1016/j.nexus.2022.100062
- Marius, K. K., Guessan, K. N., Ignace, K. K., Kevin, K. K., Kouassi, K., Arsène, Z. B. I., & Odette, D. D. 2020. Comparative Effect of Organic Cocoa Shell-based and Inorganic NPK Fertilization on the Growth and Yield of Four Cassava Varieties. *Journal of Soil Science*. 10: 217–232.
- Marjenah M, Simbolon J. 2021. Composting of water hyacinth (*Eichhornia crassipes* Solms) using the semi-anaerobic method and the addition of EM4 activator. *Agrifor* 20 (2): 265. DOI: 10.31293/agrifor.v20i2.5692
- Mawar R, Mathur T. 2022. Enhancing survival and multiplication of *Trichoderma harzianum* by *Prosopis juliflora*-based compost in Indian arid regions. *Indian Phytopathology* 75 (3): 797–805. DOI: 10.1007/s42360-022-00495-8
- Mthiyane, P., Aycan, M., & Mitsui, T. (2024). Integrating Biofertilizers with Organic Fertilizers Enhances Photosynthetic Efficiency and Upregulates Chlorophyll-Related Gene Expression in Rice. *Sustainability*, 16(21), 9297. <https://doi.org/10.3390/su16219297>
- Nabhani, I. (2024). Downstream impact on the competitiveness of Indonesian cocoa. *Khazanah Sosial*, 6(1), 1-11. <https://journal.uinsgd.ac.id/index.php/ks/article/download/33343/10651>
- Rahman VN, Damayanti DS, Puspikawati SI. 2022. Utilization of leachate as a compost activator using Takakura method. *Sanitation: J Environ Health* 15 (2): 61–72. DOI: 10.29238/sanitasi.v15i2.1398
- Rastogi M, Nandal M, Khosla B. 2020. Microbes are vital additives for solid waste composting. *Heliyon* 6 (2): e03343. DOI: 10.1016/j.heliyon.2020.e03343
- Santoyo G, Guzmán-Guzmán P, Parra-Cota FI, Santos-Villalobos SdL, Orozco-Mosqueda MdC, Glick BR. 2021. Plant growth stimulation by microbial consortia. *Agronomy* 11 (2): 219. DOI: 10.3390/agronomy11020219
- Saubenova M, Oleinikova Y, Sadanov A, Yermekbay Z, Bokenov D, Shorabaev Y. 2023. The input of microorganisms to the cultivation of mushrooms on lignocellulosic waste. *AIMS Agric Food* 8 (1): 239–277. DOI: 10.3934/agrfood.2023014
- Shao Y, Gu S, Peng H, Zhang L, Li S, Berendsen RL, Yang T, Dong C, Wei Z, Xu Y, Shen Q. 2025. Synergistic interactions between *Trichoderma* and soil microbiomes improve plant iron availability and growth. *Npj Biofilms Microbiomes* 11 (1): 1–11. DOI: 10.1038/s41522-025-00684-z
- Soares, T. F., & Oliveira, M. B. P. P. (2022). Cocoa By-Products: Characterization of Bioactive Compounds and Beneficial Health Effects. *Molecules*, 27(5), 1625. <https://doi.org/10.3390/molecules27051625>
- Subroto, E., Djali, M., Indiarto, R., Lembong, E., & Baiti, N. (2023). Microbiological Activity Affects Post-Harvest Quality of Cocoa (*Theobroma cacao* L.) Beans. *Horticulturae*, 9(7), 805. <https://doi.org/10.3390/horticulturae9070805>
- Timmusk S, Behers L, Muthoni J, Muraya A, Aronsson AC. 2017. Perspectives and

- challenges of microbial applications for crop improvement. *Front Plant Sci* 8: 49. DOI: 10.3389/fpls.2017.00049
- Timofeeva, A. M., Galyamova, M. R., & Sedykh, S. E. (2023). Plant Growth-Promoting Soil Bacteria: Nitrogen Fixation, Phosphate Solubilization, Siderophore Production, and Other Biological Activities. *Plants*, 12(24), 4074. <https://doi.org/10.3390/plants12244074>
- Witasari WS, Sa'diyah K, Istianah N, Hidayatulloh M. 2022. Composting time effect of the activated sludge from bioethanol solid waste by Orgadec bio-activator to the compost characteristics. *J Chem Environ Eng* 6 (1): 53–61. DOI: 10.33795/jtkl.v6i1.285
- Yulianti, W., & Aburdin, A. (2020). *Pemanfaatan kompos kulit kakao untuk mengoptimalkan produksi tanaman terung (Solanum melongena L.)*. *Jurnal Hortuscoler*, 1(1), 27-32. <https://doi.org/10.32530/jh.v1i01.18>
- Zhai S, Wang K, Yu F, Gao Z, Yang X, Cao X, Shaghaleh H, Hamoud YA. 2025. Effects of *Trichoderma harzianum* combined with *Phanerochaete chrysosporium* on lignin degradation and humification during chicken manure and rice husk composting. *Front Microbiol* 16: 1515931. DOI: 10.3389/fmicb.2025.1515931
- Zhang J, Fan B, Zhao L, Zhao C, Yang F. 2024. Biochar promotes compost humification by regulating the bacterial and fungal communities. *Front Microbiol* 15: 1470930. DOI: 10.3389/fmicb.2024.1470930
- Zheng K, Li H, Wang S, Wang Y, Li A, Feng X, Li J. 2021. Enhanced protein and amino acid production based on ammonia nitrogen assimilation and sludge increment by the integration of bioadsorption with anaerobic-anoxic-oxic (AAO) process. *Chemosphere* 280: 130721. DOI: 10.1016/j.chemosphere.2021.130721
- Zin NAM, Badaluddin NA. 2020. Biological functions of *Trichoderma* spp. in agricultural applications. *Ann Agric Sci* 65 (2): 168–178. DOI: 10.1016/j.aos.2020.06.001

