

DAFTAR PUSTAKA BAB I

1.1 Daftar Pustaka

- Banerjee, G., & Ray, A. K. (2017). The advancement of probiotics research and its application in fish farming industries. *Research in Veterinary Science*, 115, 66–77. <https://doi.org/10.1016/j.rvsc.2017.01.016>
- Bps.go.id. 2021. Ekonomi Indonesia Triwulan II 2021 Tumbuh 7,07 Persen (y-on-y) diakeses melalui <https://www.bps.go.id/pressrelease/2021/08/05/1813/ekonomi-indonesia-triwulan-ii-2021-tumbuh-7-07-persen--y-on-y-.html> pada tanggal 28 Januari 2023
- Bunnoy, A., Na-Nakorn, U., & Srisapoom, P. (2019). Probiotic effects of a novel strain, *Acinetobacter* KU011TH, on the growth performance, immune responses, and resistance against *Aeromonas hydrophila* of bighead catfish (*Clarias macrocephalus* Günther, 1864). *Microorganisms*, 7(12), 613. <https://doi.org/10.3390/microorganisms7120613>
- Butt, U. D., Lin, N., Akhter, N., Siddiqui, T., Li, S. & Wu, B. (2021) Overview of the latest developments in the role of probiotics, prebiotics and synbiotics in shrimp aquaculture. *Fish & Shellfish Immunology*, 114, 263–281. <https://doi.org/10.1016/j.fsi.2021.05.003>
- Chilmawati, D., Swastawati, F., Wijayanti, I., Ambaryanto, & Cahyono, B. (2018). Penggunaan probiotik guna peningkatan pertumbuhan, efisiensi pakan, tingkat kelulushidupan dan nilai nutrisi ikan bandeng (*Chanos chanos*). *Indonesian Journal of Fisheries Science and Technology (Saintek Perikanan)*, 13(2), 119–125. <https://doi.org/10.14710/ijfst.13.2.119-125>
- Elsadek, M. M., Wang, S., Wu, Z., Wang, J., Wang, X., Zhang, Y., Yu, M., Guo, Z., Wang, Q., Wang, G., Chen, Y. & Zhang, D. (2023) Characterization of *Bacillus* spp. isolated from the intestines of *Rhynchocypris lagowskii* as a potential probiotic and their effects on fish pathogens. *Microbial Pathogenesis*, 180, 106163. <https://doi.org/10.1016/j.micpath.2023.106163>
- Estensoro, I., Ballester-Lozano, G., Benedito-Palos, L., Grammes, F., Martos-Sitcha, J. A., Mydland, L. T., Caldach-Giner, J. A., Fuentes, J., Karalazos, V., Ortiz, A., Overland, M., Sitja-Bobadilla, A., & Perez-Sanchez, J. (2016). Dietary butyrate helps to restore the intestinal status of a marine teleost (*Sparus aurata*) fed extreme diets low in fish meal and fish oil. *PLoS One*, 11(11), e0166564. <https://doi.org/10.1371/journal.pone.0166564>
- Falcon-Hidalgo, B., Forrellat-Barrios, A., Farnes, O.C. & Hernandez, K.U. (2011). Digestive enzymes of two freshwater fishes (*Limia vittata* and *Gambusia punctata*) with different dietary preferences at three developmental stages. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 158(2): 136–141. <https://doi.org/10.1016/j.cbpb.2010.10.009>
- Feng, J., Chang, X., Zhang, Y., Yan, X., Zhang, J. & Nie, G. (2019). Effects of *Lactococcus lactis* from *Cyprinus carpio* L. as probiotics on growth performance, innate immune response and disease resistance against *Aeromonas hydrophila*. *Fish & Shellfish Immunology*, 93: 73–81. <https://doi.org/10.1016/j.fsi.2019.07.028>
- Fore, M., Alver, M., Alfredsen, J.A., Marafioti, G., Senneset, G., Birkevold, J., Willumsen, F.V., Lange, G., Espmark, A. & Terjesen, B.F. (2016). Modelling growth performance and feeding behaviour of *Atlantic salmon* (*Salmo salar* L.) in commercial-size aquaculture net pens: Model details and validation through full-scale experiments. *Aquaculture*, 464: 268–278. <https://doi.org/10.1016/j.aquaculture.2016.06.045>
- Gao, S., Chen, W., Cao, S., Sun, P., & Gao, X. (2024). Microalgae as fishmeal alternatives in aquaculture: Current status, existing problems, and possible solutions. *Environmental Science and Pollution Research*, 31, 16113–16130. <https://doi.org/10.1007/s11356-024-32143-1>
- Hooshyar, Y., Abedian Kenari, A., Paknejad, H. & Gandomi, H. (2020). Effects of *Lactobacillus rhamnosus* ATCC 7469 on different parameters related to health status of rainbow trout (*Oncorhynchus mykiss*) and the protection against *Yersinia ruckeri*. *Probiotics and Antimicrobial Proteins*, 12(4): 1370–1384. <https://doi.org/10.1007/s12602-020-09645-8>
- Hoseinifar, S.H., Yousefi, S., Van Doan, H., Ashouri, G., Gioacchini, G., Maradonna, F. & Carnevali, O. (2021). Oxidative stress and antioxidant defense in fish: The implications of probiotic, prebiotic and synbiotics. *Reviews in Fisheries Science & Aquaculture*, 29(2): 198–217. <https://doi.org/10.1080/23308249.2020.1795616>
- Hu, X., Liu, Y., Zhao, Z., Liu, J., Yang, X., Sun, C., Chen, S., Li, B. & Zhou, C. (2021). Real-time detection of uneaten feed pellets in underwater images for aquaculture using an improved YOLOV4 network. *Computers and Electronics in Agriculture*, 185: 106135. <https://doi.org/10.1016/j.compag.2021.106135>

- Karimah, U., Samidjan, I. & Pinandoyo. (2018). Performa pertumbuhan dan kelulushidupan ikan nila GIFT (*Oreochromis niloticus*) yang diberi jumlah pakan yang berbeda. *Journal of Aquaculture Management and Technology*, 7(1): 128–135.
- Karki, A.B., Shrestha, J.N., Bajgain, S. & Sharma, I. (2009). *Biogas: As Renewable Source of Energy in Nepal – Theory and Development*. BSP-Nepal, 262 p.
- Kavitha, M., Raja, M. & Perumal, P. (2018). Evaluation of probiotic potential of *Bacillus* spp. isolated from the digestive tract of freshwater fish *Labeo calbasu* (Hamilton, 1822). *Aquaculture Reports*, 11: 59–69. <https://doi.org/10.1016/j.aqrep.2018.07.001>
- Kiziloglu, U., Yildirim, O., & Cantas, I. B. (2023). *Use of coontail as a natural phytoremediation feed additive for common carp*. *Oceanological and Hydrobiological Studies*, 52(1). <https://doi.org/10.26881/oahs-2023.1.08>
- Kkp.go.id. 2020. 2020, Kkp Targetkan Konsumsi Ikan 56,39 kg diakses melalui <https://kkp.go.id/artikel/16451-2020-kkp-> pada tanggal 28 Agustus 2023.
- Laining, A., Usman, U., & Syah, R. (2016). Aquatic weed *Ceratophyllum* sp. as a dietary protein source: Its effects on growth and fillet amino acid profile of rabbitfish, *Siganus guttatus*. *AACL Bioflux*, 9(2). <http://www.bioflux.com.ro/aac1>
- Li, D. & Du, L. (2021). Recent advances of deep learning algorithms for aquacultural machine vision systems with emphasis on fish. *Artificial Intelligence Review*, 13: 66–90. <https://doi.org/10.1007/s10462-021-10102-3>
- Magbanua, T.O. & Ragaza, J.A. (2024). Selected dietary plant-based proteins for growth and health response of Nile tilapia (*Oreochromis niloticus*). *Aquaculture and Fisheries*, 9(1): 3–19. <https://doi.org/10.1016/j.aaf.2022.04.001>
- Mata-Sotres, J.A., Moyano, F.J., Martínez-Rodríguez, G. & Yúfera, M. (2016). Daily rhythms of digestive enzyme activity and gene expression in gilthead seabream (*Sparus aurata*) during ontogeny. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 197: 43–51. <https://doi.org/10.1016/j.cbpa.2016.03.010>
- Moyo, N.A.G. & Rapatsa-Malatji, M.M. (2023). A review and meta-analysis of selected plant protein sources as a replacement of fishmeal in the diet of tilapias. *Annals of Animal Science*, 23(3): 681–690. <https://doi.org/10.2478/aoas-2022-0084>
- Neves, N.O.D.S., De Dea Lindner, J., Stockhausen, L., Delziovo, F.R., Bender, M., Serzedello, L., Cipriani, L.A., Ha, N., Skoronski, E., Gisbert, E., Sanahuja, I. & Perez Fabregat, T.E.H. (2024). Fermentation of plant-based feeds with *Lactobacillus acidophilus* improves the survival and intestinal health of juvenile Nile tilapia (*Oreochromis niloticus*) reared in a biofloc system. *Animals*, 14(2): 332. <https://doi.org/10.3390/ani14020332>
- Ragab, S., Hassaan, M., Fitzsimmons, K. & El-Haroun, E. (2023). Alternative protein sources for sustainable tilapia farming. In: Hoseinifar, S.H. & Van Doan, H. (Eds.), *Novel Approaches Toward Sustainable Tilapia Aquaculture*, pp. 201–227. Springer. https://doi.org/10.1007/978-3-031-38321-2_8
- Ramos, M.A., Batista, S., Pires, M.A., Silva, A.P., Pereira, L.F., Saavedra, M.J., Ozorio, R.O.A. & Rema, P. (2017). Dietary probiotic supplementation improves growth and the intestinal morphology of Nile tilapia. *Animal*, 11(8): 1259–1269. <https://doi.org/10.1017/S1751731116002792>
- Ray, A.K., Ghosh, K. & Ringo, E. (2012). Enzyme-producing bacteria isolated from fish gut: a review. *Aquaculture Nutrition*, 18: 465–492. <https://doi.org/10.1111/j.1365-2095.2012.00943.x>
- Sayed-Lafi, R. M., Al-Tameemi, R. A., & Gowdet, A. I. (2024). *Effect of dietary inclusion of raw and fermented hornwort, Ceratophyllum demersum, on growth performance and digestibility of young grass carp, Ctenopharyngodon idella Val.* *Agrociencia Uruguay*, 28. <https://doi.org/10.31285/agro.28.1201>
- Siddik, M.A.B., Howieson, J., Fotedar, R. & Partridge, G.J. (2021). Enzymatic fish protein hydrolysates in finfish aquaculture: a review. *Reviews in Aquaculture*, 13(1): 406–430. <https://doi.org/10.1111/raq.12481>
- Singgih, B. & Yusmiati. (2018). Pemanfaatan residu/ampas produksi biogas dari limbah ternak (*bio-slurry*) sebagai sumber pupuk organik. *Jurnal Kelitbangan*, 6(2): 139–148.
- Torrecillas, S., Terova, G., Makol, A., Serradell, A., Valdenegro, V., Gini, E., Izquierdo, M.S. & Montero, D. (2019). Dietary phytochemicals and galactomannan oligosaccharides in low fish meal and fish oil-based diets for European sea bass (*Dicentrarchus labrax*) juveniles: effects on gut health and implications on *in vivo* gut bacterial translocation. *PLoS One*, 14(9): e0222063.

- <https://doi.org/10.1371/journal.pone.0222063>
 Zaenab. S., Zainuddin., Sriwulan. & Nisaa K (2026). Evaluation of growth performance of bioslurry isolated bacteria and their application in *Ceratophyllum* sp. fermentation for sustainable fish feed. *International Journal of Agriculture and Biosciences* 15(1): 283-289.
<https://doi.org/10.47278/journal.ijab/2025.178>
- Zhang, L., Li, B., Sun, X., Hong, Q. & Duan, Q. (2023). Intelligent fish feeding based on machine vision: a review. *Biosystems Engineering*, 231: 133–164.
<https://doi.org/10.1016/j.biosystemseng.2023.05.010>

DAFTAR PUSTAKA BAB II

2.5. Daftar Pustaka

- Abdelaziz, A., Abo-Kamar, A., Elkotb, E., & Al-Madboly, L. (2025). Microbial lipases: Advances in production, purification, biochemical characterization, and multifaceted applications in industry and medicine. *Microbial Cell Factories*, 24, 40. <https://doi.org/10.1186/s12934-025-02664-6>
- Banerjee, G. and Ray, A.K. (2017). The advancement of probiotics research and its application in fish farming industries. *Res. Vet. Sci.*, 115: 66–77. <https://doi.org/10.1016/j.rvsc.2017.01.016>.
- Brown, A.E. (2005). *Microbiological Application*. New York: Mc Graww-Hill Companies.
- Chandra, P., Enespa, Singh, R., & Arora, P. K. (2020). Microbial lipases and their industrial applications: A comprehensive review. *Microbial Cell Factories*, 19, 169. <https://doi.org/10.1186/s12934-020-01428-8>
- Dhayalan, A.; Velramar, B.; Govindasamy, B.; Ramalingam, K.R.; Dilipkumar, A. and Pachiappan, P. (2022). Isolation of a bacterial strain from the gut of the fish, *Systomus sarana*, identification of the isolated strain, optimized production of its protease, the enzyme purification, and partial structural characterization. *J. Genet. Eng. Biotechnol.*, 20: 1–15
- Dobrzynski, J., Wrobel, B., & Ewa, G. (2023). Taxonomy, ecology, and cellulolytic properties of the genus *Bacillus* and related genera. *Agriculture*, 13(10), 1979. <https://doi.org/10.3390/agriculture13101979>
- Dubey, C.K., Mishra, J., Nagar, A., Gupta, M.K., Sharma, A., Kumar, S., Mishra, V. & Pandey, H.P. (2024). Microbial protease: an update on sources, production methods, and applications. In: Mishra, V., Mishra, J. & Arora, N.K. (eds). *Developments in Applied Microbiology and Biotechnology: Bioactive Microbial Metabolites*. Academic Press, pp. 233–260. <https://doi.org/10.1016/B978-0-443-18568-7.00006-9>
- Dwimartina, F.; Arwiyanto, T. and Joko, T. (2017). Potential of Endophytic and *Rhizobacteria* as an Effective Biocontrol for *Ralstonia syzygii* subsp. *Syzygii*. *Asian Journal of Plant Pathology.*, 11:11-198.
- Ervina, E.; Cristina Nugroho, E.; Sumardi. dan Emantis, R. (2020). Lipolytic-screening of *Bacillus* genera as Biocontrol candidate In Coffee Plantation. *Jurnal Ilmiah Biologi Eksperimen Dan Keanekaragaman Hayati* 7(1): 31–34.
- Fallo, G., Sine, Y., & Tael, O. (2021). Isolasi dan Karakterisasi Bakteri Asam Laktat pada Air Rendaman Kacang Tunggak (*Vigna unguiculata* (L.) Walp) Berpotensi Sebagai Penghasil Antibiotik. *Jurnal Pendidikan Biologi Undiksha*, 8(3), 161–169. Retrieved from <https://ejournal.undiksha.ac.id/index.php/JJPB/article/view/38438>
- Fernandez-Bayo, J. D., Simmons, C. W., & VanderGheynst, J. S. (2020). Characterization of digestate microbial community structure following thermophilic anaerobic digestion with varying levels of green and food wastes. *Journal of Industrial Microbiology and Biotechnology*, 47, 1031–1044. <https://doi.org/10.1007/s10295-020-02326-z>
- Flandrin, U.; Mouillot, D.; Albouy, C.; Bejarano, S.; Casajus, N.; Cinner, J.; Edgar, G.; Ghilardi, M.; Leprieur, F.; Loiseau, N.; MacNeil, A.; Maire, E.; McLean, M.; Parravicini, V.; Pellissier, L.; Schiettekatte, N.; Stuart-Smith, R. D.; Villéger, S. and Mouquet, M. (2024). Fish communities can simultaneously contribute to nature and people across the world's tropical reefs. *One Earth.*, 7(10): 1772-1785. <https://doi.org/10.1016/j.oneear.2024.09.011>.
- Gobi, N.; Vaseeharan, B.; Chen, J. C.; Rekha, R.; Vijayakumar, S.; and Anjugam, M. (2018). Dietary supplementation of probiotic *Bacillus licheniformis* Dahb1 improves growth performance, mucus and serum immune parameters, antioxidant enzyme activity as well as resistance against *Aeromonas hydrophila* in tilapia *Oreochromis mossambicus*. *Fish Shellfish Immunol.*, 74: 501–508.
- Gopalraaj, J., Velayudhannair, K., Arockiasamy, J. P., & Arockiasamy, J. V. (2024). The effect of dietary supplementation of proteases on growth, digestive enzymes, oxidative stress, and intestinal morphology in fishes: A review. *Aquaculture International*, 32, 745–765.

- <https://doi.org/10.1007/s10499-023-01191-8>
- Gupta, S.; Mohanty U.; and Majumdar, R. K. (2021). Isolation and characterization of lactic acid bacteria from traditional fermented fish product Shidal of India with reference to their probiotic potential. *LWT.*, 146(111641): 1-9., <https://doi.org/10.1016/j.lwt.2021.111641>.
- Gustiano, R.; Kurniawan, K. and Haryono, H. (2021). Optimizing the utilization of genetic resources of Indonesian native freshwater fish. *Asian J. Conserv. Biol.*, 10: 189–196. <https://doi.org/10.53562/ajcb.67022>.
- Hamaki, T.; Suzuki, M.; Fudou, R.; Jojima, Y.; Kajiura, T.; Tabuci, A.; Sen, K. and Shibai, H. (2005). Isolation of novel bacteria and actinomycetes using soil-extract agar medium. *Journal Bioscience and Bioengineering.*, 99(5): 485-492.
- Hasan, U.; Hanafi, M. M. and Elihami, A. K. (2020). Pemanfaatan Kotoran Ternak Sebagai Bahan Pembuatan Biogas. *Maspul Journal of Community Empowerment.*, 1(1): 2716-4225.
- Hasbullah D.; Karim M. Y.; Zainuddin, and Trijuno, D. D. (2018b). The effect of salinity on to the body chemical composition and RNA/DNA ratio of the hybrid brackishwater Nile tilapia *Oreochromis niloticus*. *AACL Bioflux.*, 11(3): 943-947.
- Hasbullah D.; Karim M. Y.; Zainuddin. and Trijuno D. D. (2018a) Physiological performance of osmotic work, survival, and growth rate of hybridized brackish Nile tilapia (*Oreochromis niloticus*) juveniles at various salinities. *AACL Bioflux.*, 11(2):327-332.
- Hossain, M.E.; Khan, M.A.; Saha, S.M. and Dey, M.M. (2022). Economic assessment of freshwater carp polyculture in Bangladesh: profit sensitivity, economies of scale and liquidity. *Aquaculture* 548: 737552. <https://doi.org/10.1016/j.aquaculture.2021.737552>.
- Ismail Y. S.; Yulvizar. C. and Putriani. (2017). Isolasi, Karakteristik dan Uji Aktivitas Antimikroba Bakteri Asam Laktat dari Fermentasi Biji Kakao (*Theobroma Cacao* L.). *Bioleuser.*, 1(2): 45-53.
- Kong, Y.; Li, M.; Li, R.; Shan, X. and Wang, G. (2020). Evaluation of cholesterol lowering property and antibacterial activity of two potential lactic acid bacteria isolated from the intestine of snakehead fish (*Channa argus*). *Aquaculture Reports.*, 17(100342): 1-11. <https://doi.org/10.1016/j.aqrep.2020.100342>.
- Kurniati, T. H., Rahayu, S., Nathania, I. R. B., & Sukmawati, D. (2021). Antibacterial activity of lactic acid bacteria isolated from oncom, a traditional Indonesian fermented food. *AIP Conference Proceedings*, 2331(1). <https://doi.org/10.1063/5.0043691>
- Majchrowska, S.; Pawlowski, J.; Guła, G.; Bonus, T.; Hanas, A.; Loch, A.; Pawlak, A.; Roszkowiak, J.; Golan, T. and Drulis-Kawa, Z. (2025). Assessing microbial colony counting: A deep learning approach with the AGAR image dataset. *Neurocomputing.*, 630: 129654. <https://doi.org/10.1016/j.neucom.2025.129654>.
- Ministry of Health Republic of Indonesia. (2021). Studi status gizi Indonesia (SSGI). <https://www.b2p2toot.litbang.kemkes.go.id/?page=postcont&postid=285&content=SSGI>
- Misbah I.; Karim M. Y.; Zainuddin. and Aslamyah S. (2017). Effect of salinity on the survival of mangrove crab *Scylla tranquebarica* larvae at zoea-megalopa stages. *AACL Bioflux.*, 10(6):1590-1595.
- Nandiyanto, A. B. D and Rumi, F. (2006). Biogas sebagai Peluang Pengembangan Energi Alternatif. <http://io.ppijepang.org/old/article.php?id=199> [in Indonesia]
- Nasri, Harahap, U., Silalahi, J., & Satria, D. (2021). Antibacterial activity of lactic acid bacteria isolated from dengke naniura of carp (*Cyprinus carpio*) against diarrhea-causing pathogenic bacteria. *Biodiversitas*, 22(8), 3098–3104. <https://doi.org/10.13057/biodiv/d220802>
- Nasution, M. H. B., Ramadhani, S., & Fachrial, E. (2020). Isolation, Characterization and Antibacterial Activities of Lactic Acid Bacteria Isolated From Batak's Special Food "Dali Ni Horbo". *Jurnal Natur Indonesia*, 18(1), 1. <https://doi.org/10.31258/jnat.18.1.1-11>
- Pelczar, J. M and Chan, E. C. S. (2006). *Dasar-dasar Mikrobiologi*. Universitas Indonesia: Jakarta. 443 hal.
- Putra, A. N. (2010). Kajian probiotik, prebiotik dan sinbiotik untuk meningkatkan kinerja pertumbuhan ikan nila (*Oreochromis niloticus*). Bogor: Institut Pertanian Bogor.
- Rahayu, H. M., & Qurbaniah, M. (2019). Selection of Tempoyak Lactic Acid Bacteria As Candidate Strain for Yoghurt Starter Culture. *Biosaintifika*. 11(111), 39–46. <http://dx.doi.org/10.15294/biosaintifika.v11i1.16769>
- Rahayu, H.M., & Setiadi, A. E. (2023). Isolation and Characterization of Indigenous Lactic Acid Bacteria from Pakatikng Rape, Dayak's Traditional Fermented Food. *Jurnal Penelitian Pendidikan IPA*, 9(2), 920–925. <https://doi.org/10.29303/jppipa.v9i2.2801>
- Raj, A.; Baby, G.; Dutta, S.; Sarkar, A. and Rao, K. V. B. (2016). Isolation, Characterization and Antioxidant

- Activity of Lipase Enzyme Producing Yeast Isolated from Spoiled Sweet Sample. *Scholars Research Library.*, 8 (10): 129- 135. <https://doi.org/10.1016/6583-20035-1>
- Reda, R. M.; El-Hady, M. A.; Selim, K. M. and El-Sayed, H. M. (2018). Comparative study of three predominant gut Bacillus strains and a commercial *B. amyloliquefaciens* as probiotics on the performance of *Clarias gariepinus*, *Fish Shellfish Immunol.*, 80: 416–425.
- Rosa, E.; Ekowati, C. N.; Handayani, T. T.; Ikhsanudin, A.; Apriliani, F. and Arifiyanto, A. (2020). Characterization of entomopathogenic fungi as a natural biological control of american cockroaches (*Periplaneta americana*). *Biodiversitas.*, 21(11): 5276–5282.
- Shaik, M.; Girija Sankar, G.; Iswarya, M. and Rajitha, P. (2017). Isolation and characterization of bioactive metabolites producing marine *Streptomyces parvulus* strain sankarensis-A10. *Journal of Genetic Engineering and Biotechnology.*, 15(1): 87–94.
- Wang, M., Tang, C., Zhang, Z., Fan, Z., Jiang, L., Liu, Z., Cao, J., Wang, Z., Lu, M., Yi, M., & Ke, X. (2025). Effect of the gut core microbiota *Cetobacterium* on the growth, physiology, and nutritional metabolism of Nile tilapia (*Oreochromis niloticus*). *Aquaculture Reports*, 40, 102583. <https://doi.org/10.1016/j.aqrep.2024.102583>
- Wu, J. W. F. W.; Redondo-Solano, M.; Uribe, L.; WingChing-Jones, R.; Usaga, J. and Barboza, N. (2021). First characterization of the probiotic potential of lactic acid bacteria isolated from Costa Rican pineapple silages. *PeerJ.*, 9: e12437. <https://doi.org/10.7717/peerj.12437>.
- Yang, X.; Zhang, S.; Liu, J.; Gao, Q.; Dong, S.; and Zhou, C. (2021). Deep learning for smart fish farming: applications, opportunities and challenges. *Rev. Aquac.*, 13: 66–90. <https://doi.org/10.1111/raq.12464>.
- Zhang, L.; Li, B.; Sun, X.; Hong, Q. and Duan, Q. (2023). Intelligent fish feeding based on machine vision: a review. *Biosyst. Eng.*, 231: 133–164. <https://doi.org/10.1016/j.biosystemseng.2023.05.010>.

DAFTAR PUSTAKA BAB III

3.1. Daftar Pustaka

- AOAC International. (2005). *Official methods of analysis* (18th ed.). Association of Official Analytical Chemists.
- Aparicio, E., Rodríguez-Jasso, R. M., Collazo-Bigliardi, S., Huerta-Rábago, J. A., Aguilar, C. N., & Ruiz, H. A. (2021). High-pressure technology for *Sargassum* spp. biomass pretreatment and fractionation in the third generation of bioethanol production. *Bioresource Technology*, 329, 124935. <https://doi.org/10.1016/j.biortech.2021.124935>
- Banerjee, G., & Ray, A. K. (2017). The advancement of probiotics research and its application in fish farming industries. *Research in Veterinary Science*, 115, 66–77. <https://doi.org/10.1016/j.rvsc.2017.01.016>
- Beal, J., Farny, N. G., Haddock-Angelli, T., & Gershenson, A. (2020). Robust estimation of bacterial cell count from optical density. *Communications Biology*, 3(1), 512. <https://doi.org/10.1038/s42003-020-01127-5>
- Bezerra, R. A., & Fonseca, G. G. (2023). Microbial count, chemical composition and fatty acid profile of biological silage obtained from pacu and spotted sorubim fish waste using lactic acid bacteria fermentation. *Biocatalysis and Agricultural Biotechnology*, 54, 102929. <https://doi.org/10.1016/j.bcab.2023.102929>
- Cappuccino, J. G., & Welsh, C. (2017). *Microbiology: A laboratory manual* (11th ed.). Pearson.
- Chan, S. X. Y., Fitri, N., Asni, N. S. M., Sayuti, N. H., Azlan, U. K., Qadi, W. S. M., Dawoud, E. A. D., Kamal, N., Sarian, M. N., Lazaldin, M. A. M., Low, C. F., Harun, S., Hamezah, H. S., Rohani, E. R., & Mediani, A. (2023). A comprehensive review with future insights on the processing and safety of fermented fish and the associated changes. *Foods*, 12(3), 558. <https://doi.org/10.3390/foods12030558>
- Chen, H., Liu, L., Jiang, L., Hu, W., Cen, Q., Zhang, R., Hui, F., Li, J., & Zeng, X. (2024). Effect of *Lactiplantibacillus plantarum* Y279 and *Weissella cibaria* Y113 on microorganism, lipid oxidation and fatty acid metabolites in *Yu jiaosuan*, a Chinese traditional fermented snack. *Food Chemistry: X*, 21, 101246. <https://doi.org/10.1016/j.fochx.2024.101246>
- Colombo, S.M., Roy, K., Mraz, J., Wan, A.H.L., Davies, S.J., Tibbetts, S.M., Øverland, M., Francis, D.S., Rocker, M.M., Gasco, L., Spencer, E., Metian, M., Trushenski, J.T., & Turchini, G.M. (2023). Towards achieving circularity and sustainability in feeds for farmed blue foods. *Reviews in Aquaculture*, 15(3), 1115–1141. <https://doi.org/10.1111/raq.12766>
- Demissie, M. S., Legesse, N. H., & Tesema, A. A. (2024). Isolation and characterization of cellulase-

- producing bacteria from forest, cow dung, Dashen brewery, and agro-industrial waste. *PLoS ONE*, 19(4), e0301607. <https://doi.org/10.1371/journal.pone.0301607>
- Du, K., Zhou, B., & Yuan, R. (2017). Biodegradation of 2-methylisoborneol by *Bacillus idriensis* isolated from biological activated carbon. *Desalination and Water Treatment*, 76, 290–299. <https://doi.org/10.5004/dwt.2017.20784>
- Estevao-Rodrigues, T., Fernandes, H., Moutinho, S., Filipe, D., Fontinha, F., Magalhaes, R., Couto, A., Ferreira, M., Gamboa, M., Castro, C., Belo, I., Salgado, J., Oliva-Teles, A., & Peres, H. (2024). Effect of solid-state fermentation of Brewer's spent grain on digestibility and digestive function of European seabass (*Dicentrarchus labrax*) juveniles. *Animal Feed Science and Technology*, 315, 116018. <https://doi.org/10.1016/j.anifeedsci.2024.116018>
- Estevez, A., Padrell, L., Inarra, B., Orive, M., & Martin, D.S. (2021). Brewery by-products (yeast and spent grain) as protein sources in gilthead seabream (*Sparus aurata*) feeds. *Aquaculture*, 543, 736921. <https://doi.org/10.1016/j.aquaculture.2021.736921>
- Gao, Q., Liu, P., Li, Y., Song, D., Long, W., Wang, Z., Yi, S., & Jiang, L. (2023). Gut microbiota, host genetics and phenotypes in aquatic animals: A review. *Aquaculture Reports*, 31, 101648. <https://doi.org/10.1016/j.aqrep.2023.101648>
- Gao, S., Chen, W., Cao, S., Sun, P., & Gao, X. (2024). Microalgae as fishmeal alternatives in aquaculture: Current status, existing problems, and possible solutions. *Environmental Science and Pollution Research*, 31, 16113–16130. <https://doi.org/10.1007/s11356-024-32143-1>
- Hao, K., Liu, J. Y., Ling, F., Liu, X. L., Lu, L., Xia, L., & Wang, G. X. (2014). Effects of dietary administration of *Shewanella haliotis* D4, *Bacillus cereus* D7 and *Aeromonas bivalvium* D15, single or combined, on the growth, innate immunity and disease resistance of shrimp, *Litopenaeus vannamei*. *Aquaculture*, 428–429, 141–149. <https://doi.org/10.1016/j.aquaculture.2014.03.016>
- Hmidet, N., Ali, N. E. H., Haddar, A., Kanoun, S., Alya, S. K., & Nasri, M. (2012). *Alkaline proteases and thermostable amylases produced by Bacillus licheniformis NH1: potential application in detergent formulation*. *Biochemical Engineering Journal*, 61, 13–19.
- Hussain, S. M., Bano, A. A., Ali, S., Rizwan, M., Adrees, M., Zahoor, A. F., Sarker, P. K., Hussain, M., Arsalan, M. Z., Yong, J. W. H., & Naeem, A. (2024). Substitution of fishmeal: Highlights of potential plant protein sources for aquaculture sustainability. *Heliyon*, 10, e26573. <https://doi.org/10.1016/j.heliyon.2024.e26573>
- Islam, S., Miah, M. A. S., Islam, M. F., Tisa, K. J., Bhuiyan, M. H. R., Bhuiyan, M. N. I., Afrin, S., Ahmed, K. S., & Hossain, M. H. (2024). Fermentation with lactic acid bacteria enhances the bioavailability of bioactive compounds of whole wheat flour. *Applied Food Research*, 4(2), 100610. <https://doi.org/10.1016/j.afres.2024.100610>
- Jamaluddin, R., Suardi, A. H., Zaenab, S., Masriah, A., & Nurfadilah. (2025). Effectiveness growth performance and feeding efficiency of tilapia (*Oreochromis niloticus*) through solid bioslurry feed in floating net cages. *Journal of Aquaculture and Fish Health*, 14(1), 79–90. <https://doi.org/10.20473/jafh.v14i1.63715>
- Jia, S., Li, X., He, W., & Wu, G. (2022). Protein-sourced feedstuffs for aquatic animals in nutrition research and aquaculture. In G. Wu (Ed.), *Recent advances in animal nutrition and metabolism*, 237–261. Springer. https://doi.org/10.1007/978-3-030-85686-1_12
- Jiang, W., Jia, X., Xie, N., Wen, C., Ma, S., Jiang, G., Li, X., Chi, C., Zhang, D., & Liu, W. (2023). Aquafeed fermentation improves dietary nutritional quality and benefits feeding behavior, meat flavor, and intestinal microbiota of Chinese mitten crab (*Eriocheir sinensis*). *Animal Nutrition*, 14, 1–19. <https://doi.org/10.1016/j.aninu.2023.04.002>
- Jin, Y., Wu, S., Zeng, Z., & Fu, Z. (2022). *Regulation of intestinal microbiota balance by probiotics in aquaculture: a review*. *Aquaculture Research*, 53(1), 15–28.
- Kim, S., Seo, S. U., & Kweon, M. N. (2024). Gut microbiota-derived metabolites tune host homeostasis fate. *Seminars in Immunopathology*, 46(1–2), 2. <https://doi.org/10.1007/s00281-024-01012-x>
- Li, C., Chen, X., Jin, Z., Gu, Z., Rao, J., & Chen, B. (2021). Physicochemical property changes and aroma differences of fermented yellow pea flours: Role of lactobacilli and fermentation time. *Food & Function*, 12(15), 6950–6963. <https://doi.org/10.1039/d1fo00608h>
- Linnaeus, C. (1753). *Species plantarum* (Vol. 2, p. 992). Laurentii Salvii.
- Liu, G., Wang, Y., Anderson, G. J., Camaschella, C., Chang, Y., & Nie, G. (2016). Functional analysis of GLRX5 mutants reveals distinct functionalities of GLRX5 protein. *Journal of Cellular Biochemistry*, 117(1), 207–217. <https://doi.org/10.1002/jcb.25267>

- Madigan, M. T., Aiyer, J., Buckley, D. H., Sattley, W. M., & Stahl, D. A. (2021). Brock Biology of Microorganisms (16th ed.). Pearson. (2021). *Brock biology of microorganisms* (16th ed.). Pearson.
- Madigan, M. T., Bender, K. S., Buckley, D. H., Sattley, W. M., & Stahl, D. A. (2018). *Brock biology of microorganisms* (15th ed.). Pearson.
- Magbanua, T. O., & Ragaza, J. A. (2024). Selected dietary plant-based proteins for growth and health response of Nile tilapia (*Oreochromis niloticus*). *Aquaculture and Fisheries*, 9(1), 3–19. <https://doi.org/10.1016/j.aaf.2022.04.001>
- Marti-Quijal, F. J., Princep, A., Tornos, A., Luz, C., Meca, G., Tedeschi, P., Ruiz, M.-J., Barba, F. J., & Manes, J. (2020). Isolation, identification and investigation of fermentative bacteria from sea bass (*Dicentrarchus labrax*): Evaluation of antifungal activity of fermented fish meat and by-products broths. *Foods*, 9(5), 576. <https://doi.org/10.3390/foods9050576>
- Masriah, A., Suardi, A. H., Alpiani, A., Zaenab, S., & Syamsuddin, S. (2024). Efektivitas dosis bioslurry cair terhadap kadar protein terlarut dalam pakan ikan. *Jurnal Perikanan Unram*, 13(3), 863–870. <https://doi.org/10.29303/jp.v13i3.641>
- Moyo, N. A. G., & Rapatsa-Malatji, M. M. (2023). A review and meta-analysis of selected plant protein sources as a replacement of fishmeal in the diet of tilapias. *Annals of Animal Science*, 23(3), 681–690. <https://doi.org/10.2478/aoas-2022-0084>
- Neves, N. O. D. S., De Dea Lindner, J., Stockhausen, L., Delzियो, F. R., Bender, M., Serzedello, L., Cipriani, L. A., Ha, N., Skoronski, E., Gisbert, E., Sanahuja, I., & Perez Fabregat, T. E. H. (2024). Fermentation of plant-based feeds with *Lactobacillus acidophilus* improves the survival and intestinal health of juvenile Nile tilapia (*Oreochromis niloticus*) reared in a biofloc system. *Animals*, 14(2), 332. <https://doi.org/10.3390/ani14020332>
- Okoye, C. O., Wu, Y., Wang, Y., Gao, L., Li, X., & Jiang, J. (2023). Fermentation profile, aerobic stability, and microbial community dynamics of corn straw ensiled with *Lactobacillus buchneri* PC-C1 and *Lactobacillus plantarum* PC1-1. *Microbiological Research*, 270, 127329. <https://doi.org/10.1016/j.micres.2023.127329>
- Padhan, K., Patra, R. K., Sethi, D., Panda, N., Sahoo, S. K., Pattanayak, S. K., & Senapati, A. K. (2025). Isolation, characterization and identification of cellulose-degrading bacteria for composting of agro-wastes. *Biomass Conversion and Biorefinery*, 15, 4925–4939. <https://doi.org/10.1007/s13399-023-04087-y>
- Ragab, S., Hassaan, M., Fitzsimmons, K., El-Haroun, E., 2023. Alternative protein sources for sustainable Tilapia farming. In: Hoseinifar, S.H., Van Doan, H. (Eds.), *Novel Approaches toward Sustainable Tilapia Aquaculture*. Springer International Publishing, pp. 201–227. https://doi.org/10.1007/978-3-031-38321-2_8.
- Rui, Z., Denghui, L., Xuegong, L., Weijia, Z., Yuan, Z., & Long-Fei, W. (2023). Energy metabolism pathways in *Exiguobacterium*. *Acta Microbiologica Sinica*, 63(6), 2078–2093. <https://doi.org/10.13343/j.cnki.wsxb.20220829>
- Samtiya, M., Aluko, R. E., Puniya, A. K., & Dhewa, T. (2021). Enhancing micronutrient bioavailability through fermentation of plant-based foods: A concise review. *Fermentation*, 7(2), 63. <https://doi.org/10.3390/fermentation7020063>
- Sarita, S., Duman, H., & Karav, S. (2024). Nutritional and functional aspects of fermented algae. *International Journal of Food Science & Technology*, 59, 5270–5284.
- Sawant, S. S., Park, H.Y., Sim, E.Y., Kim, H.S., & Choi, H.S. (2025). Microbial fermentation in food: Impact on functional properties and nutritional enhancement—A review of recent developments. *Fermentation*, 11(1), 15. <https://doi.org/10.3390/fermentation11010015>
- Shija, V. M., Chen, H., Li, Y., Ng'onga, L., Amoah, K., Yong, Z., Chen, J., Dapeng, Y., Mkuye, R., & Cai, J. (2025). Effects of dietary supplementation with fish-derived *Bacillus amyloliquefaciens* AV5 on growth status, immune response, microbiota, and intestinal health of Nile tilapia (*Oreochromis niloticus*). *Aquaculture Reports*, 41, 102658. <https://doi.org/10.1016/j.aqrep.2025.102658>
- Siddik, M. A. B., Julien, B. B., Islam, S. M. M., & Francis, D. S. (2024). Fermentation in aquafeed processing: Achieving sustainability in feeds for global aquaculture production. *Reviews in Aquaculture*, 16(3), 1244–1265. <https://doi.org/10.1111/raq.12894>
- Soltani, M., Ghosh, K., Hoseinifar, S. H., Kumar, V., Lymbery, A. J., Roy, S., & Ringø, E. (2022). Probiotics as beneficial microbes in aquaculture: An update on their multiple modes of action: A review. *Frontiers in Marine Science*, 9, 1068997. <https://doi.org/10.3389/fmars.2022.1068997>
- Tovar-Ramírez, D., Concha-Castañeda, M. C., Hernández, C., Hernández, K., Domínguez, D., & Parra, J.

- L. (2025). *Fermented plant-based ingredients as functional feed additives in aquaculture: Current status and future perspectives*. *Animal Nutrition*, 17, 117–128. <https://doi.org/10.1016/j.aninu.2025.01.011>
- Usmanbaha, N., Sani, K., Jariyaboon, R., Raketh, M., O-Thong, S., & Kongjan, P. (2025). Co-digestion of palm oil mill effluent and *Ceratophyllum demersum* in a two-stage anaerobic bioreactor to recover gaseous biofuel. *International Journal of Hydrogen Energy*, 97, 1375–1385. <https://doi.org/10.1016/j.ijhydene.2024.12.007>
- Valerozo, J. A., Rice, D., Bucaco, D. S., Ramil, R. J. D., Agrupis, S. C., & Anal, A. K. (2025). Integrative approaches in microbial fermentation of underutilized crops for enhanced nutritional and bioactive functionalities. *Food Bioscience*, 69, 106941. <https://doi.org/10.1016/j.fbio.2025.106941>
- Vo, B.V., Siddik, M.A.B., Chaklader, M.R., Fotedar, R., Nahar, A., & Foysal, M.J., et al. (2020). Growth and health of juvenile barramundi (*Lates calcarifer*) challenged with DO hypoxia after feeding various inclusions of germinated, fermented and untreated peanut meals. *PLoS ONE*, 15(4), e0232278. <https://doi.org/10.1371/journal.pone.0232278>
- Wanka, K. M., Damerau, T., Costas, B., Krueger, A., Schulz, C., & Wuertz, S. (2018). Isolation and characterization of native probiotics for fish farming. *BMC Microbiology*, 18(1), 119. <https://doi.org/10.1186/s12866-018-1260-2>
- Yang, G., Shen, K., Yu, R., Wu, Q., Yan, Q., Chen, W., Ding, L., Kumar, V., Wen, C., & Peng, M. (2020). Probiotic (*Bacillus cereus*) enhanced growth of Pengze crucian carp concurrent with modulating the antioxidant defense response and exerting beneficial impacts on inflammatory response via Nrf2 activation. *Aquaculture*, 529, 735691. <https://doi.org/10.1016/j.aquaculture.2020.735691>
- Zaenab, S., Masriah, A., & Suryahman, A. (2022). Effect of bioslurry concentration in feed on the growth and survival of milkfish (*Chanos chanos* Forsskal). *International Journal of Applied Biology*, 6(2), 249–257.
- Zaenab, S., Zainuddin, Z., Sriwulan, S., Nisaa, K., Haryati, H., Karim, M. Y., & Anshary, H. (2025). Exploration of bioslurry bacteria candidate probiotics for fish feed: Identification, morphological characteristics and enzyme activity. *Egyptian Journal of Aquatic Biology and Fisheries*, 29(3), 2251–2268. <https://doi.org/10.21608/ejabf.2025.432438>
- Zhou, Q., Zhang, J., & Zhao, Q. (2020). *Screening and characterization of amylase-producing bacteria from fish gut for potential application in aquafeed fermentation*. *Microbial Biotechnology*, 13(4), 1044–1055.
- Zhou, X., Tian, Z., Wang, Y., et al., 2010. Effect of treatment with probiotics as water additives on tilapia (*Oreochromis niloticus*) growth performance and immune response. *Fish Physiol. Biochem.* 36 (3), 501–509.
- Zuluaga-Hernandez, C.D., Hincapie, C.A., Osorio, M., 2023. Non-conventional ingredients for Tilapia (*Oreochromis* spp.) Feed: A systematic review. *Fishes* 8 (11).

DAFTAR PUSTAKA BAB III

4.1. Daftar Pustaka

- Abd Rashid, N.Y., Abdul Manan, M., Pa'ee, K.F., Saari, N. & Wong, F.W.F. (2022). Evaluation of antioxidant and antibacterial activities of fish protein hydrolysate produced from Malaysian fish sausage (Keropok Lekor) by-products through indigenous *Lactobacillus casei* fermentation. *Journal of Cleaner Production*, 347, 131303. <https://doi.org/10.1016/j.jclepro.2022.131303>
- Abedin, J., Kumar, S., Banik, A., Brahmchari, R.K., Kishore, P., Dubey, M.K., Kumari, R. & Srivastava, P.P. (2025). Evaluation of rice distillers' dried grains soluble (DDGS) blended with non-starch polysaccharidases (NSPase) as a fish meal substitute in the diet of climbing perch, *Anabas testudineus* juveniles. *Animal Feed Science and Technology*, 323, 116306. <https://doi.org/10.1016/j.anifeedsci.2025.116306>
- Ahmed, N. & Thompson, S. (2019). The blue dimensions of aquaculture: A global synthesis. *Science of the Total Environment*, 652, 851–861. <https://doi.org/10.1016/j.scitotenv.2018.10.163>
- Akpabli-Tsigbe, N.D.K., Ma, Y., Ekumah, J.N., Osabutey, J., Hu, J., Xu, M. & Johnson, N.A.N. (2021). Novel solid-state fermentation extraction of 5-O-caffeoylquinic acid from heilong48 soybean using *Lactobacillus helveticus*: Parametric screening and optimization. *LWT*, 149, 111809. <https://doi.org/10.1016/j.lwt.2021.111809>

- Albrektsen, S., Kortet, R., Skov, P.V., Ytteborg, E., Gitlesen, S., Kleinegris, D., Mydland, L.T., Hansen, J.O., Lock, E.J., Morkore, T. & Overland, M. (2022). Future feed resources in sustainable salmonid production: A review. *Reviews in Aquaculture*, 14(4), 1790–1812.
- Alimorin, J. M. L. (2025). *Sustainable aquaculture practices for milkfish (Chanos chanos): An integrated analysis of environmental, economic, and policy dimensions in Asia*. *International Journal of Research and Review*, 12(7), 749–758. <https://doi.org/10.52403/ijrr.20250749>
- Anwar, A., Wan, A.H., Omar, S., El-Haroun, E. & Davies, S.J. (2020). The potential of a solid-state fermentation supplement to augment white lupin (*Lupinus albus*) meal incorporation in diets for farmed common carp (*Cyprinus carpio*). *Aquaculture Reports*, 17, 100348. <https://doi.org/10.1016/j.aqrep.2020.100348>
- Arriaga-Hernandez, D., Hernandez, C., Martínez-Montano, E., Ibarra-Castro, L., Lizarraga-Velazquez, E., Leyva-Lopez, N. & Chavez-Sanchez, M.C. (2021). Fish meal replacement by soybean products in aquaculture feeds for white snook (*Centropomus viridis*): Effect on growth and diet digestibility. [Lengkap nama jurnal jika ada]
- Association of Official Analytical Chemists (AOAC). (1990). Official methods of analysis of the Association of Official Analytical Chemists (15th ed.). AOAC International.
- Austin, B. & Austin, D.A. (2016). *Bacterial Fish Pathogens: Disease of Farmed and Wild Fish*. Springer, Dordrecht.
- Balami, S., Sharma, A. & Karn, R. (2019). Significance of nutritional value of fish for human health. *Malaysian Journal of Halal Research*, 2(2), 32–34. <https://doi.org/10.2478/mjhr-2019-0012>
- Banerjee, G. & Ray, A.K. (2017). The advancement of probiotics research and its application in fish farming industries. *Research in Veterinary Science*, 115, 66–77. <https://doi.org/10.1016/j.rvsc.2017.01.016>
- Benedito Palos, L., Ballester Lozano, G.F., Simó, P., Karalazos, V., Ortiz, A., Calduch Giner, J. & Pérez Sanchez, J. (2016). Lasting effects of butyrate and low FM/FO diets on growth performance, blood haematology/biochemistry and molecular growth related markers in gilthead sea bream (*Sparus aurata*). *Aquaculture*, 454, 8–18. <https://doi.org/10.1016/j.aquaculture.2015.12.008>
- Bergmeyer, H.U., Bergmeyer, J. & Grassl, M. (1983). *Methods of enzymatic analysis* (3rd ed., Vols. 1–3). Verlag Chemie.
- Bernfeld, P. (1955). Amylases, α and β . *Methods in Enzymology*, 1, 149–158. [https://doi.org/10.1016/0076-6879\(55\)01021-5](https://doi.org/10.1016/0076-6879(55)01021-5)
- Boyd, C.E., McNevin, A.A., & Davis, R.P. (2022). The contribution of fisheries and aquaculture to the global protein supply. *Food Security*, 14(3), 805–827. <https://doi.org/10.1007/s12571-021-01246-9>
- Butt, U.D., Na Lin, N., Akhter, N., Siddiqui, T., Li, S. & Wu, B. (2021). Overview of the latest developments in the role of probiotics, prebiotics and synbiotics in shrimp aquaculture. *Fish & Shellfish Immunology*, 114, 263–281.
- Cappuccino, J.G. & Welsh, C. (2017). *Microbiology: A laboratory manual* (11th ed.). Pearson.
- Chang, C.H., Mayer, M., Rivera-Ingraham, G., Blondeau-Bidet, E., Wu, W.Y., Lorin-Nebel, C., & Lee, T.H. (2021). Effects of temperature and salinity on antioxidant responses in livers of temperate (*Dicentrarchus labrax*) and tropical (*Chanos chanos*) marine euryhaline fish. *Journal of Thermal Biology*, 99, 103016. <https://doi.org/10.1016/j.jtherbio.2021.103016>
- Chen, C., Nie, M., Cai, X., Hang, Y., Li, A., Qiao, L., Kang, P., Wang, Q., Pan, Y. & Hua, X. (2025). Response of *Litopenaeus vannamei* to dietary isothiocyanate: Growth, biochemistry, immunity and gene expression related to hepatopancreas and intestinal health. *Fish & Shellfish Immunology*, 164, 110434. <https://doi.org/10.1016/j.fsi.2025.110434>
- Chen, H., Liu, L., Jiang, L., Hu, W., Cen, Q., Zhang, R., Hui, F., Li, J. & Zeng, X. (2024). Effect of *Lactiplantibacillus plantarum* Y279 and *Weissella cibaria* Y113 on microorganism, lipid oxidation and fatty acid metabolites in Yu jiaosuan, a Chinese traditional fermented snack. *Food Chemistry*: X, 21, 101246. <https://doi.org/10.1016/j.fochx.2024.101246>
- Crozatti, T., Larentis, P., Fenelon, V., Miyoshi, J., Brito, J., Salinas, G., Mazzotti, B., Teles, G., Alves de Lima Neto, Q. & Matioli, G. (2023). Challenges and alternatives for the production of cyclodextrins from the CGTase enzyme from recombinant *Bacillus subtilis* WB800. *Food Science and Technology*, 43, e104122. <https://doi.org/10.1590/fst.104122>
- Deran, M.Y.K., Tjendanawangi, A. & Dahoklory, N. (2023). Efektifitas substitusi tepung ikan (*Brevoortia tyrannus*) dengan tepung ampas kelapa (*Cocos nucifera* L) terhadap pertumbuhan dan kelulushidupan ikan bandeng (*Chanos chanos*). *Jurnal Vokasi Ilmu-Ilmu Perikanan (JVIP)*, 3(2), 147–153.

- Do-Huu, H., Ho, S.L. & Cao, V.N. (2018). Efficiency of dietary β -glucan supplementation on growth, body composition, feed, and nutrient utilization in juveniles of pompano fish (*Trachinotus ovatus*, Linnaeus, 1758). *Israel Journal of Aquaculture – Bamidgeh*, 13.
- Dossou, S., Koshio, S., Ishikawa, M., Yokoyama, S., Dawood, M.A., El Basuini, M.F., ElHais, A.M. & Olivier, A. (2018). Effect of partial replacement of fish meal by fermented rapeseed meal on growth, immune response and oxidative condition of red sea bream juvenile, *Pagrus major*. *Aquaculture*, 490, 228–235.
- Du, E., Chen, Y., Li, Z., Sun, Z. & Gui, F. (2022). Rhizospheric *Bacillus*-facilitated effects on the growth and competitive ability of the invasive plant *Ageratina adenophora*. *Frontiers in Plant Science*, 13, 882255. <https://doi.org/10.3389/fpls.2022.882255>
- Du, K., Zhou, B. & Yuan, R. (2017). Biodegradation of 2-methylisoborneol by *Bacillus idriensis* isolated from biological activated carbon. *Desalination and Water Treatment*, 76, 290–299. <https://doi.org/10.5004/dwt.2017.3285047>
- Effendie, M.I. (1997). *Biologi Perikanan*. Yogyakarta: Yayasan Pustaka Nusatama, 155 pp.
- Elsadek, M.M., Wang, S., Wu, Z., Wang, J., Wang, X., Zhang, Y., Yu, M., Guo, Z., Wang, Q., Wang, G., Chen, Y. & Zhang, D. (2023). Characterization of *Bacillus* spp. isolated from the intestines of *Rhynchocypris lagowskii* as a potential probiotic and their effects on fish pathogens. *Microbial Pathogenesis*, 180. <https://doi.org/10.1016/j.micpath.2023.106445>
- Fan, M., He, X., Cao, Y., Woldemariam, K.Y., Cai, M., Wang, Z., Jiao, Y., Tang, W., Wei, X., Liu, Y. & Wang, J. (2025). Sustainable microbial fermentation of plant proteins: Potential, biological resources, fermentation mechanisms, applications and challenges in food industry. *Food Bioscience*, 68, 106727. <https://doi.org/10.1016/j.fbio.2025.106727>
- FAO (2024). *The state of world fisheries and aquaculture 2024 – blue transformation in action*. Rome: FAO. <https://doi.org/10.4060/cd0683en>
- Felix, F., Silva, N., Oliveira, C.C.V., Cabrita, E. & Gavaia, P.J. (2024). Effects of dietary supplementation with macroalgae on sperm quality and antioxidant system in Senegalese sole. *Aquaculture*, 590, 741069. <https://doi.org/10.1016/j.aquaculture.2024.741069>
- Glencross, B., Ling, X., Gatlin, D., Kaushik, S., Øverland, M., Newton, R. & Valente, L.M. (2024). A SWOT analysis of the use of marine, grain, terrestrial-animal and novel protein ingredients in aquaculture feeds. *Reviews in Fisheries Science & Aquaculture*, 1–39.
- Gobi, N., Vaseeharan, B., Chen, J.C., Rekha, R., Vijayakumar, S. & Anjugam, M. (2018). Dietary supplementation of probiotic *Bacillus licheniformis* Dahb1 improves growth performance, mucus and serum immune parameters, antioxidant enzyme activity as well as resistance against *Aeromonas hydrophila* in tilapia *Oreochromis mossambicus*. *Fish & Shellfish Immunology*, 74, 501–508.
- Goehring, D.L., Wu, F., DeRouchey, J.M., Goodband, R.D., Tokach, M.D., Woodworth, J.C., Paulk, C.B. & Dritz, S.S. (2020). The effects of dietary soybean hulls particle size and diet form on nursery and finishing pig performance. *Translational Animal Science*, 4, 22–33. <https://doi.org/10.1093/tas/txz119>
- Gomez-Limia, L., Cobas, N. & Martínez, S. (2021). Proximate composition, fatty acid profile and total amino acid contents in samples of the European eel (*Anguilla anguilla*) of different weights. *International Journal of Gastronomy and Food Science*, 25, 100364. <https://doi.org/10.1016/j.ijgfs.2021.100364>
- Gopalraaj, J., Velayudhannair, K., Arockiasamy, J.P. & Radhakrishnan, D.K. (2024). The effect of dietary supplementation of proteases on growth, digestive enzymes, oxidative stress, and intestinal morphology in fishes – A review. *Aquaculture International*, 32(1), 745–765. <https://doi.org/10.1007/s10499-023-01191-8>
- Halwart, M. (2022). *Aquaculture in Sofia 2022*. FAO Aquaculture Newsletter, 66, 7–8. Available at: <https://www.proquest.com/docview/2759073920>
- Hassaan, M., Goda, A.S. & Kumar, V. (2017). Evaluation of nutritive value of fermented deoiled physic nut, *Jatropha curcas*, seed meal for Nile tilapia *Oreochromis niloticus* fingerlings. *Aquaculture Nutrition*, 23(3), 571–584.
- He, S., Zhou, Z., Liu, Y. & Yao, B. (2022). Application of microbial fermentation to enhance feed quality and digestibility in aquaculture. *Frontiers in Microbiology*, 13, 915470. <https://doi.org/10.3389/fmicb.2022.915470>
- Heng Yu, Ge, X., Zhang, L., Chen, X., Ren, M., & Liang, H. (2023). Transcriptome analysis reveals the feeding response and oxidative stress in juvenile *Micropterus salmoides* fed a low-fish-meal diet

- with enzyme-hydrolysed intestinal mucosa protein substitution. *Aquaculture*, 570, 739441. <https://doi.org/10.1016/j.aquaculture.2023.739441>
- Hoang, N.N., Nguyen, T.K., Vo, T.H., Nguyen, N.H., Nguyen, D.H. & Tran, D.L. (2022). Isolation, characterization, and biological activities of fucoidan derived from *Ceratophyllum submersum* L. *Macromolecular Research*, 30, 136–145. <https://doi.org/10.1007/s13233-022-0010-3>
- Hoseinifar, S.H., Sun, Y.Z. & Zhou, Z. (2017). Probiotic, prebiotic and synbiotic supplements in aquaculture: An updated review. *Reviews in Aquaculture*, 10(1), 1–24.
- Hoseinifar, S.H., Yousefi, S., Van Doan, H., Ashouri, G., Gioacchini, G., Maradonna, F. & Carnevali, O. (2021). Oxidative stress and antioxidant defense in fish: The implications of probiotic, prebiotic and synbiotics. *Reviews in Fish Science & Aquaculture*, 29(2), 198–217. <https://doi.org/10.1080/23308249.2020.1795616>
- Hou, M., Xu, C., Zou, X., Xia, Z., Su, L., Qiu, N., Cai, L., Yu, F., Wang, Q., Zhao, X., He, Y., Wang, C. & Wang, J. (2022). Long-term exposure to microplastics induces intestinal function dysbiosis in rare minnow (*Gobiocypris rarus*). *Ecotoxicology and Environmental Safety*, 246, 114157. <https://doi.org/10.1016/j.ecoenv.2022.114157>
- Hua, K., Cobcroft, J.M., Cole, A., Condon, K., Jerry, D.R., Mangott, A., Praeger, C., Vucko, M.J., Zeng, C., Zenger, K., & Strugnell, J.M. (2019). The future of aquatic protein: Implications for protein sources in aquaculture diets. *One Earth*, 1(3), 316–329. <https://doi.org/10.1016/j.oneear.2019.10.018>
- Huang, H., Lin, X., Meng, X., Liu, Y., Fan, J., Zhu, L., Chen, J., Zhang, L., Mi, H. & Deng, J. (2024). Effects of replacing wheat bran with palm kernel cake or fermented palm kernel cake on the growth performance, intestinal microbiota and intestinal health of tilapia (GIFT, *Oreochromis niloticus*). *Frontiers in Nutrition*, 11. <https://doi.org/10.3389/fnut.2024.1368251>
- Islam, S., Miah, M.A.S., Islam, M.F., Tisa, K.J., Bhuiyan, M.H.R., Bhuiyan, M.N.I., Afrin, S., Ahmed, K.S. & Hossain, M.H. (2024). Fermentation with lactic acid bacteria enhances the bioavailability of bioactive compounds of whole wheat flour. *Applied Food Research*, 4(2), 100610. <https://doi.org/10.1016/j.afres.2024.100610>
- Kong, Y.D., Gao, C.S., Du, X.Y., Zhao, J., Li, M., Shan, X.F. & Wang, G.Q. (2020). Effects of single or conjoint administration of lactic acid bacteria as potential probiotics on growth, immune response and disease resistance of snakehead fish (*Channa argus*).
- Krishnan, H.B. & Jez, J.M. (2018). The promise and limits for enhancing sulfur-containing amino acid content of soybean seed. *Plant Science*, 272, 14–21. <https://doi.org/10.1016/j.plantsci.2018.03.030>
- Kumar, N., Ambasankar, K., Dalvi, R.S., Aklakur, M., Chandan, N.K., Jamwal, A., Sukham, M.K., Gupta, S., Pawar, N.A. & Jadhao, S.B. (2025). Dietary lecithin ameliorates endosulfan-induced stress responses and promotes growth, immunity, and disease resistance in fingerlings of the milkfish, *Chanos chanos*. *Aquaculture*, 598, 741953. <https://doi.org/10.1016/j.aquaculture.2024.741953>
- Laining, A., Usman, U., & Syah, R. (2016). Aquatic weed *Ceratophyllum* sp. as a dietary protein source: Its effects on growth and fillet amino acid profile of rabbitfish, *Siganus guttatus*. *AACL Bioflux*, 9(2). <http://www.bioflux.com>
- Li, R.M., Chi, T., Xu, Q., Liu, J.T., Shan, X.F., Zhou, R., Yao, J.Y., Sun, W.W. & Wang, G.Q. (2023). Effects of single or conjoint administration of lactic acid bacteria as potential probiotics on the growth, immune responses, and disease resistance of *Carassius auratus*. *Aquaculture International*, 31, 157–177. <https://doi.org/10.1007/s10499-022-00969-6>
- Li, X., Yao, X., Zhang, X., Dong, X., Chi, S., Tan, B., Zhang, S., Xie, S. (2022). Effects of dietary chenodeoxycholic acid supplementation in a low fishmeal diet on growth performance, lipid metabolism, autophagy and intestinal health of pacific White shrimp, *Litopenaeus vannamei*. *Fish & Shellfish Immunology*, 127, 1088–1099.
- Lopez-Gomez, J.P., Manan, M.A. & Webb, C. (2020). Solid-state fermentation of food industry wastes (2nd ed., pp. 135–161). *Food Industry Wastes*. <https://doi.org/10.1016/B978-0-12-817121-9.00007-3>
- Luo, K., Liu, Y., Qin, G.C., Wang, S.S., Wei, C., Pan, M.J., Guo, Z.Y., Liu, Q.B. & Tian, X.L. (2023). A comparative study on effects of dietary three strains of lactic acid bacteria on the growth performance, immune responses, disease resistance and intestinal microbiota of Pacific white shrimp, *Penaeus vannamei*. *Fish & Shellfish Immunology*, 136, 108707. <https://doi.org/10.1016/j.fsi.2023.108707>
- Luo, Y., He, J., Li, H., Lan, C., Cai, J. & Chen, H. et al. (2021). Wheat bran fermented by mixed fungal strains improves the digestibility of crude fiber and may benefit the gut health without impacting the growth performance in weaned pigs. *Food Function*, 12, 2962–2971.

- <https://doi.org/10.1039/d1fo00273b>
- Madigan, M.T., Bender, K.S., Buckley, D.H., Sattley, W.M. & Stahl, D.A. (2018). Brock biology of microorganisms (15th ed.). Pearson.
- Mahboob, S., Al-Ghanim, K.A., Al-Balawi, H.A., Al-Misned, F. & Ahmed, Z. (2018). Study on assessment of proximate composition and meat quality of fresh and stored *Clarias gariepinus* and *Cyprinus carpio*. Brazilian Journal of Biology, 79, 651–658. <https://doi.org/10.1590/1519-6984.187647>
- Masriah, A., Suardi, A.H., Alpiani, A., Zaenab, S. & Syamsuddin, S. (2024). Efektivitas dosis bioslurry cair terhadap kadar protein terlarut dalam pakan ikan. Jurnal Perikanan Unram, 13(3), 863–870. <https://doi.org/10.29303/jp.v13i3.641>
- Mata-Sotres, J.A., Moyano, F.J., Martínez-Rodríguez, G. & Yúfera, M. (2016). Daily rhythms of digestive enzyme activity and gene expression in gilthead seabream (*Sparus aurata*) during ontogeny. Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology, 197, 43–51. <https://doi.org/10.1016/j.cbpa.2016.03.010>
- Merrifield, D.L., Dimitroglou, A., Foey, A., Davies, S.J., Baker, R.T., Bogwald, J., Castex, M. & Ringo, E. (2010). The current status and future focus of probiotic and prebiotic applications for salmonids. Aquaculture, 302(1–2), 1–18.
- Mitri, S., Salameh, S.J., Khelfa, A., Leonard, E., Maroun, R.G., Louka, N., & Koubaa, M. (2022). Valorization of brewers' spent grains: Pretreatments and fermentation, a review. *Fermentation*, 8(2), 50. <https://doi.org/10.3390/fermentation8020050>
- Moniruzzaman, M., Bae, J., Won, S., Cho, S., Chang, K. & Bai, S. (2018). Evaluation of solid-state fermented protein concentrates as a fish meal replacer in the diets of juvenile rainbow trout, *Oncorhynchus mykiss*. Aquaculture Nutrition, 24(4), 1198–1212.
- Moon, W.-K., Atique, U. & An, K.-G. (2020). Ecological risk assessments and ecotoxicity analyses using chemical, biological, physiological responses, DNA damages and gene-level biomarkers in Zebrafish (*Danio rerio*) in an urban stream. Chemosphere, 239. <https://doi.org/10.1016/j.chemosphere.2019.124754>
- Natalia, Q.P., Cristina, R.T. & German, B.E. (2022). Lipolytic effect of *Staphylococcus warneri* for obtaining high-quality fishmeal from fish waste fermentation. Waste and Biomass Valorization, 13(5), 2519–2530. <https://doi.org/10.1007/s12649-021-01668-8>
- Natasya, A.P.G. & Nugroho, A.P. (2025). Microplastic and copper contamination in coastal waters: Accumulation in zooplankton and caged milkfish (*Chanos chanos*), and metallothionein response in fish. Marine Pollution Bulletin, 221, 118523. <https://doi.org/10.1016/j.marpolbul.2025.118523>
- Nayak, S.K. (2010). Role of gastrointestinal microbiota in fish. Aquaculture Research, 41(11), 1553–1573.
- Pandey, L.N., Shrestha, R., K.C., S., Chapagain, P.B., & Kadel, R. (2023). Effects of Brewery Spent Grain (BSG) included poultry diet on growth performance and meat quality of New Hampshire chicken. *Archives of Agriculture and Environmental Science*, 8(1), 14–19. <https://doi.org/10.26832/24566632.2023.080103>
- Pfeuti, G., Cant, J.P., Shoveller, A.K. & Bureau, D.P. (2019). A novel enzymatic pre-treatment improves amino acid utilization in feather meal fed to rainbow trout (*Oncorhynchus mykiss*). Aquaculture Research, 50(5), 1459–1474.
- Ranasinghe, N., Huang, Y.R., Wu, W.H., Lee, S.S., Ho, C.W., Lee, T.H., & Hsiao, K.Y. (2024). Environmental salinity differentiates responses to acute hypothermal stress in milkfish. *Science of the Total Environment*, 954, 176643. <https://doi.org/10.1016/j.scitotenv.2024.176643>
- Reid, C. H., Patrick, P. H., Rytwinski, T., Taylor, J. J., Willmore, W. G., Reesor, B., & Cooke, S. J. (2022). An updated review of cold shock and cold stress in fish. *Journal of Fish Biology*, 100(5), 1102–1137. <https://doi.org/10.1111/jfb.15037>
- Rhodes, M.A., Zhou, Y., Salze, G.P., Hanson, T.R. & Davis, D.A. (2017). Development of plant-based diets and the evaluation of dietary attractants for juvenile Florida pompano, *Trachinotus carolinus* L. Aquaculture Nutrition, 23(5), 1065–1075. <https://doi.org/10.1111/anu.12474>
- Ringo, E., Hoseinifar, S.H., Ghosh, K., Doan, H.V., Beck, B.R. & Song, S.K. (2018). The two-way street of communication between fish gut microbiota and host: A review. Fish & Shellfish Immunology, 72, 157–165.
- Sa, A.G.A., Moreno, Y.M.F. & Carciofi, B.A.M. (2020). Plant proteins as high-quality nutritional source for human diet. Trends in Food Science & Technology, 97, 170–184. <https://doi.org/10.1016/j.tifs.2020.01.004>
- Salem, M., Gaber, M.M., Zaki, M.A.-d & Nour, A.A. (2015). Effects of dietary mannan oligosaccharides on

- growth, body composition and intestine of the sea bass (*Dicentrarchus labrax* L.). *Aquaculture Research*. <https://doi.org/10.1111/are.12801>
- Sampathkumar, K., Yu, H. & Loo, S.C.J. (2023). Valorisation of industrial food waste into sustainable aquaculture feeds. *Future Foods*, 7, 100240. <https://doi.org/10.1016/j.fufo.2023.100240>
- Sandstrom, V., Chrysafi, A., Lamminen, M., Troell, M., Jalava, M., Piipponen, J., Siebert, S., van Hal, O., Virkki, V. & Kummu, M. (2022). Food system by-products upcycled in livestock and aquaculture feeds can increase global food supply. *Nature Food*, 3, 729–740. <https://doi.org/10.1038/s43016-022-00589-6>
- Sharma, R., Reguaera, D.F., Fuentesvilla, C., Agostini, V. & Barange, M. (2023). Aquatic food systems for blue transformation: a vision for FAO. In Bansal, K.C., Lakra, W.S. & Pathak, H. (eds.) *Transformation of Agri-Food Systems*. Singapore: Springer, 193–204. https://doi.org/10.1007/978-981-99-8014-7_15
- Shi, L., Xue, M., Xu, C., Jiang, N., Fan, Y., Chen, J. et al. (2023). Synergistic impact of *Lactobacillus plantarum* and *Bacillus coagulans* on solid-state fermentation of *Astragalus* and effects of fermentation products on disease resistance of Crucian Carp (*Carassius auratus*). *Aquaculture Research*, 2023, 1–9. <https://doi.org/10.1155/2023/1842572>
- Shoba, S.P., Candida, X.V., Mary, T.A.A., Rajeswari, R. & Rose, B. (2020). Comparative analysis of biochemical composition of few freshwater and marine fishes. *International Journal of Fish and Aquatic Studies*, 8(3), 115–119.
- Somtrakoon, K., & Chouychai, W. (2023). Phytoremediation potential of *Ceratophyllum* sp. on arsenic-contaminated conditions. *The Journal of Agricultural Sciences - Sri Lanka*, 18(2), 183–192. <http://doi.org/10.4038/jas>
- Sugiwati, S., Suaidah, S., Triwahyuni, E., Muryanto, M. & Andriani, Y., Abimanyu, H. (2021). Hydrolysis of cellulose from oil palm empty fruit bunch using *Aspergillus niger*. *E3S Web of Conferences*, 226, 00042. <https://doi.org/10.1051/e3sconf/202122600042>
- Syahrizal, Sugihartono, M. & Jasa, A. (2019). Respon ikan lele Dumbo (*Clarias gariepinus* B) dalam wadah jaring hapa yang diberi pakan kombinasi pellet dan usus ayam. *Jurnal Akuakultur Sungai dan Danau*, 4(2), 50–59.
- Tacon, A.E.J. (1987). *The nutrition and feeding of farmed fish and shrimp: A training manual*. Brazil: Food and Agriculture Organization of the United Nations, 108 pp.
- Takeuchi, T. (1988). Laboratory work chemical evaluation of dietary nutrients. In Watanabe, T. (ed.) *Fish Nutrition and Mariculture*. Tokyo University of Fisheries: JICA.
- Wang, N., Jiang, M., Zhang, P., Shu, H., Li, Y., Guo, Z. & Li, Y. (2020). Amelioration of Cd-induced bioaccumulation, oxidative stress and intestinal microbiota by *Bacillus cereus* in *Carassius auratus gibelio*. *Chemosphere*, 245, 125613. <https://doi.org/10.1016/j.chemosphere.2019.125613>
- Wang, Y., Zhang, R., Wang, C., Yan, W., Zhang, T. & Ju, F. (2025). Metabolic segregation and functional gene clusters in anaerobic digestion consortia. *Environmental Microbiology*, 27(4), e70091. <https://doi.org/10.1111/1462-2920.70091>
- Xu, Z., Zhang, Y., Xu, Z., Zhong, Y., Wang, L., Liu, C., Chen, A., Jiang, S., Sun, W., Yu, G., Li, Y., Li, C., Wang, Y. & Yu, R. (2023). Dysregulation of gut health in zebrafish by differentially charged nanoplastic exposure: an integrated analysis of histopathology, immunology, and microbial informatics. *Environmental Science: Nano*, 10, 933–947. <https://doi.org/10.1039/d2en00542e>
- Yang, X.Y., Dong, X.H., Yang, Q.H., Wang, G.H., Zhao, X.M., Liu, H.Y., Zhang, S., Chi, S.Y., & Tan, B.P. (2021). Addition of enzyme-digested hydrolysed porcine mucosa to low-fishmeal feed improves growth, intestinal microbiota, and intestinal peptide and amino acid transporter expressions in hybrid groupers (*Epinephelus fuscoguttatus*♀×*E. lanceolatus*♂). *Aquaculture Nutrition*, 27(2), 366–385. <https://doi.org/10.1111/anu.13190>
- Yousuf, B., Gul, K., Wani, A.A. & Singh, P. (2017). Health benefits of anthocyanins and their encapsulation for potential use in food systems: A review. *Journal of Basic Microbiology*, 57(6), 549–563. <https://doi.org/10.1002/jobm.201700072>
- Zaenab, S., Zainuddin, Z., Sriwulan, S., Nisaa, K., Haryati, H., Karim, M.Y. & Anshary, H. (2025). Exploration of bioslurry bacteria candidate probiotics for fish feed: Identification, morphological characteristics and enzyme activity. *Egyptian Journal of Aquatic Biology and Fisheries*, 29(3), 2251–2268. <https://doi.org/10.21608/ejabf.2025.432438>
- Zhang, L., Li, B., Sun, X., Hong, Q. & Duan, Q. (2023). Intelligent fish feeding based on machine vision: A review. *Biosystems Engineering*, 231, 133–164.

- <https://doi.org/10.1016/j.biosystemseng.2023.05.010>
- Zhang, Y.T., Chen, H., He, S., Wang, F., Liu, Y., Chen, M., Yao, G., Huang, Y., Chen, R., Xie, L. & Mu, J. (2021). Subchronic toxicity of dietary sulfamethazine and nanoplastics in marine medaka (*Oryzias melastigma*): insights from the gut microbiota and intestinal oxidative status. *Ecotoxicology and Environmental Safety*, 226, 112820. <https://doi.org/10.1016/j.ecoenv.2021.112820>
- Zheng, Q., Cui, L., Liao, H., Junaid, M., Li, Z., Liu, S., Gao, D., Zheng, Y., Lu, S., Qiu, J. & Wang, J. (2023). Combined exposure to polystyrene nanoplastics and bisphenol A induces hepato- and intestinal-toxicity and disturbs gut microbiota in channel catfish (*Ictalurus punctatus*). *Science of the Total Environment*, 891, 164319. <https://doi.org/10.1016/j.scitotenv.2023.164319>
- Zonneveld, N., Huisman, E.A. & Boon, J.H. (1991). *Prinsip-prinsip budidaya ikan*. Jakarta: PT. Gramedia Pustaka Utama, 318 pp.