

## DAFTAR PUSTAKA

- Akbar, S. J., Mukhlis, M., & Muhibuddin, B. (2021). Tinjauan Mutu Agregat Lapisan Pondasi Bawah Pada Perkerasan Jalan Batas Kota Lhokseumawe - Panton Labu. *Teras Jurnal: Jurnal Teknik Sipil*, 5(2), 153–164. <https://doi.org/10.29103/tj.v5i2.17>
- Al-Araji, N. M. H., Kashesh, G. J., & Dulaimi, A. (2025). Effect of Adding Metakaolin and Dolomite Powder on the Properties of Hot Mix Asphalt. *IOP Conference Series: Earth and Environmental Science*, 1507(1), 012048. <https://doi.org/10.1088/1755-1315/1507/1/012048>
- Al-Mufti, R. L., & Fried, A. N. (2017). Improving the strength properties of recycled asphalt aggregate concrete. *Construction and Building Materials*, 149, 45–52. <https://doi.org/10.1016/j.conbuildmat.2017.05.056>
- Álvarez, D. A., Aenlle, A. A., Tenza-Abril, A. J., & Ivorra, S. (2020). Influence of partial coarse fraction substitution of natural aggregate by recycled concrete aggregate in hot asphalt mixtures. *Sustainability (Switzerland)*, 12(1). <https://doi.org/10.3390/SU12010250>
- Amarkhil, Q., Elwakil, E., & Hubbard, B. (2021). REVIEW A meta-analysis of critical causes of project delay using Spearman 's rank and relative importance index integrated approach. 1507(December 2020), 1498–1507.
- Andrzejuk, W., Barnat-Hunek, D., Siddique, R., Zegardlo, B., & Lagód, G. (2018). Application of recycled ceramic aggregates for the production of Mineral-Asphalt Mixtures. *Materials*, 11(5). <https://doi.org/10.3390/ma11050658>
- Arabani, M., & Azarhoosh, A. R. (2012). The effect of recycled concrete aggregate and steel slag on the dynamic properties of asphalt mixtures. *Construction and Building Materials*, 35, 1–7. <https://doi.org/10.1016/j.conbuildmat.2012.02.036>
- Costa, J. O., Borges, P. H. R., dos Santos, F. A., Bezerra, A. C. S., Van den bergh, W., & Blom, J. (2020). Cementitious binders and reclaimed asphalt aggregates for sustainable pavement base layers: Potential, challenges and research needs. *Construction and Building Materials*, 265. <https://doi.org/10.1016/j.conbuildmat.2020.120325>
- Cuadri, A. A., Partal, P., Ahmad, N., Grenfell, J., & Airey, G. (2015). Chemically modified bitumens with enhanced rheology and adhesion properties to siliceous aggregates. *Construction and Building Materials*, 93, 766–774. <https://doi.org/10.1016/j.conbuildmat.2015.05.098>
- Dulaimi, A., Al Nageim, H., Ruddock, F., & Seton, L. (2017). High performance cold asphalt concrete mixture for binder course using alkali-activated binary blended cementitious filler. *Construction and Building Materials*, 141, 160–170. <https://doi.org/10.1016/j.conbuildmat.2017.02.155>
- Eisa, M. S., Mohamady, A., Basiouny, M. E., Abdulhamid, A., & Kim, J. R. (2021). Laboratory evaluation of mechanical properties of modified asphalt and mixture using graphene platelets (Gnps). *Materials*, 14(19). <https://doi.org/10.3390/ma14195599>
- , Zhang, Z., & Zhang, Y. (2019). *applied sciences E ff ects of ernal Filler on Asphalt Mixture Performance under Di ff erent Aging*
- Hakim, G. (2021). Ketebalan Perkerasan Lentur Dengan Metode 93 Dan Manual Perkerasan Jalan 2017. *Jurnal Teknik Sipil (Jtsc)*, 2(1), 59–68. <https://doi.org/10.51988/vol1no1bulanjulitahun2020.v2i1.30>



- Hofko, B. (2015). Addressing the permanent deformation behavior of hot mix asphalt by triaxial cyclic compression testing with cyclic confining pressure. *Journal of Traffic and Transportation Engineering (English Edition)*, 2(1), 17–29. <https://doi.org/10.1016/j.jtte.2015.01.002>
- Induwati, M., Cahyono, A. D., Hidiyati, E. F., Firma, O., Mustafa, D. T., Pambudi, W. R., & Aprinia, A. D. (2023). *Identifikasi Karakteristik Agregat Terhadap Nilai Stabilitas Lapis Perkerasan Aspal Beton AC-BC ( Laston ) berkualitas maka perlu diberikan teknologi penanganan yang bernilai ekonomis menurun . Turunnya nilai stabilitas tersebut disebabkan oleh air yang m.* 13(1), 193–206.
- Jiang, W., Huang, Y., & Sha, A. (2018). A review of eco-friendly functional road materials. *Construction and Building Materials*, 191, 1082–1092. <https://doi.org/10.1016/j.conbuildmat.2018.10.082>
- Juli-Gándara, L., Vega-Zamanillo, Á., Calzada-Pérez, M. Á., & Teijón-López-Zuazo, E. (2020). Effect of sodium chloride on the modulus and fatigue life of bituminous mixtures. *Materials*, 13(9). <https://doi.org/10.3390/ma13092126>
- Kadium, N. sajad, & Sarsam, S. I. (2020). Evaluating Asphalt Concrete Properties by the Implementation of Ultrasonic Pulse Velocity. *Journal of Engineering*, 26(6), 140–151. <https://doi.org/10.31026/j.eng.2020.06.12>
- Kareem, A. I., Nikraz, H., & Asadi, H. (2018). Evaluation of the double coated recycled concrete aggregates for hot mix asphalt. *Construction and Building Materials*, 172, 544–552. <https://doi.org/10.1016/j.conbuildmat.2018.03.158>
- Karim, F., Hussain, J., & Hafeez, I. (2021). Estimating the Asphalt Binder Film Thickness Using Scanning Electron Microscope and Energy Dispersive X-Ray Spectroscopy. *Advances in Materials Science and Engineering*, 2021. <https://doi.org/10.1155/2021/8894970>
- Kemmala Dewi, & Aris Krisdiyanto. (2023). Pengembangan Sistem Transportasi Masa Depan: Mobilitas Berkelanjutan dan Otonom di Jawa Barat. *Jurnal Multidisiplin West Science*, 2(09), 750–760. <https://doi.org/10.58812/jmws.v2i09.626>
- Kim, J. S., & Yoo, K. S. (2013). Ultrasonic testing of lightweight fine aggregate concrete in time and frequency domains. *Applied Mechanics and Materials*, 357–360, 655–658. <https://doi.org/10.4028/www.scientific.net/AMM.357-360.655>
- Knabben, R. M., Trichês, G., Gerges, S. N. Y., & Vergara, E. F. (2016). Evaluation of sound absorption capacity of asphalt mixtures. *Applied Acoustics*, 114, 266–274. <https://doi.org/10.1016/j.apacoust.2016.08.008>
- Lagos-Varas, M., Movilla-Quesada, D., Raposeiras, A. C., Castro-Fresno, D., Vega-Zamanillo, Á., & Cumian-Benavides, M. (2022). Use of Hydrated Ladle Furnace Slag as a filler substitute in asphalt mastics: Rheological analysis of filler/bitumen interaction. *Construction and Building Materials*, 332(April). <https://doi.org/10.1016/j.conbuildmat.2022.127370>
- Lin, P., Liu, X., Ren, S., Xu, J., Li, Y., & Li, M. (2023). Effects of Bitumen Thickness on the Aging Behavior of High-Content Polymer-Modified Asphalt Mixture. *Polymers*, 15(10), 1–20. <https://doi.org/10.3390/polym15102325>
- S., & Hajj, R. M. (2024). Backcalculation of asphalt concrete itio using the ultrasonic pulse velocity test. *Materials and arteriaux et Constructions*, 57(9). <https://doi.org/10.1617/s11527-2018.1016/j.conbuildmat.2022.127370>
- 2018). Jurnal Penelitian Transportasi Darat. *Jurnal Penelitian Darat*, 20(1), 17–32.
- D., Raposeiras, A. C., Castro-fresno, D., & Peña-mansilla, D.



- (2015). *Experimental study on stiffness development of asphalt mixture containing cement and Ca (OH) 2 as contribution filler*. 74, 157–163.
- Osmari, P. H., Arega, Z., & Bhasin, A. (2015). Wetting characteristics of asphalt binders at mixing temperatures. *Transportation Research Record*, 2505(4), 66–75. <https://doi.org/10.3141/2505-09>
- Paranavithana, S., & Mohajerani, A. (2006). Effects of recycled concrete aggregates on properties of asphalt concrete. *Resources, Conservation and Recycling*, 48(1), 1–12. <https://doi.org/10.1016/j.resconrec.2005.12.009>
- Pasandín, A. R., & Pérez, I. (2013). Laboratory evaluation of hot-mix asphalt containing construction and demolition waste. *Construction and Building Materials*, 43, 497–505. <https://doi.org/10.1016/j.conbuildmat.2013.02.052>
- Pasandín, A. R., & Pérez, I. (2014a). Effect of ageing time on properties of hot-mix asphalt containing recycled concrete aggregates. *Construction and Building Materials*, 52, 284–293. <https://doi.org/10.1016/j.conbuildmat.2013.11.050>
- Pasandín, A. R., & Pérez, I. (2014b). Mechanical properties of hot-mix asphalt made with recycled concrete aggregates coated with bitumen emulsion. *Construction and Building Materials*, 55, 350–358. <https://doi.org/10.1016/j.conbuildmat.2014.01.053>
- Pasandín, A. R., & Pérez, I. (2015a). Overview of bituminous mixtures made with recycled concrete aggregates. *Construction and Building Materials*, 74, 151–161. <https://doi.org/10.1016/j.conbuildmat.2014.10.035>
- Pasandín, A. R., & Pérez, I. (2015b). The influence of the mineral filler on the adhesion between aggregates and bitumen. *International Journal of Adhesion and Adhesives*, 58, 53–58. <https://doi.org/10.1016/j.ijadhadh.2015.01.005>
- Pasandín, A. R., Pérez, I., Caamaño, L., Pérez-Barge, N., & Gómez-Mejide, B. (2018). Feasibility of using recycled concrete aggregates for half-warm mix asphalt. *Materials and Structures/Materiaux et Constructions*, 51(4), 1–13. <https://doi.org/10.1617/s11527-018-1212-1>
- Pereira, M., Carbajo, J., Godinho, L., Amado-Mendes, P., Mateus, D., & Ramis, J. (2019). Acoustic behavior of porous concrete. Characterization by experimental and inversion methods. *Materiales de Construcción*, 69(336), 1–13. <https://doi.org/10.3989/mc.2019.03619>
- Pourtahmasb, M. S., & Karim, M. R. (2014). Performance evaluation of stone mastic asphalt and hot mix asphalt mixtures containing recycled concrete aggregate. *Advances in Materials Science and Engineering*, 2014. <https://doi.org/10.1155/2014/863148>
- Praticò, F. G., Fedele, R., & Briante, P. G. (2021). On the dependence of acoustic pore shape factors on porous asphalt volumetrics. *Sustainability (Switzerland)*, 13(20). <https://doi.org/10.3390/su132011541>
- Ramadan, S., Kassem, H., Elkordi, A., & Jomblat, R. (2025). Advancing Pavement Sustainability: Assessing Recycled Aggregates as Substitutes in Hot Mix Asphalt. *Sustainability (Switzerland)*, 17(12), 1–27. <https://doi.org/10.3390/su17125472>
- Rondón-Quintero, H. A., Zafra-Mejía, C., Bastidas-Martínez, J. G., Rondón-Quintero, H. A., & Zafra-Mejía, C. A. (2019). Study of Hot Mix Asphalt with Recycled Concrete Aggregates That Were Mechanically Treated by a Los Angeles Machine. *Article ID: IJCIET\_10\_10\_024 International Civil Engineering and Technology*, 10(10), 226–243. <http://www.iaeme.com/IJCIET/index.asp226http://www.iaeme.com/ijciet/issue.html?IJCIEI&VType=10&IType=10http://www.iaeme.com/IJCIET/index.asp226http://www.iaeme.com/IJCIET/issues.asp?JType=IJCIEI&VType=10>



- 0&Type=10
- Saltan, M., Öksüz, B., & Uz, V. E. (2015). Use of glass waste as mineral filler in hot mix asphalt. *Science and Engineering of Composite Materials*, 22(3), 271–277. <https://doi.org/10.1515/secm-2013-0135>
- Soeseno, A. C., & Tajudin, A. N. (2021). Evaluasi Kondisi Perkerasan Jalan Nasional Serta Alternatif Penanganannya (Studi Kasus : Jalan Daan Mogot). *JMTS: Jurnal Mitra Teknik Sipil*, 4(3), 753. <https://doi.org/10.24912/jmts.v0i0.12682>
- Tahmoorian, F., Samali, B., Yeaman, J., & Crabb, R. (2018). The use of glass to optimize bitumen absorption of hot mix asphalt containing recycled construction aggregates. *Materials*, 11(7). <https://doi.org/10.3390/ma11071053>
- Tan, X., Wu, C., Li, L., Li, H., Liang, C., Zhao, Y., Li, H., Zhao, J., & Wang, F. (2023). Sensitivity and Reliability Analysis of Ultrasonic Pulse Parameters in Evaluating the Laboratory Properties of Asphalt Mixtures. *Materials*, 16(21). <https://doi.org/10.3390/ma16216852>
- Tan, Z., Leng, Z., Jelagin, D., Cao, P., Jiang, J., Kumar Ashish, P., & Zou, F. (2023). Numerical modeling of the mechanical response of asphalt concrete in tension and compression. *Mechanics of Materials*, 187(September). <https://doi.org/10.1016/j.mechmat.2023.104823>
- Veranita, Veranita Zulyaden, ZulyadenSupardi, JoliHendra, H. (2024). Analysis of the Temperature Drop of Hot Mixed Asphalt during the Trip to the Overlay Site (Case Study: Keude Linteung–Meulaboh). *Construction Technologies and Architecture*, 9–14. <https://doi.org/10.4028/p-ZJy610>
- Wang, S., Sui, X., Leng, Z., Jiang, J., & Lu, G. (2022). *Asphalt pavement density measurement using non-destructive testing methods: current practices , challenges , and future vision*. 344(June).
- Woro Sukarno, E. (2022). Studi Kasus Perbandingan Efisiensi Biaya antara Pekerjaan Jalan Perkerasan Kaku (Rigid Pavement) dengan Perkerasan Lentur (Flexible Pavement) di Kabupaten Ngawi. *Jurnal Impresi Indonesia*, 1(10), 1090–1101. <https://doi.org/10.58344/jii.v1i10.525>
- Wu, S., Zhang, K., Wen, H., DeVol, J., & Kelsey, K. (2016). Performance Evaluation of Hot Mix Asphalt Containing Recycled Asphalt Shingles in Washington State. *Journal of Materials in Civil Engineering*, 28(1), 1–10. [https://doi.org/10.1061/\(asce\)mt.1943-5533.0001357](https://doi.org/10.1061/(asce)mt.1943-5533.0001357)
- Xiao, F., Amirkhanian, S. N., Karakouzian, M., & Khalili, M. (2015). Rheology evaluations of WMA binders using ultraviolet and PAV aging procedures. *Construction and Building Materials*, 79, 56–64. <https://doi.org/10.1016/j.conbuildmat.2015.01.046>
- Xing, C., Liu, B., Sun, Z., Tan, Y., Liu, X., & Zhou, C. (2022). DEM-based stress transmission in asphalt mixture skeleton filling system. *Construction and Building Materials*, 351(May). <https://doi.org/10.1016/j.conbuildmat.2022.128956>
- Xiongzhou, Y., Yuze, T., Qinglin, L., Song, L., Qianwen, D., & Aliha, M. R. M. (2021). Measurement for hot mix asphalt mixtures at low temperature: experimental and theoretical study using the semicircular bend specimen with knesses. *Fatigue and Fracture of Engineering Materials and Structures*, 4(3), 832–846. <https://doi.org/10.1111/ffe.13398>
- Bin, & Zhang, H. L. (2013). Effect of mineral filler on properties of hot mastic containing Sasobit. *Construction and Building Materials*, 43(1), 108–115. <https://doi.org/10.1016/j.conbuildmat.2013.07.085>
- M. A., Hou, S., Bian, J., Zhang, D., & Le, Q. (2019). Detection of



- dynamic modulus and crack properties of asphalt pavement using a non-destructive ultrasonic wave method. *Applied Sciences (Switzerland)*, 9(15).  
<https://doi.org/10.3390/app9152946>
- Zou, Y., Xu, H., Xu, S., Chen, A., Wu, S., Amirkhanian, S., Wan, P., & Gao, X. (2023). Investigation of the moisture damage and the erosion depth on asphalt. *Construction and Building Materials*, 369(January).  
<https://doi.org/10.1016/j.conbuildmat.2023.130503>



Optimized using  
trial version  
[www.balesio.com](http://www.balesio.com)