

## DAFTAR PUSTAKA

- Ajayi, S. O., Oyedele, L. O., Bilal, M., Akinade, O. O., Alaka, H. A., & Owolabi, H. A. (2017). Critical management practices influencing on-site waste minimization in construction projects. *Waste Management*, 59, 330–339. <https://doi.org/10.1016/j.wasman.2016.10.040>
- Ali, S., Iqbal, S., Room, S., Ali, A., & Rahman, Z. (2021). Value added usage of granular steel slag and milled glass in concrete production. 9(March), 73–85.
- Bamigboye, G. O., Bassey, D. E., Olukanni, D. O., Ngene, B. U., Adegoke, D., Odetoyan, A. O., Kareem, M. A., Enabulele, D. O., & Nworgu, A. T. (2021). Waste materials in highway applications: An overview on generation and utilization implications on sustainability. *Journal of Cleaner Production*, 283, 124581. <https://doi.org/10.1016/j.jclepro.2020.124581>
- Barrios, A. M., Vega, D. F., Martínez, P. S., Atanes-Sánchez, E., & Fernández, C. M. (2021). Study of the properties of lime and cement mortars made from recycled ceramic aggregate and reinforced with fibers. *Journal of Building Engineering*, 35(November 2020). <https://doi.org/10.1016/j.jobbe.2020.102097>
- Berredjem, L., Arabi, N., & Molez, L. (2020). Mechanical and durability properties of concrete based on recycled coarse and fine aggregates produced from demolished concrete. *Construction and Building Materials*, 246, 118421. <https://doi.org/10.1016/j.conbuildmat.2020.118421>
- Cerqueira, N. A., Marvila, M. T., de Azevedo, A. R. G., Alexandre, J., Xavier, G. C., & de Souza, V. B. (2020). Analysis of deformability modulus by linear and nonlinear elastic methods in ceramic structural masonry and mortars. *Ceramica*, 66(379), 229–235. <https://doi.org/10.1590/0366-69132020663792845>
- Chandra Paul, S., Šavija, B., & Babafemi, A. J. (2018). A comprehensive review on mechanical and durability properties of cement-based materials containing waste recycled glass. *Journal of Cleaner Production*, 198, 891–906. <https://doi.org/10.1016/j.jclepro.2018.07.095>
- Dacić, A., Fenyvesi, O., & Kopecskó, K. (2023). Investigation of Waste Perlite and Recycled Concrete Powders as Supplementary Cementitious Materials. 67(3), 683–694.
- Duan, Z., Singh, A., Xiao, J., & Hou, S. (2020). Combined use of recycled powder and recycled coarse aggregate derived from construction and demolition waste in self-compacting concrete. *Construction and Building Materials*, 254, 119323. <https://doi.org/10.1016/j.conbuildmat.2020.119323>



& Oliveira, M. (2017). Mitigation of the negative effects of recycled aggregate water absorption in concrete technology. *Construction and Building Materials*, 133, 416–424. <https://doi.org/10.1016/j.conbuildmat.2016.12.132>

, L., & de Brito, J. (2010). Durability performance of concrete made with recycled concrete aggregates. *Cement and Concrete Composites*, 32(1), <https://doi.org/10.1016/j.cemconcomp.2009.09.005>

- Evangelista, L., Guedes, M., De Brito, J., Ferro, A. C., & Pereira, M. F. (2015). Physical, chemical and mineralogical properties of fine recycled aggregates made from concrete waste. *Construction and Building Materials*, 86, 178–188. <https://doi.org/10.1016/j.conbuildmat.2015.03.112>
- Gesoglu, M., Güneyisi, E., Öz, H. Ö., Taha, I., & Yasemin, M. T. (2015). Failure characteristics of self-compacting concretes made with recycled aggregates. *Construction and Building Materials*, 98, 334–344. <https://doi.org/10.1016/j.conbuildmat.2015.08.036>
- Ince, C., Carter, M. A., Wilson, M. A., El-Turki, A., Ball, R. J., Allen, G. C., & Collier, N. C. (2010). Analysis of the abstraction of water from freshly mixed jointing mortars in masonry construction. *Materials and Structures/Materiaux et Constructions*, 43(7), 985–992. <https://doi.org/10.1617/s11527-009-9560-5>
- Jiang, Y., Li, B., Liu, S., He, J., & Hernandez, A. G. (2022). Role of recycled concrete powder as sand replacement in the properties of cement mortar. *Journal of Cleaner Production*, 371(August). <https://doi.org/10.1016/j.jclepro.2022.133424>
- Kancheva, Y. D., & Zaharieva, R. A. (2020). Recycling of concrete construction and demolition waste in alternative binders: Part 2-Environmental footprint. *IOP Conference Series: Materials Science and Engineering*, 951(1). <https://doi.org/10.1088/1757-899X/951/1/012009>
- Khaloo, A. R., Esrafil, A., Kalani, M., & Mobini, M. H. (2015). Use of polymer fibres recovered from waste car timing belts in high performance concrete. *Construction and Building Materials*, 80, 31–37. <https://doi.org/10.1016/j.conbuildmat.2015.01.011>
- Kurda, R., Silvestre, J. D., & de Brito, J. (2018). Toxicity and environmental and economic performance of fly ash and recycled concrete aggregates use in concrete: A review. *Heliyon*, 4(4). <https://doi.org/10.1016/j.heliyon.2018.e00611>
- Le, M. T., Tribout, C., & Escadeillas, G. (2019). Durability of mortars with leftover recycled sand. *Construction and Building Materials*, 215, 391–400. <https://doi.org/10.1016/j.conbuildmat.2019.04.179>
- Letelier, V., Bustamante, M., Muñoz, P., Rivas, S., & Ortega, J. M. (2021). Evaluation of mortars with combined use of fine recycled aggregates and waste crumb rubber. *Journal of Building Engineering*, 43(August). <https://doi.org/10.1016/j.jobbe.2021.103226>
- Lin, Y., & Zhang, X. (2020). *Research on the performance of recycled concrete powder self-leveling mortar based on orthogonal experiment*. 01011, 4–6.



ang, P. (2019). Study on interface characteristics and frost resistance of ad concrete. *E3S Web of Conferences*, 79. <https://doi.org/10.1051/e3sconf/20197902004>

(21). *Transition Zone Enhancement with Waste Limestone Powder as a n for Concrete Compressive Strength Increase*.

- Makul, N. (2020). Cost-benefit analysis of the production of ready-mixed high-performance concrete made with recycled concrete aggregate: A case study in Thailand. *Heliyon*, 6(6), e04135. <https://doi.org/10.1016/j.heliyon.2020.e04135>
- Manzi, S., Mazzotti, C., & Bignozzi, M. C. (2013). Short and long-term behavior of structural concrete with recycled concrete aggregate. *Cement and Concrete Composites*, 37(1), 312–318. <https://doi.org/10.1016/j.cemconcomp.2013.01.003>
- Marie, I., & Quiasrawi, H. (2012). Closed-loop recycling of recycled concrete aggregates. *Journal of Cleaner Production*, 37, 243–248. <https://doi.org/10.1016/j.jclepro.2012.07.020>
- Miah, M. J., Pei, J., Kim, H., Sharma, R., Jang, J. G., & Ahn, J. (2023). Property assessment of an eco-friendly mortar reinforced with recycled mask fiber derived from COVID-19 single-use face masks. *Journal of Building Engineering*, 66(January), 105885. <https://doi.org/10.1016/j.jobe.2023.105885>
- Nuaklong, P., Wongsas, A., Sata, V., Boonserm, K., Sanjayan, J., & Chindaprasirt, P. (2019). Properties of high-calcium and low-calcium fly ash combination geopolymer mortar containing recycled aggregate. *Heliyon*, 5(9), e02513. <https://doi.org/10.1016/j.heliyon.2019.e02513>
- Ohemeng, E. A., Ekolu, S. O., Quainoo, H., & Naghizadeh, A. (2022). Economical and eco-friendly masonry mortar containing waste concrete powder as a supplementary cementitious material. *Case Studies in Construction Materials*, 17(October), e01527. <https://doi.org/10.1016/j.cscm.2022.e01527>
- Ohemeng, E. A., & Naghizadeh, A. (2023). Alternative cleaner production of masonry mortar from fly ash and waste concrete powder. *Construction and Building Materials*, 374(February), 130859. <https://doi.org/10.1016/j.conbuildmat.2023.130859>
- Ouyang, X., Wang, L., Xu, S., Ma, Y., & Ye, G. (2020). Surface characterization of carbonated recycled concrete fines and its effect on the rheology, hydration and strength development of cement paste. *Cement and Concrete Composites*, 114(September), 103809. <https://doi.org/10.1016/j.cemconcomp.2020.103809>
- Qureshi, L. A., Munir, M. J., Mubeen, T., & Tasaddiq, R. M. (2016). Effect of using recycled concrete as coarse aggregate on tensile and flexural strength of concrete. *Sustainable Construction Materials and Technologies*, 2016-Augus. <https://doi.org/10.18552/2016/scmt4s244>
- Revilla-Cuesta, V., Ortega-López, V., Faleschini, F., Espinosa, A. B., & Serrano-López, R. (2022). Hammer rebound index as an overall-mechanical-quality or of self-compacting concrete containing recycled concrete aggregate. *Construction and Building Materials*, 347(August). <https://doi.org/10.1016/j.conbuildmat.2022.128549>
- Cordeiro, G. C., Toledo Filho, R. D., Frías, M., & Tavares, L. M. (2024). [Title partially obscured] mortar properties using traditional ceramic materials ground to



- precisely controlled sizes. *Heliyon*, 10(20), e39614.  
<https://doi.org/10.1016/j.heliyon.2024.e39614>
- Sauerwein, M., Doubrovski, E., Balkenende, R., & Bakker, C. (2019). Exploring the potential of additive manufacturing for product design in a circular economy. *Journal of Cleaner Production*, 226, 1138–1149.  
<https://doi.org/10.1016/j.jclepro.2019.04.108>
- Señas, L., Priano, C., & Marfil, S. (2016). Influence of recycled aggregates on properties of self-consolidating concretes. *Construction and Building Materials*, 113, 498–505. <https://doi.org/10.1016/j.conbuildmat.2016.03.079>
- Silva, R. V., de Brito, J., & Dhir, R. K. (2017). Availability and processing of recycled aggregates within the construction and demolition supply chain: A review. *Journal of Cleaner Production*, 143, 598–614.  
<https://doi.org/10.1016/j.jclepro.2016.12.070>
- Silva, R. V., De Brito, J., & Dhir, R. K. (2016). Performance of cementitious renderings and masonry mortars containing recycled aggregates from construction and demolition wastes. *Construction and Building Materials*, 105, 400–415. <https://doi.org/10.1016/j.conbuildmat.2015.12.171>
- Singh, A., Miao, X., Zhou, X., Deng, Q., Li, J., Zou, S., & Duan, Z. (2023). Use of recycled fine aggregates and recycled powders in sustainable recycled concrete. *Journal of Building Engineering*, 77(July), 107370.  
<https://doi.org/10.1016/j.jobbe.2023.107370>
- Tang, Y., Xiao, J., Wang, D., & Zhang, M. (2023). Effect of carbonation treatment on fracture behavior of low-carbon mortar with recycled sand and recycled powder. *Cement and Concrete Composites*, 142(June), 105178.  
<https://doi.org/10.1016/j.cemconcomp.2023.105178>
- Tereza, P., Vladimír, K., & Magdaléna, Š. (2016). *Study Replacement of Cement with Recycled Cement Powder and the Environmental Assessment*. 249, 136–141. <https://doi.org/10.4028/www.scientific.net/SSP.249.136>
- Vieira, G. L., Schiavon, J. Z., Borges, P. M., da Silva, S. R., & de Oliveira Andrade, J. J. (2020). Influence of recycled aggregate replacement and fly ash content in performance of pervious concrete mixtures. *Journal of Cleaner Production*, 271, 122665. <https://doi.org/10.1016/j.jclepro.2020.122665>
- Wan, C., Chen, X., Li, T., Huang, T., & Deng, T. (2012). Effect of variability of recycled aggregate on properties of concrete. *Applied Mechanics and Materials*, 174–177, 1122–1132.  
<https://doi.org/10.4028/www.scientific.net/AMM.174-177.1122>
- Wang, Y., Wang, J., Deng, Z., & Xiao, J. (2023). *Studying Thermal and Mechanical Properties of Recycled Concrete by Using Ceramic Aggregate*.
- Wang, Q., & Chen, S. (2019). Approaches of concrete creep using mechanics: Numerical simulation and predictive model. *Modelling and Simulation in Materials Science and Engineering*, 27(5).  
<https://doi.org/10.1088/1361-651X/ab1f43>



- Yang, C. C., & Weng, S. H. (2013). A three-phase model for predicting the effective chloride migration coefficient of ITZ in cement-based materials. *Magazine of Concrete Research*, 65(3), 193–201. <https://doi.org/10.1680/mac.12.00052>
- Zhang, S., Hofmann, M., & Beyer, K. (2018). A 2D typology generator for historical masonry elements. *Construction and Building Materials*, 184, 440–453. <https://doi.org/10.1016/j.conbuildmat.2018.06.085>
- Zhao, W., Liu, L., & Hao, T. (2011). Experimental study on the mix design and fundamental properties for mixed mortars using recycled fine aggregates. *Advanced Materials Research*, 287–290, 943–948. <https://doi.org/10.4028/www.scientific.net/AMR.287-290.943>
- Zhao, Z., Remond, S., Damidot, D., & Xu, W. (2015). Influence of fine recycled concrete aggregates on the properties of mortars. *Construction and Building Materials*, 81, 179–186. <https://doi.org/10.1016/j.conbuildmat.2015.02.037>

