

DAFTAR PUSTAKA

Agrawal, D., Waghe, U., Ansari, K., Amran, M., Gamil, Y., Alluqmani, A. E., & Thakare, N. (2024). Optimization of eco-friendly concrete with recycled coarse aggregates and rubber particles as sustainable industrial byproducts for construction practices. *Heliyon*, 10(4), e25923. <https://doi.org/10.1016/j.heliyon.2024.e25923>

Aiken, T. A., Kwasny, J., Sha, W., & Tong, K. T. (2021). Mechanical and durability properties of alkali-activated fly ash concrete with increasing slag content. *Construction and Building Materials*, 301. <https://doi.org/10.1016/j.conbuildmat.2021.124330>

Alamri, M., Ali, T., Ahmed, H., Qureshi, M. Z., Elmagarhe, A., Adil Khan, M., Ajwad, A., & Sarmad Mahmood, M. (2024). Enhancing the engineering characteristics of sustainable recycled aggregate concrete using fly ash, metakaolin and silica fume. *Heliyon*, 10(7), e29014. <https://doi.org/10.1016/j.heliyon.2024.e29014>

Ali, S., Iqbal, S., Room, S., Ali, A., & Ur Rahman, Z. (2021). Value added usage of granular steel slag and milled glass in concrete production. *Journal of Engineering Research (Kuwait)*, 9(1), 73–85. <https://doi.org/10.36909/JER.V9i1.8214>

Aquino Rocha, J. H., & Toledo Filho, R. D. (2023). The utilization of recycled concrete powder as supplementary cementitious material in cement-based materials: A systematic literature review. *Journal of Building Engineering*, 76(July), 107319. <https://doi.org/10.1016/j.jobe.2023.107319>

Bostanci, S. C., Limbachiya, M., & Kew, H. (2018). Use of recycled aggregates for low carbon and cost effective concrete construction. *Journal of Cleaner Production*, 189, 176–196. <https://doi.org/10.1016/j.jclepro.2018.04.090>

Cantero, B., Bravo, M., de Brito, J., Sáez Del Bosque, I. F., & Medina, C. (2021). Assessment of the permeability to aggressive agents of concrete with recycled cement and mixed recycled aggregate. *Applied Sciences (Switzerland)*, 11(9). <https://doi.org/10.3390/app11093856>

Cerqueira, N. A., Marvila, M. T., de Azevedo, A. R. G., Alexandre, J., Xavier, G. C., & de Souza, V. B. (2020). Analysis of deformability modulus by linear and nonlinear elastic methods in ceramic structural masonry and mortars. *Ceramica*, 66(379), 229–235. <https://doi.org/10.1590/0366-69132020663792845>

Comi, A., & Eppler, M. J. (2017). © 2017, Elsevier. Licensed under the Creative Commons Attribution-NonCommercial- 1–43.



O., & Kopeckó, K. (2023). Investigation of Waste Perlite and Concrete Powders as Supplementary Cementitious Materials. *Polymers for Civil Engineering*, 67(3), 683–694. <https://doi.org/10.3311/PPci.21593>

Comi, A. (2017). Mitigation of the negative effects of recycled aggregate on water absorption in concrete technology. *Construction and Building Materials*, 147, 103–112. <https://doi.org/10.1016/j.conbuildmat.2017.07.075>

Materials, 133, 416–424. <https://doi.org/10.1016/j.conbuildmat.2016.12.132>

El, A., Safhi, M., Rivard, P., Yahia, A., Khayat, K. H., El, A., Safhi, M., Rivard, P., Yahia, A., Khayat, K. H., & Dura-, N. A. (2023). *Durability and transport properties of SCC incorporating dredged sediments To cite this version : HAL Id : hal-03772404*. 0–38.

Evangelista, L., & de Brito, J. (2010). Durability performance of concrete made with fine recycled concrete aggregates. *Cement and Concrete Composites*, 32(1), 9–14. <https://doi.org/10.1016/j.cemconcomp.2009.09.005>

Evangelista, L., Guedes, M., De Brito, J., Ferro, A. C., & Pereira, M. F. (2015). Physical, chemical and mineralogical properties of fine recycled aggregates made from concrete waste. *Construction and Building Materials*, 86, 178–188. <https://doi.org/10.1016/j.conbuildmat.2015.03.112>

Fonseca, N., De Brito, J., & Evangelista, L. (2011). The influence of curing conditions on the mechanical performance of concrete made with recycled concrete waste. *Cement and Concrete Composites*, 33(6), 637–643. <https://doi.org/10.1016/j.cemconcomp.2011.04.002>

Garg, N., & Shrivastava, S. (2023). Mechanical, durability and sustainability assessment of rendering mortar with synergistic utilisation of recycled concrete and ceramic insulator fine aggregates. *Journal of Building Engineering*, 76(June), 107269. <https://doi.org/10.1016/j.jobe.2023.107269>

Gesoglu, M., Güneyisi, E., Öz, H. Ö., Taha, I., & Yasemin, M. T. (2015). Failure characteristics of self-compacting concretes made with recycled aggregates. *Construction and Building Materials*, 98, 334–344. <https://doi.org/10.1016/j.conbuildmat.2015.08.036>

Hadi, M. N. S., Algburi, A. H. M., Sheikh, M. N., & Carrigan, A. T. (2018). Axial and flexural behaviour of circular reinforced concrete columns strengthened with reactive powder concrete jacket and fibre reinforced polymer wrapping. *Construction and Building Materials*, 172, 717–727. <https://doi.org/10.1016/j.conbuildmat.2018.03.196>

Horsakulthai, V. (2021). Effect of recycled concrete powder on strength, electrical resistivity, and water absorption of self-compacting mortars. *Case Studies in Construction Materials*, 15(July), e00725. <https://doi.org/10.1016/j.cscm.2021.e00725>

Hu, X., Lu, Q., Xu, Z., Zhang, W., & Cheng, S. (2018). Compressive stress-strain relation of recycled aggregate concrete under cyclic loading. *Construction and Building Materials*, 193, 72–83. <https://doi.org/10.1016/j.conbuildmat.2018.10.137>



.., Wilson, M. A., El-Turki, A., Ball, R. J., Allen, G. C., & Collier, nalysis of the abstraction of water from freshly mixed jointing sorry construction. *Materials and Structures/Materiaux et* 13(7), 985–992. <https://doi.org/10.1617/s11527-009-9560-5>

- M. S. (2018). Leaching effect on mechanical properties of cement-aggregate interface. *Cement and Concrete Composites*, 87, 10–19. <https://doi.org/10.1016/j.cemconcomp.2017.11.018>
- Jiang, Y., Li, B., Liu, S., He, J., & Hernandez, A. G. (2022). Role of recycled concrete powder as sand replacement in the properties of cement mortar. *Journal of Cleaner Production*, 371(February). <https://doi.org/10.1016/j.jclepro.2022.133424>
- Kępnia, M., Woyciechowski, P., & Franus, W. (2021). Transition zone enhancement with waste limestone powder as a reason for concrete compressive strength increase. *Materials*, 14(23). <https://doi.org/10.3390/ma14237254>
- Kim, J., Nciri, N., Sicakova, A., & Kim, N. (2023). Characteristics of waste concrete powders from multi-recycled coarse aggregate concrete and their effects as cement replacements. *Construction and Building Materials*, 398(July), 132525. <https://doi.org/10.1016/j.conbuildmat.2023.132525>
- Le, T., Rémond, S., Le Saout, G., & Garcia-Diaz, E. (2016). Fresh behavior of mortar based on recycled sand - Influence of moisture condition. *Construction and Building Materials*, 106, 35–42. <https://doi.org/10.1016/j.conbuildmat.2015.12.071>
- Leung, H. Y., Kim, J., Nadeem, A., Jaganathan, J., & Anwar, M. P. (2016). Sorptivity of self-compacting concrete containing fly ash and silica fume. *Construction and Building Materials*, 113, 369–375. <https://doi.org/10.1016/j.conbuildmat.2016.03.071>
- Li, J., Deng, X., Lu, Z., Li, X., Hou, L., Jiang, J., Yang, F., Zhang, J., & He, K. (2024). Recycled concrete fines as a supplementary cementitious material: Mechanical performances, hydration, and microstructures in cementitious systems. *Case Studies in Construction Materials*, 21(July), e03575. <https://doi.org/10.1016/j.cscm.2024.e03575>
- Li, S., Gao, J., Li, Q., & Zhao, X. (2021). Investigation of using recycled powder from the preparation of recycled aggregate as a supplementary cementitious material. *Construction and Building Materials*, 267, 120976. <https://doi.org/10.1016/j.conbuildmat.2020.120976>
- Li, W., Xiao, J., Sun, Z., Kawashima, S., & Shah, S. P. (2012). Interfacial transition zones in recycled aggregate concrete with different mixing approaches. *Construction and Building Materials*, 35, 1045–1055. <https://doi.org/10.1016/j.conbuildmat.2012.06.022>
- Lin, Y., Zhang, X., & Wang, Y. (2020). Research on the performance of recycled or self-leveling mortar based on orthogonal experiment. *E3S nces*, 198, 4–6. <https://doi.org/10.1051/e3sconf/202019801011>
- (2019). Study on interface characteristics and frost resistance of concrete. *E3S Web of Conferences*, 79. <https://doi.org/10.1051/e3sconf/20197902004>



- structural concrete with recycled concrete aggregate. *Cement and Concrete Composites*, 37(1), 312–318. <https://doi.org/10.1016/j.cemconcomp.2013.01.003>
- Marie, I., & Quiasrawi, H. (2012). Closed-loop recycling of recycled concrete aggregates. *Journal of Cleaner Production*, 37, 243–248. <https://doi.org/10.1016/j.jclepro.2012.07.020>
- Nath, P., & Sarker, P. K. (2013). Effect of mixture proportions on the drying shrinkage and permeation properties of high strength concrete containing class F fly ash. *KSCE Journal of Civil Engineering*, 17(6), 1437–1445. <https://doi.org/10.1007/s12205-013-0487-6>
- Nedeljković, M., Visser, J., Šavija, B., Valcke, S., & Schlangen, E. (2021). Use of fine recycled concrete aggregates in concrete: A critical review. *Journal of Building Engineering*, 38(January). <https://doi.org/10.1016/j.jobe.2021.102196>
- Ohemeng, E. A., & Naghizadeh, A. (2023). Alternative cleaner production of masonry mortar from fly ash and waste concrete powder. *Construction and Building Materials*, 374(March), 130859. <https://doi.org/10.1016/j.conbuildmat.2023.130859>
- P. Saiz Martinez, M. Gonzalez Cortina, F. F. M. (2016). Comparative study of three types of fine recycled aggregates from CDW.pdf. *Journal of Cleaner Production*, 118, 162–169.
- Paiva, H., Velosa, A., Cachim, P., & Ferreira, V. M. (2015). Correlation between mortar and concrete behavior using rheological analysis. *Journal of Building Engineering*, 4, 177–188. <https://doi.org/10.1016/j.jobe.2015.09.001>
- Pandurangan, K., Dayanithy, A., & Om Prakash, S. (2016). Influence of treatment methods on the bond strength of recycled aggregate concrete. *Construction and Building Materials*, 120, 212–221. <https://doi.org/10.1016/j.conbuildmat.2016.05.093>
- Pasandín, A. R., & Pérez, I. (2015). Overview of bituminous mixtures made with recycled concrete aggregates. *Construction and Building Materials*, 74, 151–161. <https://doi.org/10.1016/j.conbuildmat.2014.10.035>
- Pavlů, T., Kočí, V., & Šefflová, M. (2016). Study replacement of cement with recycled cement powder and the environmental assessment. *Solid State Phenomena*, 249 SSP, 136–141. <https://doi.org/10.4028/www.scientific.net/SSP.249.136>
- Peach, B., Petkovski, M., Blackburn, J., & Engelberg, D. L. (2016). The effect of concrete composition on laser scabbling. *Construction and Building Materials*, 114(2), 161–173. <https://doi.org/10.1016/j.conbuildmat.2016.02.115>
- Phuoc, B., Bui, P. T., Ogawa, Y., & Kawai, K. (2020). Effects of Shirasu ash and limestone powder on the strength and aggressive behavior of concrete. *Construction and Building Materials*, 239, 117679. doi.org/10.1016/j.conbuildmat.2019.117679
- Phuoc, B., De Schutter, G., Jacques, D., & Ye, G. (2013). Determination of the permeability of cementitious materials using a controlled constant flow



- method. *Construction and Building Materials*, 47, 1488–1496. <https://doi.org/10.1016/j.conbuildmat.2013.06.074>
- Qureshi, L. A., Munir, M. J., Mubeen, T., & Tasaddiq, R. M. (2016). Effect of using recycled concrete as coarse aggregate on tensile and flexural strength of concrete. *Sustainable Construction Materials and Technologies*, 2016-Augus. <https://doi.org/10.18552/2016/scmt4s244>
- Rahman, M. A., & Lu, Y. (2024). EcoBlendNet: A physics-informed neural network for optimizing supplementary material replacement to reduce the carbon footprint during cement hydration. *Journal of Cleaner Production*, 464. <https://doi.org/10.1016/j.jclepro.2024.142777>
- Ren, X., Yang, J., Chen, W., Huang, Y., Wang, G., Niu, J., & Wu, J. (2024). Effect of recycled concrete powder-cement composite coating modification on the properties of recycled concrete aggregate and its concrete. *Construction and Building Materials*, 444(June), 137860. <https://doi.org/10.1016/j.conbuildmat.2024.137860>
- Revilla-Cuesta, V., Ortega-López, V., Faleschini, F., Espinosa, A. B., & Serrano-López, R. (2022). Hammer rebound index as an overall-mechanical-quality indicator of self-compacting concrete containing recycled concrete aggregate. *Construction and Building Materials*, 347(July). <https://doi.org/10.1016/j.conbuildmat.2022.128549>
- Ribas, L. F., Cordeiro, G. C., Toledo Filho, R. D., Frías, M., & Tavares, L. M. (2024). Improving mortar properties using traditional ceramic materials ground to precisely controlled sizes. *Heliyon*, 10(20). <https://doi.org/10.1016/j.heliyon.2024.e39614>
- Sakai, Y. (2019). Relationship between pore structure and chloride diffusion in cementitious materials. *Construction and Building Materials*, 229(December 2018), 1–14. <https://doi.org/10.1016/j.conbuildmat.2019.116868>
- Sosa, M. E., Etcheverry, J. M., Villagrán Zaccardi, Y. A., & Zega, C. J. (2023). Mechanical and microstructural properties of mortar with fine recycled aggregates. *Materials Today: Proceedings*, xxxx, 4–8. <https://doi.org/10.1016/j.matpr.2023.07.148>
- Sosa, M. E., Villagrán Zaccardi, Y. A., & Zega, C. J. (2021). A critical review of the resulting effective water-to-cement ratio of fine recycled aggregate concrete. *Construction and Building Materials*, 313(May). <https://doi.org/10.1016/j.conbuildmat.2021.125536>
- Tam, V. W. Y., & Tam, C. M. (2008). Diversifying two-stage mixing approach (TSMA) aggregate concrete: TSMA and TSMA_{sc}. *Construction and Building Materials*, 22(10), 2068–2077. <https://doi.org/10.1016/j.conbuildmat.2007.07.024>
- del Setién, J., Soto, A., & Thomas, C. (2023). Feasibility of using slag as cementitious material and as aggregate for concrete. *Construction and Building Materials*, 364(October 2022). <https://doi.org/10.1016/j.conbuildmat.2022.129938>



- Thomas, C., Setién, J., Polanco, J. A., Alaejos, P., & Sánchez De Juan, M. (2013). Durability of recycled aggregate concrete. *Construction and Building Materials*, 40, 1054–1065. <https://doi.org/10.1016/j.conbuildmat.2012.11.106>
- Tittarelli, F., Carsana, M., & Ruello, M. L. (2014). Effect of hydrophobic admixture and recycled aggregate on physical-mechanical properties and durability aspects of no-fines concrete. *Construction and Building Materials*, 66, 30–37. <https://doi.org/10.1016/j.conbuildmat.2014.05.043>
- Tošić, N., Marinković, S., Pecić, N., Ignjatović, I., Dragaš, J. (2018). *This is the peer-reviewed version of the article: Tošić, N., Marinković, S., Pecić, N., Ignjatović, I., Dragaš, J., 2018. Long-term behaviour of reinforced beams made with natural or recycled aggregate concrete and.* 344–358.
- Ulsen, C., Contessotto, R., dos Santos Macedo, R., & Kahn, H. (2022). Quantification of the cement paste and phase's association in fine recycled aggregates by SEM-based image analysis. *Construction and Building Materials*, 320(January), 126206. <https://doi.org/10.1016/j.conbuildmat.2021.126206>
- Velay-Lizancos, M., Vazquez-Burgo, P., Restrepo, D., & Martinez-Lage, I. (2018). Effect of fine and coarse recycled concrete aggregate on the mechanical behavior of precast reinforced beams: Comparison of FE simulations, theoretical, and experimental results on real scale beams. *Construction and Building Materials*, 191, 1109–1119. <https://doi.org/10.1016/j.conbuildmat.2018.10.075>
- Vieira, G. L., Schiavon, J. Z., Borges, P. M., da Silva, S. R., & de Oliveira Andrade, J. J. (2020). Influence of recycled aggregate replacement and fly ash content in performance of pervious concrete mixtures. *Journal of Cleaner Production*, 271. <https://doi.org/10.1016/j.jclepro.2020.122665>
- Wan, C., Chen, X., Li, T., Huang, T., & Deng, T. (2012). Effect of variability of recycled aggregate on properties of concrete. *Applied Mechanics and Materials*, 174–177, 1122–1132. <https://doi.org/10.4028/www.scientific.net/AMM.174-177.1122>
- Wang, L., Wang, J., Qian, X., Chen, P., Xu, Y., & Guo, J. (2017). An environmentally friendly method to improve the quality of recycled concrete aggregates. *Construction and Building Materials*, 144, 432–441. <https://doi.org/10.1016/j.conbuildmat.2017.03.191>
- Wang, L., Wang, J., Wang, H., Fang, Y., Shen, W., Chen, P., & Xu, Y. (2022). Eco-friendly treatment of recycled concrete fines as supplementary cementitious materials. *Construction and Building Materials*, 322(November 2021), 126491. <https://doi.org/10.1016/j.conbuildmat.2022.126491>



Wang, H., Dun, Z., & Ren, L. (2023). Experimental Research of Waste Concrete Powder–Waste Brick Powder–Cement Grout Reinforcement in Mining Goaf. *Materials*, 16(18). <https://doi.org/10.3390/ma16186075>

& Chen, S. (2019). Approaches of concrete creep using numerical simulation and predictive model. *Modelling and Simulation*, 1(1), 1–10. <https://doi.org/10.3390/ma16186075>

Simulation in Materials Science and Engineering, 27(5).
<https://doi.org/10.1088/1361-651X/ab1f43>

- Yang, C. C., & Weng, S. H. (2013). A three-phase model for predicting the effective chloride migration coefficient of ITZ in cement-based materials. *Magazine of Concrete Research*, 65(3), 193–201. <https://doi.org/10.1680/macr.12.00052>
- Younis, K. H., & Pilakoutas, K. (2013). Strength prediction model and methods for improving recycled aggregate concrete. *Construction and Building Materials*, 49, 688–701. <https://doi.org/10.1016/j.conbuildmat.2013.09.003>
- Zhang, S., Hofmann, M., & Beyer, K. (2018). A 2D typology generator for historical masonry elements. *Construction and Building Materials*, 184, 440–453. <https://doi.org/10.1016/j.conbuildmat.2018.06.085>
- Zhang, Z., & Scherer, G. (2018). Determination of water permeability for a moisture transport model with minimized batch effect. *Construction and Building Materials*, 191, 193–205. <https://doi.org/10.1016/j.conbuildmat.2018.09.194>
- Zhao, W., Liu, L., & Hao, T. (2011). Experimental study on the mix design and fundamental properties for mixed mortars using recycled fine aggregates. *Advanced Materials Research*, 287–290, 943–948. <https://doi.org/10.4028/www.scientific.net/AMR.287-290.943>
- Zhao, Z., Remond, S., Damidot, D., & Xu, W. (2015). Influence of fine recycled concrete aggregates on the properties of mortars. *Construction and Building Materials*, 81, 179–186. <https://doi.org/10.1016/j.conbuildmat.2015.02.037>

