DAFTAR PUSTAKA

Abd El-Aziz, Y. M., Allam, Y., Abdelsed, M., Gabr, S., Mohamed, M., Samir, J., Elgamil, D., Farahat, F., Gerges, M., Hany, M., & Abu Almaaty, A. H. (2025). Comparative evaluation of propolis and Persea americana creams for epidermal wound healing in rats. *Scientific Reports*, *15*(1). https://doi.org/10.1038/s41598-025-17070-6

Al-Hassan, J. M., Hinek, A., Renno, W. M., Wang, Y., Liu, Y. F., Guan, R., Wen, X. Y., Litvack, M. L., Lindenmaier, A., Afzal, M., Paul, B., Oommen, S., Nair, D., Kumar, J., Khan, M. A., Palaniyar, N., & Pace-Asciak, C. (2020). Potential Mechanism of Dermal Wound Treatment With Preparations From the Skin Gel of Arabian Gulf Catfish: A Unique Furan Fatty Acid (F6) and Cholesta-3,5-Diene (S5) Recruit Neutrophils and Fibroblasts to Promote Wound Healing. *Frontiers in Pharmacology*, *11*. https://doi.org/10.3389/fphar.2020.00899

Araujo TAT, Almeida MC, Avanzi I, et al. (2020). Collagen membranes for skin wound repair: A systematic review. Journal of Biomaterials Applications.36(1):95-112. doi: https://10.1177/0885328220980278.

Assawasuparerk K, Vanichviriyakit R, Chotwiwatthanakun C, Nobsathian S, Rawangchue T, Wittayachumnankul B. (2016). Scabraside D Extracted from Holothuria scabra Induces Apoptosis and Inhibits Growth of Human Cholangiocarcinoma Xenografts in Mice. Asian Pac J Cancer Prev, 17(2):511-7. doi: 10.7314/apjcp.2016.17.2.511.

Chalorak, P., Sornkaew, N., Manohong, P., Niamnont, N., Malaiwong, N., Limboonreung, T., Sobhon, P., Aschner, M., & Meemon, K. (2021). Diterpene glycosides from Holothuria scabra exert the α-synuclein degradation and neuroprotection against α-synuclein-Mediated neurodegeneration in C. elegans model. Journal of ethnopharmacology, 279, 114347. https://doi.org/10.1016/j.jep.2021.114347

Chen, J., Gao, K., Liu, S., Wang, S., Elango, J., Bao, B., Dong, J., Liu, N., & Wu, W. (2019). Fish Collagen Surgical Compress Repairing Characteristics on Wound Healing Process In Vivo. Marine Drugs, 17(1), 33. https://doi.org/10.3390/md17010033

Cheng X, Shao Z, Li C, Yu L, Raja MA, Liu C (2017) Isolation, Characterization and Evaluation of Collagen from Jellyfish Rhopilema esculentum Kishinouye for Use in Hemostatic Applications. PLoS ONE 12(1): e0169731. https://doi:10.1371/journal.pone.0169731

Coates, J. (2000) Interpretation of Infrared Spectra: A Practical Approach. In: Meyers, R.A., Ed., Encyclopedia of Analytical Chemistry, John Wiley & Sons Ltd., Chichester, 10881-10882.

Cruz, M.A., Araujo, T.A., Avanzi, I.R. et al. (2021). Collagen from Marine Sources and Skin Wound Healing in Animal Experimental Studies: a Systematic Review. Mar Biotechnol 23, 1–11 . https://doi.org/10.1007/s10126-020-10011-6

Desmelati, Sumarto, Dewita, & Dahlia, Syafrijal, Sari, P. (2020). Determination of Nano-Collagen Quality from Sea Cucumber Holothuria scabra. IOP Conference Series: Earth and Environmental Science. 430. 012005. doi: 10.1088/1755-1315/430/1/012005.

de Souza A, de Almeida Cruz M, de Araújo TAT, Parisi JR, do Vale GCA, Dos Santos Jorge Sousa K, Ribeiro DA, Granito RN, Renno ACM.(2022). Fish collagen for skin wound healing: a systematic review in experimental animal studies. Cell Tissue Res. 2022 Jun;388(3):489-502. doi: https://10.1007/s00441-022-03625-w

Doyle, B. B., Bendit, E. G., & Blout, E. R. (1975). Infrared spectroscopy of collagen and collagen-like polypeptides. Biopolymers, 14(5), 937–957. https://doi.org/10.1002/bip.1975.360140505

El-Rashidy AA, Gad A, Abu-Hussein Ael-H, Habib SI, Badr NA, Hashem AA. (2015). Chemical and biological evaluation of Egyptian Nile Tilapia (Oreochromis niloticas) fish scale collagen. Int J Biol Macromol. Aug;79:618-26. doi: https://10.1016/j.ijbiomac.2015.05.019.

Elbialy, Z.I., Atiba, A., Abdelnaby, A. et al. Collagen extract obtained from Nile tilapia (Oreochromis niloticus L.) skin accelerates wound healing in rat model via up regulating VEGF, bFGF, and α-SMA genes expression. BMC Vet Res 16, 352. https://doi.org/10.1186/s12917-020-02566-2.

F. Mohammadizadeh, M. Ehsanpor, M. Afkhami, A. Mokhlesi, A. Khazaali, S. Montazeri. (2013). Evaluation of antibacterial, antifungal and cytotoxic effects of Holothuria scabra from the North Coast of the Persian Gulf. Journal de Mycologie Médicale, 23(4) https://doi.org/10.1016/j.mycmed.2013.08.002.

Fan L, Peng M, Zhou X, Wu H, Hu J, Xie W, Liu S. (2014). Modification of carboxymethyl cellulose grafted with collagen peptide and its antioxidant activity. Carbohydr Polym. 2014 Nov 4;112:32-8. doi: https://10.1016/j.carbpol.2014.05.056.

Farooq, S., Ahmad, M.I., Zheng, S. et al. (2024). A review on marine collagen: sources, extraction methods, colloids properties, and food applications. Collagen & Leather 6, 11. https://doi.org/10.1186/s42825-024-00152-y

Ge, B., Wang, H., Li, J., Liu, H., Yin, Y., Zhang, N., & Qin, S. (2020). Comprehensive Assessment of Nile Tilapia Skin (Oreochromis niloticus) Collagen Hydrogels for Wound Dressings. Marine Drugs, 18(4), 178. https://doi.org/10.3390/md18040178.

Geahchan, S., Baharlouei, P., Rahman, A. (2022) Marine Collagen: A Promising Biomaterial for Wound Healing, Skin Anti-Aging, and Bone Regeneration. Marine Drugs, 20, 61. https://doi.org/10.3390/md20010061.

Giri, Nyoman, Sembiring, Sari, Wibawa, Gigih, Haryanti, Haryanti. (2019). Pertumbuhan Teripang Pasir Holothuria Scabra Yang Dipelihara Dalam Bak Dan Karamba Jaring Apung Di Tambak Dengan Aplikasi Beberapa Formulasi Pakan Buatan.Media Akuakultur. 14. 19. https://10.15578/ma.14.1.2019.19-29.

Gupta A & Kumar P. (2015). Assessment of the histological state of the healing wound. Plast Aesthet Res.2:239-42. http://dx.doi.org/10.4103/2347-9264.158862

Hadi, Mohammed & Mohammad, Ghaidaa & Hameed, Imad. (2016). Analysis of bioactive chemical compounds of Nigella sativa using gas chromatography-mass spectrometry. Journal of Pharmacognosy and Phytotherapy. 8. 8-24. doi: https://10.5897/JPP2015.0364.

Ibrahim, N. 'I., & Naina Mohamed, I. (2021). Interdependence of Anti-Inflammatory and Antioxidant Properties of Squalene–Implication for Cardiovascular Health. Life, 11(2), 103. https://doi.org/10.3390/life11020103

Jattujan, P., Srisirirung, S., Watcharaporn, W., Chumphoochai, K., Kraokaew, P., Sanguanphun, T., Prasertsuksri, P., Thongdechsri, S., Sobhon, P., & Meemon, K. (2022). 2-Butoxytetrahydrofuran and Palmitic Acid from Holothuria scabra Enhance C. elegans Lifespan and Healthspan via DAF-16/FOXO and SKN-1/NRF2 Signaling Pathways. Pharmaceuticals, 15(11), 1374. https://doi.org/10.3390/ph15111374

Javid, S., Ather, H., Hani, U., Siddiqua, A., Asif Ansari, S. M., Shanmugarajan, D., Yogish Kumar, H., Arivuselvam, R., Purohit, M. N., & Kumar, B. R. P. (2023). Discovery of Novel Myristic Acid Derivatives as N-Myristoyltransferase Inhibitors: Design, Synthesis, Analysis, Computational Studies and Antifungal Activity. Antibiotics, 12(7), 1167. https://doi.org/10.3390/antibiotics12071167

Jie Li, Mingchao Wang, Yingyun Qiao, Yuanyu Tian, Junhong Liu, Song Qin, Wenhui Wu. (2018). Extraction and characterization of type I collagen from skin of tilapia (Oreochromis niloticus) and its potential application in biomedical scaffold material for tissue engineering. Process Biochemistry, Pages 156-163, ISSN 1359-5113. https://doi.org/10.1016/j.procbio.2018.07.009.

Karthikeyan, S. C., Velmurugan, S., Donio, M. B., Michaelbabu, M., & Citarasu, T. (2014). Studies on the antimicrobial potential and structural characterization of fatty acids extracted from Sydney rock oyster Saccostrea glomerata. Annals of clinical microbiology and antimicrobials, 13, 332. https://doi.org/10.1186/s12941-014-0057-x

Ko, M. J., & Lim, C. Y. (2021). General considerations for sample size estimation in animal study. Korean journal of anesthesiology, 74(1), 23–29. https://doi.org/10.4097/kja.20662

Kong, J., & Yu, S. (2007). Fourier transform infrared spectroscopic analysis of protein secondary structures. Acta biochimica et biophysica Sinica, 39(8), 549–559. https://doi.org/10.1111/j.1745-7270.2007.00320.x

Kristoffersen, K. A., Måge, I., Wubshet, S. G., Böcker, U., Riiser Dankel, K., Lislelid, A., Rønningen, M. A., & Afseth, N. K. (2023). FTIR-based prediction of collagen content in hydrolyzed protein samples. Spectrochimica acta. Part A, Molecular and biomolecular spectroscopy, 301, 122919. https://doi.org/10.1016/j.saa.2023.122919

Kurnia Fatwati, Asmawati Amin, Lenni Indriani, Rusdina Bte Ladju, Fuad Husain Akbar, Nurlindah Hamrun. (2025) GC–MS analysis and in silico approaches to Stichopus hermanii as anti-inflammatory through PKC-β inhibition. Results in Chemistry, 14. ISSN 2211-7156, https://doi.org/10.1016/j.rechem.2025.102086.

Lalruatfeli P, Krishnan R, Janaki P, Suganthy M, Djanaguiraman M and Kalpana R (2024) Unraveling the volatile metabolites and potential plant-stimulating properties of organically extracted Caulerpa racemosa. Front. Sustain. Food Syst. 8:1433974. doi: https://doi.org/10.3389/fsufs.2024.1433974

Lee, Y., Ricky, S., Lim, T. H., Kim, H., Lee, E. J., Song, Y., Lee, S., & Jang, Y. (2023). An Atmospheric Plasma Jet Induces Expression of Wound Healing Genes in Progressive Burn Wounds in a Comb Burn Rat Model: A Pilot Study. *Journal of Burn Care and Research*, *44*(3), 685–692. https://doi.org/10.1093/jbcr/irab005

Li, H., Tian, J., Cao, H., Tang, Y., Huang, F., & Yang, Z. (2023). Preparation of Enzyme-Soluble Swim Bladder Collagen from Sea Eel (Muraenesox

cinereus) and Evaluation Its Wound Healing Capacity. Marine Drugs, 21(10), 525. https://doi.org/10.3390/md21100525

Lin, X., Chen, Y., Jin, H., Zhao, Q., Liu, C., Li, R., Yu, F., Chen, Y., Huang, F., Yang, Z., Ding, G., & Tang, Y. (2019). Collagen Extracted from Bigeye Tuna (Thunnus obesus) Skin by Isoelectric Precipitation: Physicochemical Properties, Proliferation, and Migration Activities. Marine Drugs, 17(5), 261. https://doi.org/10.3390/md17050261

Luca Salvatore, Nunzia Gallo, Maria Lucia Natali, Lorena Campa, Paola Lunetti, Marta Madaghiele, Federica Stella Blasi, Angelo Corallo, Loredana Capobianco, Alessandro Sannino. (2020). Marine collagen and its derivatives: Versatile and sustainable bio-resources for healthcare, Materials Science and Engineering: C, Volume 113, , 110963, ISSN 0928-4931, https://doi.org/10.1016/j.msec.2020.110963.

Lutfia, A., Munir, E., Yurnaliza, Y., & Basyuni, M. (2021). Chemical analysis and anticancer activity of sesterterpenoid from an endophytic fungus Hypomontagnella monticulosa Zg15SU and its host Zingiber griffithii Baker. Heliyon, 7(2), e06292. https://doi.org/10.1016/j.heliyon.2021.e06292

Martin Giera, Jean M. Galano. (2019). Eicosanoids. Encyclopedia of Analytical Science (Third Edition), Academic Press, Pages 259-263. https://doi.org/10.1016/B978-0-12-409547-2.13984-8.

Mathew-Steiner, S.S., Roy, S., Sen, C.K. (2021). Collagen in Wound Healing. Bioengineering , 8, 63. https://doi.org/10.3390/bioengineering8050063.

Mishra, V., Tomar, S., Yadav, P., Vishwakarma, S., & Singh, M. P. (2022a). Elemental Analysis, Phytochemical Screening and Evaluation of Antioxidant, Antibacterial and Anticancer Activity of Pleurotus ostreatus through In Vitro and In Silico Approaches. Metabolites, 12(9), 821. https://doi.org/10.3390/metabo12090821

Mitu, S. A., Bose, U., Suwansa-ard, S., Turner, L. H., Zhao, M., Elizur, A., Ogbourne, S. M., Shaw, P. N., & Cummins, S. F. (2017). Evidence for a Saponin Biosynthesis Pathway in the Body Wall of the Commercially Significant Sea Cucumber Holothuria scabra. Marine Drugs, 15(11), 349. https://doi.org/10.3390/md15110349

Mo, C., Wang, Q., Li, G., Dong, W., Liang, F., Wu, C., Wang, Z., & Wang, Y. (2023). Extraction and Characterization of Pepsin- and Acid-Soluble Collagen from the Swim Bladders of Megalonibea fusca. Marine Drugs, 21(3), 159. https://doi.org/10.3390/md21030159

Muflihunna, Mu'nisa, Hala, Hasri. (2021). Gas Chromatography-Mass Spectrometry (GC-MS) Analysis and Antioxidant Activity of Sea-Cucumber (Holothurian atra and Holothurian edulis) From Selayar Island. Journal of Physics: Conference Series. 1752. 012057. Doi: https://doi.org/10.1088/1742-6596/1752/1/012057.

National Center for Biotechnology Information (2025). PubChem Compound Summary for CID 21630, 2-Ethylhexyl 3-(4-methoxyphenyl)prop-2-enoate. Retrieved November 9, 2025 from https://pubchem.ncbi.nlm.nih.gov/compound/2-Ethylhexyl-3-_4 methoxyphenyl_prop-2-enoate.

Nashchekina, Yuliya & V.A., Konson & M.Y., Sirotkina & Nashchekin, A.. (2022). Structure and stability of composite gels based on collagen and carboxymethylcellulose. Technical Physics. 67. 1716. 10.21883/TP.2022.12.55210.221-22.

Noonong K, Sobhon P, Sroyraya M and Chaithirayanon K. (2020) Neuroprotective and Neurorestorative Effects of Holothuria scabra Extract in the MPTP/MPP+-Induced Mouse and Cellular Models of Parkinson's Disease. Front. Neurosci. 14:575459. doi: https://doi.org/10.3389/fnins.2020.575459

Nurhalimah, S., Rahmawati, S. I., Hermanianto, J., Nurjanah, S., Izzati, F. N., Septiana, E., Rachman, F., Bustanussalam, B., Hapsari, Y., Simanjuntak, P., & Putra, M. Y. (2021). Aktivitas Antioksidan Dari Metabolit Sekunder Kapang Endofit Mangrove Aegiceras corniculatum. *Biopropal Industri*, *12*(1), 51. https://doi.org/10.36974/jbi.v12i1.6539

Nugroho, A., Harahap, I.A., Ardiansyah, A. et al. (2022). Antioxidant and antibacterial activities in 21 species of Indonesian sea cucumbers. J Food Sci Technol 59, 239–248. https://doi.org/10.1007/s13197-021-05007-6.

Obagi, Damiani, Grada, Falanga. (2019). Principles of Wound Dressings: A Review. Surgical technology international. 35, 50-57.

Oscarsson, J., & Hurt-Camejo, E. (2017). Omega-3 fatty acids eicosapentaenoic acid and docosahexaenoic acid and their mechanisms of action on apolipoprotein B-containing lipoproteins in humans: A review. In *Lipids in Health and Disease* (Vol. 16, Issue 1). BioMed Central Ltd. https://doi.org/10.1186/s12944-017-0541-3

Oslan, S. N. H., Shapawi, R., Mokhtar, R. A. M., Noordin, W. N. M., & Huda, N. (2022). Characterization of Acid- and Pepsin-Soluble Collagen Extracted from the Skin of Purple-Spotted Bigeye Snapper. Gels, 8(10), 665. https://doi.org/10.3390/gels8100665

Pal P, Srivas PK, Dadhich P, Das B, Maity PP, Moulik D, Dhara S.(2016). Accelerating full thickness wound healing using collagen sponge of mrigal fish (Cirrhinus cirrhosus) scale origin. Int J Biol Macromol. Dec;93(Pt B):1507-1518. doi: https://10.1016/j.ijbiomac.2016.04.032

Park SY, Lim HK, Lee S, Hwang HC, Cho SK, Cho M.(2012). Pepsin-solubilised collagen (PSC) from Red Sea cucumber (Stichopus japonicus) regulates cell cycle and the fibronectin synthesis in HaCaT cell migration. Food Chem. May 1;132(1):487-92. doi: https://10.1016/j.foodchem.2011.11.032.

Potaros, Treesin & Raksakulthai, Nongnuch & Runglerdkreangkrai, Jiraporn & Worawattanamateekul, Wanchai. (2009). Characteristics of collagen from Nile tilapia (Oreochromis niloticus) skin isolated by two different methods. Nat. Sci.). 43. 584-593.

Pranweerapaiboon K, Noonong K, Apisawetakan S, Sobhon P, Chaithirayanon K. (2021). Methanolic Extract from Sea Cucumber, Holothuria scabra, Induces Apoptosis and Suppresses Metastasis of PC3 Prostate Cancer Cells Modulated by MAPK Signaling Pathway. J Microbiol Biotechnol. Jun 28;31(6):775-783. doi: https://10.4014/jmb.2103.03034

Purcell S.W. (2012). Comercially Important Sea Cucumber Of The World. FAO Species Catalogue for Fishery Purposes No. 6.

Putra, Nurhidayati, Dewi, Saputri. (2021). Efek Protektif Ekstrak Teripang Pasir (Holothuria Scabra) Terhadap Kejadian Inflamasi Pada Mencit. Sasambo Journ. Pharm, 2(1). https://doi.org/10.29303/sjp.v6i1.264

Rahayu, Prihantini, Krisnawati, Nugraheni, Y.M.M.. (2022). Chemical components of different parts of Strychnos ligustrina, a medicinal plant from Indonesia. IOP Conference Series: Earth and Environmental Science. 959. 012061. doi: https://10.1088/1755-1315/959/1/012061.

Rahmah, Aisha & Arma, Utmi & Lestari, Citra & Edrizal, Edrizal & Zia, Hanim. (2024). Uji zona hambat ekstrak metanol teripang putih (holothuria scabra) mentawai terhadap Streptococcus sanguinis pada Stomatitis Aftosa Rekuren secara in vitro: studi eksperimental. Padjadjaran Journal of Dental Researchers and Students. 8. 71. 10.24198/pjdrs.v8i1.52551.

Reza, A. S. M. A., Haque, M. A., Sarker, J., Nasrin, M. S., Rahman, M. M., Tareq, A. M., Khan, Z., Rashid, M., Sadik, M. G., Tsukahara, T., & Alam, A. K. (2021). Antiproliferative and antioxidant potentials of bioactive edible vegetable fraction of Achyranthes ferruginea Roxb. in cancer cell line. Food science & nutrition, 9(7), 3777–3805. https://doi.org/10.1002/fsn3.2343

S. Moni, Jabeen, Sanobar, Rehman, Alam, Elmobark. (2021). Bioactive constituents and in vitro antibacterial properties of Petroselinum crispum leaves, a common food herb in Saudi Arabia. Indian Journal of Natural Products and Resources. 12. 445-450.

Saallah, S., Roslan, J., Julius, F. S., Saallah, S., Mohamad Razali, U. H., Pindi, W., Sulaiman, M. R., Pa'ee, K. F., & Mustapa Kamal, S. M. (2021). Comparative Study of The Yield and Physicochemical Properties of Collagen from Sea Cucumber (Holothuria scabra), Obtained through Dialysis and the Ultrafiltration Membrane. Molecules, 26(9), 2564. https://doi.org/10.3390/molecules26092564

Sedlář, M., Kacvinská, K., Fohlerová, Z. et al. (2023). A synergistic effect of fibrous carboxymethyl cellulose with equine collagen improved the hemostatic properties of freeze-dried wound dressings. Cellulose 30, 11113–11131 . https://doi.org/10.1007/s10570-023-05499-9

Silva Júnior, Z. S., Botta, S. B., Ana, P. A., França, C. M., Fernandes, K. P., Mesquita-Ferrari, R. A., Deana, A., & Bussadori, S. K. (2015). Effect of papain-based gel on type I collagen--spectroscopy applied for microstructural analysis. Scientific reports, 5, 11448. https://doi.org/10.1038/srep11448

Song, W.-K., Liu, D., Sun, L.-L., Li, B.-F., & Hou, H. (2019). Physicochemical and Biocompatibility Properties of Type I Collagen from the Skin of Nile Tilapia (Oreochromis niloticus) for Biomedical Applications. Marine Drugs, 17(3), 137. https://doi.org/10.3390/md17030137

Sugama K. (2019). Aspek Biologi dan Budidaya Teripang Pasir, Holothuria scabra. Amafrad Press.

Syahputra, Gita & Firdaus, Muhammad & Santoso, Pugoh & Kusharyoto, Wien & Gustini, Nunik. (2021). Extraction and Characterization of Collagen from Sand Sea Cucumber (Holothuria scabra) (Ekstraksi dan Karakterisasi Kolagen dari Teripang Pasir (Holothuria scabra)). Jurnal Ilmu Pertanian Indonesia. 319-327. doi: https://10.18343/jipi.26.3.319

Tangrodchanapong, T., Sornkaew, N., Yurasakpong, L., Niamnont, N., Nantasenamat, C., Sobhon, P., & Meemon, K. (2021). Beneficial Effects of Cyclic Ether 2-Butoxytetrahydrofuran from Sea Cucumber Holothuria scabra against Aβ Aggregate Toxicity in Transgenic Caenorhabditis elegans and Potential Chemical Interaction. Molecules (Basel, Switzerland), 26(8), 2195. https://doi.org/10.3390/molecules26082195

Thorne, CH, Chung, KC, Gosain, AK, Gurtner, GC, Mehrara, BJ, Rubin, JP & Spear. (2013). Grabb and Smith's plastic surgery:Seventh edition. Wolters Kluwer Health Adis (ESP).

Tuchinda, Patoomratana & Sobhon, Prasert & Tinikul, Yotsawan & Poljaroen, Jaruwan & Tinikul, Ruchanok & Sroyraya, Morakot & Poomton, Tanes & Chaichotranunt, Supakant. (2017). An antioxidant activity of the whole body of Holothuria scabra. Chemical and Biological Technologies in Agriculture. 4. 10.1186/s40538-017-0087-7.

Velnar, T., Bailey, T., & Smrkolj, V. (2009). The wound healing process: an overview of the cellular and molecular mechanisms. The Journal of international medical research, 37(5), 1528–1542. https://doi.org/10.1177/147323000903700531

Vidal, B.deC., & Mello, M. L. (2011). Collagen type I amide I band infrared spectroscopy. Micron (Oxford, England : 1993), 42(3), 283–289. https://doi.org/10.1016/j.micron.2010.09.010

Wargasetia TL, Ratnawati H, Widodo N, Widyananda MH. (2023). Antioxidant and Anti-inflammatory Activity of Sea Cucumber (Holothuria scabra) Active Compounds against KEAP1 and iNOS Protein. Bioinformatics and Biology Insights; 17. doi: https://10.1177/11779322221149613

Wiadnyana, Ngurah N, Puspasari, Reny, Mahulette, Ralph. (2017). Status Sumber Daya Dan Perikanan Teripang Di Indonesia: Pemanfaatan Dan Perdagangan. Jurnal Kebijakan Perikanan Indonesia. 1. 45. 10.15578/jkpi.1.1.2009.45-60.

Yang, L., Wang, Y., Yang, S., & Lv, Z. (2018). Separation, purification, structures and anticoagulant activities of fucosylated chondroitin sulfates from Holothuria scabra. International journal of biological macromolecules, 108, 710–718. https://doi.org/10.1016/j.ijbiomac.2017.11.058

Yingyue Chen, Huoxi Jin, Fei Yang, Shujie Jin, Chenjuan Liu, Liukai Zhang, Ju Huang, Shiguang Wang, Zhongyong Yan, Xuwei Cai, Rui Zhao, Fangmiao Yu, Zuisu Yang, Guofang Ding, Yunping Tang. (2019).

Physicochemical, antioxidant properties of giant croaker (Nibea japonica) swim bladders collagen and wound healing evaluation, International Journal of Biological Macromolecules, Volume 138, Pages 483-491, ISSN 0141-8130, https://doi.org/10.1016/j.ijbiomac.2019.07.111.

Zhang, W., Zheng, J., Tian, X., Tang, Y., Ding, G., Yang, Z., & Jin, H. (2019). Pepsin-Soluble Collagen from the Skin of Lophius litulo: A Preliminary Study

Evaluating Physicochemical, Antioxidant, and Wound Healing Properties. Marine Drugs, 17(12), 708. https://doi.org/10.3390/md17120708

Zong, J., Jiang, J., Shi, P., Liu, J., Wang, W., Li, B., Zhao, T., Pan, T., Zhang, Z., Bi, L., Diao, Y., & Wang, S. (2020). Fatty acid extracts facilitate cutaneous wound healing through activating AKT, ERK, and TGF-β/Smad3 signaling and promoting angiogenesis. American journal of translational research, 12(2), 478–492.