

DAFTAR PUSTAKA

- American Diabetes Association, 2018. Glycemic Targets: Standards of Medical Care in Diabetes. 41(suppl):S55-S64.
- Aravinda, J. (2019). Risk factors in patients with type 2 diabetes in Bengaluru: A retrospective study. *World Journal of Diabetes*, 10(4), 241.
- Aynalem, S. B., & Zeleke, A. J. (2018). Prevalence of diabetes mellitus and its risk factors among individuals aged 15 years and above in Mizan -Aman town, Southwest Ethiopia, 2016: a cross sectional study. *International journal of endocrinology*, 2018(1), 9317987.
- Bi, J., Li, X., Zhang, Y., et al. (2024). Relationships of serum FGF23 and α -klotho with atherosclerosis in patients with type 2 diabetes mellitus. *Cardiovascular Diabetology*, 23, 128.
- Budiarti, Novi Yulia (2020). Pedoman Nasional Pelayanan Kedokteran Tata Laksana Diabetes Melitus Tipe 2 Dewasa", *Sustainability (Switzerland)*, 4 (1), pp. 1–9.
- Cerf, M. E. (2013). Beta cell dysfunction and insulin resistance. *Frontiers in Endocrinology*, 4, 37.
- Chen S, Shen Y, Liu YH, Dai Y, Wu ZM, Wang XQ, et al, 2021. Impact of Glycemic Control on Association of Endothelial Dysfunction and Coronary Artery Disease in Patients with Type 2 Diabetes Mellitus. In: *Cardiovascular Diabetology*. 20:64.p:1-9
- Ciardullo, S., & Perseghin, G. (2022). Soluble α -Klotho levels, glycemic control and renal function in US adults with type 2 diabetes. *Acta Diabetologica*, 59(6), 803– 809.
- Donate-Correa, J., Martín-Núñez, E., Mora-Fernández, C., González-Luis, A., Martín-Olivera, A., Navarro-González, J. F., ... et al. (2023). Association of Klotho with coronary artery disease in subjects with type 2 diabetes mellitus and preserved kidney function: A case-control study. *International Journal of Molecular Sciences*, 24(17), 13456.
- Donnelly, R., & Bilous, R. (2014). *Buku Pegangan Diabetes Edisi Ke-4*. Yogyakarta: Bumi Medika
- Freeman VS, 2018. Carbohydrates. In: *Clinical Chemistry : Principles, techniques and correlations eighth edition*. Editor Bishop ML, Fody EP, Schoeff LE. Wolter Kluwer. p: 754-66.
- Garcia UG, Benito-Vicente A, Jebari S, Larrea-Sebal A, Siddiqi H, Uribe KB, et al, 2020. Pathophysiology of Type 2 Diabetes Mellitus. In: *Int.J.Mol.Sci*. 21.6275.p:1-34
- Ghongade PV, Atram MA, Shivkumar VB, 2020. A Study of Correlation of Plasma Fibrinogen Levels with Glycemic Status in Type-2 Diabetes Mellitus Patients. In: *Journal of Pathology of Nepal*. 10.p:1746-50.
- Giacco, F., & Brownlee, M. (2010). Oxidative stress and diabetic complications. *Circulation Research*, 107(9), 1058–1070.
- Halban, P. A., Polonsky, K. S., Bowden, D. W., Hawkins, M. A., Ling, C., Mather, K. J., Powers, A. C., Rhodes, C. J., Sussel, L., & Weir, G. C. (2014). β -Cell failure in type 2 diabetes: Postulated mechanisms and prospects for prevention and treatment. *Diabetes Care*, 37(6), 1751–1758.
- Hudish, L. I., Reusch, J. E. B., & Sussel, L. (2019). β -Cell dysfunction during

- progression of metabolic syndrome to type 2 diabetes. *Journal of Clinical Investigation*, 129(10), 4001–4009.
- Hu, M. C., Shiizaki, K., & Kuro-o, M. (2021). Klotho and metabolic regulation: Implications for diabetes and insulin resistance. *Journal of Diabetes Research*, 2021.
- International Diabetes Federation (IDF).2019. *IDF Diabetes Atlas Ninth Edition 2019*. IDF; 2019.
- John, W. G. (2012). Use of HbA 1c in the diagnosis of diabetes mellitus in the UK. The implementation of World Health Organization guidance 2011. *Diabetic medicine*, 29(11).
- Kemenkes RI, K. R. (2016). *Pedoman umum: Program Indonesia sehat dengan pendekatan keluarga*.
- Kementerian Kesehatan Republik Indonesia (Kemenkes RI), 2019. *Laporan Nasional Riskesdas 2018*. Badan Penelitian dan Pengembangan Kesehatan (Badan Litbangkes), Jakarta.
- Kleinaki, Z., Kapnisi, S., Theodorelou-Charitou, S. A., Nikas, I. P., & Paschou, S. A. (2020). Type 2 diabetes mellitus management in patients with chronic kidney disease: an update. *Hormones*, 19, 467-476.
- Kosmopoulos M, Drekolias D, Zavras P, Piperi C, Papavassiliou AG, 2019. Impact of Advanced Glycation End Product (AGEs) signaling in Coronary Artery Disease. In: *BBA Molecular Basis of Disease*. 1865.p:611-19.
- Kurniawan, B.L., 2024., *HbA1c As Diabetes Mellitus Biomarker and Its Methods Evolution*. Division of Endocrinology and Metabolic, Department of Clinical Pathology, Faculty of Medicine, Hasanuddin University, Makassar. *Journal of Clinical Pathology and Medical Laboratory* 30 (2): 191-196.
- Lee, E. Y., & Kuro-o, M. (2020). The role of Klotho in glucose metabolism and insulin sensitivity. *Frontiers in Endocrinology*, 11.
- Lee, E. Y., Kim, J. H., Park, J. S., et al. (2014). Soluble α -Klotho as a novel biomarker in the early stage of nephropathy in patients with type 2 diabetes. *PLOS ONE*, 9(2), e102984.
- Leiva, A. M., Martínez, M. A., Petermann, F., Garrido-Méndez, A., Poblete-Valderrama, F., Díaz-Martínez, X., & Celis-Morales, C. (2018). Factores asociados al desarrollo de diabetes mellitus tipo 2 en Chile. *Nutricion hospitalaria*, 35(2), 400-407.
- Lin, Y., Kuro-o, M., & Sun, Z. (2013). Genetic deficiency of anti-aging gene Klotho exacerbates early nephropathy in STZ-induced diabetes in male mice. *Endocrinology*, 154(10), 3855-3863. <https://doi.org/10.1210/en.2013-1024>
- Memon, R. et al. (2021). Knowledge of Hemoglobin A1c and Glycemic Control in an Urban Population", *Cureus*, 13(3)
- Nadkarni P, Weinstock RS, 2017. Carbohydrate. In: *Henry's Clinical Diagnosis and Management by Laboratory Method 23th Edition*. McPherson RA, Pincus MR, ed. Elsevier.p:225-36
- Nie, F., Wu, D., Du, H., et al. (2017). Serum klotho protein levels and their correlations with the progression of type 2 diabetes mellitus. *Journal of Diabetes and Its Complications*, 31(3), 594–598.
- Ogurtsova K, da Rocha F, Huang JD, Linnenkamp U, Guariguata L, Cho NH, et al. 2017. *IDF Diabetes Atlas: Global estimates for prevalence of diabetes for 2015 and 2040*. In : *Clinical Research and Clinical Practice*. 128. p:40-50.
- Owora, A. H. (2018). Diagnostic validity and clinical utility of HbA1c tests for type 2

- diabetes mellitus. *Current diabetes reviews*, 14(2), 196.
- Perkeni, 2015, *Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia*, PERKENI, Jakarta: 13
- Perkeni, 2021. *Pedoman Pengelolaan dan pencegahan Diabetes Melitus Tipe 2 di Indonesia 2021*, PB Perkeni.
- Perkumpulan Endokrin Indonesia (Perkeni), 2019. *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe-2 Dewasa di Indonesia 2019*. PBPerkeni. Jakarta.
- Powers, A. C. (2005). Diabetes Mellitus. In D. L. Kasper, A. S. Fauci, D. L. Longo, E. Braunwald, S. L. Hauser, & J. L. Jameson (Eds.), *Harrison's Principles of Internal Medicine* (16th ed., Vol. 2, pp. 2152–2180). McGraw-Hill.
- Que, A., Yasa, I. W. P. S., & Lestari, A. W. (2015). Gambaran Hasil Pemeriksaan Kadar Hba1c Pada Penderita Diabetes Mellitus di Laboratorium Rumah Sakit Umum Surya Husadha Tahun 2013. *E-Jurnal Medika Udayana*, 1395-2303.
- Rahmasari, I., Wahyuni, E. S., Keperawatan, D., Bedah, M., Sarjana, P., & Stikes, K. (2019). Efektivitas Memordoca carantia (pare) terhadap penurunan kadar glukosa darah. *Infokes*, 9(1), 57-64.
- Riskesdas (2018). Hasil Utama Riset Kesehatan Dasar (RISKESDAS) Journal of cPhysics cA: cMathematical cand cTheoretical, c44(8), c1–200.
- Sacks DB, 2016. Diabetes. In: *Tietz Fundamental of Clinical Chemistry And Molecular Diagnostics*, Seventh edition. Elsevier, Inc. p: 608-59.
- Santosa, B. 2020. *Buku Teknik Elisa*. Penerbit Unimus Press © 2020 Unimus Press Jl. Kedungmundu Raya No. 18 Semarang, 50273 Telp. (024) 76740296. Hal 6-7. ISBN :978-602-561493-4.
- Schwartz SS, Eipstein A, Corkey BE, Grant SFA, Gavin JR, Agulair RB, 2016. The Time is Right for New Classification System for Diabetes Rationaleand Implications of the β -cell-Centric Classification Schema. In: *Diabetes care*.39.p179-86.
- Sobczak AIS, Stewart AJ, 2019. Coagulatory Defect in Type-1 and Type-2 Diabetes. In: *International Journal of Molecular Sciences*. 20. p:1-27.
- Speeckaert, R., Lambert, J., Grine, L., Van Gele, M., De Schepper, S., & van Geel, N. (2016). The many faces of interleukin-17 in inflammatory skin diseases. *British Journal of Dermatology*, 175(5), 892-901.
- Tang, A., Zhang, Y., Wu, L., Lin, Y., Lv, L., Zhao, L., Xu, B., Huang, Y., & Li, M. (2023). Klotho's impact on diabetic nephropathy and its emerging connection to diabetic retinopathy. *Frontiers in Endocrinology*, 14, 1180169
- Utomo, A. A., Rahmah, S., & Amalia, R. (2020). Faktor risiko diabetes mellitus tipe 2: A systematic review. *AN-NUR: Jurnal Kajian dan Pengembangan Kesehatan Masyarakat*, 1(1), 44-53.
- Wang, J., Luo, X., Jin, X., Lv, M., Li, X., Dou, J., ... & Mu, Y. (2020). Effects of preoperative HbA1c levels on the postoperative outcomes of coronary artery disease surgical treatment in patients with diabetes mellitus and nondiabetic patients: a systematic review and meta-analysis. *Journal of Diabetes Research*, 2020(1), 3547491.
- Yan, L., Hu, X., Wu, S., & Zhao, S. (2024). Serum klotho and insulin resistance: Insights from a cross-sectional analysis. *Medicine*, 103(17), e37971.
- Yunanto, KW (2018). *Pengetahuan, sikap, dan tindakan terhadap pola hidup terkait faktor risiko diabetes melitus tipe 2 pada remaja di Kecamatan Kraton Yogyakarta [Skripsi]*. Yogyakarta: Universitas Sanata Dharma

- Zhang, L., & Liu, T. (2018). Clinical implication of alterations in serum Klotho levels in patients with type 2 diabetes mellitus and its associated complications. *Journal of Diabetes and Its Complications*, 32(10), 922–930.
- Zhang, Y., Li, G., Xiao, F., et al. (2023). Relationship between serum fibroblast growth factor 19 and vascular endothelial growth factor and soluble klotho protein in type 1 diabetic children. *BMC Pediatrics*, 23, 120.
- Zheng, Y., Ley, S. H., & Hu, F. B. (2018). Global aetiology and epidemiology of type 2 diabetes mellitus and its complications. *Nature reviews endocrinology*, 14(2), 88-98.
- Zou, D., Sun, Y., Zhang, L., et al. (2018). The role of Klotho in chronic kidney disease. *BMC Nephrology*, 19, 285.