

DAFTAR PUSTAKA

- Adebayo, E. A., & Fasuan, O. S. (2025). *Avocado (Persea americana) peel : a promising source of bioactive compounds*. October. <https://doi.org/10.3389/fnut.2025.1642969>
- Ambarwati, N. S. S., Sukma, N. T., Yesi Desmiaty, A. A., Setia Budi, M. A., & Ahmad, I. (2024). peel extract : Secondary metabolite composition , antioxidant , and elastase inhibitory activity evaluation. *Journal of Advanced Pharmaceutical Technology & Research*, 15(1), 8–12. <https://doi.org/10.4103/japtr.japtr>
- Aminah, A., Tomayahu, N., & Abidin, Z. (2017). Penetapan Kadar Flavonoid Total Ekstrak Etanol Kulit Buah Alpukat (*Persea americana* Mill.) Dengan Metode Spektrofotometri UV-Vis. *Jurnal Fitofarmaka Indonesia*, 4(2), 226–230. <https://doi.org/10.33096/jffi.v4i2.265>
- Anatachodwanit, A., Chanpirom, S., Tree-Udom, T., Kitthaweesinpoon, S., Jiamphun, S., Aryuwat, O., Tantapakul, C., Vinardell, M. P., & Sripisut, T. (2025a). Upcycled Cocoa Pod Husk: A Sustainable Source of Phenol and Polyphenol Ingredients for Skin Hydration, Whitening, and Anti-Aging. *Life (Basel, Switzerland)*, 15(7). <https://doi.org/10.3390/life15071126>
- Anggreni, N. M. D., Putra, G. P. G., & Wrsiati, L. P. (2019). Karakteristik Ekstrak Kulit Buah Kakao (*Theobroma cacao* L.) sebagai Sumber. *Karakteristik Ekstrak Kulit Buah Kakao (Theobroma Cacao L.) Sebagai Sumber Antioksidan Pada Perlakuan Jenis Pelarut Dan Waktu Maserasi*, 8(1), 1–10.
- Arifah, F. A., & Aprilia, I. R. (2019). Potensi Buah Apel (*Malus domestica*) Dalam Mengatasi Penyakit Asma. *Proceeding of Biology Education*, 3(1), 208–212.
- Ariyanti, M., & Wahyuni. (2019). Kandungan Flavonoid Dan Total Fenol Pada Bubuk Kakao Fermentasi. *Prosiding Seminar Nasional Penelitian & Pengabdian Kepada Masyarakat, 2019*, 76–79. www.kompas.co.id/
- Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., Jahurul, M. H. Al, Ghafoor, K., Norulaini, N. A. N., & Omar, A. K. M. (2013). Techniques for extraction of bioactive compounds from plant materials: A review. *Journal of Food Engineering*, 117(4), 426–436.
- Biswas, A., Dey, S., Xiao, A., Deng, Y., Birhanie, Z. M., & Roy, R. (2023). Ultrasound - assisted extraction (UAE) of antioxidant phenolics from *Corchorus olitorius* leaves : a response surface optimization. *Chemical and Biological Technologies in Agriculture*. <https://doi.org/10.1186/s40538-023-00443-2>
- Bitalebi, S., Nikoo, M., Rahmanifarah, K., Noori, F., & Ahmadi Gavlighi, H. (2019). Effect of apple peel extract as natural antioxidant on lipid and protein oxidation of rainbow trout (*Oncorhynchus mykiss*) mince. *International Aquatic Research*, 11(2), 135–146. <https://doi.org/10.1007/s40071-019-0224-y>

- Briliantama, A., Mutmainah, N., Oktaviani, D., Rahmawati, S., & Setyaningsih, W. (2022). *Optimization of Ultrasound-Assisted Extraction (UAE) for Simultaneous Determination of Individual Phenolic Compounds in 15 Dried Edible Flowers*.
- Domanskyi, A., & Parlato, R. (2022). Oxidative stress in neurodegenerative diseases. In *Antioxidants* (Vol. 11, Issue 3, p. 504). MDPI.
- El Mannoubi, I. (2023). Impact of different solvents on extraction yield, phenolic composition, in vitro antioxidant and antibacterial activities of deseeded *Opuntia stricta* fruit. *Journal of Umm Al-Qura University for Applied Sciences*, 9(2), 176–184. <https://doi.org/10.1007/s43994-023-00031-y>
- Evary, Y. M., Amir, M. N., Raihan, M., & Laela, D. P. (2025). Effects of Solvent Type and Simplicia-to-Solvent Ratio on the Phenolics, Flavonoids, and Antioxidant Activity of Torch Ginger (*Etlingera elatior*) Fruit. *Tropical Journal of Natural Product Research*, 9(2).
- Harefa, M. S., Almsyah, F., Sitohang, R. U., Sartika, L., Medan, K., Provinsi, M., & Utara, S. (2025). *Pengolahan Limbah Kulit Buah dari Pedagang Jus Menjadi Eco Enzyme dalam Upaya Mengurangi Pencemaran Lingkungan bahwa rendahnya kesadaran masyarakat terhadap pengelolaan limbah kulit buah disebabkan Lokasi Penelitian. November*.
- He, X., & Liu, R. H. (2008). Phytochemicals of apple peels: isolation, structure elucidation, and their antiproliferative and antioxidant activities. *Journal of Agricultural and Food Chemistry*, 56(21), 9905–9910. <https://doi.org/10.1021/jf8015255>
- Hmamou, A., Eloutassi, N., Alshawwa, S. Z., Al Kamaly, O., Kara, M., Bendaoud, A., El-Assri, E. M., Tlemcani, S., El Khomsi, M., & Lahkimi, A. (2022). Total Phenolic Content and Antioxidant and Antimicrobial Activities of *Papaver rhoeas* L. Organ Extracts Growing in Taounate Region, Morocco. *Molecules*, 27(3), 1–12. <https://doi.org/10.3390/molecules27030854>
- Hoca, M., Becer, E., & Vatansever, H. S. (2023). The role of resveratrol in diabetes and obesity associated with insulin resistance. *Archives of Physiology and Biochemistry*, 129(2), 555–561. <https://nawalaeducation.com/index.php/JN>. (2024). 1(2), 23–31.
- Hussain, T., Kalhor, D. H., & Yin, Y. (2023). Identification of nutritional composition and antioxidant activities of fruit peels as a potential source of nutraceuticals. *Frontiers in Nutrition*, 9, 1065698.
- Irawan, C., Hanafi, L. S., Rochaeni, H., & Lestari, P. S. (2017). Comparison of total phenolic content in seed, flesh fruit and peel of *Pometia pinnata* from Indonesia. *Seed*, 177(118.80), 118–122.
- Islami, D., Dini, B. M., Ramadhan, W., Dini Ma Iballa, B., & Dehardiyanti Siregar, E. (2021). *Skrining fitokimia dan uji aktivitas antioksidan dari kulit buah matoa pometia pinnata J.R.Forst & G. Frost*. 9.

- Jeon, D., Jo, M., Lee, Y., Park, S.-H., Phan, H. T. L., Nam, J. H., & Namkung, W. (2023). Inhibition of ANO1 by cis-and trans-resveratrol and their anticancer activity in human prostate cancer PC-3 cells. *International Journal of Molecular Sciences*, 24(2), 1186.
- Jin, S., & Kang, P. M. (2024). A systematic review on advances in management of oxidative stress-associated cardiovascular diseases. *Antioxidants*, 13(8), 923.
- Kartikawati, E., & Deswati, D. A. (2020). Uji EFEK ANALGETIK EKSTRAK ETANOL DAUN ASAM JAWA (*Tamarindus Indica* L) Pada MENCIT PUTIH JANTAN GALUR SWISS WEBSTER. *Jurnal Sabdariffarma*, 9(1), 11–18. <https://doi.org/10.53675/jsfar.v2i1.24>
- Klongdee, S., & Klinkesorn, U. (2022). Optimization of accelerated aqueous ethanol extraction to obtain a polyphenol-rich crude extract from rambutan (*Nephelium lappaceum* L.) peel as natural antioxidant. *Scientific Reports*, 12(1), 21153. <https://doi.org/10.1038/s41598-022-25818-7>
- Krisnaningsih, A. T. N., Brihandhono, A., & Rahayu, P. P. (2024). Enhancing bioactive content in *Malus sylvestris* peel extract for antioxidant source using microwave-assisted extraction (MAE) and predicting the potential of ant nests. *F1000Research*, 13, 653. <https://doi.org/10.12688/f1000research.145898.1>
- Liu, H.-M., Cheng, M.-Y., Xun, M.-H., Zhao, Z.-W., Zhang, Y., Tang, W., Cheng, J., Ni, J., & Wang, W. (2023). Possible mechanisms of oxidative stress-induced skin cellular senescence, inflammation, and cancer and the therapeutic potential of plant polyphenols. *International Journal of Molecular Sciences*, 24(4), 3755.
- Lyu, X., Agar, O. T., Barrow, C. J., Dunshea, F. R., & Suleria, H. A. R. (2023). Phenolic Compounds Profiling and Their Antioxidant Capacity in the Peel, Pulp, and Seed of Australian Grown Avocado. *Antioxidants*, 12(1), 1–22. <https://doi.org/10.3390/antiox12010185>
- Mistriyani, Riyanto, S., Windarsih, A., & Rohman, A. (2021). Antioxidant activities and identification of an active compound from rambutan (*nephelium lappaceum* L.) peel. *Indonesian Journal of Chemistry*, 21(2), 259–267. <https://doi.org/10.22146/ijc.50421>
- Monica, E. (2017). *Uji Aktivitas Antioksidan Dan Penetapan Kandungan Fenolik Total Uji Aktivitas Antioksidan Dan Penetapan Radikal bebas adalah atom atau molekul yang tidak stabil dan sangat reaktif . Radikal bebas akan sangat reaktif menyerang molekul-mole.* 8(November), 12–25.
- Mukharomah, M., Safitri, A., Ulfa, S. M., Pangestika, Jovanza, & Fatah, R. (2025). Standarisasi Ekstrak Kulit Buah Manggis (*Garcinia mangostana* L.) sebagai Sumber Bioaktif Berkualitas. *Mantra Bhakti*, 1(2), 57–65. <https://doi.org/10.47575/mb.v1i2.635>
- Muscolo, A., Mariateresa, O., Giulio, T., & Mariateresa, R. (2024). Oxidative stress: the role of antioxidant phytochemicals in the prevention and treatment of diseases. *International Journal of Molecular Sciences*, 25(6), 3264.

- Ni Putu Arista Dewi, & Ni Made Pitri Susanti. (2025). auan Pustaka Potensi Kakao (*Theobroma cacao* L.) sebagai Antioksidan dalam Mengatasi Stres Oksidatif. *Prosiding Workshop Dan Seminar Nasional Farmasi*, 3, 384–396. <https://doi.org/10.24843/wsnf.2024.v03.p37>
- Nirmal, N. P., Khanashyam, A. C., Mundanat, A. S., Shah, K., Babu, K. S., Thorakkattu, P., Al-Asmari, F., & Pandiselvam, R. (2023). Valorization of Fruit Waste for Bioactive Compounds and Their Applications in the Food Industry. *Foods*, 12(3), 1–26. <https://doi.org/10.3390/foods12030556>
- Nugraheni, T. S., Setiawan, I., & Putri, A. A. (2024). Tinjauan Artikel: Macam-Macam Metode Pengujian Aktivitas Antioksidan Article Various methods for testing antioxidant activity. *Jurnal of Pharmacy*, 13(1), 39–50.
- Nur Hasanah, S., Riyanti, S., & Kahfi Syam, A. (2023). Kombinasi Buah Karamunting, Jeruk Kunci, Dan Kelubi Sebagai Nutrasetika Dari Bangka Belitung Dan Aktivitas Antioksidannya. *Jurnal Ilmiah Farmasi Farmasyifa*, 6(2), 203–215. <https://doi.org/10.29313/jiff.v6i1.11938>
- Nurhayati, N., Lestari, T., Afgani, M. W., & Isnaini, M. (2025). *Correlational Research (Penelitian Korelasional)*. 4(3), 8–19.
- Putnik, P., Bursać Kovačević, D., Režek Jambrak, A., Barba, F. J., Cravotto, G., Binello, A., Lorenzo, J. M., & Shpigelman, A. (2017). Innovative “green” and novel strategies for the extraction of bioactive added value compounds from citrus wastes—A review. *Molecules*, 22(5), 680.
- R, M. P. J., Spektrofotometri, G. F., Nofita, D., Sari, S. N., Mardiah, H., Farmasi, A., Farma, D., Karya, J. P., Bulek, C. G., & Barat, S. (2020). *Chimica et Natura Acta Penentuan Fenolik Total dan Flavonoid Ekstrak Etanol Kulit Batang*. 8(1), 36–41.
- Rahaman, M. M., Hossain, R., Herrera-Bravo, J., Islam, M. T., Atolani, O., Adeyemi, O. S., Owolodun, O. A., Kambizi, L., Daştan, S. D., & Calina, D. (2023). Natural antioxidants from some fruits, seeds, foods, natural products, and associated health benefits: An update. *Food Science & Nutrition*, 11(4), 1657–1670.
- Rahmah, W., Hamzah, H., Hajar, S., Ressandy, S. S., & Putri, E. M. (2021). Potensi Ekstrak Buah Matoa (*Pometia Pinnata*) Sebagai Sumber Antioksidan: Literatur Review. *Jurnal Farmasi Sains Dan Praktis (JFSP)*, 7(1), 59–66. <https://journal.unimma.ac.id/index.php/pharmacy/article/view/4240>
- Ramadhani, N., Samudra, A. G., Pertiwi, R., Muslimah, A., Syahidah, W., & Khodijah, P. S. (2022). Analisis Total Fenol Dan Flavonoid Ekstrak Etanol Kulit Batang Sungkai (*Peronema canescens* Jack) Analysis of Total Phenol and Flavonoid Contents of Ethanol Extract of Sungkai (*Peronema canencens* Jack) Bark. *Pharmaceutical Journal of Indonesia*, 19(01), 66–76.
- Rizka, H. O., & Saptarini, N. M. (2018). Review: Pemanfaatan Kulit Buah Rambutan (*Nephelium lappaceum* Linn) Sebagai Sediaan Fungsional. *Farmaka*, 16(1), 361–366.

- Shu, P., Fan, S., Liu, S., Meng, Y., Wang, N., Guo, S., Yin, H., & Huang, J. (2025). *Ultrasound-Assisted Deep Eutectic Solvent Extraction of Flavonoids from Cercis chinensis Seeds : Optimization , Kinetics and Antioxidant Activity*. 1–23.
- Snoussi, A., Essaidi, I., Ben Haj Koubaier, H., Zrelli, H., Alsafari, I., Živoslav, T., Mihailovic, J., Khan, M., El Omri, A., Ćirković Veličković, T., & Bouzouita, N. (2021). Drying methodology effect on the phenolic content, antioxidant activity of *Myrtus communis* L. leaves ethanol extracts and soybean oil oxidative stability. *BMC Chemistry*, 15(1), 1–11. <https://doi.org/10.1186/s13065-021-00753-2>
- Su, M., Zhao, W., Xu, S., & Weng, J. (2022). Resveratrol in treating diabetes and its cardiovascular complications: a review of its mechanisms of action. *Antioxidants*, 11(6), 1085.
- Sukmanastiti, M., Desi Suyono Saputri, A., Sa, M., Studi DIII Farmasi, P., & Tinggi Ilmu Kesehatan Nasional, S. (2024). Pengujian Kadar Senyawa Flavonoid Ekstrak Terpurifikasi Kulit Buah Naga Merah (*Hylocereus Polyrhizus*) Menggunakan Spektrofotometri Uv-Vis. *Pharmacy Medical Journal*, 7(1), 33–40.
- Suleria, H. A. R., Barrow, C. J., & Dunshea, F. R. (2020). Screening and characterization of phenolic compounds and their antioxidant capacity in different fruit peels. *Foods*, 9(9), 1206.
- Thitilertdech, N. (2022). Storage effect on phenolic compounds and antioxidant activity of *Nephelium lappaceum* L. extract. *Cosmetics*, 9(2), 33.
- Tradisional, S. O. (2023). *Pharmacon-Program Studi Farmasi , Fmipa , Universitas Sam Ratulangi , Volume 12 Nomor 2 , Mei 2023 Phytochemical Screening Of Avocado (Persea Americana Mill) Peel Extract As Traditional Medicine Avocado peel is currently still a waste that has not been .* 12, 223–228.
- Wolfe, K., Wu, X., & Liu, R. H. (2003). Antioxidant activity of apple peels. *J. Agric. Food Chem.*, 51, 614.
- Yi, J., He, Q., Peng, G., & Fan, Y. (2022). Improved water solubility, chemical stability, antioxidant and anticancer activity of resveratrol via nanoencapsulation with pea protein nanofibrils. *Food Chemistry*, 377, 131942.
- Zerlinda Theafelicia, & Siti Narsito Wulan. (2023). Perbandingan Berbagai Metode Pengujian Aktivitas antioksidan (Dpph, Abts Dan Frap) Pada Teh Hitam (*Camelliasinensis*) Comparison of Various Methods for Testing Antioxidant Activity (DPPH, ABTS, and FRAP) on Black Tea (*Camellia sinensis*). *Teknologi Pertanian*, 24(1), 35–4. <https://pdfs.semanticscholar.org/b344/b18694db676caef6f1bebaee66a8c02ee40c.pdf>