

DAFTAR PUSTAKA

- Abegao Pinto, L.; Willekens, K.; Van Keer, K.; Shibesh, A.; Molenberghs, G.; Vandewalle, E.; Stalmans, I. Ocular blood flow in glaucoma—The Leuven Eye Study. *Acta Ophthalmol.* 2016, 94, 592–598.
- Abdulrazak S.; Nuhu, A. A.; Yashim, I. Z.; Prophylactic Administration of Ginkgo biloba Leaf Extract (EGb 761) Inhibits Inflammation in Carrageenan Rat Paw Edema Model. *Journal of Life Science and Biomedicine.* 8(2): 31-36, 2018.
- Adornetto, A.; Russo, R.; Parisi, V. Neuroinflammation as a target for glaucoma therapy. *Neural Regen. Res.* 2019, 14, 391–394.
- Al Salman, S.; AlHussaini, M.A.; Khandekar, R.B.; Edward, D.P. The proportion of complementary and alternative medicine utilization among Saudi population for eye care: Cross-sectional study. *Cureus* 2021, 13, e13109
- American Botanical Council. Herbal Medicine: Expanded Commission E Monographs - Ginkgo Biloba leaf extract. 2000. Integrative Medicine Communications. This monograph, published by the Commission E in 1994, was modified based on new scientific research. It contains more extensive pharmacological and therapeutic information taken directly from the Commission E
- Asri Werdhasari, Peran antioksidan bagi kesehatan, *Jurnal Biotek Medisiana Indonesia*, 3, 2, (2014), 59-68
- Baird, L., & Yamamoto, M. (2020). The molecular mechanisms regulating the KEAP1- NRF2 pathway. *Molecular and Cellular Biology*, 40(13), Article e00099-20.
- Bajwa, M.N.; Malik, M.I.; Siddiqui, S.A.; Dengel, A.; Shafait, F.; Neumeier, W.; Ahmed, S. Two-stage framework for optic disc localization and glaucoma classification in retinal fundus images using deep learning. *BMC Med. Inform. Decis. Mak.* 2019, 19, 136.
- Basic and Clinical Science Course, Section 1 : Introduction to Glaucoma : Terminology, Epidemiology, and Genetics. N. D. American Academy of Ophthalmology, 2023-2024.
- Berdahl, J.P.; Ferguson, T.J.; Samuelson, T.W. Periodic normalization of the translaminal pressure gradient prevents glaucomatous damage. *Med. Hypotheses* 2020, 144, 110258.
- Boltz A., Schmidl D., Werkmeister R. M., Lasta M., Kaya S., Palkovits S., et al. (2013). Regulation of optic nerve head blood flow during combined changes in intraocular pressure and arterial blood pressure. *J. Cereb. Blood Flow Metab.* 33 1850–1856. 10.1038/jcbfm.2013.137

- Bourne, R.R.; Taylor, H.R.; Flaxman, S.R.; Keeffe, J.; Leasher, J.; Naidoo, K.; Pesudovs, K.; White, R.A.; Wong, T.Y.; Resnikoff, S.; et al. Number of people blind or visually impaired by glaucoma worldwide and in world regions 1990– 2010: A meta-analysis. *PLoS ONE* 2016, 11, e0162229.
- Brentnall M, Rodriguez-Menocal L, De Guevara RL, Cepero E and Boise LH: Caspase-9, caspase-3 and caspase-7 have distinct roles during intrinsic apoptosis. *BMC Cell Biol.* 14:322013. View Article : Google Scholar : PubMed/NCBI.
- Buccarello, L.; Dragotto, J.; Hassanzadeh, K.; Maccarone, R.; Corbo, M.; Feligioni, M. Retinal ganglion cell loss in an ex vivo mouse model of optic nerve cut is prevented by curcumin treatment. *Cell Death Discov.* 2021, 7, 394.
- Budi, I.M. 2005. *Panduan Praktis Buah Merah, Bukti Empiris dan Ilmiah.* Redaksi Trubus., Jakarta: Penebar Swadaya.
- Burgoyne, C.F. A biomechanical paradigm for axonal insult within the optic nerve head in aging and glaucoma. *Exp. Eye Res.* 2011, 93, 120–132.
- Chandramohan, H.; Wan Abdul Halim, W.H.; Azizi, H.A.; Hing, S.T.; Zainal Rain, S.L.; Abdul Rahman, G.Y.; Mohd Khialdin, S. Quality of life and severity of glaucoma: A study using Glaucol-36 Questionnaire at Universiti Kebangsaan Malaysia Medical Centre (UKMMC). *Int. Med. J.* 2017, 24, 61–64.
- Chen, M.; Yu, X.; Xu, J.; Ma, J.; Chen, X.; Chen, B.; Gu, Y.; Wang, K. Association of gene polymorphisms with primary open angle glaucoma: A systematic review and meta-analysis. *Investig. Ophthalmol. Vis. Sci.* 2019, 60, 1105–1121.
- Cho H.K et al. Neuroprotective effect of Ekstrak Ginkgo Biloba against hypoxic retinal ganglion cell degeneration in vitro and in vivo. *Journal of Medicinal Food* 2019.
- Choplin, N.T. Classification of glaucoma. In *Atlas of Glaucoma*; Choplin, N.T., Traverso, C.E., Eds.; CRC Press: Boca Raton, FL, USA, 2014; pp. 7–12.
- De Vos, K.J.; Grierson, A.J.; Ackerley, S.; Miller, C.C.J. Role of Axonal Transport in Neurodegenerative Diseases. *Annu. Rev. Neurosci.* 2008, 31, 151–173.
- Dohlman CH, Zhou C, Lei F, Cade F, Regatieri CV, Črnež A, Dohlman JG, Shen LQ and Paschalis EI: Glaucoma after corneal trauma or surgery-A rapid, 77 inflammatory, IOP-independent pathway. *Cornea.* 38:1589–1594. 2019. View Article : Google Scholar : PubMed/NCBI
- Duvesh, R.; Puthuran, G.; Srinivasan, K.; Rengaraj, V.; Krishnadas, S.R.; Rajendrababu, S.; Balakrishnan, V.; Ramulu, P.; Sundaresan, P.

- Multiplex cytokine analysis of aqueous humor from the patients with chronic primary angle closure glaucoma. *Curr. Eye Res.* 2017, 42,1608–1613.
- Elmore S: Apoptosis: A review of programmed cell death. *Toxicol Pathol.* 35:495–516. 2007. View Article : Google Scholar : PubMed/NCBI
- European Glaucoma Society Terminology and Guidelines for Glaucoma, 4th Edition—Chapter 3: Treatment principles and options Supported by the EGS Foundation: Part 1: Foreword; Introduction; Glossary; Chapter 3 Treatment principles and options. *Acta Br. J. Ophthalmol.* 2017, 101, 130–195.
- Evangelho, K.; Mogilevskaya, M.; Losada-Barragan, M.; Vargas-Sanchez, J.K. Pathophysiology of primary open-angle glaucoma from a neuroinflammatory and neurotoxicity perspective: A review of the literature. *Int. Ophthalmol.* 2019, 39, 259–271.
- Fahy, E.T.; Chrysostomou, V.; Crowston, J.G. Impaired Axonal Transport and Glaucoma. *Curr. Eye Res.* 2015, 1–11.
- Fan, X.X.; Cao, Z.Y.; Liu, M.X.; Liu, W.J.; Xu, Z.L.; Tu, P.F.; Wang, Z.Z.; Cao, L.; Xiao, W. Diterpene Ginkgolides Meglumine Injection inhibits apoptosis induced by optic nerve crush injury via modulating MAPKs signaling pathways in retinal ganglion cells. *J. Ethnopharmacol.* 2021, 279, 114371.
- Fang, L.; Neutzner, A.; Turttschi, S.; Flammer, J.; Mozaffarieh, M. The effect of Ginkgo biloba and Nifedipine on DNA breaks in circulating leukocytes of glaucoma patients. *Expert Rev. Ophthalmol.* 2015, 10, 313–318.
- Fathy, M.; Darweesh, A.M.; Sharaf, S.; El-Hanafi, H.M.; Ghaleb, F.M.; Fahmy, I.A.; Hussein, S.M. Brain-Derived Neurotrophic Factor (BDNF) Gene Polymorphism in a Cohort of Egyptian Primary Open- Angle Glaucoma (POAG) Patients. *Bull. Natl. Res. Cent.* 2020, 44, 45.
- Fazira, L.; Muhamad, A. I. Z.; Mohd, A. M. L. The use of vitamin E in ocular health: Bridging omics approaches with Tocopherol and Tocotrienol in the management of glaucoma. *Food Chemistry : Molecular Sciences* 9 (2024) 100224.
- Galm'es, S., Serra, F., & Palou, A. (2018). Vitamin E metabolic effects and genetic variants: A challenge for precision nutrition in obesity and associated disturbances. *Nutrients*, 10(12), Article 1919. <https://doi.org/10.3390/nu10121919>
- Han, X.; Souzeau, E.; Ong, J.S.; An, J.; Siggs, O.M.; Burdon, K.P.; Best, S.; Goldberg, I.; Healey, P.R.; Graham, S.L.; et al. Myocilin gene Gln368Ter variant penetrance and association with glaucoma in population-based and registry-based studies. *JAMA Ophthalmol.* 2019, 137, 28–35.

- Harada, T.; Harada, C.; Nakamura, K.; Quah, H.M.; Okumura, A.; Namekata, K.; Saeki, T.; Aihara, M.; Yoshida, H.; Mitani, A.; et al. The potential role of glutamate transporters in the pathogenesis of normal tension glaucoma. *J. Clin. Investig.* 2007, 117, 1763–1770.
- Harcourt Brown, Frances. 2002. *Textbook of Rabbit Medicine*. Reed Elsevier (Reed Educational and Professional Publishing). Oxford UK. Chapter 1, 3, 11.
- Hayreh S. S., Revie I. H., Edwards J. (1970). Vasogenic origin of visual field defects and optic nerve changes in glaucoma. *Br. J. Ophthalmol.* 54 461–472. 10.1136/bjo.54.7.461
- Hetz C, Zhang K and Kaufman RJ: Mechanisms, regulation and functions of the unfolded protein response. *Nat Rev Mol Cell Biol.* 21:421–438. 2020. View Article : Google Scholar : PubMed/NCBI
- Hirooka, K.; Yamamoto, T.; Kiuchi, Y. Dysfunction of Axonal Transport in Normal-Tension Glaucoma: A Biomarker of Disease Progression and a Potential Therapeutic Target. *Neural Regen. Res.* 2021, 16, 506.
- Hondur, G.; Goktas, E.; Yang, X.; Al-Aswad, L.; Auran, J.D.; Blumberg, D.M.; Cioffi, G.A.; Liebmann, J.M.; Suh, L.H.; Trief, D.; et al. Oxidative stress-related molecular biomarker candidates for glaucoma. *Investig. Ophthalmol. Vis. Sci.* 2017, 58, 4078–4088.
- Howell G. R., Macalinao D. G., Sousa G. L., Walden M., Soto I., Kneeland S. C., et al. (2011). Molecular clustering identifies complement and endothelin induction as early events in a mouse model of glaucoma. *J. Clin. Invest.* 121 1429–1444. 10.1172/JCI44646.
- Huang, P.; Qi, Y.; Xu, Y.S.; Liu, J.; Liao, D.; Zhang, S.S.; Zhang, C. Serum cytokine alteration is associated with optic neuropathy in human primary open angle glaucoma. *J. Glaucoma* 2010, 19, 324–330.
- Hughes S., Gardiner T., Hu P., Baxter L., Rosinova E., Chan-Ling T. (2006). Altered pericyte-endothelial relations in the rat retina during aging: implications for vessel stability. *Neurobiol. Aging* 27 1838–1847. 10.1016/j.neurobiolaging.2005.10.021.
- Hwang J and Qi L: Quality control in the endoplasmic reticulum: Crosstalk between ERAD and UPR pathways. *Trends Biochem Sci.* 43:593–605. 2018. View Article : Google Scholar : PubMed/NCBI
- I Made Budi, Fendy R. Paimin, Buah merah, Penebar Swadaya, Jakarta, 2005
- I Made Dira Swantara, I Made Oka Adi Parwata, Kajian senyawa antioksidan pada rumput laut dari pantai sekitar bali, in: *The excellence research Universitas Udayana 2011 Universitas Udayana, Badung, 2011*
- Irnaten, M.; Zhdanov, A.; Brennan, D.; Crotty, T.; Clark, A.; Papkovsky, D.; O'Brien, C. Activation of the NFAT-calcium signaling pathway in

- human lamina cribrosa cells in glaucoma. *Investig. Ophthalmol. Vis. Sci.* 2018, 59, 831–842.
- Ito, Y.A.; Di Polo, A. Mitochondrial Dynamics, Transport, and Quality Control: A Bottleneck for Retinal Ganglion Cell Viability in Optic Neuropathies. *Mitochondrion* 2017, 36, 186–192.
- Jaber, D.; Ghannam, R.A.; Rashed, W.; Shehadeh, M.; Zyoud, S.H. Use of complementary and alternative therapies by patients with eye diseases: A hospital-based cross-sectional study from Palestine. *BMC Complementary Med. Ther.* 2021, 21, 3.
- Johnson, T.V.; Bull, N.D.; Martin, K.R. Neurotrophic Factor Delivery as a Protective Treatment for Glaucoma. *Exp. Eye Res.* 2011, 93, 196–203.
- Kale J, Osterlund EJ and Andrews DW: BCL-2 family proteins: Changing partners in the dance towards death. *Cell Death Differ.* 25:65–80. 2018. View Article : Google Scholar : PubMed/NCBI
- Kasiyati,; Silvana, T. Penanganan Hewan Coba. Departemen Biologi, Fakultas Sains dan Matematika, Universitas Diponegoro, Semarang, 2020.
- Kaur, C.; Foulds, W.S.; Ling, E.A. Hypoxia-ischemia and retinal ganglion cell damage. *Clin. Ophthalmol.* 2008, 2, 879–889.
- Kimura, A.; Namekata, K.; Guo, X.; Harada, C.; Harada, T. Neuroprotection, Growth Factors and BDNF-TrkB Signalling in Retinal Degeneration. *Int. J. Mol. Sci.* 2016, 17, 1584.
- Koeberle, P.D.; Bähr, M. The Upregulation of GLAST-1 Is an Indirect Antiapoptotic Mechanism of GDNF and Neurturin in the Adult CNS. *Cell Death Differ.* 2008, 15, 471–483.
- Kumaran AM, Sundar G, Chye LT. Traumatic optic neuropathy: a review. *Craniofac Trauma Reconstr.* 2015 Mar;8(1):31-41. doi: 10.1055/s-0034-1393734. Epub 2014 Nov 25. PMID: 25709751; PMCID: PMC4329032.
- Kusmita, L. dan Limantara, L. 2008, Manfaat Pigmen Emas pada Kelapa Sawit (*Elaeis guineensis* Jack). Magister Biologi, UKSW, Salatiga.
- Lakshmanan, Y.; Wong, F.S.Y.; Zuo, B.; So, K.F.; Bui, B.V.; Chan, H.H. Posttreatment intervention with *Lycium barbarum* polysaccharides is neuroprotective in a rat model of chronic ocular hypertension. *Investig. Ophthalmol. Vis. Sci.* 2019, 60, 4606–4618.
- Lasek, R.J.; Garner, J.A.; Brady, S.T. Axonal Transport of the Cytoplasmic Matrix. *J. Cell Biol.* 1984, 99, 212s–221s.
- Lee D.; Tomita, Y.; Yang, L.; Negishi, K.; Kurihara, T. Ocular Ischemic Syndrome and Its Related Experimental Models. *Int. J. Mol. Sci.* 2022, 23, 5249. <https://doi.org/10.3390/ijms23095249>

- Lee E.J., Chan P, Chea L, Kim K, Kaufman RJ and Lin JH: ATF6 is required for efficient rhodopsin clearance and retinal homeostasis in the P23H rhodinitis pigmentosa mouse model. *Sci Rep.* 11:16356 (2021). View Article : Google Scholar : PubMed/NCB
- Lee, J.; Sohn, S.W.; Kee, C. Effect of Ekstrak Ginkgo Biloba on visual field progression in normal tension glaucoma. *J. Glaucoma* 2013, 22, 780–784.
- Li, L.; Song, F. Biomechanical research into lamina cribrosa in glaucoma. *Natl. Sci. Rev.* 2020, 7, 1277–1279.
- Li, S.; Shao, M.; Li, Y.; Li, X.; Wan, Y.; Sun, X.; Cao, W. Relationship between oxidative stress biomarkers and visual field progression in patients with primary angle closure glaucoma. *Oxidative Med. Cell. Longev.* 2020, 2020, 2701539.
- Li, Y.; Cheng, Z.; Wang, K.; Zhu, X.; Ali, Y.; Shu, W.; Bao, X.; Zhu, L.; Fan, X.; Murray, M.; et al. Procyanidin B2 and rutin in Ekstrak Ginkgo Bilobas protect human retinal pigment epithelial (RPE) cells from oxidative stress by modulating Nrf2 and Erk1/2 signalling. *Exp. Eye Res.* 2021, 207, 108586.
- Liu, X.G.; Wu, S.Q.; Li, P.; Yang, H. Advancement in the chemical analysis and quality control of flavonoid in Ginkgo biloba. *J. Pharm. Biomed. Anal.* 2015, 113, 212–225.
- Lusthaus, J.; Goldberg, I. Current management of glaucoma. *Med. J. Aust.* 2019, 210, 180–187.
- Ma, K.; Xu, L.; Zhang, H.; Zhang, S.; Pu, M.; Jonas, J.B. The effect of ginkgo biloba on the rat retinal ganglion cell survival in the optic nerve crush model. *Acta Ophthalmol.* 2010, 88, 553–557.
- Mac Nair, C.E.; Schlamp, C.L.; Montgomery, A.D.; Shestopalov, V.I.; Nickells, R.W. Retinal glial responses to optic nerve crush are attenuated in Bax-deficient mice and modulated by purinergic signaling pathways. *J. Neuroinflamm.* 2016, 13, 93.
- Maddineni, P.; Kasetti, R.B.; Patel, P.D.; Millar, J.C.; Kiehlbauch, C.; Clark, A.F.; Zode, G.S. CNS axonal degeneration and transport deficits at the optic nerve head precede structural and functional loss of retinal ganglion cells in a mouse model of glaucoma. *Mol. Neurodegener.* 2020, 15, 48.
- Marlita H. Makaruku, Kajian Agronomi dan Pemanfaatan Buah Merah (*Pandanus conoideus* Lamk.), *Jurnal Agroforestri*, 3, 2, (2008), 127-132
- Martin, K.R.G.; Quigley, H.A.; Zack, D.J.; Levkovitch-Verbin, H.; Kielczewski, J.; Valenta, D.; Baumrind, L.; Pease, M.E.; Klein, R.L.; Hauswirth, W.W. Gene Therapy with Brain-Derived Neurotrophic Factor As a Protection: Retinal Ganglion Cells in a Rat Glaucoma Model.

Investig. Ophthalmol. Vis. Sci. 2003, 44, 4357.

- Maurel M, Chevet E, Tavernier J and Gerlo S: Getting RIDD of RNA: IRE1 in cell fate regulation. *Trends Biochem Sci.* 39:245–254. 2014. View Article : Google Scholar : PubMed/NCBI
- Mohamad, N. V. (2023). Strategies to enhance the solubility and bioavailability of tocotrienols using self-emulsifying drug delivery system. *Pharmaceuticals* (Basel, Switzerland), 16(10), Article 1403. <https://doi.org/10.3390/ph16101403>
- Mead, B.; Tomarev, S. Evaluating Retinal Ganglion Cell Loss and Dysfunction. *Exp. Eye Res.* 2016, 151, 96–106.
- Millecamps, S.; Julien, J.-P. Axonal Transport Deficits and Neurodegenerative Diseases. *Nat. Rev. Neurosci.* 2013, 14, 161–176.
- Morgan, J.E. Circulation and Axonal Transport in the Optic Nerve. *Eye* 2004, 18, 1089–1095.
- Muench, N.A.; Patel, S.; Maes, M.E.; Donahue, R.J.; Ikeda, A.; Nickells, R.W. The influence of mitochondrial dynamics and function on retinal ganglion cell susceptibility in optic nerve disease. *Cells* 2021, 10, 1593.
- Muzio, G., Barrera, G., & Pizzimenti, S. (2021). Peroxisome proliferator-activated receptors (PPARs) and oxidative stress in physiological conditions and in cancer. *Antioxidants* (Basel, Switzerland), 10(11), Article 1734.
- Naskar, R.; Vorwerk, C.K.; Dreyer, E.B. Concurrent downregulation of a 64 glutamate transporter and receptor in glaucoma. *Investig. Ophthalmol. Vis. Sci.* 2000, 41, 1940–1944.
- National Toxicology Program (NTP) U.S. Department of Health and Human Services. NTP Technical Report of the Toxicology and Carcinogenesis Studies of Ginkgo Biloba Extract (CAS No. 90045-36-6) in F344/N Rats and B6C3F1/N Mice (Gavage Studies). National Institutes of Health, Public Health Service. 2013
- Ngo, V., & Duennwald, M. L. (2022). Nrf2 and oxidative stress: A general overview of mechanisms and implications in human disease. *Antioxidants* (Basel, Switzerland), 11 (12), Article 2345.
- Ning, X.; Christian, S.; Solveig, H.; Ulrich, F.; Huige L. Red Red fruit (*Pandanus conoideus* Lam) oil stimulates nitric oxide production and reduces oxidative stress in endothelial cells. *Journal of Functional Foods*, 51, 2018-65-74.
- Nucci, C.; Martucci, A.; Cesareo, M.; Garaci, F.; Morrone, L.A.; Russo, R.; Corasaniti, M.T.; Bagetta, G.; Mancino, R. Links among glaucoma, neurodegenerative, and vascular diseases of the central nervous system. *Prog. Brain Res.* 2015, 221, 49–65.

- Osborne, N.N.; Nunez-Alvarez, C.; Joglar, B.; Del Olmo-Aguado, S. Glaucoma: Focus on mitochondria in relation to pathogenesis and neuroprotection. *Eur. J. Pharmacol.* 2016, 787, 127–133.
- Oz O, Gürelik G, Akyürek N, Cinel L, Hondur A. A short duration transient ischemia induces apoptosis in retinal layers: An experimental study in rabbits. *Eur J Ophthalmol.* 2005;15(2):233-238. doi:10.1177/112067210501500214
- Parinussa, M. S. T. dan Rondonuwu, S. F., 2009. Analisis Kandungan Karotenoid Buah Merah (*Pandanus conoideus* Lam.) pada Suhu Pemanasan yang Berbeda. *Junal Kimia Organik, Bahan Alam, dan Biokimia.*
- Park, J.W.; Kwon, H.J.; Chung, W.S.; Kim, C.Y.; Seong, G.J. Short-term effects of Ekstrak Ginkgo Biloba on peripapillary retinal blood flow in normal tension glaucoma. *Korean J. Ophthalmol.* 2011, 25, 323–328.
- Platholi, J.; Lee, F.S. Neurotrophic Factors. In *Handbook of Developmental Neurotoxicology*; Elsevier: Amsterdam, The Netherlands, 2018; pp. 55–64. ISBN 978-0-12-809405-1.
- Perlson, E.; Maday, S.; Fu, M.; Moughamian, A.J.; Holzbaur, E.L.F. Retrograde Axonal Transport: Pathways to Cell Death? *Trends Neurosci.* 2010, 33, 335–344.
- Peters J.C., Bhattacharya S, Clark AF and Zode GS: Increased endoplasmic reticulum stress in human glaucomatous trabecular meshwork cells and tissues. *Invest Ophthalmol Vis Sci.* 56:3860–3868. 2015. View Article : Google Scholar : PubMed/NCBI
- Prinz J, Prokosch V, Wang X, Feng Y, Walter P, Fuest M, et al. (2025) Efficacy of Ginkgo biloba on parameters in glaucoma: A systematic review. *PLoS ONE* 20(2): e0314644. <https://doi.org/10.1371/journal.pone.0314644>
- Quaranta, L.; Bruttini, C.; Micheletti, E.; Konstas, A.G.P.; Michelessi, M.; Oddone, F.; Katsanos, A.; Sbardella, D.; De Angelis, G.; Riva, I. Glaucoma and Neuroinflammation: An Overview. *Surv. Ophthalmol.* 2021, 66, 693–713.
- Quigley, H.A. Glaucoma. *Lancet* 2011, 377, 1367–1377.
- Qureshi, A. A. (2022). Tocotrienols: Exciting biological and pharmacological properties of tocotrienols and other naturally occurring compounds, Part I. *Annals of Clinical Case Reports*, 7(1), Article 2194.
- Ranasinghe, R., Mathai, M., & Zulli, A. (2022). Revisiting the therapeutic potential of tocotrienol. *BioFactors* (Oxford, England), 48(4), 813–856.

- Reichenbach, A.; Bringmann, A. Glia of the human retina. *Glia* 2020, 68, 768–796.
- Sabaner, M.C.; Dogan, M.; Altin, S.S.; Balaman, C.; Yilmaz, C.; Omur, A.; Zeybek, I.; Palaz, M. Ginkgo Biloba affects microvascular morphology: A prospective optical coherence tomography angiography pilot study. *Int. Ophthalmol.* 2021, 41, 1053–1061.
- Sacca, S.C.; Cutolo, C.A.; Ferrari, D.; Corazza, P.; Traverso, C.E. The Eye, Oxidative Damage and Polyunsaturated Fatty Acids. *Nutrients* 2018, 10, 668.
- Saccà, S.C.; Paluan, F.; Gandolfi, S.; Manni, G.; Cutolo, C.A.; Izzotti, A. Common Aspects between Glaucoma and Brain Neurodegeneration. *Mutat. Res. Mutat. Res.* 2020, 786, 108323.
- Salvador RL. Herbal Medicine: Ginkgo. *Can Pharmacists J.* 1995;52:39-41
- Saraste A and Pulkki K: Morphologic and biochemical hallmarks of apoptosis. *Cardiovasc Res.* 45:528–537. 2000. View Article : Google Scholar : PubMed/NCBI
- Sharif, N. Glaucomatous Optic Neuropathy Treatment Options: The Promise of Novel Therapeutics, Techniques and Tools to Help Preserve Vision. *Neural Regen. Res.* 2018, 13, 1145.
- Shiga, Y.; Kunikata, H.; Aizawa, N.; Kiyota, N.; Maiya, Y.; Yokoyama, Y.; Omodaka, K.; Takahashi, H.; Yasui, T.; Kato, K.; et al. Optic nerve head blood flow, as measured by laser speckle flowgraphy, is significantly reduced in preperimetric glaucoma. *Curr. Eye Res.* 2016, 41, 1447–1453.
- Shim, S.H.; Kim, J.M.; Choi, C.Y.; Kim, C.Y.; Park, K.H. Ekstrak Ginkgo Biloba and bilberry anthocyanins improve visual function in patients with normal tension glaucoma. *J. Med. Food* 2012, 15, 818–823.
- Siaudvytyte, L.; Januleviciene, I.; Ragauskas, A.; Bartusis, L.; Meiliuniene, I.; Siesky, B.; Harris, A. The difference in translaminal pressure gradient and neuroretinal rim area in glaucoma and healthy subjects. *J. Ophthalmol.* 2014, 2014, 937360.
- Sirait, M.S., Warsiki, E. and Setyaningsih, D., 2021. 'Potential of red fruit oil (Pandanus conoideus Lam.) as an antioxidant active packaging: A review', IOP Conference Series: Earth and Environmental Science, 749(1). doi: 10.1088/1755-1315/749/1/012008
- Slaoui, M., and Fiette, L., 2011. Histopathology procedures: from tissue sampling to histopathological evaluation. *Methods in molecular biology* (Clifton, N.J.), 691, 69–82. doi:10.1007/978-1-60761-849-2_4.
- Susan, W.S.; Ichsan, A.M.; Subehan.; Zainuddin, A.A.; Budu.; Muhiddin, H.S. Effect of Red Fruit Extract (Pandanus conoideus Lamk.) on Density

- and Apoptosis of Photoreceptor Cells and Retina Ganglion Cells in Diabetic Rats Model, 2024.
- Tang, B.; Li, S.; Cao, W.; Sun, X. The association of oxidative stress status with open-angle glaucoma and exfoliation glaucoma: A systematic review and metaanalysis. *J. Ophthalmol.* 2019, 2019, 1803619.
- Tang, B.; Li, S.; Han, J.; Cao, W.; Sun, X. Associations between blood cell profiles and primary open-angle glaucoma: A retrospective case-control study. *Ophthalmic Res.* 2020, 63, 413–422.
- Tham, Y.C.; Li, X.; Wong, T.Y.; Quigley, H.A.; Aung, T.; Cheng, C.Y. Global prevalence of glaucoma and projections of glaucoma burden through 2040: A systematic review and meta-analysis. *Ophthalmology* 2014, 121, 2081–2090.
- Tharmathurai, S.; Muhammad-Ikmal, M.K.; Razak, A.A.; Che-Hamzah, J.; Azhany, Y.; Fazilawati, Q.; Liza-Sharmini, A.T. Depression and severity of glaucoma among older adults in urban and suburban areas. *J. Glaucoma* 2021, 30, e205–e212.
- Tomino, C.; Ilari, S.; Solfrizzi, V.; Malafoglia, V.; Zilio, G.; Russo, P.; Proietti, S.; Marcolongo, F.; Scapagnini, G.; Muscoli, C.; et al. Mild Cognitive Impairment and Mild Dementia: The Role of Ginkgo biloba (EGb 761®). *Pharmaceuticals* 2021, 14, 305.
- Trivli, A.; Koliarakis, I.; Terzidou, C.; Goulielmos, G.N.; Siganos, C.S.; Spandidos, D.A.; Dalianis, G.; Detorakis, E.T. Normal tension glaucoma: Pathogenesis and genetics. *Exp. Ther. Med.* 2019, 17, 563– 574.
- Urano F, Wang X, Bertolotti A, Zhang Y, Chung P, Harding HP and Ron D: Coupling of stress in the ER to activation of JNK protein kinases by transmembrane protein kinase IRE1. *Science.* 287:664–666. 2000. View Article : Google Scholar : PubMed/NCBI
- Van Beek TA and Montoro P. Chemical analysis and quality control of Ginkgo biloba leaves, extracts, and phytopharmaceuticals. *J Chromatogr A.* 2009;1216:2002-2032.
- Wan, M.J.; Daniel, S.; Kassam, F.; Mutti, G.; Butty, Z.; Kasner, O.; Trope, G.E.; Buys, Y.M. Survey of complementary and alternative medicine use in glaucoma patients. *J. Glaucoma* 2012, 21, 79–82.
- Wang, Y. Retinal Ganglion Cell-Derived Sonic Hedgehog Locally Controls Proliferation and the Timing of RGC Development in the Embryonic Mouse Retina. *Development* 2005, 132, 5103–5113.
- Wareham L. K., Dordea A. C., Schleifer G., Yao V., Batten A., Mertz J., et al. (2018). Increased bioavailability of cyclic guanylate monophosphate prevents retinal ganglion cell degeneration. *Neurobiol. Dis.* 121 65–75. 10.1016/j.nbd.2018.09.002

- Weinreb, R.N.; Leung, C.K.; Crowston, J.G.; Medeiros, F.A.; Friedman, D.S.; Wiggs, J.L.; Martin, K.R. Primary open-angle glaucoma. *Nat. Rev. Dis. Primers* 2016, 2, 16067.
- Widowati L.; Pudjiastuti.; Mudahar H. Karakterisasi dan Toksisitas Akut pada Minyak Buah Merah. *Jurnal Kefarmasian Indo.* Vol. I. I. 2009: 18-24.
- Wilson NS, Dixit V and Ashkenazi A: Death receptor signal transducers: Nodes of coordination in immune signaling networks. *Nat Immunol.* 10:348–355. 2009. View Article : Google Scholar : PubMed/NCBI
- Wismandanu O.; Maulidya I.; Indriani S.; Batubara I. Acute toxicity of red fruits (*Pandanus conoideus* Lamk) oil and the hepatic enzyme level in rat. *The Journal of Phytopharmacology* 2016; 5(5): 176-178.
- World Health Organization. World Report on Vision; World Health Organization: Geneva, Switzerland, 2019; pp. 1–160.
- Wright, C.; Tawfik, M.A.; Waisbourd, M.; Katz, L.J. Primary angle-closure glaucoma: An update. *Acta Ophthalmol.* 2016, 94, 217–225.
- Wuryastuty, Hastari, and R. Wasito. 2007. "Cytotoxicity Study of Red Fruit Extract (*Pandanus Conoideus* Lam) as Anti-Goitrogenic Herbal Medicine in Sprague Dawley Rats." *Indonesian Journal of Veterinary Science*, vol. 32, no. 1, 2014. Astuti, Y. and Dewi, L.L.R., 2007. Pengaruh Ekstrak Buah Merah (*Pandanus conoideus* L.) terhadap Kadar Glukosa Darah. *Mutiara Medika, Edisi Khusus* Vol. 7 No.1, pp. 01-06
- You, Y.; Gupta, V.K.; Li, J.C.; Klistorner, A.; Graham, S.L. Optic Neuropathies: Characteristic Features and Mechanisms of Retinal Ganglion Cell Loss. *Rev. Neurosci.* 2013, 24.
- Yu, H.; Dong, H.; Zhang, Y.; Liu, Q. A network pharmacology-based strategy for predicting the protective mechanism of *Ginkgo biloba* on damaged retinal ganglion cells. *Chin. J. Nat. Med.* 2021, 19, 1–13.
- Zhao, Y., Chen, Y., and Yan, N., 2024. The role of natural products in diabetic retinopathy. *Biomedicines*, 12(6), 1138. <https://doi.org/10.3390/biomedicines12061138>.
- Zhavoronkov, A.; Izumchenko, E.; Kanherkar, R.R.; Teka, M.; Cantor, C.; Manaye, K.; Sidransky, D.; West, M.D.; Makarev, E.; Csoka, A.B. Pro-fibrotic pathway activation in trabecular meshwork and lamina cribrosa is the main driving force of glaucoma. *Cell Cycle* 2016, 15, 1643–1652.

LAMPIRAN

1. Uji normalitas dan homogenitas

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Pre-intervention Berat Badan	.164	25	.082	.904	25	.023
Post-intervention Berat Badan	.242	25	<.001	.875	25	.006
Pre-intervention TIO OD	.209	25	.006	.849	25	.002
Pre-intervention TIO OS	.145	25	.188	.954	25	.303
Post-intervention TIO OD	.253	25	<.001	.830	25	<.001
Post-intervention TIO OS	.215	25	.004	.879	25	.007
Sel Ganglion Perifer	.181	25	.034	.922	25	.046
Sel Ganglion Central	.176	25	.044	.892	25	.012

a. Lilliefors Significance Correction

Tests of Homogeneity of Variances

		Levene Statistic	df1	df2	Sig.
Pre-intervention Berat Badan	Based on Mean	2.402	4	20	.084
	Based on Median	.660	4	20	.627
	Based on Median and with adjusted df	.660	4	14.277	.629
	Based on trimmed mean	2.245	4	20	.100
Post-intervention Berat Badan	Based on Mean	1.992	4	20	.135
	Based on Median	.488	4	20	.745
	Based on Median and with adjusted df	.488	4	15.110	.745
	Based on trimmed mean	1.812	4	20	.166
Pre-intervention TIO OD	Based on Mean	1.837	4	20	.161
	Based on Median	.520	4	20	.722
	Based on Median and with adjusted df	.520	4	10.057	.723
	Based on trimmed mean	1.654	4	20	.200
Pre-intervention TIO OS	Based on Mean	1.218	4	20	.335
	Based on Median	.696	4	20	.604
	Based on Median and with adjusted df	.696	4	12.338	.609

Post-intervention TIO OD	Based on trimmed mean	1.158	4	20	.359
	Based on Mean	2.510	4	20	.074
	Based on Median	1.250	4	20	.322
	Based on Median and with adjusted df	1.250	4	15.094	.332
	Based on trimmed mean	2.411	4	20	.083
Post-intervention TIO OS	Based on Mean	.170	4	20	.951
	Based on Median	.100	4	20	.981
	Based on Median and with adjusted df	.100	4	16.000	.981
	Based on trimmed mean	.155	4	20	.959
Sel Ganglion Perifer	Based on Mean	2.313	4	20	.093
	Based on Median	1.285	4	20	.309
	Based on Median and with adjusted df	1.285	4	10.478	.337
	Based on trimmed mean	2.285	4	20	.096
Sel Ganglion Central	Based on Mean	2.120	4	20	.116
	Based on Median	.894	4	20	.486
	Based on Median and with adjusted df	.894	4	13.442	.494
	Based on trimmed mean	2.065	4	20	.124

2. Data karakteristik

KELOMPOK	BERAT BADAN (KG) PRE	TEKANAN INTRAOKULAR [PRE]		DOSIS INTERVENSI		TEKANAN INTRAOKULAR (POST)		PER 1 LAPANG PANDANG DENI		BERAT BADAN (KG) POST
		OD	OS	EGB 100 MG/KGBB	EBM 1.5 ML/KGBB	OD	OS	PERIFER	CENTRAL	
A2	1.8	10	8			5	6	0	4	1.8
A3	1.8	6	6			5	5	3	4	1.9
A4	1.9	6	5			7	7	5	1	1.9
A5	1.7	6	7			7	6	3	4	1.8
A6	1.9	5	8			6	5	2	2	1.9
AVG								2.6	3	
B1	1.5	5	4	150 MG (1.25 CAPSUL)	2.25 ML (2.5 ML)	5	6	36	30	1.6
B3	1.7	8	6	170 MG (1.5 CAPSUL)	2.5 ML (2.5 ML)	7	6	25	14	1.8
B4	1.5	7	5	150 MG (1.25 CAPSUL)	2.25 ML (2.5 ML)	6	7	30	15	1.6
B5	1.8	7	6	180 MG (1.5 CAPSUL)	2.7 ML (2.75 ML)	7	5	25	10	1.8
B6	1.7	6	6	170 MG (1.5 CAPSUL)	2.5 ML (2.5 ML)	7	5	10	30	1.8
AVG								25.2	19.8	
C1	2	4	6	200 MG (1.75 CAPSUL)		5	6	25	10	2
C2	1.5	5	4	150 MG (1.25 CAPSUL)		5	6	15	14	1.6
C4	1.6	8	8	160 MG (1.5 CAPSUL)		6	7	5	30	1.7
C5	1.8	5	4	180 MG (1.5 CAPSUL)		5	6	24	4	1.8
C6	1.5	8	7	150 MG (1.25 CAPSUL)		6	7	30	10	1.6
AVG								19.8	13.6	
D1	1.5	6	6		2.25 ML (2.5 ML)	8	7	10	4	1.6
D2	1.8	5	5		2.7 ML (2.75 ML)	6	7	10	10	1.8
D4	1.7	8	7		2.5 ML (2.5 ML)	5	7	7	10	1.8
D5	1.7	6	5		2.5 ML (2.5 ML)	5	5	15	19	1.7
D6	1.5	13	10		2.25 ML (2.5 ML)	7	8	7	11	1.6
AVG								9.8	10.8	
E1	2	8	7			7	7	30	35	2
E2	1.8	6	7			6	6	40	43	1.8
E3	1.8	6	9			7	8	38	30	1.8
E4	1.7	7	9			7	7	34	33	1.8
E5	1.9	7	8			7	6	45	20	2
AVG								37.4	32.3	

3. Penimbangan dan pengukuran TIO Pre intervensi



4. Penimbangan dan pengukuran TIO Post intervensi



5. Pemberian Intervensi EGB daan EBM



6. Induksi Glaukoma



7. Enukelesi bola mata



8. Penyimpanan sampel dalam formalin



9. Preparat sampel jaringan



10. Surat persetujuan etik penelitian



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI
UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN
KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDDIN
RSPTN UNIVERSITAS HASANUDDIN
RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR
Sekretariat : Lantai 2 Gedung Laboratorium Terpadu
JL.PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.



Contact Person: dr. Agussalim Bukhari, MMed, PhD, SpGK TELP. 081241850858, 0411 5780103, Fax : 0411-581431

REKOMENDASI PERSETUJUAN ETIK

Nomor : 133/UN4.6.4.5.31/ PP36/ 2025

Tanggal: 24 Februari 2025

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH25020116	No Sponsor	
Peneliti Utama	dr. Gun Gun Rico Ardiyanto	Sponsor	
Judul Peneliti	Perbandingan Efek Ekstrak Ginkgo Biloba dan Buah Merah terhadap Densitas Sel Ganglion Retina pada Kelinci Model Glaukoma		
No Versi Protokol	1	Tanggal Versi	17 Februari 2025
No Versi PSP		Tanggal Versi	
Tempat Penelitian	Laboratorium Hewan FKUH, Laboratorium PA FKUH dan Laboratorium HUM-RC RS Universitas Hasanuddin Makassar		
Jenis Review	☐ Exempted ☒ Expedited ☐ Fullboard Tanggal	Masa Berlaku 24 Februari 2025 sampai 24 Februari 2026	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Prof. dr. Muh Nasrum Massi, PhD, SpMK, Subsp. Bakt(K)  		
Sekretaris KEP Universitas Hasanuddin	dr. Firdaus Hamid, PhD, SpMK(K)  		

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari prokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan