

## DAFTAR PUSTAKA

- Adham, M., Gondhowiardjo, S., Soediro, R., Jack, Z., Lisnawati, Witjaksono, F., Manikam N.R.M., Octovia, L.I., Nuhonni, S.A., Indriani, Pratiwi, K.B.H.P., 2017. Panduan penatalaksanaan karsinoma nasofaring. Komite Penanggulangan Karsinoma Nasional Kementerian Kesehatan Republik Indonesia.
- Akhmad., C.N. Mini Penelitian. 2022. Profil karsinoma nasofaring di rsup dr. wahidin sudirohusodo makassar periode 2011 – 2021 Departemen ilmu kesehatan THTBKL fakultas kedokteran universitas hasanuddin.
- Aksimitayani, Repository Unhas, 2021. Perbandingan rasio trombosit limfosit sebelum dan setelah kemoterapi pada karsinoma nasofaring berdasarkan gambaran histopatologi. Available at: [http://repository.unhas.ac.id/id/eprint/8591/2/C103216201\\_tesis\\_08-10-2021%201-2.pdf](http://repository.unhas.ac.id/id/eprint/8591/2/C103216201_tesis_08-10-2021%201-2.pdf).
- Akuntanto I. 2014. Hubungan Rasio Netrofil Terhadap Limfosit Dengan Stadium Klinis Pada Karsinoma Nasofarings. Fakultas Kedokteran Universitas Gadjah Mada Yogyakarta.
- American Joint Committee of Cancer, 2018. AJCC cancer staging form supplement. 8th ed. [ebook] Chicago: American Joint Committee of Cancer. Available at: <https://cancerstaging.org/references-tools/deskreferences/Pages/Cancer-Staging-Forms.aspx> [Accessed 15 May 2020].
- An, X., Ding, P. R., Wang, F. H., Shen, L., & Zhang, X. T. (2011). Elevated neutrophil to lymphocyte ratio predicts poor prognosis in nasopharyngeal carcinoma. *Tumor Biology*, 32(2), 317–324. <https://doi.org/10.1007/s13277-010-0124-2>
- Ardiansyah, M. (2019). *Hubungan rasio trombosit limfosit dengan stadium klinis pasien karsinoma nasofaring di RSUP Dr. Sardjito Yogyakarta* [Skripsi, Universitas Gadjah Mada]. UGM Repository. <https://etd.repository.ugm.ac.id/penelitian/detail/231490>
- Argirion I, Zarins KR, Julie J, et al. 2019. Ruterbusch Increasing Incidence of Epstein-Barr Virus-Related Nasopharyngeal Carcinoma in the United States. American Cancer Society 2019.

- Bacanakgil, B.H., Kaban, I., Unal, F., Guven, R., Sahin, E., Yildirim, S.G., 2018. Predictive value of hematological inflammatory markers in endometrial neoplasia. *Asian Pacific Journal of Cancer Prevention*, 19, pp.1529-32.
- Bahremani, M.H., Mortazavi, N., Novin, K., Ameri, A., Razzaghi, Z., 2020. Blood neutrophil-to-lympocyte ratio as a predictor of response to chemotherapy in head-and-neck cancers. *Journal of Head & Neck Physicians and Surgeons*, 7(1), pp.20-5.
- Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R.L., Torre, L.A., Jemal, A., 2018. Global cancer statistics 2018: globocan estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *Cancer J Clin*, 68, pp.394-424.
- Cahyanur, R., Irawan, C., Rahmawati, S., Nasman, N., 2019. The association between neutrophil-to-lympocyte ratio and treatment response in nasopharyngeal cancer patients of cipto mangunkusumo general hospital in 2015-2018: a retrospective cohort study. *Journal of Global Oncology*, 5, pp.123.
- Chae, S., Kang, K.M., Kang, H.J., et al., 2018. Neutrophil-lymphocyte ratio predicts response to chemotherapy in triple-negative breast cancer. *Current Oncology*, 25(2), pp.e113-9.
- Cheesman, K. and Burdett, E., 2011. Anatomy of the nose and pharynx. [online] [anaesthesiajournal.co.uk](https://anaesthesiajournal.co.uk/article/S1472-0299(11)00086-5/fulltext). Available at: [https://www.anaesthesiajournal.co.uk/article/S1472-0299\(11\)00086-5/fulltext](https://www.anaesthesiajournal.co.uk/article/S1472-0299(11)00086-5/fulltext) [Accessed 15 May 2020].
- Chen, C., Lin, X., Xu, Y., Bai, P., Xiao, Y., Pan, Y., Li, C., Lin, Z., Zhang, M., Chen, Y., 2017. Unidimensional measurement may be superior to assess primary tumor response after neoadjuvant chemotherapy for nasopharyngeal carcinoma. *Oncotarget*, 8(29), pp.46937-45.
- Chen, Y., Chan, A., Le, Q., Blanchard, P., Sun, Y. and Ma, J., 2019. Nasopharyngeal carcinoma. *The Lancet*, 394(10192), pp.64-80.
- Chen, Y. P., Wang, Y. Q., Liu, X., Zhou, Q., Yang, K. Y., Jin, Y., ... & Ma, J. (2016). Elevated baseline neutrophil-to-lymphocyte ratio predicts poor survival outcomes in patients with nasopharyngeal carcinoma treated with intensity-modulated radiotherapy. *Oncotarget*, 7(27), 43027–43038. <https://doi.org/10.18632/oncotarget.9834>

- Chua DTT, 2014. Willam Ignace Wei. Nasopharyngeal Carcinoma. In: Johnson JT, Rosen CA, eds. Bailey's Head and Neck Surgery. Vol 5th ed. Philadelphia: Lippincot Williams & wilkins.1875-1897.
- Colevas, A.D., Yom, S.S., Pfister, D.G., et al., 2018. Nccn guidelines insights head and neck cancers, version 1.2018 featured updates to the nccn guidelines. J Natl Compr Canc Netw, 16(5), pp.479-90.
- Dahlan, M.S., 2018. Statistik untuk kedokteran dan kesehatan. Jakarta: Penerbit Salemba Medika.
- Dhingra, P., Dhingra, S. and Dhingra, D., 2014. Diseases of ear, nose and throat & head and neck surgery. 6th ed. New Delhi, India: Elsevier.
- Eisenhauer, E.A, Therasse, P., Bogaerts, J., Schwartz, L.H., Sargent, D., Ford, R., Dancey, J., Arbuck, S., Gwyther, S., Mooney, M., Rubinstein, L., Shankar, L., Dodd, L., Kaplan, R., Lacombe, D., Verweij, J., 2009. New response evaluation criteria in solid tumours: Revised RECIST guideline (version 1.1). European Journal of Cancer, 45, pp.228-47.
- Fadillah, D., 2017. Insidensi penyakit karsinoma di rsup dr. wahidin sudirohusodo makassar periode januari 2015-2017. Makassar: Universitas Hasanuddin.
- Faot, N.E. & Pradjoko, I., 2017. Rasio neutrofil-limfosit sebelum kemoterapi dan respons obyektif kemoterapi pasien karsinoma paru dengan kemoterapi berbasis platinum. J Respir Indo, 37(4), pp.293-8.
- Faria, S.S., Fernandes Jr, P.C., Silva, M.J.B., Lima, V.C., Fontes, W., Junior, R.F., Eterovic, A.K., Forget, P., 2016. The neutrophil-to-lymphocyte ratio: a narrative review. Ecancer, 10(702), pp.1-12.
- Farhat, Adham, M., Dewi, Y.A., Indrasari, S.R., 2020. Karsinoma nasofaring. Jakarta: EGC.
- Fernandes, B., Cherrett, C., Moryosef, L., Lau, N., Wykes, J., 2017. Nasopharyngeal carcinoma: knowledge amongst general practitioners in western sydney. Journal of Community Medicine & Health Education, 7(2), pp.1-5.
- Fles, R., Wildeman, M.A., Sulistiono, B., Haryana, S.M., Tan, I.B., 2010. Knowledge of general practitioners about nasopharyngeal cancer at the puskesmas in yogyakarta, indonesia. BioMed Central, 10(81), pp.1-6.
- Galdiero, M.R., Varricchi, G., Loffredo, S., Mantovani, A., Marone, G., 2017. Roles of neutrophils in cancer growth and progeression. Journal of Leukocyte Biology, pp.1-8.

- Ghozi A K, et al. 2025. Analisa Kemoterapi Patinum terhadap Rasio Neutrofil-Limfosit pada Pasien Karsinoma Nasofaring di RS PKU Muhammadiyah Gombong. Fakultas Kedokteran Universitas Muhammadiyah Purwokerto.
- GLOBOCAN. 2022. The global cancer observatory (WHO) International Agency for Research on Cancer 2018.p 2.
- Gong, J., Jiang, H., Shu, C., Hu, M.Q., Huang, Y., Liu, Q., Li, R.F. Prognostic value of lymphocyte-to-monocyte ratio in ovarian cancer: a meta-analysis. *Journal of Ovarian Research*, 12(51), pp.1-7.
- Gonzales, H., Hagerling, C., Werb, Z., 2020. Roles of the immune system in cancer: from tumor initiation to metastatic progression. *Genes & Development*, 32, pp.1267-84.
- Greten, F.R. and Grivennikov, S.I., 2019. Inflammation and cancer: triggers, mechanisms, and consequences. *Immunity*, 51, pp.27-41.
- Gu, L., Li, H., Chen, L., Ma, X., Li, X., Gao, Y., Zhang, Y., Xie, Y., Zhang, X., 2016. Prognostic role of lymphocyte to monocyte ratio for patients with cancer: evidence from a systemic review and meta-analysis. *Oncotarget*, 7(22), pp.31926-42.
- Hartono, Et Al. 2015. Penilaian Jumlah Neutrofil, Limfosit Dan Trombosit, Kadar Protein Reaktif C, Kadar Albumin, Rasio Neutrofil Limfosit, Serta Rasio Trombosit Limfosit sebelum dan setelah terapi pada Penderita karsinoma payudara. *Jurnal biomedik (jbm)*, volume 7, nomor 3, hlm.163-170.
- Hirahara, T., Arigami, T., Yanagita, S., et al., 2019. Combined neutrophil-lymphocyte ratio and platelet-lymphocyte ratio predicts chemotherapy response and prognosis in patients with advanced gastric cancer. *BMC Cancer*, 19(672), pp.1-7.
- Howard, R., Kanetsky, P.A., Egan, K.M., 2019. Exploring the prognostic value of the neutrophil-to-lymphocyte ratio in cancer. *Scientific Reports*, 9, pp.1-10.
- Huszno, J. & Kolosza, Z., 2019. Prognostic value of the neutrophil-lymphocyte, platelet-lymphocyte and monocyte-lymphocyte ratio in breast cancer patients. *Oncology Letters*, 18, pp.6275-83.
- Jiang, Rou; et al. 2015. The elevated pretreatment trombosit-to-lymphocyte ratio predicts poor outcome in nasopharyngeal carcinoma patients. *Tumor Biology*, 36(10), 7775–7787. doi:10.1007/s13277-015-3505-0.

- Kadir, A., Retnowati, K., Akil, M.A., Usman, A.N., 2018. The Evaluation of Serum IL-6 Changes as Proliferative Cytokines in Patients With Nasopharyngeal Carcinoma Before and After the Ionizing Radiotherapy. *Global Journal of Health Science*, 10(8), p. 55-6
- Kartika, O.D., Purwanto, P., Dewi, Y.A., 2019. Neutrophil to lymphocyte ratio within clinical staging of head and neck squamous cell carcinoma. *AMJ*, 5, pp.176-80.
- Kataki AC, Simons MJ, Das AK, et al. 2011. Nasopharyngeal carcinoma in the northeastern states of india. *Chin J Cancer* 2011; 30(1): p.106-13.
- Keohane, E.M., Otto, C.N., Walenga, J.M., 2020. Rodak's hematology clinical principles and applications. 6th ed. Canada: Elsevier.
- Kolegium Ilmu Kesehatan Telinga Hidung Tenggorok Bedah Kepala Dan Leher, 2015. Modul utama onkologi bedah kepala leher modul vii.5.2. karsinoma nasofaring.
- Krenn-Pilko, S., Langsenlehner, U., Thurner, E. M., Stojakovic, T., Pichler, M., Gerger, A., & Langsenlehner, T. (2014). The elevated preoperative platelet-to-lymphocyte ratio predicts poor prognosis in breast cancer patients. *British Journal of Cancer*, 110(10), 2524–2530. <https://doi.org/10.1038/bjc.2014.163>
- Kurnianda, J., Achmad, A.F., Hutajulu, S.H. 2021. The Indonesian Journal of Cancer Control. Peripheral neutrophil to lymphocyte ratio and platelet to lymphocyte ratio as prognostic factors in patients with nasopharyngeal carcinoma. Available at: <https://inajcc.com/index.php/inajcc/article/view/50>
- Kurnianda, J., Putra, R. A., & Febrianti, S. (2021). Platelet to lymphocyte ratio (PLR) as a prognostic marker in nasopharyngeal carcinoma. *Indonesian Journal of Cancer Chemoprevention*, 12(1), 10–16. <https://inajcc.com/index.php/inajcc/article/view/50>
- Lecot, P., Sarabi, M., Abrantes M.P., Mussard, J., Koenderman, L., Caux, C., Vermare, N.B., Michallet, M.C., 2019. Neutrophil heterogeneity in cancer: from biology to therapies. *Frontiers in Immunology*, 10(2155), pp.1-19.
- Lee K.T., Tan J.K., Lam A.K, Gan S.Y., 2016. MicroRNAs serving as potential biomarkers and therapeutic targets in nasopharyngeal carcinoma: a critical review, *Critical Reviews in Oncology/Hematology*, 1-9.
- Lestari, D. P. (2020). *Hubungan rasio neutrofil limfosit dengan stadium klinis pasien karsinoma nasofaring di RSUP Dr. Sardjito Yogyakarta* [Skripsi,

- Li, J., Chen, S., Peng, S., Liu, Y., Xing, S., He, X., Chen, H., 2018. Prognostic nomogram for patients with nasopharyngeal carcinoma incorporating hematological biomarkers and clinical characteristics. *International Journal of Biological Sciences*, 14(5), pp.549-56.
- Li, W., Zhang, C., Yu, X., & Zhao, L. (2023). Dynamic changes of platelet-to-lymphocyte ratio predict treatment response and survival in nasopharyngeal carcinoma patients receiving induction chemotherapy. *Radiation Oncology*, 18(1), 54. <https://doi.org/10.1186/s13014-023-02249-z>
- Liew, K.Y. & Zulkiflee, A.B., 2018. Neutrophil-lymphocyte ratios in the prognostication of primary non-metastatic nasopharyngeal carcinoma. *Brazilian Journal of Otorhinolaryngology*, 84(6), pp.764-71.
- Lin, S., HO; Willard, Fee; Francisco, Talavera. 2016. Malignant Nasopharyngeal Tumors. <http://emedicine.medscape.com/article/848163-overview>. [Accessed 24/4/2020].
- Liu, J., Wei, C., Tang, H., Liu, Y., Liu, W., Lin, C., 2020. The prognostic value of the ratio of neutrophils to lymphocytes before and after intensity modulated radiotherapy for patients with nasopharyngeal carcinoma. *Medicine*, 99(2), pp.1-7.
- Lo SS, Lu JJ. 2010. Natural history, presenting symptoms, and diagnosis of nasopharyngeal carcinoma. In: Brady LW, Heilmann H-P, Molls M, Nieder C, eds. *Nasopharyngeal Cancer Multidisciplinary Management*. Vol Germany: Springer. 41-52.
- Longo, D. L. and York, N. 2010, 'Harrison's Hematology and Oncology.
- Lu, A., Li, Y., Yu, C., Chen, Y., & Jin, Y. (2016). Pretreatment neutrophil-to-lymphocyte ratio as a prognostic predictor of survival in patients with nasopharyngeal carcinoma. *Cancer Management and Research*, 8, 165–172. <https://doi.org/10.2147/CMAR.S101333>
- Lu, A., Li, H., Zheng, Y., et al., 2017. Prognostic significance of neutrophil to lymphocyte ratio, lymphocyte to monocyte ratio, and platelet to lymphocyte ratio in patients with nasopharyngeal carcinoma. *Hindawi BioMed Research International*, pp.1-6.
- Ma, X. et al. 2014, 'Prognostic significance of thrombocytosis, trombosit parameters and aggregation rates in epithelial ovarian cancer', *Journal of*

- Obstetrics and Gynaecology Research, vol. 40, no. 1, pp. 178–183. doi: 10.1111/jog.12151.
- Maza, O.M., Berek, J.S., 2009. Cancer immunology. GLOWM, pp.1-28.
- Melani W, Sofyan F. 2013. Karakteristik penderita kanker nasofaring di Rumah Sakit H . Adam Malik Medan tahun 2011. E-Jurnal FK-USU, 1(1):1-5
- National Comprehensive Cancer Network Guidelines for head and neck cancer (version 4.2020)
- Nurchahyo, D. A., & Adhi, A. (2022). Hubungan nilai platelet to lymphocyte ratio dengan stadium klinis pada pasien kanker nasofaring di RS PKU Muhammadiyah Gombong. *Health Journal (HMJ Kesmas UMP)*, 11(1), 1–8. <https://jurnalnasional.ump.ac.id/index.php/HMJ/article/view/11156>
- Oh, J. et al. 2014, 'Preoperative Thrombocytosis Is an Independent Poor Prognostic Factor in Patients with Epithelial Ovarian Cancer', *Clinical & Experimental Thrombosis and Hemostasis*, vol. 1, no. 1, pp. 17–21. doi: 10.14345/ceth.14006.
- Olingy, C.E., Dinh, H.Q., Hedrick, C.C., 2019. Monocyte heterogeneity and functions in cancer. *Journal of Leukocyte Biology*, 106, pp.309-322.
- Paia, F., Cataldo, V.D., Zei, G., Pasquetti, E.M., Cecchini, S., Meattini, I., Mangoni, M., Agresti, B., Iermano, C., Bonomo, P., Biti, G., 2012. Role of chemotherapy in nasopharyngeal carcinoma. *Oncology Reviews*, 6(e1), pp.1-6.
- Pastor, M., et al. 2018. SEOM clinical guideline in nasopharynx cancer. *Clin Transl Oncol* : 20; 84-88
- Permata A, Perwitasari DA, Candradewi SF, Septiantoro BP, Purba FD. Penilaian Kualitas Hidup Pasien Kanker Nasofaring Dengan Menggunakan EORTC QLQ-C30 Di RSUP Dr. Kariadi Semarang. *JPSCR Journal of Pharmaceutical Science and Clinical Research*. 2022;7(1):39. <https://doi.org/10.20961/jpscr.v7i1.43764>
- Pieter N.A.L.,2013. Profil Iga(Vca-P18+Ebna1) Dan Viral Load DNA EBV Sebagai Faktor Resiko Keluarga Penderita Karsinoma Nasofaring Dengan EBV Positif. Disertasi tidak diterbitkan. Program Pasca Sarjana UNHAS. 1-50.
- Pfister, D.G., Spencer, S., Adelstein, D., et al., 2018. Nccn clinical practice guidelines in oncology (nccn guidelines) version 1.2018 panel members

- head and neck cancers. National Comprehensive Cancer Network Inc, pp.1-218.
- Pratiwi, R. A. (2022). *Hubungan antara status gizi dengan stadium klinis pasien karsinoma nasofaring di RSUP Dr. Sardjito Yogyakarta tahun 2022* [Skripsi, Universitas Gadjah Mada]. UGM Repository. <https://etd.repository.ugm.ac.id/penelitian/detail/252200>
- Purnamasari, P. & Rachmawati, B., 2018. Perbedaan neutrophyl lymphocyte ratio, platelet lymphocyte ratio, dan monocyte lymphocyte ratio pada pasien diabetes mellitus tipe 2 dengan dan tanpa komplikasi kardiovaskular. *Medica Hospitalia*, 5(1), pp.31-5.
- Putera, G.D.A., Mulyawan, I.M., Sudartana, I.K., 2020. Intisari sains medism 11(3), pp.1354-8.
- Putri EB. 2011. Karakteristik penderita karsinoma nasofaring di departemen ilmu kesehatan THT-KL FKUP/RSUP Dr. Hasan Sadikin Bandung Periode Tahun 2006 - 2010 [skripsi]. Bandung: Universitas Padjadjaran.
- Putri, L. A., & Tjokronagoro, M. D. (2020). Survival analysis of nasopharyngeal carcinoma patients in Cipto Mangunkusumo Hospital. *Asian Pacific Journal of Cancer Prevention*, 21(5), 1353–1358. <https://doi.org/10.31557/APJCP.2020.21.5.1353>
- Querol, E.U. & Rosales C., 2015. Neutrophils in cancer: two sides of the same coin. *Journal of Immunology Research*, pp.1-21.
- Rad, A. & Mytilinaios, D., 2020. Pharynx (throat) anatomy: muscles, arteries and nerves. Kenhub. [online] Available at: <https://www.kenhub.com/en/library/anatomy/the-pharynx> [Accessed 05 Sept 2020].
- Registrasi Kanker Nasional, Indonesia, Kementerian Kesehatan Republik Indonesia. 2019.
- Reyani NN, Rahman S, Muhammad S. Hubungan Jumlah Trombosit Dengan Stadium Karsinoma Nasofaring Di RSUP Dr. M. Djamil Padang. *Jurnal Ilmu Kesehatan Indonesia*. 2023;4(1):33-40.
- Sabarin MSM, Permana AD, Soeseno B. 2014. Epidemiologi penderita tumor ganas kepala leher di Departeen telinga hidung tenggorok-Kepala leher rumah sakit Dr. Hasan Sadikin Bandung, Indonesia, periode 2010-2014. p 2-3.
- Salehiniya, H., Mohammadian, M., Mohammadian-Hafshejani, A. and

- Mahdavifar, N., 2018. Nasopharyngeal cancer in the world: epidemiology, incidence, mortality and risk factors. *World Cancer Research Journal*, 5(1).
- Saragih, R. N., Suryadinata, H., & Gunawan, A. (2024). The correlation between platelet to lymphocyte ratio and nasopharyngeal carcinoma staging: A retrospective study. *Journal of Cancer Research and Therapeutics Indonesia*, 6(1), 15–22. <https://pubmed.ncbi.nlm.nih.gov/38745688>
- Savitri, A. D. (2022). *Analisis tren usia diagnosis kanker nasofaring di RSUP Dr. Sardjito Yogyakarta tahun 2017–2022* [Skripsi, Universitas Gadjah Mada]. UGM Repository. <https://etd.repository.ugm.ac.id/penelitian/detail/239476>
- Shah, J., Patel, S., Sigh, B., 2012. Jatin shah's head and neck surgery and oncology. Fourth Edition. Philadelphia, United States: Elsevier Mosby.
- Septian R. 2021. Hubungan Rasio Netrofil (NLR) dan Rasio Limfosit-Monosit Terhadap Respon Terapi Pada Pasien Kanker Nasofaring. Fakultas Kedokteran Universitas Hasanuddin Makassar.
- Sethi, N., England, R.J.A., Zoysa, N.D., 2020. Head, neck, and thyroid surgery an introduction and practical guide. Florida, United States: CRC Press.
- Simo, R., Robinson, M., Lei, M., Sibtain, A., Hickey, S., 2016. Nasopharyngeal carcinoma: united kingdom national multidisciplinary guidelines. *The Journal of Laryngology & Otology*, Suppl.S2, pp.S97-103.
- Singh, N., Baby, D., Rajguru, J.P., Patil, P.B., Thakkannavar, S.S., Pujari, V.B., 2019. Inflammation and cancer. *Annals of African Medicine*, 18(3), pp.121- 6.
- Stevenson, M.M & Petruzzelli, G.J. Nasopharyngeal cancer staging. [online] Available at: <https://emedicine.medscape.com/article/2048007-print>.
- Tabuchi, K., Nakayama, M., Nishimura, B., Hayashi, K. and Hara, A., 2011. Early detection of nasopharyngeal carcinoma. *International Journal of Otolaryngology*, pp.1-6.
- Templeton, A. J., McNamara, M. G., Šeruga, B., Vera-Badillo, F. E., Aneja, P., Ocaña, A., & Amir, E. (2014). Prognostic role of neutrophil-to-lymphocyte ratio in solid tumors: A systematic review and meta-analysis. *Journal of the National Cancer Institute*, 106(6), dju124. <https://doi.org/10.1093/jnci/dju124>
- The Global Cancer Observatory, 2019. Nasopharynx. [online] Available at: <https://gco.iarc.fr/today/> [Accessed 15 May 2020].
- Treffers, L.W., Hiemstra, I.H., Kujipers, T.W., Berg, T.K.V.D., Matlung, H.L., 2016. Neutrophils in cancer. *Immunological Reviews*, 273, pp.312-8.
- Tsao, S.W., Yip, Y.L., Tsang, C.M., Pang, P.S., Lau, V.M.Y., Zhang, G., Lo,

- K.W., 2014. Etiological factors of nasopharyngeal carcinoma. *Oral Oncology*, 50, pp.330-8.
- Wang, F., Jia, Y., Zhang, Y., & Lu, Z. (2020). Prognostic value of dynamic neutrophil-to-lymphocyte ratio in nasopharyngeal carcinoma patients treated with chemotherapy. *Cancer Management and Research*, 12, 8805–8813. <https://doi.org/10.2147/CMAR.S264895>
- Wang, L., Wang, H., Chen, H., Zhang, L., & Zhang, C. (2021). Dynamic changes of inflammatory indexes predict outcomes in patients with nasopharyngeal carcinoma receiving chemoradiotherapy. *Journal of Cancer Research and Clinical Oncology*, 147(8), 2357–2367. <https://doi.org/10.1007/s00432-021-03670-w>
- World Health Organization, 2018. Cancer. [online] Available at: <https://www.who.int/en/news-room/fact-sheets/detail/cancer> [Accessed 15 May 2020].
- Wolden SL. 2001. Cancer of the Nasopharynx. In: Jatin P. Shah, ed. *Atlas of Clinical Oncology - Cancer of the Head and Neck*. Vol London: BCDecker Inc; 146-155.
- Wu, L., Li, C. and Pan, L., 2018. Nasopharyngeal carcinoma: a review of current updates. *Experimental and Therapeutic Medicine*, 15, pp.3687-3692.
- Wu, L., Saxena, S., Awaji, M., Singh, R.K., 2019. Tumor-associated neutrophils in cancer: going pro. *Cancer*, 11 (564), pp.1-20.
- Xie, S.H., Yu, I.T.S., Tse, L.A., Mang, O.W.K., Yue, L., 2013. Sex difference in the incidence of nasopharyngeal carcinoma in hong kong 1983-2008: suggestion of a potential protective role of oestrogen. *European Journal of Cancer*, 49, pp.150-5.
- Xie, S. H., Yu, I. T., Tse, L. A., & Mang, O. W. (2019). Clinicopathological characteristics and survival of nasopharyngeal carcinoma in young patients aged  $\leq 30$  years. *Frontiers in Oncology*, 9, 1179. <https://doi.org/10.3389/fonc.2019.01179>
- Yang, H., Chen, X., Lin, S., & Wang, L. (2022). Prognostic significance of age in nasopharyngeal carcinoma: An analysis based on SEER database. *Frontiers in Oncology*, 12, 810690. <https://doi.org/10.3389/fonc.2022.810690>
- Yang, S., Zhao, K., Ding, X., Jiang, H., Lu, H., 2019. Prognostic significance of hematological markers for patients with nasopharyngeal carcinoma: a

- meta- analysis. *Journal of Cancer*, 10, pp.2568-77.
- Yao, J., Zhu, F., Dong, J., Liang, Z., Yang, L., Chen, S., Zhang, W., Lawrence, W.R., Zhang, F., Wang, S., Sun, Y., Zhou, G., 2019. Prognostic value of neutrophil-to-lymphocyte ratio in advanced nasopharyngeal carcinoma: a large institution-based cohort study from an endemic area. *BMC Cancer*, 19(37), pp.1-8.
- Yimer, A. M., Seme, A., & Belete, T.M. (2021). Clinical characteristics and treatment outcomes of nasopharyngeal carcinoma at Tikur Anbessa Specialized Hospital, Ethiopia. *BMC Cancer*, 21(1), 811. <https://doi.org/10.1186/s12885-021-08311-8>
- Yin, J., Qin, Y., Luo, Y., Feng, M., Lang, J., 2017. *Prognostic value of neutrophil- to-lymphocyte ratio for nasopharyngeal carcinoma. Medicine*, 96(29), pp.1- 6.
- Yudistira, G., Dewi, Y.A., Sudiro, M., Research Gate, 2022. Platelet to lymphocytes ratio to predict nasopharyngeal carcinoma progressivity. Available at: [https://www.researchgate.net/publication/365643427\\_Platelet\\_to\\_Lymphocytes\\_Ratio\\_to\\_Predict\\_Nasopharyngeal\\_Carcinoma\\_Progressivity](https://www.researchgate.net/publication/365643427_Platelet_to_Lymphocytes_Ratio_to_Predict_Nasopharyngeal_Carcinoma_Progressivity)
- Yudistira, R., Widyandana, D., & Setyaningsih, R. (2022). Relationship between platelet-lymphocyte ratio and TNM staging in nasopharyngeal carcinoma patients. In *Proceedings of the PERHATIKL 2022* (pp. 122–128). Atlantis Press. <https://www.atlantis-press.com/proceedings/perhatikl-22/125993684>
- Zhou, Y., Zhang, W., Zhang, G., Guan, Z., & Chen, J. (2020). Prognostic value of inflammation-related indexes in nasopharyngeal carcinoma: A systematic review and meta-analysis. *Frontiers in Oncology*, 10, 1716. <https://doi.org/10.3389/fonc.2020.01716>