

DAFTAR PUSTAKA

- Abubakar, M. *et al.* (2023) "Advancements in Percutaneous Coronary Intervention Techniques: A Comprehensive Literature Review of Mixed Studies and Practice Guidelines," *Cureus*, 15(7), hal. 1–9. doi: 10.7759/cureus.41311.
- Ahmad, M., Mehta, P. dan Mungee, A. K. R. R. S. (2023) "Percutaneous Coronary Intervention," *StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing.*
- Alpert, J. S. (2023) "New Coronary Heart Disease Risk Factors," *American Journal of Medicine*, 136(4), hal. 331–332. doi: 10.1016/j.amjmed.2022.08.002.
- Amalia, L. (2022) "The Role of Platelet-Selectin as a Marker of Thrombocyte Aggregation on Cerebral Sinus Venous Thrombosis," *Journal of Blood Medicine*, 13(May), hal. 267–274. doi: 10.2147/JBM.S356028.
- Ambrose, J. A. dan Singh, M. (2015) "Pathophysiology of coronary artery disease leading to acute coronary syndromes," *F1000Prime Reports*, 7(January), hal. 1–5. doi: 10.12703/P7-08.
- Bansal, A. dan Hiwale, K. (2023) "Updates in the Management of Coronary Artery Disease: A Review Article," *Cureus*, 15(12), hal. 1–10. doi: 10.7759/cureus.50644.
- Benjamin EJ, et al. (2019). *Heart disease and stroke statistics—2019 update*. *Circulation*, 139(10), e56–e528.
- Bolliger, D. and Tanaka, K.A., 2017. Coagulation management strategies in cardiac surgery. *Current Anesthesiology Reports*, 7(3), pp.265-272. doi:10.1007/s40140-017-0220-y
- Centers for Disease Control and Prevention. (2018). *Heart disease facts & statistics*. U.S. Department of Health & Human Services. <https://www.cdc.gov/heart-disease/data-research/facts-stats/index.html>
- Cho, S. Y. dan Hur, M. (2019) "Expanded impacts of platelet functions: Beyond hemostasis and thrombosis," *Annals of Laboratory Medicine*, 39(4), hal. 343–344. doi: 10.3343/alm.2019.39.4.343.
- Elfi, E. F. *et al.* (2021) "The risk factors of coronary heart disease and its relationship with endothelial nitric oxide synthase," *Open Access Macedonian Journal of Medical Sciences*, 9(B), hal. 451–456. doi: 10.3889/oamjms.2021.6062.
- Farooqi, N. *et al.* (2022) "Percutaneous Coronary Intervention: An Overview," *European Journal of Medical and Health Sciences*, 4(4), hal. 233–248. doi: 10.1007/978-3-031-09815-4_13.
- Guo R, et al. Clinical value of thromboelastography in predicting the risk ... *PMC* 2024.

- Hartmann J, et al. Modified Thromboelastography for Peri-interventional Assessment. *Eur J Clin Invest*. 2022;52(10):e13785.
- He, Y. *et al.* (2016) "The Value of Thromboelastography for Bleeding Risk Prediction in Hematologic Diseases," *American Journal of the Medical Sciences*, 352(5), hal. 502–506. doi: 10.1016/j.amjms.2016.08.011.
- He Z, Zhang W, He Z, Xiang Y, Pan X, Zhou W. Characteristics and evaluation of atherosclerotic plaques. *Front Cardiovasc Med*. 2023;10:1076941. doi:10.3389/fcvm.2023.1076941
- Hosseini, K. *et al.* (2021) "Prevalence and trends of coronary artery disease risk factors and their effect on age of diagnosis in patients with established coronary artery disease: Tehran Heart Center (2005–2015)," *BMC Cardiovascular Disorders*, 21(1), hal. 1–11. doi: 10.1186/s12872-021-02293-y.
- Hou, X. *et al.* (2017) "Relationship between thromboelastography and long-term ischemic events as gauged by the response to clopidogrel in patients undergoing elective percutaneous coronary intervention," *BioScience Trends*, 11(2), hal. 209–213. doi: 10.5582/bst.2016.01233.
- Kashuk JL, et al. Hyperfibrinolysis and hemostatic abnormalities after severe injury. *J Trauma*. 2010;69(5):1211–1220.
- Khan, M. N., Muqaddas, T., & Iqbal, T. (2016). Short term outcomes of left main coronary artery stenting. *Army Cardiac Center, Lahore, Pakistan*.
- Li, Y. *et al.* (2019) "Analysis of thrombelastogram-guided medication in patients with coronary heart disease after percutaneous coronary intervention," *Experimental and Therapeutic Medicine*, hal. 3047–3052. doi: 10.3892/etm.2019.7294.
- Libby P, Buring JE, Badimon L, et al. Atherosclerosis. *Nat Rev Dis Primers*. 2019;5(1):56. doi:10.1038/s41572-019-0106-z
- Lyon M, et al. Thromboelastography in assessment of hypercoagulable states. *J Clin Pathol*. 2014;67(6):530–534.
- Mahmuda, I. N. N. *et al.* (2021) "Coronary Heart Disease: Diagnosis and Therapy," *Solo Journal of Anesthesi, Pain and Critical Care (SOJA)*, 1(2), hal. 74. doi: 10.20961/soja.v1i2.55191.
- Masuda J, et al. Enhanced Hypercoagulability Using Clot Waveform Analysis in Acute Myocardial Infarction Patients. *J Clin Med*. 2024;13(4):967.
- Muka T, et al. (2016). *Menopause, aging, and cardiovascular risk*. *Endocr Rev*, 37(1), 91–135.
- O'Neal, W. T. *et al.* (2015) "Inflammation and hemostasis in atrial fibrillation and coronary heart disease: The REasons for Geographic And Racial Differences in Stroke study," *Atherosclerosis*, 243(1), hal. 192–197. doi: 10.1016/j.atherosclerosis.2015.09.009.

- Pivalizza EG, et al. TEG in cardiovascular surgery: utility and limitations. *J Cardiothorac Vasc Anesth*. 2020;34(2):417–424.
- Pohlman, T. H., Fecher, A. M. dan Arreola-Garcia, C. (2018) "Optimizing transfusion strategies in damage control resuscitation: Current insights," *Journal of Blood Medicine*, 9, hal. 117–133. doi: 10.2147/JBM.S165394.
- Ramanujam V, et al. Thromboelastography in the Perioperative Period: Current Perspectives. *Front Surg*. 2023;10:1147516.
- Ribeiro, de O. L. et al. (2023) "Evolving Diagnostic and Management Advances in Coronary Heart Disease," *Life*, 13(4). doi: 10.3390/life13040951.
- Roger, V. L. et al. (2011) "Heart disease and stroke statistics-2011 update: A report from the American Heart Association," *Circulation*, 123(4), hal. 1–8. doi: 10.1161/CIR.0b013e3182009701.
- Safri, Z. (2022) "Management of Coronary Artery Disease," *Surgical Clinics of North America*, 102(3), hal. 449–464. doi: 10.1016/j.suc.2022.01.005.
- Sanchis-Gomar, F. et al. (2016) "Epidemiology of coronary heart disease and acute coronary syndrome," *Annals of Translational Medicine*, 4(13), hal. 1–12. doi: 10.21037/atm.2016.06.33.
- Santosa, W. N., & Baharuddin, B. (2020). Penyakit jantung koroner dan antioksidan. *KELUWIH: Jurnal Kesehatan dan Kedokteran*, 1(2), 80–85. <https://doi.org/10.24123/kesdok.v1i2.2566>
- Sharan, S. et al. (2021) "Platelet Function Test in Coronary Artery Bypass Grafting: Does It Predict Postoperative Bleeding?," *Journal of Cardiac Critical Care TSS*, 05(03), hal. 186–195. doi: 10.1055/s-0042-1742402.
- Selby R. "TEG talk": expanding clinical roles for thromboelastography and rotational thromboelastometry. *Hematology Am Soc Hematol Educ Program*. 2020 Dec 4;2020(1):67-75. doi: 10.1182/hematology.2020000090. PMID: 33275705; PMCID: PMC7727516.
- Smith SC Jr, et al. (2020). *Cardiovascular risk factors and prevention*. *Circulation*, 141(14), e779–e806.
- Sniecinski RM, Chandler WL. The use of viscoelastic assays to monitor coagulation and guide transfusion therapy. *Anesth Analg*. 2016;123(1):120–133.
- Subramaniam K, et al. Hemostatic changes in coronary artery disease patients undergoing PCI. *Thromb Res*. 2019;182:183–190.
- Thakur M, Ahmed AB. A Review Of Tromboelastography. *Int J Priop Ultrasound Appl Technol* 2012;1(1):25-29 doi: A Review of Thromboelastography.
- Takahashi K, Yamakawa K, Siletz AE, et al. Hyperfibrinolysis: a crucial phenotypic abnormality of posttraumatic fibrinolytic dysfunction. *Res Pract Thromb Haemost*. 2024;8(7):102568. doi:10.1016/j.rpth.2024.102568.

- Themistocleous, I., Stefanakis, M. dan Douda, H. (2017) "Coronary Heart Disease Part 1 : Pathophysiology and Risk Factors," *Journal Of Physical Activity Nutrition And Rehabilitation*, (May).
- Wang, X. *et al.* (2020) "Assessment of hypercoagulability using thromboelastography predicts advanced status in renal cell carcinoma," *Journal of Clinical Laboratory Analysis*, 34(1), hal. 1–6. doi: 10.1002/jcla.23017.
- Wang X, et al. Thromboelastography-Guided Antiplatelet Therapy for Patients with Ischemic Cerebrocardiovascular Diseases: A Systematic Review and Meta-Analysis. *Cerebrovasc Dis.* 2024.
- Whitton, T. P., & Healy, W. J. (2023). Clinical Use and Interpretation of Thromboelastography. *ATS scholar*, 4(1), 96–97. <https://doi.org/10.34197/ats-scholar.2022-0074OT>
- Whiting D, DiNardo JA. TEG and ROTEM: technology and clinical applications. *Am J Hematol.* 2014;89(2):228–232.
- Whitton, T. P., & Healy, W. J. (2023). Review of thromboelastography (TEG): Medical and surgical applications. *Therapeutic Advances in Pulmonary and Critical Care Medicine*, 18, 29768675231208426. <https://doi.org/10.1177/29768675231208426>
- Widito, S., Hendrawan, D. dan Irawan, D. (2020) "Analysis of Platelet Function from Thromboelastography Examination in Patients with Single and Multiple Antiplatelet Therapy after Percutaneous Coronary Intervention in Dr. Saiful Anwar Malang," *Research Journal of Life Science*, 7(1), hal. 19–28. doi: 10.21776/ub.rjls.2020.007.01.3.
- Wikkelso A, et al. Thromboelastography in perioperative management: a systematic review. *Br J Anaesth.* 2017;118(6):823–836.
- Willeit, P. *et al.* (2013) "Hemostatic Factors and Risk of Coronary Heart Disease in General Populations: New Prospective Study and Updated Meta-Analyses," *PLoS ONE*, 8(2). doi: 10.1371/journal.pone.0055175.
- Xu, O. *et al.* (2022) "The Use of Thromboelastography in Percutaneous Coronary Intervention and Acute Coronary Syndrome in East Asia: A Systematic Literature Review," *Journal of Clinical Medicine*, 11(13). doi: 10.3390/jcm11133652.
- Yan, X. Q. *et al.* (2021) "Platelet-fibrin clot strength measured by thromboelastography could predict hypercoagulability and antiplatelet effects in patients after percutaneous coronary intervention," *Annals of Palliative Medicine*, 10(3), hal. 2448–2457. doi: 10.21037/apm-20-1728.
- Yang, B. *et al.* (2018) "Comparison of ticagrelor and clopidogrel for patients undergoing emergency percutaneous coronary intervention," *Iranian Journal of Public Health*, 47(7), hal. 952–957.

Yang, L. *et al.* (2022) "Association between Thromboelastography and Coronary Heart Disease," *Medical Science Monitor*, 28, hal. 1–9. doi:10.12659/MSM.935340.

Yusuf S, *et al.* (2001). *Effect of potentially modifiable risk factors associated with myocardial infarction in 52 countries (the INTERHEART study)*. *Lancet*, 364(9438), 937–952.