

DAFTAR PUSTAKA

- Afessa, M.M., Olu, F.E., and Geleta, W.S (2025). Unlocking the potential of biochar derived from coffee husk and khat stem for catalytic tar cracking during biomass pyrolysis: characterization and evaluation. *Biomass Conversion and Biorefinery*15: 11011–11026. doi.org/10.1007/s13399-024-05957-9
- Alhelal, A., Jeelani, S., and Rangari, V (2022). Elemental analysis of spent coffee ground derived biochar using SEM/EDS. *Microscopy and Microanalysis*28: 648-649. <https://doi.org/10.1017/S1431927622003105>.
- Ali, A., Alharthi, S., Al-Shaalan, N. H., Naz, A., and Fan, H. J. S. (2023). Efficient removal of hexavalent chromium (Cr(VI)) from wastewater using amide-modified biochar. *Molecules*28(13): 5146. <https://doi.org/10.3390/molecules28135146>
- Annisa, R. W. R., Fahrudin, F., and Taba, P. (2024). Removal of divalent copper ions from aqueous solution using Sorghum bicolor L. stem waste as an effective adsorbent. *Journal of Ecological Engineering*, 25(5): 165-174. <https://doi.org/10.12911/22998993/185771>
- Bednik, M., Medyńska-Juraszek, A., and Ćwieląg-Piasecka, I. (2022). Effect of six different feedstocks on biochar's properties and expected stability. *Agronomy*12(7): 1525. <https://doi.org/10.3390/agronomy12071525>
- Bosch, D., Rendl, L., Plangger, F., Hofmann, A., and Langergraber, G. (2021). Chemical activation of biochar with H₃PO₄-A comparison between two reactor types. *Chemical Engineering Transactions*86: 1-6. <https://doi.org/10.3303/CET2186001>.
- Chattaraj, S., Thatoi, H., and Das, M.P.K.(2025). Nanomodified biochar for heavy metal removal from wastewaters: an overview. In: Kuanar, A., Kar, D., Das, A.P., Bhanja, D. (eds) Recent Advances in Bioremediation and Phytoremediation. *Environmental Science and Engineering*. https://doi.org/10.1007/978-3-031-77884-1_16
- Du, T., Bogush, A., Mašek, O., Purton, S., & Campos, L. C. (2022). Algae Biochar and Bacteria for Acid Mine Drainage (AMD) Remediation: A review. In *Chemosphere* (Vol. 304). <https://doi.org/10.1016/j.chemosphere.2022.135284>
- Fahrudin, F., Abdullah, A., & LA NAFIE, N. (2018). Treatment of Acid Mine Drainage Waste Using Sediment as Source of Sulfate-Reducing Bacteria to Reduce Sulfates. *Pollution Research*, 37(4).
- Fahrudin, F., Abdullah, A., Nurhaedar, & Nafie, N. La. (2020). Estuary Sediment Treatment for Reducing Sulfate in Acid Mine Water. *Environment and Natural Resources Journal*, 18(2). <https://doi.org/10.32526/ennrj.18.2.2020.18>
- Fahrudin, F., Nafie, N. La, Abdullah, A., Tuwo, M., & Awaluddin. (2021). Treatment of Compost As a Source of Organic Material for Bacterial Consortium in the Removal of Sulfate and Heavy Metal Lead (Pb) from Acid Mine Drainage. *Journal of Degraded and Mining Lands Management*. <https://doi.org/10.15243/JDMLM.2021.091.3083>
- Fahrudin, F., Syahri, Y. F., Fauziah, S., Samawi, M. F., Johannes, E., Tambaru, E., Tuwo, M., & Abdullah, A. (2024). Combining biochar with sediment in the treatment for the effectiveness of sulfate and heavy metal Pb reduction of acid mine drainage. *Journal of Degraded and Mining Lands Management*, 11(4), 6329–6335. <https://doi.org/10.15243/jdmlm.2024.114.6329>
- Fahrudin, F., Fauziah, S., Samawi, M. F., Johannes, E., Tambaru, E., Abdullah, A. A., & Dwiyantri, L. (2024). Biochar from Coconut Shell Biomass for the Removal of Sulfate and Cadmium Reduction in Acid Mine Drainage Treatment. *Polish Journal of Environmental Studies*, 33(5).
- Heijlen, W., & Duhayon, C. (2024). An empirical estimate of the land footprint of nickel

- from laterite mining in Indonesia. *The Extractive Industries and Society*, 17, 101421. <https://doi.org/10.1016/J.EXIS.2024.101421>
- Hossain, M. Z., Bahar, M.M., Sarkar, B., Donne, S.W., Ok, Y.S., Palansooriya, K.N., Kirkham, M.B., Chowdhury, S., and Bolan, N. (2020). Biochar and its importance on nutrient dynamics in soil and plant. *Biochar* 2(4): 379–420. <https://doi.org/10.1007/s42773020>.
- Ighalo, J. O., Kurniawan, S. B., Iwuozor, K. O., Aniagor, C. O., Ajala, O. J., Oba, S. N., Iwuchukwu, F. U., Ahmadi, S., & Igwegbe, C. A. (2022). A Review of Treatment Technologies for The Mitigation of The Toxic Environmental Effects of Acid Mine Drainage (AMD). In *Process Safety and Environmental Protection* (Vol. 157). <https://doi.org/10.1016/j.psep.2021.11.008>
- Ishar, Paulina, T., and Fahrudin. (2024). Effectiveness of activated carbon from nutmeg shell (*Myristica fragrans*) waste as adsorbent for metal ions Pb(II) and Cu(II) in liquid waste. *Nature Environment and Pollution Technology* 23(2):10751083. <https://doi.org/10.46488/NEPT.2024.v23i02.041>.
- Kang, L. Le, Zeng, Y. N., Wang, Y. T., Li, J. G., Wang, F. P., Wang, Y. J., Yu, Q., Wang, X. M., Ji, R., Gao, D., & Fang, Z. (2022). Removal of pollutants from wastewater using coffee waste as adsorbent: A review. *Journal of Water Process Engineering*, 49, 103178. <https://doi.org/10.1016/J.JWPE.2022.103178>
- Kumar, P., Singhania, R.R., and Sumathi, Y., Nawneet, K. K., Chiu-Wen, C., Anil, L, and Cheng-Di, D. (2025). Dong. Investigating innovative techniques for biochar modification to enhance the removal of heavy metals from aqueous environments: a comprehensive review. *Clean Technologies and Environmental Policy* 27: 3271–3293. <https://doi.org/10.1007/s10098-024-02962-4>
- Kumar, V., & Dwivedi, S. K. (2021). A review on accessible techniques for removal of hexavalent Chromium and divalent Nickel from industrial wastewater: Recent research and future outlook. *Journal of Cleaner Production*, 295, 126229. <https://doi.org/10.1016/J.JCLEPRO.2021.126229>
- Konewka, T., Bednarz, J., and Czuba, T. 2021. Building a Competitive Advantage for Indonesia in the Development of the Regional EV Battery Chain. *Energies* 14(21): 7332. DOI: 10.3390/en14217332
- Latunra, A. I., Johannes, E., Muliwardianti, B., & Sumule, O. (2021). Analisis kandungan kafein kopi (*Coffea arabica*) pada tingkat kematangan berbeda menggunakan spektrofotometer UV-Vis. *Jurnal Ilmu Alam dan Lingkungan*, 12(1).
- Le, T.M. Pham, V.D. Doan, O.E. Lebedeva, H.T. Nguyen. (2019). Removal of Pb(II) ions from aqueous solution using a novel composite adsorbent of Fe₃O₄/PVA/spent coffee grounds, *Sep. Sci. Technol.* 54 (18) (2019) 3070–3081, <https://doi.org/10.1080/01496395.2019.1565770>.
- Lu, H., Zhang, W., Yang, Y., Huang, X., Wang, S., & Qiu, R. (2012). Relative Distribution of Pb²⁺ Sorption Mechanisms by Sludge-Derived Biochar. *Water Research*, 46(3). <https://doi.org/10.1016/j.watres.2011.11.058>
- Loulidi, I., Boukhelifi, F., Ouchabi, M., Amar, A., Jabri, M., Kali, A., & Hadey, C. (2021). Assessment of untreated coffee wastes for the removal of chromium (VI) from aqueous medium. *International Journal of Chemical Engineering*, 2021(1), 9977817.
- Matebese, F., Mosai, A. K., Tutu, H., & Tshentu, Z. R. (2024). Mining wastewater treatment technologies and resource recovery techniques: A review. *Heliyon*, 10(3), e24730. <https://doi.org/10.1016/J.HELİYON.2024.E24730>
- Nasution, Miftahul Jannah., Tugiyono., Samsul Bakri., Agus Setiawan., Murhadi., Christine Wulandari., & Endro Prasetyo Wahono. (2024). The Impact of Increasing Nickel Production on Forest and Environment In Indonesia: A Review. *Jurnal Sylva Lestari* 12(3): 549-576. <https://doi.org/10.23960/jsl.v12i3.847>

- Neme, I., Gonfa, G., & Masi, C. (2022). Activated carbon from biomass precursors using phosphoric acid: A review. *Heliyon*, 8(12), e11940. <https://doi.org/10.1016/J.HELİYON.2022.E11940>
- Nguyen, D. Van, Duong, C. T. T., Vu, C. N. M., Nguyen, H. M., Pham, T. T., Tran-Thuy, T. M., & Nguyen, L. Q. (2023). Data on chemical composition of coffee husks and lignin microparticles as their extracted product. *Data in Brief*, 51, 109781. <https://doi.org/10.1016/J.DIB.2023.109781>
- Odedishemi Ajibade F, Wang HC, Guadie A, Fausat Ajibade T, Fang YK, Muhammad Adeel Sharif H, Liu WZ, Wang AJ. (2021). Total nitrogen removal in biochar amended non-aerated vertical flow constructed wetlands for secondary wastewater effluent with low C/N ratio: Microbial community structure and dissolved organic carbon release conditions. *Bioresour Technol*. 2021 Feb;322:124430. doi: 10.1016/j.biortech.2020.124430. Epub 2020 Nov 20. PMID: 33383476.
- Panwar, N.L. and Pawar, A. (2022). Influence of activation conditions on the physicochemical properties of activated biochar: a review. *Biomass Conversion and Biorefinery* 12: 925–947. <https://doi.org/10.1007/s13399-020-00870-3>
- Poyilil, S., Palatel, A. and Chandrasekharan, M. (2022). Physico-chemical characterization study of coffee husk for feasibility assessment in fluidized bed gasification process. *Environmental Science and Pollution Research* 29: 51041–51053. <https://doi.org/10.1007/s11356-021-17048-7>
- Pramulya, R., Dahlan, D., Rahmat, A., Ardy, H.G., Gustawan, A., Dzulfihar, E.N., Adi, S., and Devi, M.R. (2025). Assessment of Gayo agroforestry coffee characteristics and carbon stock potential in Mumuger social forestry area, Central Aceh Regency. *Trees, Forests and People* 20: 100818. <https://doi.org/10.1016/j.tfp.2025.100818>.
- Singh, N., Maurya, V.K., and Kumar, D. (2025). Biochar: A sustainable solution for agriculture and environment. In: Singh, S., Srivastava, S. (eds) *Biochar: A precious resource from biological waste*. Springer, Singapore. https://doi.org/10.1007/978-981-95-0425-1_2.
- Soda, S., & Nguyen, T. T. (2023). Classification of Mine Drainages in Japan Based on Water Quality: Consideration for Constructed Wetland Treatments. *Water (Switzerland)*, 15(7). <https://doi.org/10.3390/w15071258>
- Standar Nasional Indonesia. (2008). *Air dan Air Limbah : Metoda Pengambilan Contoh Air Limbah*. SNI.6989.58:2008.
- Suganya, S., Saravanan, A., Sundar Rajan, P., & Ravikumar, C. (2017). Computation of adsorption parameters for the removal of dye from wastewater by microwave assisted sawdust: theoretical and experimental analysis. *Environmental Toxicology and Pharmacology*, 50, 45-57.
- Sujiono, E. H., Zabrian, D., Zurnansyah, Mulyati, Zharvan, V., Samnur, & Humairah, N. A. (2022). Fabrication and characterization of coconut shell activated carbon using variation chemical activation for wastewater treatment application. *Results in Chemistry*, 4, 100291. <https://doi.org/10.1016/J.RECHEM.2022.100291>
- U.S. Geological Survey, 2024, Mineral commodity summaries 2024: U.S. Geological Survey, 212 p., <https://doi.org/10.3133/mcs2024>.
- Valenta, R. K., Lèbre, É., Antonio, C., Franks, D. M., Jokovic, V., Micklethwaite, S., Parbhakar-Fox, A., Runge, K., Savinova, E., Segura-Salazar, J., Stringer, M., Verster, I., & Yahyaie, M. (2023). Decarbonisation to drive dramatic increase in mining waste—Options for reduction. *Resources, Conservation and Recycling*, 190, 106859. <https://doi.org/10.1016/J.RESCONREC.2022.106859>.
- Wang, x., and Qin, Y., 2005. Equilibrium sorption isotherms for of Cu²⁺ on rice bran. *Proses Biochemistry*. 40:677-680.

- Wei, L., Yang, H., Shao, J., dan Chen, H. (2019). Biochar morphology and its role in adsorption. *Environmental Research*. 172: 345–354.
- Xiang, W., Zhang, X., Chen, J., Zou, W., He, F., Hu, X., Tsang, D. C. W., Ok, Y. S., & Gao, B. (2020). Biochar Technology in Wastewater Treatment: A Critical Review. In *Chemosphere* (Vol. 252). <https://doi.org/10.1016/j.chemosphere.2020.126539>
- Xu, X., Li, H., Wang, Q., Li, D., Han, X. and Yu, H. (2017). A facile approach for surface alteration of *Pseudomonas putida*3 by supplying K₂SO₄ into growth medium: enhanced removal of Pb(II) from aqueous solution. *Bioresource Technology* 232:79-86. <https://doi.org/10.1016/j.biortech.2017.02.038>.
- Yin, X., Wang, Y., Wei, L., Huang, H., Zhou, C., & Ni, G. (2022). Reduced Cadmium(Cd) Accumulation in Lettuce Plants by Applying KMnO₄ Modified Water Hyacinth Biochar. *Heliyon*, 8(11). <https://doi.org/10.1016/j.heliyon.2022.e11304>
- Zabaikin, I. V., Lunkin, A. N., Lunkin, D. A. (2022). Disposal of Mining Waste and its Impact on the Environment. *Ecological Engineering & Environmental Technology*, 23(3), 7-14. <https://doi.org/10.12912/27197050/147142>
- Zeng, H., Zeng, H., Zhang, H., Shahab, A., Zhang, K., Lu, Y., Nabi, I., Naseem, F., & Ullah, H. (2021). Efficient adsorption of Cr (VI) from aqueous environments by phosphoric acid activated eucalyptus biochar. *Journal of Cleaner Production*, 286, 124964. <https://doi.org/10.1016/J.JCLEPRO.2020.124964>
- Zhang, Y., Liu, S. and Niu, L. (2023). Sustained and efficient remediation of biochar immobilized with *Sphingobium abikonense* on phenanthrene-copper co-contaminated soil and microbial preferences of the bacteria colonized in biochar. *Biochar* 5:1-18, <https://doi.org/10.1007/s42773-02300241-x>.
- Zuo, J., Li, W., Xia, Z., Zhao, T., Tan, C., Wang, Y., and Li, J. (2023). Preparation of modified biochar and its adsorption of Cr (VI) in aqueous solution. *Coatings* 13(11): 1884. <https://doi.org/10.3390/coatings13111884>