

DAFTAR PUSTAKA

- Afzal, A., Jalalah, M., Noor, A., Khaliq, Z., Qadir, M. B., Masood, R., Nazir, A., Ahmad, S., Ahmad, F., Irfan, M., Afzal, M., Faisal, M., Alsareii, S. A., & Harraz, F. A. (2023). Development and Characterization of Drug Loaded PVA/PCL Fibres for Wound Dressing Applications. *Polymers*, 15(6). <https://doi.org/10.3390/polym15061355>
- Alexandrino-Junior, F., E Silva, K. G. de H., Freire, M. C. L. C., Lione, V. de O. F., Cardoso, E. A., Marcelino, H. R., Genre, J., de Oliveira, A. G., & Do Egito, E. S. T. (2019). A functional wound dressing as a potential treatment for cutaneous leishmaniasis. *Pharmaceutics*, 11(5), 1–18. <https://doi.org/10.3390/pharmaceutics11050200>
- Alotaibi, B. S., Khan, A. K., Kharaba, Z., Yasin, H., Yasmin, R., Ijaz, M., Khan, M., & Murtaza, G. (2024). Development of Poly(vinyl alcohol)–Chitosan Composite Nanofibers for Dual Drug Therapy of Wounds. *ACS Omega*, [acsomega.3c08856](https://doi.org/10.1021/acsomega.3c08856). <https://doi.org/10.1021/acsomega.3c08856>
- Amir, F., Niazi, M. B. K., Malik, U. S., Jahan, Z., Andleeb, S., Ahmad, T., & Mustansar, Z. (2024). A multifunctional vanillin-infused chitosan-PVA hydrogel reinforced by nanocellulose and CuO-Ag nanoparticles as antibacterial wound dressing. *International Journal of Biological Macromolecules*, 258, 128831. <https://doi.org/10.1016/j.ijbiomac.2023.128831>
- Amjadian, S., Seyedjafari, E., Zeynali, B., & Shabani, I. (2016). The synergistic effect of nano-hydroxyapatite and dexamethasone in the fibrous delivery system of gelatin and poly(l-lactide) on the osteogenesis of mesenchymal stem cells. *International Journal of Pharmaceutics*, 507(1–2), 1–11. <https://doi.org/10.1016/j.ijpharm.2016.04.032>
- Ananda, P. W. R., Elim, D., Zaman, H. S., Muslimin, W., Tunggeng, M. G. R., & Permana, A. D. (2021). Combination of transdermal patches and solid microneedles for improved transdermal delivery of primaquine. *International Journal of Pharmaceutics*, 609, 121204. <https://doi.org/10.1016/j.ijpharm.2021.121204>
- Bernal, R. A. O., Olekhovich, R. O., & Uspenskaya, M. V. (2023). Influence of Thermal Treatment and Acetic Acid Concentration on the Electroactive Properties of Chitosan/PVA-Based Micro- and Nanofibers. *Polymers*, 15(18), 3719. <https://doi.org/10.3390/polym15183719>
- Brewster, M. E., & Loftsson, T. (2007). Cyclodextrins as pharmaceutical solubilizers. *Advanced Drug Delivery Reviews*, 59(7), 645–666. <https://doi.org/10.1016/j.addr.2007.05.012>
- Buranachai, T., Praphairaksit, N., & Muangsins, N. (2010). Chitosan/Polyethylene Glycol Beads Crosslinked with Tripolyphosphate and Glutaraldehyde for Gastrointestinal Drug Delivery. *AAPS PharmSciTech*, 11(3), 1128–1137. <https://doi.org/10.1208/s12249-010-9483-z>
- Cavassin, F. B., Baú-Carneiro, J. L., Vilas-Boas, R. R., & Queiroz-Telles, F. (2021). Sixty years of Amphotericin B: An Overview of the Main Antifungal Agent Used to Treat Invasive Fungal Infections. *Infectious Diseases and Therapy*, 10(1), 115–147. <https://doi.org/10.1007/s40121-020-00382-7>
- Che, X., Zhao, T., Hu, J., Yang, K., Ma, N., Li, A., Sun, Q., Ding, C., & Ding, Q. (2024). Application of Chitosan-Based Hydrogel in Promoting Wound Healing: A Review. *Polymers*, 16(3), 344. <https://doi.org/10.3390/polym16030344>
- Dambuza, A., Mokolokolo, P. P., Makhatha, M. E., & Sibeko, M. A. (2025). Pharmacological and Biological Efficacy of Chitosan-Based Materials. *International Journal of Molecular Sciences*, 26(21), 10735. <https://doi.org/10.3390/ijms262110735>
- De Gaetano, F., Leggio, L., Celesti, C., Genovese, F., Falcone, M., Giofrè, S. V., Iraci, N., Iraci, N., & Ventura, C. A. (2024). Study of Host-Guest Interaction and In Vitro Neuroprotective Potential of Cinnamic Acid/Randomly Methylated β -Cyclodextrin

- Inclusion Complex. *International Journal of Molecular Sciences*, 25(23), 12778. <https://doi.org/10.3390/ijms252312778>
- Dowd, S. E., Delton Hanson, J., Rees, E., Wolcott, R. D., Zischau, A. M., Sun, Y., White, J., Smith, D. M., Kennedy, J., & Jones, C. E. (2011). Survey of fungi and yeast in polymicrobial infections in chronic wounds. *Journal of Wound Care*, 20(1), 40–47. <https://doi.org/10.12968/jowc.2011.20.1.40>
- Falguni Pati, Basudam Adhikari, S. D. (2010). Development of Ultrafine Chitosan Fibers Through Modified Wetspinning Technique. *Journal of Applied Polymer Science*, 116(5), 2658–2667. <https://doi.org/10.1002/app>
- Feng, W., Guo, X., Yang, G., Yao, Y., Zhao, L., Gao, S., Ye, F., & Fu, Y. (2024). Direct electrospinning for producing multiple activity nanofibers consisting of aggregated luteolin/hydroxypropyl-gamma-cyclodextrin inclusion complex. *International Journal of Biological Macromolecules*, 270, 132344. <https://doi.org/10.1016/j.ijbiomac.2024.132344>
- Fernández-García, R., de Pablo, E., Ballesteros, M. P., & Serrano, D. R. (2017). Unmet clinical needs in the treatment of systemic fungal infections: The role of amphotericin B and drug targeting. *International Journal of Pharmaceutics*, 525(1), 139–148. <https://doi.org/10.1016/j.ijpharm.2017.04.013>
- Fernández-García, R., Muñoz-García, J. C., Wallace, M., Fabian, L., González-Burgos, E., Gómez-Serranillos, M. P., Raposo, R., Bolás-Fernández, F., Ballesteros, M. P., Healy, A. M., Khimyak, Y. Z., & Serrano, D. R. (2022). Self-assembling, supramolecular chemistry and pharmacology of amphotericin B: Poly-aggregates, oligomers and monomers. *Journal of Controlled Release*, 341, 716–732. <https://doi.org/10.1016/j.jconrel.2021.12.019>
- Fleck, C. A. (2009). Why “Wet to Dry”? *The Journal of the American College of Certified Wound Specialists*, 1(4), 109–113. <https://doi.org/10.1016/j.jcws.2009.09.003>
- Floare, C. G., Bogdan, M., Tomoaia-Cotișel, M., & Mocanu, A. (2022). 1H NMR spectroscopic characterization of inclusion complex of desferrioxamine B chelator and β -cyclodextrin. *Journal of Molecular Structure*, 1248, 131477. <https://doi.org/10.1016/j.molstruc.2021.131477>
- Frykberg, R. G., & Banks, J. (2015). Challenges in the Treatment of Chronic Wounds. *Advances in Wound Care*, 4(9), 560–582. <https://doi.org/10.1089/wound.2015.0635>
- Ge, Y., & Wang, Q. (2023). Current research on fungi in chronic wounds. *Frontiers in Molecular Biosciences*, 9, 1057766. <https://doi.org/10.3389/fmolb.2022.1057766>
- Hamley, I. W., Kirkham, S., Kowalczyk, R. M., Castelletto, V., Reza, M., & Ruokolainen, J. (2015). Self-assembly of the anti-fungal polyene amphotericin B into giant helically-twisted nanotapes. *Chemical Communications*, 51(100), 17680–17683. <https://doi.org/10.1039/C5CC08224B>
- Herculano, R. D., dos Reis, C. E., de Souza, S. M. B., Pegorin Brasil, G. S. A., Scontri, M., Kawakita, S., Carvalho, B. G., Bebbler, C. C., Su, Y., de Sousa Abreu, A. P., Mecwan, M. M., Mandal, K., Fusco Almeida, A. M., Mendes Giannini, M. J. S., Guerra, N. B., Mussagy, C. U., Bosculo, M. R. M., Gemeinder, J. L. P., de Almeida, B. F. M., ... Li, B. (2024). Amphotericin B-loaded natural latex dressing for treating *Candida albicans* wound infections using *Galleria mellonella* model. *Journal of Controlled Release*, 365(November 2023), 744–758. <https://doi.org/10.1016/j.jconrel.2023.12.010>
- Herculano, R. D., Dos Reis, C. E., De Souza, S. M. B., Pegorin Brasil, G. S., Scontri, M., Kawakita, S., Carvalho, B. G., Bebbler, C. C., Su, Y., De Sousa Abreu, A. P., Mecwan, M. M., Mandal, K., Fusco Almeida, A. M., Mendes Giannini, M. J. S., Guerra, N. B., Mussagy, C. U., Bosculo, M. R. M., Gemeinder, J. L. P., De Almeida, B. F. M., ... Li, B. (2024). Amphotericin B-loaded natural latex dressing for treating *Candida albicans* wound infections using *Galleria mellonella* model. *Journal of Controlled Release*, 365, 744–758. <https://doi.org/10.1016/j.jconrel.2023.12.010>

- Higuchi, T., & Connors, K. A. (1965). Phase-solubility techniques. In *Advances in Analytical Chemistry and Instrumentation* (Vol. 4, pp. 117–212). (Original work published Wiley Interscience)
- Himawan, A., Anjani, Q. K., Detamornrat, U., Vora, L. K., Permana, A. D., Ghanma, R., Naser, Y., Rahmawanty, D., Scott, C. J., & Donnelly, R. F. (2023). Multifunctional low temperature-cured PVA/PVP/citric acid-based hydrogel forming microarray patches: Physicochemical characteristics and hydrophilic drug interaction. *European Polymer Journal*, 186, 111836. <https://doi.org/10.1016/j.eurpolymj.2023.111836>
- Himawan, A., Korelidou, A., Pérez-Moreno, A. M., Paris, J. L., Dominguez-Robles, J., Vora, L. K., Permana, A. D., Larrañeta, E., Graham, R., Scott, C. J., & Donnelly, R. F. (2025). Formulation and evaluation of PVA-based composite hydrogels: Physicochemical, leachables, and *in vitro* immunogenicity studies. *Journal of Materials Chemistry B*, 13(7), 2431–2445. <https://doi.org/10.1039/D4TB02181A>
- Islam, R., Islam, K. S., Chowdhury, N., Mitra, P., Dutta, A., Supal, A. R., Sultana, N., & Iqbal, S. M. F. (2025). Electrospun nanofibers, process, merits, challenges, and usefulness: A review. *Journal of Engineered Fibers and Fabrics*, 20, 15589250251359274. <https://doi.org/10.1177/15589250251359274>
- Jiang, L., Yang, J., Wang, Q., Ren, L., & Zhou, J. (2019). Physicochemical properties of catechin/ β -cyclodextrin inclusion complex obtained via co-precipitation. *CYTA - Journal of Food*, 17(1), 544–551. <https://doi.org/10.1080/19476337.2019.1612948>
- Kenawy, E.-R., Kamoun, E. A., Elsigeny, S. M., Heikal, S., El-Shehawy, A. A., & Mahmoud, Y. A.-G. (2024). Vanillin loaded-physically crosslinked PVA/chitosan/itaconic membranes for topical wound healing applications. *Journal of Applied Biomaterials & Functional Materials*, 22, 22808000241281273. <https://doi.org/10.1177/22808000241281273>
- Kuznik, I., Kruppke, I., & Cherif, C. (2022). Pure Chitosan-Based Fibers Manufactured by a Wet Spinning Lab-Scale Process Using Ionic Liquids. *Polymers*, 14(3), 477. <https://doi.org/10.3390/polym14030477>
- Loftsson, T., & Brewster, M. E. (1996a). Pharmaceutical Applications of Cyclodextrins. 1. Drug Solubilization and Stabilization. *Journal of Pharmaceutical Sciences*, 85(10), 1017–1025. <https://doi.org/10.1021/js950534b>
- Loftsson, T., & Brewster, M. E. (1996b). Pharmaceutical Applications of Cyclodextrins. 1. Drug Solubilization and Stabilization. *Journal of Pharmaceutical Sciences*, 85(10), 1017–1025. <https://doi.org/10.1021/js950534b>
- Loftsson, T., & Brewster, M. E. (2010). Pharmaceutical applications of cyclodextrins: Basic science and product development. *Journal of Pharmacy and Pharmacology*, 62(11), 1607–1621. <https://doi.org/10.1111/j.2042-7158.2010.01030.x>
- López-Castillo, C., Rodríguez-Fernández, C., Córdoba, M., & Torrado, J. J. (2018a). Permeability Characteristics of a New Antifungal Topical Amphotericin B Formulation with γ -Cyclodextrins. *Molecules*, 23(12), 3349. <https://doi.org/10.3390/molecules23123349>
- López-Castillo, C., Rodríguez-Fernández, C., Córdoba, M., & Torrado, J. J. (2018b). Permeability Characteristics of a New Antifungal Topical Amphotericin B Formulation with γ -Cyclodextrins. *Molecules*, 23(12), 3349. <https://doi.org/10.3390/molecules23123349>
- Manohar, D., Babu, R. S., Vijaya, B., Nallakumar, S., Gobi, R., Anand, S., Nishanth, D. S., Anupama, A., & Rani, M. U. (2024). A review on exploring the potential of PVA and chitosan in biomedical applications: A focus on tissue engineering, drug delivery and biomedical sensors. *International Journal of Biological Macromolecules*, 283, 137318. <https://doi.org/10.1016/j.ijbiomac.2024.137318>
- Mata, G. C. D., Morais, M. S., Oliveira, W. P. D., & Aguiar, M. L. (2022). Composition Effects on the Morphology of PVA/Chitosan Electrospun Nanofibers. *Polymers*, 14(22), 4856. <https://doi.org/10.3390/polym14224856>

- Mehenni, L., Lahiani-Skiba, M., Ladam, G., Hallouard, F., & Skiba, M. (2018). Preparation and Characterization of Spherical Amorphous Solid Dispersion with Amphotericin B. *Pharmaceutics*, 10(4), 235. <https://doi.org/10.3390/pharmaceutics10040235>
- Misiak, P., Maliszewski, B., Pawłowska, Z., Ignaczak, A., & Wilczewska, A. Z. (2024). Encapsulation of 5-fluorouracil in cholesteryl-modified cyclodextrin: Thermal, spectral, and computational assessment of drug inclusion efficiency. *Journal of Materials Chemistry B*, 12(29), 7063–7075. <https://doi.org/10.1039/D4TB00496E>
- Moraes, G. S., Tozetto, N. M., Pedroso, T. A. A., De Mattos, M. A., Urban, A. M., Paludo, K. S., Dos Santos, F. A., Neppelenbroek, K. H., & Urban, V. M. (2024). Anti- *Candida* activity and in vitro toxicity screening of antifungals complexed with β -cyclodextrin. *Journal of Applied Toxicology*, 44(5), 747–755. <https://doi.org/10.1002/jat.4575>
- Murat, J., Lebeau, B., Chumpitazi, B., Cornet, M., Maubon, D., Faure, O., Quesada, J., Thiebaut-Bertrand, A., Timsit, J., & Pelloux, H. (2013). Minimum inhibitory concentrations of amphotericin B against *Candida krusei* isolates from a French teaching hospital laboratory: A retrospective study over 8 years. *Mycoses*, 56(1), 56–60. <https://doi.org/10.1111/j.1439-0507.2012.02200.x>
- Nadeem, M., Zafar, H., & Effendi, M. S. (2011). Localised fungal infection in a prosthetic mesh treated conservatively. *BMJ Case Reports*, 2011, bcr0720103177. <https://doi.org/10.1136/bcr.07.2010.3177>
- Nath, L., Laldinchhana, Choudhury, A. D., Barakoti, H., & Devi, C. M. (2020). Development and Validation of UV-Vis Spectrophotometric Method for Estimation of Amphotericin B. *Research Journal of Pharmacy and Technology*, 13(1), 55. <https://doi.org/10.5958/0974-360X.2020.00009.8>
- Nguyen, H. M., Ngoc Le, T. T., Nguyen, A. T., Thien Le, H. N., & Pham, T. T. (2023). Biomedical materials for wound dressing: Recent advances and applications. *RSC Advances*, 13(8), 5509–5528. <https://doi.org/10.1039/D2RA07673J>
- Nicolaescu, O. E., Ionescu, C., Samide, A., Tigae, C., Spînu, C. I., & Oprea, B. (2025). Advancements in Cyclodextrin Complexes with Bioactive Secondary Metabolites and Their Pharmaceutical Applications. *Pharmaceutics*, 17(4), 506. <https://doi.org/10.3390/pharmaceutics17040506>
- Nuutila, K., & Eriksson, E. (2021). Moist Wound Healing with Commonly Available Dressings. *Advances in Wound Care*, 10(12), 685–698. <https://doi.org/10.1089/wound.2020.1232>
- Oliveira, C., Sousa, D., Teixeira, J. A., Ferreira-Santos, P., & Botelho, C. M. (2023). Polymeric biomaterials for wound healing. *Frontiers in Bioengineering and Biotechnology*, 11, 1136077. <https://doi.org/10.3389/fbioe.2023.1136077>
- Ozipek, B., & Karakas, H. (2014). Wet spinning of synthetic polymer fibers. In *Advances in Filament Yarn Spinning of Textiles and Polymers* (pp. 174–186). Elsevier. <https://doi.org/10.1533/9780857099174.2.174>
- Pajor, K., Zając, G., Fusè, M., Mach-Liszka, M., Arczewska, M., Gagoś, M., Onaka, Y., Fujisawa, T., Unno, M., Baranska, M., & Machalska, E. (2025). Monitoring the Molecular Conformation of Individual Amphotericin B Molecules in an Aggregated State by Raman Optical Activity. *Analytical Chemistry*, 97(22), 11754–11759. <https://doi.org/10.1021/acs.analchem.5c01198>
- Pasieczna-Patkowska, S., Cichy, M., & Flieger, J. (2025). Application of Fourier Transform Infrared (FTIR) Spectroscopy in Characterization of Green Synthesized Nanoparticles. *Molecules*, 30(3), 684. <https://doi.org/10.3390/molecules30030684>
- Pasupuleti Chandana, Gnana Kumar Ragineedi, Palla Sneha, Perumalla Pooja, Neerudu Sai Ram, Sufiyan Ali, & Harish Reddy Kumbham. (2024). FORMULATION AND EVALUATION OF AMPHOTERICIN B LOADED NANOSPONGES FOR TOPICAL

- DELIVERY. *EPRA International Journal of Research & Development (IJRD)*, 193–207. <https://doi.org/10.36713/epra16413>
- Paul, P., Gupta, U., Kumar, R., Munagalasetty, S., Padhy, H. P., Nair, R., Mahajan, S., Maji, I., Aalhathe, M., Bhandari, V., Guru, S. K., & Singh, P. K. (2024). Fabrication of β -cyclodextrin and 2-hydroxypropyl- β -cyclodextrin inclusion complexes of Palbociclib: Physicochemical characterization, solubility enhancement, in -silico studies, in vitro assessment in MDA-MB-231 cell line. *Journal of Molecular Liquids*, 399, 124458. <https://doi.org/10.1016/j.molliq.2024.124458>
- Pereva, S., Dobrev, S., Sarafska, T., Nikolova, V., Angelova, S., Spassov, T., & Dudev, T. (2024). Deciphering the mechanism of γ -cyclodextrin's hydrophobic cavity hydration: An integrated experimental and theoretical study. *Beilstein Journal of Organic Chemistry*, 20, 2635–2643. <https://doi.org/10.3762/bjoc.20.221>
- Pinto, C., Méndez, L., Camacho-Rodríguez, B., & Silva-Cote, I. (2024). Antibacterial PVA/Chitosan/alginate/Meropenem-based hydrogel as a potential therapeutic strategy for chronic ulcers infections. *International Journal of Polymeric Materials and Polymeric Biomaterials*, 73(12), 1021–1033. <https://doi.org/10.1080/00914037.2023.2243363>
- Piyadigama, S. R., Siriwardane, I. W., Samarakoon, K. W., Kuruppu, A. I., & Sandaruwan, C. (2026). Neomycin and Clotrimazole Loaded Chitosan-Based Electrospun Wound Dressing: Development, Characterization, and Antimicrobial Properties. *ACS Omega*, 11(5), 7178–7194. <https://doi.org/10.1021/acsomega.5c07024>
- Putra Setiya, K., Tutik, & Marcellia, S. (2024). Uji aktivitas antifungi terhadap *Candida albicans* ekstrak metanol kulit bawang merah (*Allium cepa* L.) test of antifungic activity against *Candida albicans* red onion (*Allium cepa* L.) peel methanol extract. *Farmasi Malahayati*, 7(1), 81–94.
- Rajagopalan, N., Chen, S. C., & Chow, W.-S. (1986). A study of the inclusion complex of amphotericin-B with γ -cyclodextrin. *International Journal of Pharmaceutics*, 29(2–3), 161–168. [https://doi.org/10.1016/0378-5173\(86\)90113-4](https://doi.org/10.1016/0378-5173(86)90113-4)
- Ramos, A. I., Vaz, P. D., Braga, S. S., & Silva, A. M. S. (2017). Association of aescin with β - and γ -cyclodextrins studied by DFT calculations and spectroscopic methods. *Beilstein Journal of Nanotechnology*, 8, 348–357. <https://doi.org/10.3762/bjnano.8.37>
- Rickman, J., Tronci, G., Liang, H., & Russell, S. J. (2019). Rotation-assisted wet-spinning of UV-cured gelatin fibres and nonwovens. *Journal of Materials Science*, 54(14), 10529–10547. <https://doi.org/10.1007/s10853-019-03498-5>
- Ruiz, H. K., Serrano, D. R., Dea-Ayuela, M. A., Bilbao-Ramos, P. E., Bolás-Fernández, F., Torrado, J. J., & Molero, G. (2014). New amphotericin B- γ cyclodextrin formulation for topical use with synergistic activity against diverse fungal species and *Leishmania* spp. *International Journal of Pharmaceutics*, 473(1–2), 148–157. <https://doi.org/10.1016/j.ijpharm.2014.07.004>
- Salleh, N. A. M., Afifi, A. M., Zuki, F. M., & SalehHudin, H. S. (2025). Enhancing mechanical properties of chitosan/PVA electrospun nanofibers: A comprehensive review. *Beilstein Journal of Nanotechnology*, 16, 286–307. <https://doi.org/10.3762/bjnano.16.22>
- Sarabia-Vallejo, Á., Caja, M. D. M., Olives, A. I., Martín, M. A., & Menéndez, J. C. (2023). Cyclodextrin Inclusion Complexes for Improved Drug Bioavailability and Activity: Synthetic and Analytical Aspects. *Pharmaceutics*, 15(9), 2345. <https://doi.org/10.3390/pharmaceutics15092345>
- Sheokand, B., Vats, M., Kumar, A., Srivastava, C. M., Bahadur, I., & Pathak, S. R. (2023). Natural polymers used in the dressing materials for wound healing: Past, present and future. *Journal of Polymer Science*, 61(14), 1389–1414. <https://doi.org/10.1002/pol.20220734>

- Shityakov, S., Salmas, R. E., Durdagi, S., Roewer, N., Förster, C., & Broscheit, J. (2017a). Solubility profiles, hydration and desolvation of curcumin complexed with γ -cyclodextrin and hydroxypropyl- γ -cyclodextrin. *Journal of Molecular Structure*, 1134, 91–98. <https://doi.org/10.1016/j.molstruc.2016.12.028>
- Shityakov, S., Salmas, R. E., Durdagi, S., Roewer, N., Förster, C., & Broscheit, J. (2017b). Solubility profiles, hydration and desolvation of curcumin complexed with γ -cyclodextrin and hydroxypropyl- γ -cyclodextrin. *Journal of Molecular Structure*, 1134, 91–98. <https://doi.org/10.1016/j.molstruc.2016.12.028>
- Sid, D., Baitiche, M., Elbahri, Z., Djerboua, F., Boutahala, M., Bouaziz, Z., & Le Borgne, M. (2021). Solubility enhancement of mefenamic acid by inclusion complex with β -cyclodextrin: *In silico* modelling, formulation, characterisation, and *in vitro* studies. *Journal of Enzyme Inhibition and Medicinal Chemistry*, 36(1), 605–617. <https://doi.org/10.1080/14756366.2020.1869225>
- Soylu, Z., Oktay, B., Erarslan, A., & Ahlatcioğlu Özerol, E. (2025). Multifunctional polymeric wound dressings. *Polymer Bulletin*, 82(11), 5325–5383. <https://doi.org/10.1007/s00289-025-05753-z>
- Spampinato, C., & Leonardi, D. (2013). *Candida* Infections, Causes, Targets, and Resistance Mechanisms: Traditional and Alternative Antifungal Agents. *BioMed Research International*, 2013, 1–13. <https://doi.org/10.1155/2013/204237>
- Studzińska-Sroka, E., Cichoracka, K., Rosiak, N., Miklaszewski, A., Szymański, M., & Cielecka-Piontek, J. (2025). Cyclodextrin-Based Systems of *Cetraria islandica* Extracts: A Novel Approach to Improve Solubility and Biological Activity of Lichen-Derived Natural Products. *Molecules*, 30(15), 3182. <https://doi.org/10.3390/molecules30153182>
- Umegawa, Y., Yamamoto, T., Dixit, M., Funahashi, K., Seo, S., Nakagawa, Y., Suzuki, T., Matsuoka, S., Tsuchikawa, H., Hanashima, S., Oishi, T., Matsumori, N., Shinoda, W., & Murata, M. (2022). Amphotericin B assembles into seven-molecule ion channels: An NMR and molecular dynamics study. *Science Advances*, 8(24), eabo2658. <https://doi.org/10.1126/sciadv.abo2658>
- Vega-Cázares, C. A., López-Cervantes, J., Sánchez-Machado, D. I., Madera-Santana, T. J., Soto-Cota, A., & Ramírez-Wong, B. (2018). Preparation and Properties of Chitosan–PVA Fibers Produced by Wet Spinning. *Journal of Polymers and the Environment*, 26(3), 946–958. <https://doi.org/10.1007/s10924-017-1003-8>
- Wang, X., Mohammad, I. S., Fan, L., Zhao, Z., Nurunnabi, M., Sallam, M. A., Wu, J., Chen, Z., Yin, L., & He, W. (2021). Delivery strategies of amphotericin B for invasive fungal infections. *Acta Pharmaceutica Sinica B*, 11(8), 2585–2604. <https://doi.org/10.1016/j.apsb.2021.04.010>
- Wiegand, I., Hilpert, K., & Hancock, R. E. W. (2008). Agar and broth dilution methods to determine the minimal inhibitory concentration (MIC) of antimicrobial substances. *Nature Protocols*, 3(2), 163–175. <https://doi.org/10.1038/nprot.2007.521>
- Yadav, S. K., Mishra, M. K., Tiwari, A., & Shukla, A. (2016). Emulgel: A New Approach for Enhanced Topical Drug Delivery. *International Journal of Current Pharmaceutical Research*, 9(1), 15. <https://doi.org/10.22159/ijcpr.2017v9i1.16628>
- Yin, H., Wang, C., Yue, J., Deng, Y., Jiao, S., Zhao, Y., Zhou, J., & Cao, T. (2021). Optimization and characterization of 1,8-cineole/hydroxypropyl- β -cyclodextrin inclusion complex and study of its release kinetics. *Food Hydrocolloids*, 110, 106159. <https://doi.org/10.1016/j.foodhyd.2020.106159>
- Zhang, X., Yang, D., & Nie, J. (2008). Chitosan/polyethylene glycol diacrylate films as potential wound dressing material. *International Journal of Biological Macromolecules*, 43(5), 456–462. <https://doi.org/10.1016/j.ijbiomac.2008.08.010>

- Zhao, R., Sandström, C., Zhang, H., & Tan, T. (2016). NMR Study on the Inclusion Complexes of β -Cyclodextrin with Isoflavones. *Molecules*, 21(4), 372. <https://doi.org/10.3390/molecules21040372>
- Zoppi, A., Buhlman, N., Cerutti, J. P., Longhi, M. R., & Aiassa, V. (2019). Influence of proline and β -Cyclodextrin in ketoconazole physicochemical and microbiological performance. *Journal of Molecular Structure*, 1176, 470–477. <https://doi.org/10.1016/j.molstruc.2018.08.094>