

DAFTAR PUSTAKA

- Aliah, A. I., Wahyuni, W., & Bachri, N. (2019). Uji Daya Hambat Formula Gel Ekstrak Etanol Daun Murbei (*Morus alba* L.) Sebagai Anti Acne Terhadap Bakteri *Propionibacterium acne*. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 5(2), 206–213. <https://doi.org/10.22487/j24428744.2019.v5.i2.13663>.
- Agamah FE, Mazandu GK, Hassan R, Bope CD, Thomford NE, Ghansah A, et al. Computational/in silico methods in drug target and lead prediction. *Brief Bioinform.* 2020;21:1663–75.
- Agamah, F. E., Damena, D., Skelton, M., Ghansah, A., Mazandu, G. K., & Chimusa, E. R. (2021). Network-driven analysis of human–*Plasmodium falciparum* interactome: processes for malaria drug discovery and extracting in silico targets. *Malaria Journal*, 20, 1-20.
- Andrade, E.L.; Bento, A.F.; Cavalli, J.; Oliveira, S.K.; Schwanke, R.C.; Siqueira, J.M.; Freitas, C.S.; Marcon, R.; Calixto, J.B. Non-clinical studies in the process of new drug development—Part II: Good laboratory practice, metabolism, pharmacokinetics, safety and dose translation to clinical studies. *Braz. J. Med. Biol. Res.* 2016, 49, e5646.
- Alam A, Goyal M, Iqbal MS, et al. Novel antimalarial drug targets: hope for new antimalarial drugs. *Expert Rev Clin Pharmacol.* 2009;2(5):469–489. [DOI] [PubMed] [Google Scholar].
- Amengor, C. D. K., Biniyam, P. D., Brobbey, A. A., Kekessie, F. K., Zoiku, F. K., Hamidu, S., ... & Abudey, B. M. (2024). N-Substituted Phenylhydrazones Kill the Ring Stage of *Plasmodium falciparum*. *BioMed Research International*, 2024(1), 6697728.
- A. Siriwardana, K. Iyengar, and P. D. Roepe, "Endoperoxide drug cross-resistance patterns for *Plasmodium falciparum* exhibiting an artemisinin delayed-clearance phenotype," *Antimicrobial Agents and Chemotherapy*, vol. 60, no. 11, pp. 6952–6956, 2016.
- Awale S, Linn TZ, Tezuka Y, Kalauni SK, Banskota AH, Attamimi F, Ueda J-Y, Kadota S. *Constituents of Caesalpinia crista from Indonesia*. *Chemical and Pharmaceutical Bulletin.* (2006) ;54(2):213–218. DOI: 10.1248/cpb.54.213.
- Baliga, M. S., Bhat, H. P., Joseph, N., & Fazal, F. (2011). Phytochemistry and medicinal uses of the bael fruit (*Aegle marmelos* Correa): A concise review. *Food Research International*, 44(7), 1768-1775.
- Butt, S. S., Badshah, Y., Shabbir, M., & Rafiq, M. (2020). Molecular Docking Using Chimera and Autodock Vina Software for Nonbioinformaticians. *JMIR Bioinformatics and Biotechnology*, 1(1), 1–25. <https://doi.org/10.2196/14232>.
- Banerjee, P., Eckert, A. O., Schrey, A. K., & Preissner, R. (2018). ProTox-II: A webserver for the prediction of toxicity of chemicals. *Nucleic Acids Research*, 46(W1), W257–W263. <https://doi.org/10.1093/nar/gky318>.
- Bannister, L., and G. Mitchell. 2003. The ins, outs and roundabouts of malaria. *Trends Parasitol.* 19:209-213. [DOI] [PubMed] [Google Scholar].
- BPOM, 2008, Informatorium Obat Nasional Indonesia, Badan Pengawas Obat dan Makanan Republik Indonesia, Jakarta.
- Bharti, P. K., Chandel, H. S., Ahmad, A., Krishna, S., Udhayakumar, V., & Singh, N. (2016). Prevalence of pfhrp2 and/or pfhrp3 gene deletion in *Plasmodium falciparum* population in

eight highly endemic states in India. *PloS one*, 11(8), e0157949.

Dash, R., Sahoo, R. N., Nandi, S., Swain, R. & Mallick, S. Sustained release bioadhesive suppository formulation for systemic delivery of ornidazole: In silico docking study. *Indian J. Pharm. Educ. Res.* 53(4), S580–S586 (2019).

Dauda, G., Ali, B. H., Bawa, B., Abdullahi, M., Hamza, A. N., Sani, Y. M., ... & Hassan, H. S. (2025). Antimalarial Activity of Globimetula oreophila Compounds: In Silico Docking Investigations on Plasmodium falciparum Protease. *Sciences of Phytochemistry*, 4(2), 76-84.

Dwiyanti, Ratih Dewi, Anny Thuraidah & Nurlailah. 2023. "Phytochemical Analysis by LC-HRMS and Antibacterial Activity Of the Ethanol Extract of Sengkuang (Dracontomelon Dao (Blanco) Merr. & Rofe)". *Medical Laboratory Technology Journal* 9 (1).

Delves MJ et al. A high throughput screen for next-generation leads targeting malaria parasite transmission. *Nat. Commun* 9, 3805 (2018). [DOI] [PMC free article] [PubMed] [Google Scholar][Ref list].

Daina, A., Michielin, O., & Zoete, V. (2017). SwissADME: A free web tool to evaluate pharmacokinetics, drug-likeness and medicinal chemistry friendliness of small molecules. *Scientific Reports*, 7(October 2016), 1–13. <https://doi.org/10.1038/srep42717>.

Ersmark, K., Samuelsson, B., & Hallberg, A. (2006). "Plasmepsins as potential targets for new antimalarial therapy." *Medicinal Research Reviews*, 26(5), 626–666.

Elizabeth A Ashley MD, Aung Pyae Phyo MD, Charles J Woodrow MD. Malaria. Science direct. 2018. [Volume 391, Issue 10130](https://doi.org/10.1016/S0140-6736(18)30324-6), 21–27 April 2018, Pages 1608-1621. [https://doi.org/10.1016/S0140-6736\(18\)30324-6](https://doi.org/10.1016/S0140-6736(18)30324-6).

F. En-Nahli, S. Baammi, H. Hajji, M. Alaqarbeh, T. Lakhlifi, and M. Bouachrine, "High-throughput virtual screening approach of natural compounds as target inhibitors of plasmepsin-II," *Journal of Biomolecular Structure and Dynamics*, vol. 41, no. 19, 2022.

Festing, S. & Wilkinson, R. (2007). The ethics of animal research. *EMBO Reports*, 8(6), 526-530. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2002542/>.

Frevert, U., S. Engelmann, S. Zougbede, J. Stange, B. Ng, K. Matuschewski, L. Liebes, and H. Yee. 2005. Intravital observation of *Plasmodium berghei* sporozoite infection of the liver. *PLoS Biol.* 3:e192. [DOI] [PMC free article] [PubMed] [Google Scholar].

Forte B et al. Prioritization of molecular targets for antimalarial drug discovery. *ACS Infect. Dis* 7, 2764–2776 (2021). [DOI] [PMC free article] [PubMed] [Google Scholar]; Describes the most important criteria for selecting targets for antimalarial drug discovery and analyses several drug targets in the MalDA pipeline as well as strategies for identifying additional drug targets. [Ref list].

Gandhi, P. R., Kamaraj, C., Vimalkumar, E., & Roopan, S. M. (2019). In vivo antiplasmodial potential of three herbal methanolic extracts in mice infected with *Plasmodium berghei* NK65. *Chinese Herbal Medicines*, 11(3), 299-307.

Garcia LS. Malaria. *Clin Lab Med.* 2010 Mar; 30 (1):93-129. [PubMed] [Daftar referensi].

- Gupta E, Shakyawar S, Sundaram S. Therapeutic and nutraceutical potential of bioactive compounds in *Aegle marmelos* (L.): an overview. *Current Nutrition & Food Science*. 2019 Jun 1;15(4):306-17. doi:10.2174/1573401314666180123151622.
- H. Gutiérrez-de-Terán, M. Nervall, K. Ersmark et al., "Inhibitor binding to the plasmepsin IV aspartic protease from *Plasmodium falciparum*," *Biochemistry*, vol. 45, no. 35, pp. 10529–10541, (2006).
- Hovlid ML & Winzeler EA Phenotypic screens in antimalarial drug discovery. *Trends Parasitol* 32, 697–707 (2016). [DOI] [PMC free article] [PubMed] [Google Scholar][Ref list].
- Humphreys, M. J., Moon, R. P., Klinder, A., Fowler, S. D., Rupp, K., Bur, D., Ridley, R. G., & Berry, C. (1999). *The aspartic proteinase from the rodent parasite Plasmodium berghei as a potential model for plasmepsins from the human malaria parasite Plasmodium falciparum*. **FEBS Letters**, **463**(1–2), 43–48. https://doi.org/10.1016/S0014-5793(99)01597-5.
- Ishino, T., K. Yano, Y. Chinzei, and M. Yuda. 2004. Cell-passage activity is required for the malarial parasite to cross the liver sinusoidal cell layer. *PLoS Biol.* 2:77-84. [DOI] [PMC free article] [PubMed] [Google Scholar].
- Iqbal, M., Effendi, Z., Aamruna, Y., & Suryawati, S. (2013, December). Uji aktivitas antimalaria in vivo dari beberapa fraksi ekstrak kulit buah manggis (*Garcinia manggostana* Linn) pada mencit (*Mus musculus*) yang diinfeksi dengan *Plasmodium berghei*. In *Pekan Ilmiah Mahasiswa Nasional Program Kreativitas Mahasiswa-Penelitian 2013*. Indonesian Ministry of Research, Technology and Higher Education.
- Jeanne Rini Poespoprodjo MD, Nicholas M Douglas FRACP, Prof. Daniel ansong FWACP, Steven KHO PhD, Prof. Nicholas M Anstey FRACP. *Malaria*. Science direct. 2023. https://doi.org/10.1016/S0140-6736(23)01249-7.
- James, A. A. 2003. Blocking malaria parasite invasion of mosquito salivary glands. *J. Exp. Biol.* 206:3817-3821. [DOI] [PubMed] [Google Scholar].
- Jorgensen, W. L. The many roles of computation in drug discovery. *Science* 303(5665), 1813–1818 (2004).
- Kadir, M. B. A., & Yuniarto, P. F. (2022). Uji Efektivitas Ekstrak Etanol 96% Daun Maja (*Aegle marmelos* L Corr) Terhadap Hiperglikemia Pada Hewan Uji Mencit (*Mus musculus*) yang Diinduksi Streptozotocin. *Java Health Journal*, 9(2).
- Kumar S, Bhardwaj T, Prasad D, Singh RK. Drug targets for resistant malaria: historic to future perspectives. *Biomed Pharmacother.* 2018;104:8–27. doi: 10.1016/j.biopha.2018.05.009 [DOI] [PubMed] [Google Scholar].
- Kerr, I.D., et al. (2009). Structures of falcipain-2 and falcipain-3 bound to small molecule inhibitors. *Journal of Medicinal Chemistry*, **52**(3), 852–857.
- Kekessie F. K. , C. D. Amengor, A. Brobbey et al., "Synthesis, molecular docking studies and ADME prediction of some new triazoles as potential antimalarial agents," *Scientific African*, vol. 14, article e00998, 2021.
- Land, H., & Humble, M. S. (2018). YASARA: A tool to obtain structural guidance in biocatalytic investigations. *Methods in Molecular Biology*, 1685, 43–67. https://doi.org/10.1007/978-1-4939-7366-8_4.

- M. M. Shakdofa, M. H. Shtaiwi, N. Morsy, and T. Abdel-rassel, "Metal complexes of hydrazones and their biological, analytical and catalytic applications: a review," *Main Group Chemistry*, vol. 13, no. 3, pp. 187–218, (2014).
- Maity P, Hansda D, Bandyopadhyay U, Mishra DK (2009). Biological activities of crude extracts and chemical constituents of bael, *Aegle marmelos* (L.) Correa. *Ind. J. Exp. Bio.*, 47: 849-861.
- Markell, E. K., Voge, M. & John, D. T., 1986. *Medical Parasitology*. 6th penyunt. London: W.B. Saunders Company.
- Meng XY, Zhang HX, Mezei M, Cui M. Molecular docking: a powerful approach for structure-based drug discovery. *Curr Comput Aided Drug Des*. 2011;7:146–57.
- Mark, P., & Nilsson, L. (2001). Structure and dynamics of the TIP3P, SPC, and SPC/E water models at 298 K. *Journal of Physical Chemistry A*, 105(43), 9954–9960. <https://doi.org/10.1021/jp003020w>.
- Monika, S., Thirumal, M., & Kumar, P. (2023). Phytochemical and Biological Review of Aegle Marmelos Linn. *Future Science OA*, 9(3). doi:10.2144/fsoa-2022-0068.
- Nanda, A. *et al*. Drug-in-mucoadhesive type film for the ocular anti-inflammatory potential of amlodipine: Effect of sulphobutyl-ether-beta-cyclodextrin on permeation and molecular docking characterization. *Colloids Surf. B Biointerfaces* 172, 555–564 (2018).
- Navdeep S. Chandel. 2010. Science Direct. Mitochondrial complex III: An essential component of universal oxygen sensing machinery?. *Respiratory Physiology & Neurobiology* Volume 174, Issue 3, 31 December 2010, Pages 175-181. <https://doi.org/10.1016/j.resp.2010.08.004>.
- Olsen, L., Montefiori, M., Tran, K. P., & Jørgensen, F. S. (2019). SMARTCyp 3.0: Enhanced cytochrome P450 site-of-metabolism prediction server. *Bioinformatics*, 35(17), 3174–3175. <https://doi.org/10.1093/bioinformatics/btz037>.
- Pramanik, A., Sahoo, R. N., Pradhan, S. K. & Mallick, S. Characterization and molecular docking of kaolin-based cellulosic film for extending ophthalmic drug delivery. *Indian J. Pharm. Sci.* 83(4), 794–807 (2021).
- Peraturan Menteri Kesehatan Republik Indonesia (Permenkes RI. 2013.) *Pedoman tata laksana malaria*. Nomor 5 Tahun 2013, No.128.
- Peters, W. (1965). Drug resistance in *Plasmodium berghei* Vincke and Lips, 1948. *Annals of Tropical Medicine and Parasitology*, 59(4), 459–468. <https://doi.org/10.1080/00034983.1965.11686317>
- Pires, D. E. V., Blundell, T. L., & Ascher, D. B. (2015). pkCSM: Predicting small-molecule pharmacokinetic and toxicity properties using graph-based signatures. *Journal of Medicinal Chemistry*, 58(9), 4066–4072. <https://doi.org/10.1021/acs.jmedchem.5b00104>.
- Pubrica Academy. Why Is It Important to Do a Literature Review in Research? Available online: <https://pubrica.com/academy/research/why-is-it-important-to-do-a-literature-review-in-research/> (accessed on 12 July 2023).
- Plouffe D et al. In silico activity profiling reveals the mechanism of action of antimalarials discovered in a high-throughput screen. *Proc. Natl Acad. Sci. USA* 105, 9059–9064

- (2008). [\[DOI\]](#) [\[PMC free article\]](#) [\[PubMed\]](#) [\[Google Scholar\]](#).
- Potluri, H., Prasanth, D. S. & Atmakuri, L. R. In vivo antinociceptive effect of methanolic extract of *Ipomoea marginata* Desr. in rodents as well as in silico molecular docking of some phytoconstituents from the plant. *Indian J. Pharm. Sci.* 83(4), 732–741 (2021).
- Phillipson, J.D. (1991). Assays for antimalarial and amoebicidal activities. Academic Press Inc. (London) Ltd.
- Rao, C. H. V., Amresh, K. R., Irfan, A., Rawat, A. K. S., & Pushpangadan, P. (2003). Protective effect of Aegle marmelos fruit in gastrointestinal dysfunction in rats. *Journal Pharmaceutical Biology*, 41, 558–563.
- Reyburn H. New WHO guidelines for the treatment of malaria. *BMJ*. 2010;340:c2637. doi: 10.1136/bmj.c2637 [\[DOI\]](#) [\[PubMed\]](#) [\[Google Scholar\]](#).
- Rosenthal, P. J. (2004). Cysteine proteases of malaria parasites. *International Journal for Parasitology*, 34(13-14), 1489–1499. DOI: 10.1016/j.ijpara.2004.10.002.
- Rosenthal, P.J. (2011). Falcipains and other cysteine proteases of malaria parasites. *Advances in Experimental Medicine and Biology*, 712, 30–48.
- Sijwali, P. S., & Rosenthal, P. J. (2004). Gene disruption confirms a critical role for falcipain-2, a hemoglobinase of the malaria parasite *Plasmodium falciparum*. *Proceedings of the National Academy of Sciences*, 101(12), 4384–4389. DOI: 10.1073/pnas.0307729101.
- Sahoo, R. N., Pattanaik, S., Pattnaik, G., Mallick, S. & Mohapatra, R. Review on the use of molecular docking as the first line tool in drug discovery and development. *Indian J. Pharm. Sci.* 84(5), 1334–1337 (2022).
- Sadikin M (1989). Peningkatan daya tahan tubuh oleh kenaikan suhu tubuh pada mencit terinfeksi dengan *Plasmodium berghei* ANKA. *Cermin Dunia Kedokteran* 1989; 55: hal. 32-7.
- Smyth, M. S. & Martin, J. H. X-ray crystallography. *Mol. Pathol.* 53, 8–14 (2000).
- Shin, H. I., Ku, B., Jung, H., Lee, S. D., Lee, S. Y., Ju, J. W., ... & Lee, H. I. (2024). 2023 world malaria report (Status of world malaria in 2022). *Public Health Weekly Report*, 17(32), 1351.
- Singh, A., Walker, K. J., Sijwali, P. S., Lau, A. L., & Rosenthal, P. J. (2007). A chimeric cysteine protease of *Plasmodium berghei* engineered to resemble the *Plasmodium falciparum* protease falcipain-2. *Protein Engineering, Design & Selection*, 20(4), 171–177. <https://doi.org/10.1093/protein/gzm009>.
- Tao, Y., Zhang, Y., Cheng, Y., & Wang, Y. (2013). Rapid screening and identification of α -glucosidase inhibitors from mulberry leaves using enzyme-immobilized magnetic beads coupled with HPLC/MS and NMR. *Biomedical Chromatography*, 27(2), 148–155. <https://doi.org/10.1002/bmc.2761>.
- Volunteers, A. H. (2002). Guidance for industry and reviewers. *Center for Biologics Evaluation and Research (CBER)*.
- Wahyukurnia, P. T., Yuhara, N. A., & Atmaja, S. P. (2023). Aktivitas Antibakteri Fraksi N-Heksan, Etil Asetat, N-Butanol Daun Jambu Mete (*Anacardium occidentale*) terhadap Bakteri Penyebab Ulkus Diabetik (*Staphylococcus aureus* dan *Escherichia coli*). *JURNAL KESEHATAN PERINTIS (Perintis's Health Journal)*, 10(2), 114–123.

<https://doi.org/10.33653/jkp.v10i2.1039>.

Wang, J., Wolf, R. M., Caldwell, J. W., Kollman, P. A., & Case, D. A. (2004). 20035_Ftp. *Journal of Computational Chemistry*, 56531(9), 1157–1174.

World Malaria Report 2023. Geneva: World Health Organization; 2023. WHO/UCN/GMP/2023.08 CC BY-NC-SA 3.0 IGO.

Xiong, G., Wu, Z., Yi, J., Fu, L., Yang, Z., Hsieh, C., Yin, M., Zeng, X., Wu, C., Lu, A., Chen, X., Hou, T., & Cao, D. (2021). ADMETlab 2.0: An integrated online platform for accurate and comprehensive predictions of ADMET properties. *Nucleic Acids Research*, 49(W1), W5–W14. <https://doi.org/10.1093/nar/gkab255>.

Yusuf, Y., Asri, R. M., Go, R., Zuhair, M. N., Kaharuddin, K. M., Parennden, M. D. K., ... & Hartono, H. Synergism of Anti-Malarial Effect of *Carica papaya* L. and *Moringa oleifera* Leaf Extracts in Mice. (2024) *Majalah Obat Tradisional*, 29(1), 100-106.

Zuck M, Austin LS, Danziger SA, Aitchison JD, Kaushansky A. The promise of systems biology approaches for revealing host pathogen interactions in malaria. *Front Microbiol*. 2017;8:2183.

Zanin JL Baldim, De Carvalho BA, Martineli PS, et al. *The Genus Caesalpinia L. (Caesalpinaceae): Phytochemical and Pharmacological Characteristics*. *Molecules*. (2012) ;17(7):7887–7902. DOI: 10.3390/molecules17077887.