

DAFTAR PUSTAKA

- Abd-dada, H., Bouda, S., Khachtib, Y., Bella, Y. A., & Haddioui, A. (2023). Use of ISSR markers to assess the genetic diversity of an endemic plant of Morocco (*Euphorbia resinifera* O. Berg). *Journal of Genetic Engineering and Biotechnology*, 21(1), 1–11. <https://doi.org/10.1186/s43141-023-00543-4>.
- Adriyani, R., Sitaresmi, T., & Sujiprihati, S. (2014). Variasi genetik padi lokal (*Oryza sativa* L.) asal Jawa Barat berdasarkan karakter morfologi dan marka SSR. *Jurnal AgroBiogen*, 10 (1), 27–36. <https://doi.org/10.21082/jbio.v10n1.2014.p27-36>.
- Aditika, S., Kapoor, B., Singh, S., & Kumar, P. (2022). Taro (*Colocasia esculenta* L.): Zero wastage orphan food crop for food and nutritional security. *South African Journal of Botany*, 145, 157–169. <https://doi.org/10.1016/j.sajb.2021.08.014>.
- Alemu, M., & Atnafu, A. (2017). Genetic diversity study of Ethiopian wheat (*Triticum aestivum* L.) using inter simple sequence repeat markers. *African Journal of Biotechnology*, 16(7), 307–314. <https://doi.org/10.5897/AJB2016.15740>.
- Akwee, P. E., & Victoria, L. (2023). Genetic variation in morphological characters and yield-related traits of taro collections (*Colocasia esculenta* L. L. (Schott)). *International Journal of Innovative Research and Advanced Studies*, 10(9), 141–148.
- Amiteye, S. (2021). Basic concepts and methodologies of DNA marker systems in plant molecular breeding. *Heliyon*, 7(7), e08093. <https://doi.org/10.1016/j.heliyon.2021.e08093>.
- Anam, C., Santoso, D., & Nur, A. (2021). Teknik elektroforesis gel agarosa untuk analisis DNA. *Jurnal Bioteknologi & Biosains Indonesia*, 8(2), 123–132. <https://doi.org/10.29122/jbbi.v8i2.4567>
- Azrai, M. (2005). Pemanfaatan marka molekuler dalam program pemuliaan tanaman. *Jurnal Litbang Pertanian*, 24(3), 99–107.
- Bhandari, H. R., Bhanu, A. N., Srivastava, K., Singh, M. N., Shreya, & Hemantaranjan, A. (2017). Assessment of genetic diversity in crop plants – An overview. *Advances in Plants & Agriculture Research*, 7(3), 255–258. <https://doi.org/10.15406/apar.2017.07.00255>.
- Bidyananda, N. (2024). Plant genetic diversity studies: Insights from DNA marker technologies. *Plants*, 13(3), 46. <https://doi.org/10.3390/plants13030046>.
- Dani, R. S., Divakar, P. K., & Baniya, C. B. (2023). Diversity and composition of plant species along elevational gradient: Research trends.

- Biodiversity and Conservation, 32(8–9), 2961–2980.
<https://doi.org/10.1007/s10531-023-02638-3>.
- Debela, K. B., Yohannes, D. B., Beyene, T. M., & Bantte, K. (2025). Diversity in biochemical traits among taro (*Colocasia esculenta* (L.) Schott) accessions in southwest Ethiopia: Implications for breeding and food security. *Journal of Agriculture and Food Research*, 11, 102115.
<https://doi.org/10.1016/j.jafr.2025.102115>
- Emmanuel, C., Uyoh, A. A., Ntui, V. O., & Brisibe, E. A. (2024). Discrimination and selection of exploitable genetic diversity from a mixed population of cocoyam (*Colocasia esculenta* L. and *Xanthosoma sagittifolium* (L.)) germplasm based on agro-morphological traits and potential for addressing food and nutritional security. Research Square, in press.
- Excoffier, L., Smouse, P. E., & Quattro, J. M. (1992). Analysis of molecular variance inferred from metric distances among DNA haplotypes: Application to human mitochondrial DNA restriction data. *Genetics*, 131(2), 479–491.
- FAO. 2022. FAOSTAT Statistical Database. Food and Agriculture Organization of the United Nations, Rome.
- Ferdaus, M. J., Chukwu-Munsen, E., Foguel, A., & Claro da Silva, R. (2023). Taro roots: An underexploited root crop. *Nutrients*, 15(15), 3337.
<https://doi.org/10.3390/nu15153337>
- Food and Agriculture Organization of the United Nations (FAO). (2020). Roots, tubers, plantains and bananas in human nutrition and food security. FAO. <https://doi.org/10.4060/cb2396en>
- Fufa, T. W., Menamo, T. M., Abteu, W. G., Amadi, C. O., & Oselebe, H. O. (2023). Detection of the local adaptive and genome-wide associated loci in southeast Nigerian taro (*Colocasia esculenta* L. (L.) Schott) populations. *BMC Genomics*, 24(1), 1–16.
<https://doi.org/10.1186/s12864-023-09134-6>
- Fufa, T. W., Oselebe, H. O., Nnamani, C. V., Afiukwa, C. A., & Uyoh, E. A. (2021). Systematic review on farmers' perceptions, preferences and utilization patterns of taro [*Colocasia esculenta* L. (L.) Scott] for food and nutrition security in Nigeria. *Journal of Plant Sciences*, 9(4), 224–232.
<https://doi.org/10.11648/j.jps.20210904.23>
- Haji, S., Siti, A., Munirwan, Z., Aswar, L. M., & Ode, Y. W. (2019). Food security status of households in a cassava-growing village in Southeast Sulawesi, Indonesia. *Journal of Agricultural Extension*, 23(1), 199–209.

- IPGRI. (1991). Descriptors for taro (*Colocasia esculenta* L.). Rome: International Plant Genetic Resources Institute.
- Khadivi, A., Mirheidari, F., Saeidifar, A., Moradi, Y., & Tunç, Y. (2025). Morphological and pomological characterizations of pomegranate (*Punica granatum* L.) to select superior genotypes. *Scientific Reports*, 15(1), 1–21. <https://doi.org/10.1038/s41598-025-91595-8>
- Kumar, R., Singh, R., & Sharma, P. (2021). Environmental drivers of phenotypic variation and adaptation in tropical root and tuber crops. *Plant Physiology and Biochemistry*, 168, 215–224. <https://doi.org/10.1016/j.plaphy.2021.01.012>.
- Körner, C. (2021). *Alpine plant life: Functional plant ecology of high mountain ecosystems* (3rd ed.). Springer Nature Switzerland AG. <https://doi.org/10.1007/978-3-030-59538-8>
- Labeyrie V, Friedman RS, Donnet S, Faye NF, Cobelli O, Baggio J, Felipe-Lucia MR, Raimond C. 2023. Linking seed networks and crop diversity contributions to people: a case study in small-scale farming systems in Sahelian Senegal. *Agric Syst*. 211(1):26-37. doi:10.1016/j.agry.2023.103726.
- Lebot, V. 2009. *Tropical Root and Tuber Crops: Cassava, Sweet Potato, Yams and Aroids*. CABI Publishing, Wallingford.
- Lebot, V., & Ivančič, A. (2022). Taro (*Colocasia esculenta* L. (L.) Schott), breeding history, objectives, methods and strategies: A review of fifty years of sporadic efforts. *Euphytica*, 218(11), 10681. <https://doi.org/10.1007/s10681-022-03118-5>
- Legesse, T., & Bekele, T. (2021). Evaluation of improved taro (*Colocasia esculenta* L. (L.) Schott) genotypes on growth and yield performance in North-Bench Woreda of Bench-Sheko zone, South-Western Ethiopia. *Heliyon*, 7(12), e08630. <https://doi.org/10.1016/j.heliyon.2021.e08630>
- Maghfirah, N., Lestari, D. A., & Purwanto, E. (2022). Root and tuber crops as alternative food sources to support food security in tropical regions. *Biodiversitas*, 23(4), 2035–2044. <https://doi.org/10.13057/biodiv/d230435>.
- Martini, E., Tarigan, J., Purnomosidhi, P., Prahmono, A., Surgana, M., Setiawan, A., Megawati, Mulyoutami, E., Meldy, B. D., Syamsidar, *et al.* (2012). Agroforestry and forestry in Sulawesi series: Agroforestry extension needs at the community level in AgFor project sites in South and Southeast Sulawesi, Indonesia. ICRAF Working Paper 159.
- Matthews, P.J. 2004. Genetic diversity in taro, and the preservation of culinary knowledge. *Ethnobotany Research and Applications* 2: 55–71.

- Nair, U. M. A., Devi, A. A., Veena, S. S., & Krishnan, B. S. P. (2018). Genetic diversity analysis of leaf blight resistant and susceptible taro [*Colocasia esculenta* L. (L.) Schott] genotypes using ISSR markers. *Journal of Root Crops*, 44(2), 44–52.
- Nei, M., & Kumar, S. (2000). *Molecular evolution and phylogenetics*. Oxford University Press.
- Nicklas, L., Walde, J., Wipf, S., Lamprecht, A., Mallaun, M., Rixen, C., Steinbauer, K., Theurillat, J. P., Unterluggauer, P., Vittoz, P., *et al.* (2021). Climate change affects vegetation differently on siliceous and calcareous summits of the European Alps. *Frontiers in Ecology and Evolution*, 9, 642309. <https://doi.org/10.3389/fevo.2021.642309>
- N'koua, G. C., *et al.* (2020). [detail sesuai naskah Anda] Peakall, R., & Smouse, P. E. (2012). GenAEx 6.5: Genetic analysis in Excel. Population genetic software for teaching and research—An update. *Bioinformatics*, 28(19), 2537–2539. <https://doi.org/10.1093/bioinformatics/bts460>.
- Purseglove, J.W. 1972. *Tropical Crops: Monocotyledons*. Longman, London.
- Rao, V. R., & Hodgkin, T. (2002). Genetic diversity and conservation and utilization of plant genetic resources. *Plant Cell, Tissue and Organ Culture*, 68(1), 1–19.
- Reddy, M. P. (2002). Inter simple sequence repeat (ISSR) polymorphism and its application in plant breeding. *Euphytica*, 128(1), 9–18. <https://doi.org/10.1023/A:1020691618797>
- Risliawati, A., Riyanti, A., Lestari, E., Putami, P., & Silitonga, D. (2016). Development of SSR marker set to identify forty two Indonesian soybean varieties. *Jurnal AgroBiogen*, 11(2), 49–58. <https://doi.org/10.21082/jbio.v11n2.2015.p49-58>
- Rotinsulu, W., Pinaria, A., Tasirin, J., Pakasi, S., Pakasi, C., Kapantow, G., & Syamsidar. (2024). Biodiversity for food security: The giant swamp taro “Dalugha” from Sangihe Islands, North Sulawesi, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 1302(1), 012072. <https://doi.org/10.1088/1755-1315/1302/1/012072>.
- Sammour, R. H., Mustafa, A. E.-Z., Al-Harbi, H. F., Abdelgawwad, M. R., & AlShamasi, F. K. (2025). Evaluation of genetic diversity and population structure using agro-morphological traits and ISSR markers. *Journal of Genetic Engineering and Biotechnology*, 23, 100500. <https://doi.org/10.1016/j.jgeb.2025.100500>
- Shah YA, Saeed F, Afzaal M, Waris N, Ahmad S, Shoukat N, Ateeq H. 2022. Industrial applications of taro (*Colocasia esculenta*) as a novel food ingredient: A review. *J Food Process Preserv*. 46(11):10–13. doi:10.1111/jfpp.16951.

- Sharma, S., Jan, R., Kaur, R., & Riar, C. S. (2020). Taro (*Colocasia esculenta* L.): Antioxidants, vegetables, nuts – Properties and health benefits. Antioxidants in Vegetables and Nuts, in press.
- Skeels, A., Keppel, G., & Crayn, D. (2023). Wallacea as a global hotspot of plant endemism shaped by geological history. *Journal of Biogeography*, 50(3), 489–502. <https://doi.org/10.1111/jbi.14584>
- Surzycki, S. (2000). Basic techniques in molecular biology. Springer.
- Tehulie, N. S., Mekonnen, F., Mekonnen, A., Hassen, A., Ebrahim, S., & Abebe, S. (2023). Opportunity, challenges and approaches of multivariate diversity analysis for quantitative traits of pulse crops: A review. *Bulletin of University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca Agriculture*, 82, 20–26. <https://doi.org/10.15835/buasvmcn-agr>
- Trojanowska, A., & Bolibok, H. (2004). ISSR markers as a tool for genetic diversity studies of forest trees. *Dendrobiology*, 51, 67–72.
- Vijayan, K. (2005). Inter simple sequence repeat (ISSR) polymorphism and its application in mulberry genetic diversity analysis. *International Journal of Industrial Entomology*, 10(2), 79–86.
- Wada, Y., van Beek, L. P. H., & Bierkens, M. F. P. (2021). Sustainability of global food production under limited water resources. *Nature Food*, 2, 25–32. <https://doi.org/10.1038/s43016-020-00202-5>
- Wardhani, K. A., Dinarti, D., Santosa, E., & Nurcholis, W. (2025). Gamma ray irradiation effects on embryogenic calli growth in Indonesian taro. *Pertanika Journal of Tropical Agricultural Science*, 48(3), 733–746.
- White, L. T., Myers, N., & Cannon, C. H. (2021). Biogeography and endemism of Sulawesi flora. *Biological Journal of the Linnean Society*, 132(1), 1–15. <https://doi.org/10.1093/biolinnean/blaa203>.
- Widjaja, E. A., Rahayuningsih, Y., Rahajoe, J. S., Ubaidillah, R., Maryanto, I., Walujo, E. B., & Semiadi, G. (2014). *Kekinian keanekaragaman hayati Indonesia*. LIPI Press.
- Yeh, F. C., Yang, R. C., Boyle, T. J. B., Ye, Z. H., & Mao, J. X. (1999). POPGENE version 1.32: The user-friendly software for population genetic analysis. Edmonton, Alberta, Canada: Molecular Biology and Biotechnology Centre, University of Alberta.
- Zietkiewicz, E., Rafalski, A., & Labuda, D. (1994). Genome fingerprinting by simple sequence repeat (SSR)-anchored polymerase chain reaction amplification. *Genomics*, 20(2), 176–183. <https://doi.org/10.1006/geno.1994.1151>.

Zhang, Y., Wang, J., Liu, Q., & Chen, S. (2022). Altitudinal gradients shape plant functional traits and adaptive strategies in mountainous ecosystems. *Frontiers in Plant Science*, 13, 873421. <https://doi.org/10.3389/fpls.2022.873421>