

DAFTAR PUSTAKA

- Ahmed LHM, Butler AE, Dargham SR, Latif A, Ahmed EA, Hassan A, Atkin SL. Relationship between total vitamin D metabolites and complications in patients with type 2 diabetes. *Biomed Rep.* 2021 Jan;14(1):18. doi: 10.3892/br.2020.1394. Epub 2020 Nov 23. PMID: 33365128; PMCID: PMC7716709.
- Bennett MR, Pordal A, Haffner C, Pleasant L, Ma Q, Devarajan P. Urinary Vitamin D-Binding Protein as a Biomarker of Steroid-Resistant Nephrotic Syndrome. *Biomark Insights.* 2016 Jan 13;11:1-6. doi: 10.4137/BMI.S31633. PMID: 26792978; PMCID: PMC4712977.
- Kogon AJ, Ballester LS, Zee J, Walker N, Zaritsky JJ, Atkinson MA, Sethna CB, Hoofnagle AN, Leonard MB, Denburg MR. Vitamin D supplementation in children and young adults with persistent proteinuria secondary to glomerular disease. *Pediatr Nephrol.* 2023 Mar;38(3):749-756. doi: 10.1007/s00467-022-05660-9. Epub 2022 Jul 19. Erratum in: *Pediatr Nephrol.* 2024 Dec;39(12):3627-3628. doi: 10.1007/s00467-024-06475-6. PMID: 35852656; PMCID: PMC11305009.
- Banerjee S, Basu S, Sen A, Sengupta J. The effect of vitamin D and calcium supplementation in pediatric steroid-sensitive nephrotic syndrome. *Pediatr Nephrol.* 2017 Nov;32(11):2063-2070. doi: 10.1007/s00467-017-3716-2. Epub 2017 Jul 19. PMID: 28725977. Bhowmick, K., et al. (2021). Gender Predisposition and Clinical Outcomes in Pediatric Nephrotic Syndrome: A Longitudinal Study. *Journal of Pediatric Nephrology*. Available at: <https://doi.org/10.3390/ijerph19010447>.
- Chang SH, Chung Y, Dong C. Vitamin D suppresses Th17 cytokine production by inducing C/EBP homologous protein (CHOP) expression. *J Biol Chem.* 2010 Dec 10;285(50):38751-5. doi: 10.1074/jbc.C110.185777. Epub 2010 Oct 25. PMID: 20974859; PMCID: PMC2998156.
- Chang SW, Lee HC. Vitamin D and health - The missing vitamin in humans. *Pediatr Neonatol.* 2019 Jun;60(3):237-244. doi: 10.1016/j.pedneo.2019.04.007. Epub 2019 Apr 17. PMID: 31101452.
- Efird JT, Anderson EJ, Jindal C, Redding TS, Thompson AD, Press AM, Upchurch J, Williams CD, Choi YM, Suzuki A. The Interaction of Vitamin D and Corticosteroids: A Mortality Analysis of 26,508 Veterans Who Tested Positive for SARS-CoV-2. *Int J Environ Res Public Health.* 2021 Dec 31;19(1):447. doi: 10.3390/ijerph19010447. PMID: 35010701; PMCID: PMC8744830.
- Ferretti E, Horenstein AL, Canzonetta C, Costa F, Morandi F. Canonical and non-canonical adenosinergic pathways. *Immunol Lett.* 2019;205:25–30. doi:10.1016/j.imlet.2018.03.007.
- Filipov JJ, Zlatkov BK, Dimitrov EP. Vitamin D and renal disease. In: Gowder S, editor. *A critical evaluation of vitamin D: Clinical overview*. Rijeka (HR): InTech; 2017. doi:10.5772/intechopen.68714.
- Gembillo G, Siligato R, Amatruda M, Conti G, Santoro D. Vitamin D and Glomerulonephritis. *Medicina (Kaunas).* 2021 Feb 22;57(2):186. doi: 10.3390/medicina57020186. PMID: 33671780; PMCID: PMC7926883.
- Gil Á, Plaza-Diaz J, Mesa MD. Vitamin D: Classic and Novel Actions. *Ann Nutr Metab.* 2018;72(2):87-95. doi: 10.1159/000486536. Epub 2018 Jan 18. PMID:

29346788.

- Hackl A, Zed SEDA, Diefenhardt P, Binz-Lotter J, Ehren R, Weber LT. The role of the immune system in idiopathic nephrotic syndrome. *Mol Cell Pediatr*. 2021 Nov 18;8(1):18. doi: 10.1186/s40348-021-00128-6. PMID: 34792685; PMCID: PMC8600105.
- Hassan, I. *et al*. Changing spectrum of infections in childhood nephrotic syndrome. *Indian J Pediatr*. 2019;86(11):1065. doi:10.1007/s12098-019-03007-1.
- Kadim, A. A., & Hassan, A. B. (2024). Evaluation the validity of Interleukin-17 in Nephrotic Syndrome patients. *BIO Web of Conferences*, 108. <https://doi.org/10.1051/bioconf/202410804014>.
- Kari JA, et al. Nutritional challenges and vitamin D haemostasis in chronic kidney disease. *Cytokine*. 2023;155452. doi:10.1016/j.cyto.2023.155452.
- Kim SH, Park SJ, Han KH, Kronbichler A, Saleem MA, Oh J, Lim BJ, Shin JI. Pathogenesis of minimal change nephrotic syndrome: an immunological concept. *Korean J Pediatr*. 2016 May;59(5):205-11. doi: 10.3345/kjp.2016.59.5.205. Epub 2016 May 31. PMID: 27279884; PMCID: PMC4897155.
- Kovalik ME, Dacanay MA, Crowley SD, Hall G. Swollen Feet: Considering the Paradoxical Roles of Interleukins in Nephrotic Syndrome. *Biomedicines*. 2024 Mar 26;12(4):738. doi: 10.3390/biomedicines12040738. PMID: 38672094; PMCID: PMC11048099.
- Lee JM, et al. The role of vitamin D-binding protein in proteinuric kidney diseases. *Front Pediatr*. 2021.
- Li YC. Renoprotective effects of vitamin D analogs. *Kidney Int*. 2010 Jul;78(2):134-9. doi: 10.1038/ki.2009.175. Epub 2009 May 27. PMID: 19471320.
- Motavalli R, Etemadi J, Soltani-Zangbar MS, Ardalan MR, Kahroba H, Roshangar L, Nouri M, Aghebati-Maleki L, Khiavi FM, Abediazar S, Mehdizadeh A, Hojjat-Farsangi M, Mahmoodpoor A, Kafil HS, Zolfaghari M, Ahmadian Heris J, Yousefi M. Altered Th17/Treg ratio as a possible mechanism in pathogenesis of idiopathic membranous nephropathy. *Cytokine*. 2021 May;141:155452. doi: 10.1016/j.cyto.2021.155452. Epub 2021 Feb 8. PMID: 33571932.
- Nakayama Y, Ueda S, Okuda S. Molecular mechanism underlying the renoprotective action of vitamin D. *Circ J*. 2014;78:599–600. doi:10.1253/circj.CJ-14-0058.
- Nurtyas Y, Subandiyah K, Fitri LE. The correlation of regulatory T (Treg) and vitamin D3 in pediatric nephrotic syndrome. *J Trop Life Sci*. 2018;8(1):43–47. doi:10.11594/jtls.08.01.08.
- P Paquissi FC, Abensur H. The Th17/IL-17 Axis and Kidney Diseases, With Focus on Lupus Nephritis. *Front Med (Lausanne)*. 2021 Sep 3;8:654912. doi: 10.3389/fmed.2021.654912. PMID: 34540858; PMCID: PMC8446428.
- Pulungan A, Soesanti F, Tridjaja B, Batubara J. Vitamin D insufficiency and its contributing factors in primary school-aged children in Indonesia, a sun-rich country. *Ann Pediatr Endocrinol Metab*. 2021 Jun;26(2):92-98. doi: 10.6065/apem.2040132.066. Epub 2021 Jan 7. PMID: 33412749; PMCID: PMC8255856.
- Qin, Y., Gao, C., Luo, J. (2022). Metabolism characteristics of Th17 and regulatory T cells in autoimmune diseases. *Frontiers in Immunology*,

- Rachmadi D, Sekarwana N, Hilmanto D, Garna H. *Buku ajar nefrologi anak*. Edisi ke-3. Jakarta: Ikatan Dokter Anak Indonesia; 2017. 734 p.
- Ragab D, Soliman D, Samaha D, Yassin A. Vitamin D status and its modulatory effect on interferon gamma and interleukin-10 production by peripheral blood mononuclear cells in culture. *Cytokine*. 2016 Sep;85:5-10. doi: 10.1016/j.cyto.2016.05.024. Epub 2016 Jun 3. PMID: 27269178.
- Roca N, Martinez C, Jatem E, Madrid A, Lopez M, Segarra A. Activation of the acute inflammatory phase response in idiopathic nephrotic syndrome: association with clinicopathological phenotypes and with response to corticosteroids. *Clin Kidney J*. 2021 Mar 30;14(4):1207-1215. doi: 10.1093/ckj/sfaa247. PMID: 33841866; PMCID: PMC8023182.
- Septarini AD, Tambunan T, Amalia P. Calcium and vitamin D supplementation in children with frequently relapsing and steroid-dependent nephrotic syndrome. *Paediatr Indones*. 2012;52(1):16–21. doi:10.14238/pi52.1.2012.16-21.
- Sjarif DR, Lestari ED, Mexitalia M, Nasar S.S. *Buku ajar nutrisi pediatrik dan penyakit metabolik*. Jilid 1 revisi. Jakarta: Badan Penerbit Ikatan Dokter Anak Indonesia; 2014.
- Schroder K, Hertzog PJ, Ravasi T, Hume DA. Interferon-gamma: an overview of signals, mechanisms and functions. *J Leukoc Biol*. 2004 Feb;75(2):163-89. doi: 10.1189/jlb.0603252. Epub 2003 Oct 2. PMID: 14525967.
- Subandiyah K, Ghofar HF, Fitri LE. Difference of vitamin D and interleukin-6 levels in children with steroid-resistant, steroid-sensitive and idiopathic nephrotic syndrome. *J Trop Life Sci*. 2019;9(2):179–187. doi:10.11594/jtls.09.02.07.
- Subandiyah K, Khanifa H, Kardani AK. Effect of corticosteroid and vitamin D3 as combined therapy on 25(OH) vitamin D serum level and regulatory T (Treg) cells population in children with idiopathic nephrotic syndrome. *Bali Med J*. 2018;7(3):639–644. doi:10.15562/bmj.v7i3.769.
- Tapia C, Bashir K. *Nephrotic syndrome*. Treasure Island (FL): StatPearls Publishing; 2025.
- Trihono PP, Alatas H, Tambunan T, Pardede SO. *Konsensus tata laksana sindrom nefrotik idiopatik pada anak*. 2nd ed. UKK Nefrologi IDAI, Jakarta.2012.
- Umar M, Sastry KS, Chouchane AI. Role of Vitamin D Beyond the Skeletal Function: A Review of the Molecular and Clinical Studies. *Int J Mol Sci*. 2018 May 30;19(6):1618. doi: 10.3390/ijms19061618. PMID: 29849001; PMCID: PMC6032242.
- Alisa V, Haryanto WP, Surura HN. A comprehensive review of the correlation between vitamin D levels and multiorgan function in obese children. *J Kesehatan Tambusai*. 2025;6(3):12420–12427. doi:10.31004/jkt.v6i3.49647.
- Wang L, Li Q, Wang L, Li C, Yang H, Wang X, et al. The role of Th17/IL-17 in the pathogenesis of primary nephrotic syndrome in children. *Kidney Blood Press Res*. 2013;37(4–5):332–345. doi:10.1159/000350161.
- Yang S, Li A, Wang J, Liu J, Han Y, Zhang W, Li YC, Zhang H. Vitamin D Receptor: A Novel Therapeutic Target for Kidney Diseases. *Curr Med Chem*. 2018;25(27):3256-3271. doi: 10.2174/0929867325666180214122352. PMID: 29446731; PMCID: PMC6142412.
- Yang SP, Ong L, Loh TP, Chua HR, Tham C, Meng KC, Pin L. Calcium, Vitamin

- D, and Bone Derangement in Nephrotic Syndrome. *J ASEAN Fed Endocr Soc.* 2021;36(1):50-55. doi: 10.15605/jafes.036.01.12. Epub 2021 May 3. PMID: 34177088; PMCID: PMC8214354.
- Yap HK, Teo S, Lu L, Ng KH, editors. *Pediatric nephrology on-the-go*. 5th ed. Singapore: World Scientific Publishing Company; 2024.
- Yati NP, Batubara JRL, Suryawan IWB. *Panduan praktik klinis vitamin D*. Jakarta: Badan Penerbit Ikatan Dokter Anak Indonesia; 2018.
- Zhai, S. *et al.* (2020) 'IL-17 aggravates renal injury by promoting podocyte injury in children with primary nephrotic syndrome', *Experimental and Therapeutic Medicine*, 20(1), pp. 409–417. Available at: <https://doi.org/10.3892/etm.2020.8698>.
- Zhang, X. *et al.* (2014) 'Role of vitamin D3 in regulation of t helper cell 17 and regulatory t-cell balance in rats with immunoglobulin a nephropathy', *Iranian Journal of Kidney Diseases*, 8(5), pp. 363–370.