

DAFTAR PUSTAKA

- Abed, H. K. (2024). Methods effect on the quantity of *E. coli* DNA extracted for using in PCR. *International Journal of Plant Pathology & Microbiology*, 4(2), 40–42. <https://doi.org/10.22271/27893065.2024.v4.i2a.90>.
- Aboul-Maaty, N. A.-F., & Oraby, H. A.-S. (2019). Extraction of high-quality genomic DNA from different plant orders applying a modified CTAB-based method. *Bulletin of the National Research Centre*, 43(1), 1–10. <https://doi.org/10.1186/s42269-019-0066-1>
- Ainun, F., Wasdili, Q., Putri, A. S., Romlah, S., Studi, P., Laboratorium, T., Ilmu, F., & Yani, J. A. (2022). Optimasi isolasi DNA genom *Candida albicans* dengan metode litium karbonat. *Candida albicans adalah organisme komensal*, 8(2), 160–168.
- Arsyad, M. A., Irwan, I., Boer, D., Cahyaningsih, Y. F., Larekeng, S. H., & Iswanto, I. (2022). Polimorfisme primer RAPD pada tanaman jambu mete asal tiga kabupaten di Sulawesi Tenggara. *Journal Galung Tropika*, 11(2), 124–131. <https://doi.org/10.31850/jgt.v11i2.888>.
- Astika, R. Y., & Farmasi, J. (2022). Uji aktivitas antiinflamasi ekstrak etanol daun kayu manis (*Cinnamomum burmanni*). 8(1), 14–23.
- Carey, S. B., Gardner, E. M., Dodsworth, S., & Baker, W. J. (2023). Optimizing the lysis step in CTAB DNA extractions of silica-dried and herbarium leaf tissues. *Applications in Plant Sciences*, 11(7), e11500. <https://doi.org/10.1002/aps3.11500>.
- Dar, A. A., Mahajan, R., & Sharma, S. (2019). Molecular markers for characterization and conservation of plant genetic resources. *The Indian Journal of Agricultural Sciences*, 89(11), 1764–1772. <https://doi.org/10.56093/ijas.v89i11.95286>.
- Doyle, J. J., & Doyle, J. L. (1987). A rapid DNA isolation procedure for small quantities of fresh leaf tissue. *Phytochemical Bulletin*, 19(1), 11–15.
- Doyle, J. J., & Doyle, J. L. (1990). Isolation of plant DNA from fresh tissue. *Focus*, 12, 13–15.
- Farhanah, A., Ashar, J. R., & Hamzah, P. (2021). Optimalisasi teknik isolasi dan purifikasi DNA menggunakan buffer CTAB (Cetyltrimethyl Ammonium Bromide) pada tanaman markisa (*Passiflora* sp.) dataran rendah Kabupaten Jeneponto. *Jurnal Agrisistem*, 17(1), 31–39. <https://doi.org/10.52625/j-agr.v17i1.191>.
- Green, M. R., & Sambrook, J. (2012). *Molecular cloning: A laboratory manual* (4th ed.). Cold Spring Harbor Laboratory Press.

- Gusmiaty, S., Sari, N. A., Safira, T. N., Budiman, A., & Larekeng, S. H. (2021). Polimorfisme penanda RAPD untuk analisis keragaman genetik kemiri (*Aleurites mollucana*) di Kabupaten Maros. *Bioma: Jurnal Biologi Makassar*, 6(1), 22–30.
- Gusmiaty, G., Restu, M., & Pongtuluran, I. (2021). Seleksi primer untuk analisis keragaman genetik jenis Bitti (*Vitex coffassus*). *Jurnal Perennial*, 8(1), 25–29.
- Harahap, R. M. (2018). Analisis kualitas DNA hasil isolasi menggunakan metode elektroforesis gel agarosa. *Jurnal Biologi dan Pembelajaran Biologi*, 3(2), 45–52.
- Healey, A., Furtado, A., Cooper, T., & Henry, R. J. (2014). Protocol: A simple method for extracting next-generation sequencing quality genomic DNA from recalcitrant plant species. *Plant Methods*, 10(1), 21.
- Helmanto, H., Siregar, M., Rahmawati, S. U., Usman, & Sahrudin, U. (2021). Exploration of plant diversity at the forest patches in North Sulawesi and their conservation strategy. *IOP Conference Series: Earth and Environmental Science*, 948(1). <https://doi.org/10.1088/1755-1315/948/1/012048>.
- Humaira, F. A., & Rochdiani, D. (2021). Faktor-faktor yang mempengaruhi volume ekspor kayu manis Indonesia. *Factors Affecting the Export Volume of Indonesian Cinnamon*, 7(1), 437–449.
- Putri, R., Widyastuti, U., & Susanto, A. H. 2021. Isolasi DNA tanaman menggunakan metode CTAB dan modifikasinya. *Jurnal Biologi Indonesia*, 17(2): 145–152.
- Smith, J. A., & Brown, L. P. (2018). Testing protocols to optimize DNA extraction from tough leaf tissue: A case study in *Encephalartos*. *Plant Molecular Biology Reporter*, 36(2), 123–135.
- Juniarti, U., Mayun, I. M., & Diputra, M. (2013). Keragaman genetik Pinus merkusii Jungh. et de Vriese strain Tapanuli berdasarkan penanda mikrosatelit. *Jurnal Silvikultur Tropika*, 4(2), 88–99.
- Khanuja, S. P. S., Shasany, A. K., Darokar, M. P., & Kumar, S. (1999). Rapid isolation of DNA from dry and fresh samples of plants producing large amounts of secondary metabolites and essential oils. *Plant Molecular Biology Reporter*, 17, 1–7.
- Kumari, G., Wong, K. H., Serra, A., Shin, J., Yoon, H. S., Sze, S. K., & Tam, J. P. (2018). Molecular diversity and function of jasmintides from *Jasminum sambac*. *BMC Plant Biology*, 18(1), 1–13. <https://doi.org/10.1186/s12870-018-1361-y>.
- Larekeng, S. H., Maskromo, I., Purwito, A., Matjik, N. A., & Sudarsono, S. (2015). Pollen dispersal and pollination patterns studies in Pati kopyor coconut using molecular markers. *CORD*, 31(1), 46–60. <https://doi.org/10.37833/cord.v31i1.70>.

- Larekeng, S. H., Purwito, A., Mattjik, N. A., & Sudarsono, S. (2018). Microsatellite and SNAP markers used for evaluating pollen dispersal on Pati tall coconuts and Xenia effect on the production of 'Kopyor' fruits. IOP Conference Series: Earth and Environmental Science. <https://doi.org/10.1088/1755-1315/157/1/012042>.
- Larekeng, S. H., Syam, Z., & Paelongan, R. (2021). Informasi genetik Bitti (*Vitex coffassus*) di areal sumber daya genetik (ASDG) BPTH Wilayah II Sulawesi. *Jurnal Galung Tropika*, 10(3), 304–312. <https://doi.org/10.31850/jgt.v10i3.801>.
- Li, Z., Parris, S., & Saski, C. A. (2020). A simple plant high-molecular-weight DNA extraction method suitable for single-molecule technologies. *Plant Methods*, 16(1), 1–6. <https://doi.org/10.1186/s13007-020-00579-4>.
- Mazlan, A. H., Muhamad Najib, M. H. A., Hazizul Hassan, M., Mohd Hatta, F. H., & Mohd Yusoff, R. (2024). Effect of DNA template concentration on standard polymerase chain reaction. *International Journal of Pharmaceuticals, Nutraceuticals and Cosmetic Science (IJPNaCS)*, 7(1), 1–11.
- Mursyida, E., & Wati, H. M. (2021). Aktivitas antibakteri ekstrak kayu manis (*Cinnamomum burmannii*) terhadap pertumbuhan *Escherichia coli*. 8(2). <https://doi.org/10.32539/jkk.v8i2.11952>.
- Nascimento Silva, J., de Oliveira, F. J., & dos Santos, R. M. (2023). Optimized method for DNA extraction and PCR amplification in aroeira tree. *Bioscience Journal*, 39,e39001. <https://doi.org/10.14393/BJ-v39n0a2023-62577>
- Nugroho, K., Satyawan, D., Tasma, I. M., & Lestari, P. (2022). Genomic DNA extraction: The critical stage in plant molecular analysis activities. *Jurnal AgroBiogen*, 18(1), 33–44. <https://doi.org/10.21082/jbio.v18n1.2022.p33-44>
- Nurbani Fatmalia, M. (2017). Pengaruh konsumsi kayu manis terhadap glukosa darah penderita diabetes mellitus di Tambak Ploso Lamongan. *Journal Ners Community*, 86(November), 1.
- Restu, M., Mukrimin, M., & Gusmiaty, G. (2012). Optimalisasi teknik ekstraksi dan isolasi DNA tanaman suren (*Toona sureni* Merr.) untuk analisis keragaman genetik berdasarkan random amplified polymorphic DNA (RAPD). *Jurnal Natur Indonesia*, 14(1), 138–142. <https://doi.org/10.31258/jnat.14.1.138-142>
- Sahu, S. K., Thangaraj, M., & Kathiresan, K. (2012). DNA extraction protocol for plants with high levels of secondary metabolites and polysaccharides without using liquid nitrogen and phenol. *ISRN Molecular Biology*, 2012, 205049. <https://doi.org/10.5402/2012/205049>
- Sari, V. K., & Restanto, D. P. (2022). Genomic DNA extraction method for plants with high levels of polysaccharides and secondary metabolites: A review. *Agroteknika*, 5(2), 118–129.

- Semagn, K. (2022). Leaf tissue sampling and DNA extraction protocols. In *Methods in molecular biology* (pp. 1–xx). <https://doi.org/10.1007/978-1-62703-767-9>
- Sembiring, I. M. S., Putri, L. A. P., & Setiada, H. (2015). Aplikasi penanda lima primer RAPD (Random Amplified Polymorphic DNA) untuk analisis keragaman genetik andaliman (*Zanthoxylum acanthopodium* DC) Sumatera Utara. *Jurnal Agroekoteknologi*. E-ISSN: 2337-6597.
- Sembiring, E. R., Terryana, R. T., Anggraheni, Y. G. D., Prihaningsih, A., Batubara, I., Nurcholis, W., Ridwan, T., & Harmoko, R. (2023). Efektivitas metode ekstraksi DNA pada daun segar dan kering dari tanaman obat. *Vegetalika*, 12(3), 211. <https://doi.org/10.22146/veg.78957>.
- Sembiring, E. R., et al. (2024). Efektivitas metode ekstraksi DNA pada daun segar dan kering dari tanaman obat. *Vegetalika*. <https://journal.ugm.ac.id/jbp/article/view/78957>
- Setiawan, A. (2022). Jurnal populasi fauna yang punah. *Indonesian Journal of Conservation*, 11(1), 13–21.
- Simbolo, M., Gottardi, M., Corbo, V., Fassan, M., Mafficini, A., Malpeli, G., Lawlor, R. T., & Scarpa, A. (2013). DNA qualification workflow for next generation sequencing of histopathological samples. *PLoS ONE*, 8(6), e62692. <https://doi.org/10.1371/journal.pone.0062692>.
- Sundari, S. (2018). Pengembangan protokol isolasi DNA genom tanaman durian dengan menggunakan modifikasi buffer CTAB. *TECHNO: Jurnal Penelitian*, 6(2), 33. <https://doi.org/10.33387/tk.v6i02.567>
- Swetha, V. P., Parvathy, V. A., Sheeja, T. E., & Sasikumar, B. (2014). Isolation and amplification of genomic DNA from barks of *Cinnamomum* spp. *Turkish Journal of Biology*, 38(1), 151–155. <https://doi.org/10.3906/biy-1308-5>
- Tafzi, F. (2019). Bioactivity of cinnamon (*Cinnamomum* sp.). *Indonesian Food Science and Technology Journal*, 3(1), 18–22. <https://doi.org/10.22437/ifstj.v3i1.10191>.
- Tanjung, N. C. P., Simangunsong, B. C. H., & Manurung, E. G. T. (2024). Export demand of non-timber forest products: A case study of cinnamon products in Indonesia. *Jurnal Sylva Lestari*, 12(1), 181–190. <https://doi.org/10.23960/jsl.v12i1.853>.
- Tanzil, A. I., & Fanata, W. I. D. (2024). Analisis kuantitas dan kualitas DNA genom tanaman menggunakan Qubit fluorometer dan elektroforesis gel agarosa. *Jurnal Agroteknologi*, 18(1), 67–75.
- Toto, F., et al. (2025). Impact of DNA extraction method on PCR-based detection and amplification efficiency. *International Journal of Molecular Sciences*, 26(11), 5226. <https://doi.org/10.3390/ijms26115226>.

- Valencia-Ledezma, O. E., Castro-Fuentes, C. A., Duarte-Escalante, E., Frías-De-León, M. G., & Reyes-Montes, M. d. R. (2022). Selection of polymorphic patterns obtained by RAPD-PCR through qualitative and quantitative analyses to differentiate *Aspergillus fumigatus*. *Journal of Fungi*, 8(3), 296. <https://doi.org/10.3390/jof8030296>.
- Wasia, N. H., Sudarma, I. M., Savalas, L. R. T., & Hakim, A. (2017). Isolasi senyawa sinamaldehyd dari batang kayu manis (*Cinnamomum burmanii*) dengan metode kromatografi kolom. *Jurnal Pijar MIPA*, 12(2), 91–94. <https://doi.org/10.29303/jpm.v12i2.347>.
- Xavier, K. A. M., Baia, T. G. C., Alegria, O. V. C., Figueiredo, P. L. B., Carneiro, A. R., Moreira, E. C. D. O., Maia, G. S., Setzer, W. N., Kelly, J., & Silva, R. (2022). *Cinnamomum verum* leaf samples commercialized and cultivated in the Amazon.