

DAFTAR PUSTAKA

1. Gyawali B, Ramakrishna K, Dhamoon AS. Sepsis: The evolution in definition, pathophysiology, and management. *SAGE Open Med.* 2019;7.
2. Thompson K, Venkatesh B, Finfer S. Sepsis and septic shock: current approaches to management. *Intern Med J.* 2019;49(2):160–70.
3. Pandolfi F, Guillemot D, Watier L, Brun-Buisson C. Trends in bacterial sepsis incidence and mortality in France between 2015 and 2019 based on National Health Data System (Système National des données de Santé (SNDS)): a retrospective observational study. *BMJ Open.* 2022;12(5).
4. Jiang D, Bian T, Shen Y, Huang Z. Association between admission systemic immune-inflammation index and mortality in critically ill patients with sepsis: a retrospective cohort study based on MIMIC-IV database. *Clin Exp Med.* 2023;23(7):3641–50.
5. Liu C, Wu X, Deng R, Xu X, Chen C, Wu L, et al. Systemic immune-inflammation index combined with quick sequential organ failure assessment score for predicting mortality in sepsis patients. *Heliyon.* 2023;9(9):e19526.
6. Ramires, M. L. V., Leite, M. F. B., Lo, D. Z. Y., Silveira, L. B. D., Ferraz, L. J. R., Pardini, A., ... & Goes, M. A. (2022). Relation between red blood cell distribution width and acute kidney injury in patients with sepsis. *Einstein (Sao Paulo)*, 20, eAO6828.
7. Moreno-Torres, V., Royuela, A., Múñez-Rubio, E., Gutierrez-Rojas, Á., Mills-Sánchez, P., Ortega, A., ... & Ramos-Martínez, A. (2022). Red blood cell distribution width as prognostic factor in sepsis: a new use for a classical parameter. *Journal of Critical Care*, 71, 154069.
8. Hyde, R., Stith, D., Roderick, McCallum. 1989. Mortality and Bacteriology of Sepsis Following Cecal Ligation and Puncture in Aged Mice. *Infection and Immunity* 58: 619-624.

9. Garna, H. H. 2012. Buku Ajar Infeksi dan Penyakit Tropis Universitas Padjajaran. Jakarta: Sagung Seto
10. Huang M, Cai S, Su J. The pathogenesis of sepsis and potential therapeutic targets. *Int J Mol Sci.* 2019;20(21).
11. Vera S, Martinez R, Gormaz JG, Gajardo A, Galleguillos F, Rodrigo R. Novel relationships between oxidative stress and angiogenesis-related factors in sepsis: New biomarkers and therapies. *Ann Med.* 2015;47(4):289–300.
12. Rudd KE, Johnson SC, Agesa KM, Shackelford KA, Tsoi D, Kievlan DR, et al. Global, regional, and national sepsis incidence and mortality, 1990–2017: analysis for the Global Burden of Disease Study. *Lancet.* 2020;395(10219):200–11.
13. Paoli CJ, Reynolds MA, Sinha M, Gitlin M, Crouser E. Epidemiology and costs of sepsis in the United States-an analysis based on timing of diagnosis and severity level. *Crit Care Med.* 2018;46(12):1889–97.
14. Fleischmann-Struzek C, Mellhammar L, Rose N, Cassini A, Rudd KE, Schlattmann P, et al. Incidence and mortality of hospital- and ICU-treated sepsis: results from an updated and expanded systematic review and meta-analysis. *Intensive Care Med.* 2020;46(8):1552–62.
15. World Health Organisation. Global report on the epidemiology and burden of sepsis: current evidence, identifying gaps and future directions. World Health Organization. 2020. 56 hal. Tersedia pada: <http://apps.who.int/bookorders.%0Ahttp://apps.who.int/bookorders.%0Ahttp://apps.who.int/bookorders.%0Ahttps://apps.who.int/iris/bitstream/handle/10665/334216/9789240010789-eng.pdf>
16. Fauziyah HTA, Semedi BP, Lestari P, Maulydia M. Analisis Sistem Skoring APACHE II dan SOFA Terhadap Outcome di Intensive Care Unit RSUD Dr. Soetomo Surabaya. *JAI (Jurnal Anestesiologi Indones.* 2021;13(2):99–113.
17. Yao RQ, Ren C, Zheng LY, Xia ZF, Yao YM. Advances in Immune Monitoring Approaches for Sepsis-Induced Immunosuppression. *Front*

- Immunol. 2022;13(May):1–15.
18. Venet F, Monneret G. Advances in the understanding and treatment of sepsis-induced immunosuppression. *Nat Rev Nephrol.* 2018;14(2):121–37.
 19. Venet F, Monneret G. Advances in the understanding and treatment of sepsis-induced immunosuppression. *Nat Rev Nephrol.* 2018;14(2):121–37.
 20. Jiang D, Bian T, Shen Y, Huang Z. Association between admission systemic immune-inflammation index and mortality in critically ill patients with sepsis: a retrospective cohort study based on MIMIC-IV database. *Clin Exp Med.* 2023;23(7):3641–50.
 21. Dimitrov E, Valchev D, Minkov G, Enchev E, Yovtchev Y. Evaluation of systemic immune inflammation index as a predictor of lethal outcome in patients with thoracic empyema. *J Emerg Med Trauma Acute Care.* 2024;2024(3).
 22. Ma K, Zhang Y, Hao J, Zhao J, Qi Y, Liu C. Correlation analysis of systemic immune inflammatory index, Serum IL-35 and HMGB-1 with the severity and prognosis of sepsis. *Pakistan J Med Sci.* 2023;39(2):497–501.
 23. Tang Y, Zeng X, Feng Y, Chen Q, Liu Z, Luo H, et al. Association of Systemic Immune-Inflammation Index With Short-Term Mortality of Congestive Heart Failure: A Retrospective Cohort Study. *Front Cardiovasc Med.* 2021;8(November):1–15.
 24. Liu Y, Zheng J, Zhang D, Jing L. Neutrophil-lymphocyte ratio and plasma lactate predict 28-day mortality in patients with sepsis. *J Clin Lab Anal.* 2019;33(7):1–6.
 25. Yeter HH, Topeli A. The Significance of Systemic Immune-Inflammatory Index and Platelet-Neutrophil Ratio on Early Mortality in Septic Shock Patients and their Association with Vitamin D and Parathyroid Hormone Ratio. *Acta Medica Cordoba.* 2022;53(4):384–93.
 26. Lingjie K, Ting A, Qingyi M. Different therapeutic strategies chosen

according to different mechanism of sepsis. Open Acces Text.

27. Venkata C, Kashyap R, Christopher Farmer J, Afessa B. Thrombocytopenia in adult patients with sepsis: Incidence, risk factors, and its association with clinical outcome. *J Intensive Care*. 2013;1(1):1–10.
28. Kumar V. Immunometabolism: Another Road to Sepsis and Its Therapeutic Targeting. *Inflammation*. 2019;42(3):765–88.
29. Jandial, A., Kumar, S., Bhalla, A., Sharma, N., Varma, N., & Varma, S. (2017). Elevated red cell distribution width as a prognostic marker in severe sepsis: a prospective observational study. *Indian journal of critical care medicine: peer-reviewed, official publication of Indian Society of Critical Care Medicine*, 21(9), 552.
30. Constantino, B. T. (2013). Red cell distribution width, revisited. *Lab Medicine*, 44(2), Spring.
- 31.** George, H. (2014). Red blood cell distribution width (RDW): Mortality & morbidity implications.
32. Putra, B. F. K., & Bintoro, U. Y. (2019). Red cell distribution width sebagai prediktor penyakit kardiovaskular. *CKD-Epi Journal*.
33. Esmaili, H., Taghipour, H., & Saburi, E. (2014). Determining the association between RDW and traditional marker of inflammation. *Annual Research & Review in Biology*, 4(15), 2547-2552.
34. Bateman RM, Sharpe MD, Singer M, et al. The effect of sepsis on the erythrocyte. *Int J Mol Sci*. 2017;18(9):1-23.
35. Kim S, Lee K, Kim I, et al. Red cell distribution width and early mortality in elderly patients with severe sepsis and septic shock. *Clin Exp Emerg Med*. 2015;2(3):155-161.
36. Jo YH, Kim K, Lee JH, et al. Red cell distribution width is a prognostic factor in severe sepsis and septic shock. *Am J Emerg Med*. 2013;31(3):545-548.

37. Wang AY, Ma HP, Kao WF, et al. Red blood cell distribution width is associated with mortality in elderly patients with sepsis. *Am J Emerg Med*. 2018;36(6):949-953.
38. Zhang L, Yu CH, Guo KP, et al. Prognostic role of red blood cell distribution width in patients with sepsis: a systematic review and meta-analysis. *BMC Immunol*. 2020;21(1):1-8.
39. Ghimire R, Shakya YM, Shrestha TM, et al. The utility of red cell distribution width to predict mortality of septic patients in a tertiary hospital of Nepal. *BMC Emerg Med*. 2020;20(1):1-7.
40. Bateman RM, Jagger JE, Sharpe MD, et al. Erythrocyte deformability is a nitric oxide-mediated factor in decreased capillary density during sepsis. *Am J Physiol - Hear Circ Physiol*. 2001;280(6):2848-2856.
41. van der Poll T, Shankar-Hari M, Wiersinga WJ. The immunology of sepsis. *Immunity*. 2021;54(11):2450–2464.
42. Weiss G, Ganz T, Goodnough LT. Anemia of inflammation. *Blood*. 2019;133(1):40–50.
43. Iba T, Levy JH. Inflammation and thrombosis: roles of neutrophils, platelets and endothelial cells in sepsis-induced coagulopathy. *J Thromb Haemost*. 2018;16(2):231–241.
44. Salvagno GL, Sanchis-Gomar F, Picanza A, Lippi G. Red blood cell distribution width: a simple parameter with multiple clinical applications. *Crit Rev Clin Lab Sci*. 2015;52(2):86–105.
45. Knaus WA, Draper EA, Wagner DP, Zimmerman JE. APACHE II: a severity of disease classification system. *Crit Care Med*. 1985;13(10):818–829.
46. Bazick HS, Chang D, Mahadevappa K, Gibbons FK, Christopher KB. Red cell distribution width and all-cause mortality in critically ill patients. *Crit Care Med*. 2011;39(8):1913–1921.
47. World Health Organization. Global report on sepsis epidemiology. Geneva: WHO; 2024. Tersedia pada:

<https://iris.who.int/bitstream/handle/10665/334216/9789240010789-eng.pdf>

48. Hoang QV, et al. Prognostic models using the lactate-to-albumin ratio for 28-day mortality in ICU sepsis patients: a Bayesian model averaging approach. *Int J Gen Med*. 2025;18.
49. Asdie RH, et al. Assessment of 28-day survival of patients with sepsis based on vitamin D status: a hospital-based prospective cohort study. *Pan Afr Med J*. 2023;45:76.
50. Rudd KE, et al. Global burden of sepsis: a systematic analysis. *Lancet*. 2020;395:200–11.
51. Zhang X, et al. Establishment and assessment of mortality risk prediction model in patients with sepsis based on early-stage peripheral lymphocyte subsets. *Aging (Albany NY)*. 2023;15(10):2021–34.
52. Suarez-de-la-Rica A, et al. Is mortality in elderly septic patients as high as expected? Long-term mortality in a surgical sample cohort. *Med Intensiva*. 2019;43(8):450–8.
53. Fleischmann-Struzek C, et al. Incidence and mortality of hospital- and ICU-treated sepsis: updated systematic review and meta-analysis. *Intensive Care Med*. 2020;46:1552–62.
54. Phua J, et al. Management of severe sepsis in patients admitted to Asian intensive care units: prospective cohort study. *Intensive Care Med*. 2018;44:1090–100.
55. Xu Y, et al. Impact of body mass index on mortality outcomes in intensive care patients with *Staphylococcus aureus* sepsis. *J Crit Intensive Care*. 2024.
56. Klein SL, Flanagan KL. Sex differences in immune responses. *Nat Rev Immunol*. 2016;16(10):626–38.
57. Kadel S, Kovats S. Sex hormones regulate innate immune cells and promote sex differences in respiratory virus infection. *Front Immunol*. 2018;9:1653.

58. vom Steeg LG, Klein SL. Sex matters in infectious disease pathogenesis. *Lancet Infect Dis*. 2016;16(4):e147–54.
59. Li C, Huang H, Xia Q, Zhang L. Correlation between body mass index and gender-specific 28-day mortality in patients with sepsis: a retrospective cohort study. *Front Med (Lausanne)*. 2024;11:1462637.
60. Yu J, et al. Predictive value of the systemic immune-inflammation index in the 28-day mortality for patients with sepsis-associated acute kidney injury. *J Inflamm Res*. 2024;17.
61. Liu X, et al. Prognostic value of systemic immune-inflammation index in critically ill patients with sepsis. *J Intensive Care*. 2021;9:60.
62. Barani, et al. Perbandingan antara skor APACHE II, rasio laktat albumin dan systemic immune-inflammation index dalam memprediksi mortalitas pada pasien sepsis di instalasi perawatan intensif RSUP Dr. Wahidin Sudirohusodo [thesis]. Makassar: Universitas Hasanuddin; 2025.
63. Feng J, et al. Systemic immune-inflammation index predicts 28-day mortality in patients with sepsis. *Front Med (Lausanne)*. 2020;7:579890.
64. Delano MJ, Ward PA. Sepsis-induced immune dysfunction: mechanisms and therapeutic implications. *Nat Rev Immunol*. 2016;16(6):407–20.
65. Evans L, et al. Surviving Sepsis Campaign: international guidelines for management of sepsis and septic shock 2021. *Intensive Care Med*. 2021;47:1181–247.
66. Hotchkiss RS, et al. Sepsis and septic shock. *Nat Rev Dis Primers*. 2016;2:16045.
67. McDonald B, et al. Platelets and neutrophil extracellular traps collaborate to promote microvascular thrombosis in sepsis. *J Clin Invest*. 2017;127(9):3311–25.
68. Kim CH, et al. Red blood cell distribution width as a predictor of 28-day mortality in patients with sepsis. *Crit Care*. 2013;17(6):R282.

69. Sadaka F, et al. Red cell distribution width is associated with mortality in patients with sepsis. *J Intensive Care Med.* 2015;30(6):345–50.
70. Ganz T, Nemeth E. Heparin and iron homeostasis. *Biochim Biophys Acta.* 2012;1823(9):1434–43.
71. Bateman RM, et al. Red blood cell deformability is associated with microcirculatory alterations in sepsis. *Crit Care Med.* 2017;45(9):e912–20.
72. Zhang Z, et al. Prognostic value of red blood cell distribution width in sepsis: a meta-analysis. *Ann Transl Med.* 2020;8(15):1004.
73. Knaus WA, et al. APACHE II: a severity of disease classification system. *Crit Care Med.* 1985;13(10):818–29.
74. Raith EP, et al. Prognostic accuracy of the SOFA score, SIRS criteria, and APACHE II in patients with sepsis. *Intensive Care Med.* 2017;43:152–60.
75. Mumtaz H, Ejaz MK, Tayyab M, Vohra LI, Sapkota S, Hasan M, et al. APACHE scoring as an indicator of mortality rate in ICU patients: a cohort study. *Ann Med Surg (Lond).* 2023;85(3):416–21.
76. Zhou F, et al. Clinical course and risk factors for mortality of adult inpatients with sepsis in intensive care units. *Ann Intensive Care.* 2019;9:77.
77. Alhazzani W, et al. Highlights and critical care aspects of sepsis guidelines (Surviving Sepsis Campaign). *Ann Intensive Care.* 2021;11:79.
78. Hu B, et al. Prognostic value of APACHE II and hematological parameters in patients with sepsis in intensive care unit. *Ann Transl Med.* 2021;9(14):1153.
79. Zhou Y, et al. Predictive performance of APACHE II and inflammatory biomarkers for 28-day mortality in postoperative sepsis patients. *BMC Anesthesiol.* 2022;22:311.

80. Li X, et al. Comparison of clinical severity scores and red blood cell distribution width in predicting short-term mortality in sepsis patients. *J Intensive Care*. 2023;11:48.