

DAFTAR PUSTAKA

- Abdallah F.W., Morgan P.J., Cil T., Escallon J.M., Semple J.L., Chan V.W. 2015. Comparing the DN4 tool with the IASP grading system for chronic neuropathic pain screening after breast tumor resection with and without paravertebral blocks: a prospective 6-month validation study. *Pain*. 156(4):740-9.
- Abouarab A.H., Brülle R., Aboukilila M.Y., Weibel S., Schnabel A. 2024. Efficacy and safety of perioperative ketamine for the prevention of chronic postsurgical pain: a meta-analysis. *Pain Pract*. 24(3):553-66.
- Adam F., Chatellier G., Alfonsi P. 2024. Assessment of the concordance between DN4 scores performed by the patient (self-assessment) or by the physician (hetero-assessment) to detect subacute neuropathic postoperative pain. *Eur J Pain*. 28(7):1095-100.
- Behdad A., Hosseinpour M., Khorasani P. 2011. Preemptive use of ketamine on postoperative pain of appendectomy. *Korean J Pain*. 24(3):137-41.
- Belizon A., Kirman I., Karten M., Jain S., Whelan R. 2005. Rapid increase in serum levels of matrix metalloproteinase-9 postoperatively is associated with a decrease in the amount of intracellular MMP-9. *Surg Innov*. 12(4):333-7.
- Beloeil H., Sion B., Rousseau C., Albaladejo P., Raux M., Aubrun F. 2017. Early postoperative neuropathic pain assessed by the DN4 score predicts an increased risk of persistent postsurgical neuropathic pain. *Eur J Anaesthesiol*. 34(10):652-7.
- Bouhassira D., Attal N., Alchaar H., Boureau F., Brochet B., Bruxelle J., et al. 2005. Comparison of pain syndromes associated with nervous or somatic lesions and development of a new neuropathic pain diagnostic questionnaire (DN4). *Pain*. 114(1):29-36.
- Brandsborg B., Nikolajsen L., Hansen C.T., Kehlet H., Jensen T.S. 2007. Risk factors for chronic pain after hysterectomy. *Anesthesiology*. 106(5):1003-12.
- Brinck E., Tiippana E., Heesen M., Bell R.F., Straube S., Moore A., et al. 2018. Perioperative intravenous ketamine for acute postoperative pain in adults. *Cochrane Database Syst Rev*. 12:CD012033.

- Choi S., Yoon S.-H., Lee H.-J. 2024. Beyond measurement: a deep dive into the commonly used pain scales for postoperative pain assessment. *Korean J Pain*. 37(3):188-200.
- Cohen S.P., Bhatia A., Buvanendran A., Schwenk E.S., Wasan A.D., Hurley R.W., et al. 2018. Consensus guidelines on the use of intravenous ketamine infusions for chronic pain. *Reg Anesth Pain Med*. 43(5):521-46.
- Czarnetzki C., Desmeules J., Tessitore E., Faundez A., Chabert J., Daali Y., et al. 2019. Perioperative intravenous low-dose ketamine for neuropathic pain after major lower back surgery: a randomized, placebo-controlled study. *Eur J Pain*. 24(3):555-67.
- Dahmani S., Michelet D., Abback P., Wood C., Brasher C., Nivoche Y., et al. 2011. Ketamine for perioperative pain management in children: a meta-analysis of published studies. *Paediatr Anaesth*. 21(6):636-52.
- Danyeli L.V., Sen Z.D., Colic L., Kurzweil L., Gensberger-Reigl S., Macharadze T. 2023. Association of the delayed changes in glutamate levels and functional connectivity with the immediate network effects of S-ketamine. *Transl Psychiatry*. 13(1):60-8.
- Dualé C., Sibaud F., Guastella V., Vallet L., Gimbert Y., Taheri H., et al. 2009. Perioperative ketamine does not prevent chronic pain after thoracotomy. *Eur J Pain*. 13(5):497-505.
- Gerbershagen H., Aduckathil S., Wijck A., Peelen L., Kalkman C., Meißner W. 2013. Pain intensity on the first day after surgery. *Anesthesiology*. 118(4):934-44.
- Glare P., Aubrey K.R., Myles P.S. 2019. Transition from acute to chronic pain after surgery. *Lancet*. 393(10180):1537-46.
- Han C., Ge Z., Jiang W., Zhao H., Ma T. 2017. Incidence and risk factors of chronic pain following hysterectomy among Southern Jiangsu Chinese women. *BMC Anesthesiol*. 17(1):103-9.
- Han S., Jin H., Yang W., Lee J., Cho S., Chae W., et al. 2013. The effect of low-dose ketamine on post-caesarean delivery analgesia after spinal anesthesia. *Korean J Pain*. 26(3):270-6.

- Han R. 2023. Effects of ketamine on chronic postsurgical pain in patients undergoing surgery: a systematic review and meta-analysis. *Pain Physician*. 26(3):E111-22.
- Holm J., Ferrari G., Holmgren A., Vánky F., Friberg Ö., Vidlund M., et al. 2022. Effect of glutamate infusion on NT-proBNP after coronary artery bypass grafting in high-risk patients (GLUTAMICS II): a randomized controlled trial. *PLoS Med*. 19(5):e1003997.
- Jain R., Kochhar N. 2017. Influence of difference in timing of perioperative administration of low-dose ketamine on postoperative analgesia. *Anesth Essays Res*. 11(2):406-10.
- Ji R.-R., Chamesian A., Zhang Y. 2016. Pain regulation by non-neuronal cells and inflammation. *Science*. 354(6312):572-7.
- Jin J., Min S., Peng L., Du X., Zhang D., Ren L. 2020. No differences in the prevalence and intensity of chronic postsurgical pain between laparoscopic hysterectomy and abdominal hysterectomy: a prospective study. *J Pain Res*. 13:1-9.
- Jin J., Peng L., Chen Q., Zhang D., Ren L., Qin P. 2016. Prevalence and risk factors for chronic pain following cesarean section: a prospective study. *BMC Anesthesiol*. 16(1):99-104.
- Jin J., Zhang T., Xiong X., Chen H., Jiang Y., He S. 2023. A prospective study of chronic postsurgical pain in elderly patients: incidence, characteristics and risk factors. *BMC Geriatr*. 23(1):289-97.
- Jouguelet-Lacoste J., Colla L., Schilling D., Chelly J.E. 2015. The use of intravenous infusion or single dose of low-dose ketamine for postoperative analgesia: a review of the current literature. *Pain Med*. 16(2):383-403.
- Katz J., Seltzer Z. 2009. Transition from acute to chronic postsurgical pain: risk factors and protective factors. *Expert Rev Neurother*. 9(5):723-44.
- Kehlet H., Jensen T.S., Woolf C.J. 2006. Persistent postsurgical pain: risk factors and prevention. *Lancet*. 367(9522):1618-25.
- Kerguelen Murcia D., Li J.S., Phatak U.R. 2024. Impact of intra-operative ketamine on postoperative outcomes in abdominal surgery: a narrative review. *Transl Gastroenterol Hepatol*. 9:25-7.

- Laskowski K., Stirling A., McKay W.P., Lim H.J. 2011. A systematic review of intravenous ketamine for postoperative analgesia. *Can J Anaesth.* 58(10):911-23.
- Latremoliere A., Woolf C.J. 2009. Central sensitization: a generator of pain hypersensitivity by central neural plasticity. *J Pain.* 10(9):895-926.
- Li L., Liu X., Herr K. 2007. Postoperative pain intensity assessment: a comparison of four scales in Chinese adults. *Pain Med.* 8(3):223-34.
- Ma X., Yan J., Jiang H. 2023. Application of ketamine in pain management and the underlying mechanism. *Pain Res Manag.* 2023:1-11.
- Marianello D., Ginetti F., Sanfilippo F., Biuzzi C., Catelli C., Modica E., et al. 2025. Paravertebral block and perioperative ketamine in an opioid-sparing analgesia approach in video-assisted thoracic surgery: a retrospective single-centre study. *J Clin Med.* 14(16):5765-77.
- Mariappan R., Cherian V.T., Joy M., Selvaraj K.G. 2021. Effect of low dose ketamine on perioperative analgesia in patients undergoing open abdominal hysterectomy: a double-blind, randomized, placebo-controlled trial. *Indian Anaesth Forum.* 22(1):67-72.
- Maruf D., Ershad R., Nazrina S. 2016. Preemptive use of low dose intravenous ketamine on postoperative pain after laparoscopic cholecystectomy. *J Armed Forces Med Coll Bangladesh.* 12(2):35-9.
- Mazzitelli M., Palazzo E., Maione S., Neugebauer V. 2018. Group II metabotropic glutamate receptors: role in pain mechanisms and pain modulation. *Front Mol Neurosci.* 11:383-91.
- Mcnicol E.D., Schumann R., Haroutounian S. 2014. A systematic review and meta-analysis of ketamine for the prevention of persistent post-surgical pain. *Acta Anaesthesiol Scand.* 58(10):1199-213.
- Mohamed I., Seleem T., Saleh A. 2020. Comparative study between intravenous ketamine or magnesium sulfate or both on postoperative morphine consumption after major abdominal surgery. *Al-Azhar Med J.* 49(4):1965-75.
- Møiniche S., Kehlet H., Dahl J.B. 2002. A qualitative and quantitative systematic review of preemptive analgesia for postoperative pain relief. *Anesthesiology.* 96(3):725-41.

- Niesters M., Martini C., Dahan A. 2014. Ketamine for chronic pain: risks and benefits. *Br J Clin Pharmacol.* 77(2):357-67.
- Ong C., Lirk P., Seymour R., Jenkins B. 2005. The efficacy of preemptive analgesia for acute postoperative pain management: a meta-analysis. *Anesth Analg.* 100(3):757-73.
- Pagé M.G., Ganty P., Wong D., Rao V., Khan J., Ladha K., et al. 2024. A prospective cohort study of acute pain and in-hospital opioid consumption after cardiac surgery: associations with psychological and medical factors and chronic postsurgical pain. *Anesth Analg.* 139(5):1102-12.
- Peirs C., Seal R.P. 2016. Neural circuits for pain: recent advances and current views. *Science.* 354(6312):578-84.
- Petrenko A.B., Yamakura T., Baba H., Shimoji K. 2003. The role of N-methyl-D-aspartate receptors in pain: a review. *Anesth Analg.* 97(4):1108-16.
- Pogatzki-Zahn E.M., Segelcke D., Schug S.A. 2017. Postoperative pain—from mechanisms to treatment. *Pain Rep.* 2(2):e588-96.
- Puja G., Sonkodi B., Bardoni R. 2021. Mechanisms of peripheral and central pain sensitization: focus on ocular pain. *Front Pharmacol.* 12:764396-406.
- Radvansky B.M., Puri S., Sifonios A.N., Eloy J.D., Le V. 2016. Ketamine: a narrative review of its uses in medicine. *Am J Ther.* 23(6):e1414-26.
- Rahendra R., Pryambodho P., Aditjaningsih D., Sukmono R., Tantri A., Melati A. 2019. Comparison of IL-6 and CRP concentration between quadratus lumborum and epidural blockade among living kidney donors: a randomized controlled trial. *Anesthesiol Pain Med.* 9(4):e92817-25.
- Raja S.N., Sivanesan E., Guan Y. 2019. Central sensitization, N-methyl-D-aspartate receptors, and human experimental pain models. *Anesthesiology.* 131(2):233-5.
- Renard Y. 2023. Transversus abdominis plane block in the treatment of chronic postsurgical abdominal wall pain improves patient quality of life: a retrospective study and literature review. *Pain Physician.* 26(2):E91-100.

- Richebé P., Capdevila X., Rivat C. 2018. Persistent postsurgical pain. *Anesthesiology*. 129(3):590-607.
- Schug S.A., Lavand'homme P., Barke A., Korwisi B., Rief W., Treede R.-D. 2019. The IASP classification of chronic pain for ICD-11: chronic postsurgical or posttraumatic pain. *Pain*. 160(1):45-52.
- Silberbauer L.R., Spurny B., Handschuh P., Klöbl M., Bednarik P., Reiter B., et al. 2020. Effect of ketamine on limbic GABA and glutamate: a human in vivo multivoxel magnetic resonance spectroscopy study. *Front Psychiatry*. 11:549903-12.
- Sleigh J., Harvey M., Voss L., Denny B. 2014. Ketamine: more mechanisms of action than just NMDA blockade. *Trends Anaesth Crit Care*. 4(2-3):76-81.
- Sluka K.A., Wager T.D., Sutherland S.P., Labosky P.A., Balach T., Bayman E.O. 2023. Predicting chronic postsurgical pain: current evidence and a novel program to develop predictive biomarker signatures. *Pain*. 164(9):1912-26.
- Stamer U.M., Ehrler M., Lehmann T., Meissner W., Fletcher D. 2019. Pain-related functional interference in patients with chronic neuropathic postsurgical pain: an analysis of registry data. *Pain*. 160(8):1856-65.
- Sudersan S., Thangavelu R., Segaran S. 2024. Intraoperative low-dose ketamine infusion for postoperative pain relief in laparoscopic surgeries – a randomised, double blind controlled clinical trial. *J Curr Res Sci Med*. 10(2):98-104.
- Temmermand R., Barrett J.E., Fontana A.C.K. 2022. Glutamatergic systems in neuropathic pain and emerging non-opioid therapies. *Pharmacol Res*. 185:106492-501.
- Terradas-Monllor M., Ruiz M.A., Ochandorena-Acha M. 2024. Postoperative psychological predictors for chronic postsurgical pain after a knee arthroplasty: a prospective observational study. *Phys Ther*. 104(1):141-57.
- Thapa P., Euasobhon P. 2018. Chronic postsurgical pain: current evidence for prevention and management. *Korean J Pain*. 31(3):155-73.
- Treede R.-D., Rief W., Barke A., Aziz Q., Bennett M.I., Benoliel R., Cohen M., et al. 2019. Chronic pain as a symptom or a disease: the IASP classification of chronic pain for the International Classification of Diseases (ICD-11). *Pain*. 160(1):19-27.

- Urman R., Vadivelu N., Schermer E., Kodumudi V., Belani K., Kaye A. 2016. Role of ketamine for analgesia in adults and children. *J Anaesthesiol Clin Pharmacol.* 32(3):298-306.
- Wang L., Johnston B., Kaushal A., Cheng D., Zhu F., Martin J. 2015. Ketamine added to morphine or hydromorphone patient-controlled analgesia for acute postoperative pain in adults: a systematic review and meta-analysis of randomized trials. *Can J Anaesth.* 63(3):311-25.
- Weckmann K., Deery M.J., Howard J.A., Feret R., Asara J.M., Dethloff F., et al. 2019. Ketamine's effects on the glutamatergic and GABAergic systems: a proteomics and metabolomics study in mice. *Complex Psychiatry.* 5(1):42-51.
- Woolf C.J. 2011. Central sensitization: implications for the diagnosis and treatment of pain. *Pain.* 152(3 Suppl):S2-15.
- Yang J.-X., Wang H.-F., Chen J.-Z., Li H.-Y., Hu J.-C., Yu A., et al. 2022. Potential neuroimmune interaction in chronic pain: a review on immune cells in peripheral and central sensitization. *Front Pain Res.* 3:376-89.
- Zhaksylyk A., Abdildin Y.G., Sultangazin S., Zhumakanova A., Viderman D. 2024. The impact of ketamine on pain-related outcomes after thoracotomy: a systematic review with meta-analysis of randomized controlled trials. *Front Med.* 11:126-35.