

DAFTAR PUSTAKA

- Ahmad, N., Nadeem, F., Al-Sabahi, J. N., & Umar, A. (2016). Chemical Conversions of Essential Oil Components and their Properties-A Review. *Ijcbcs*, 9, 63. www.iscientific.org/Journal.html
- Al-Kalaldeh, J. Z., Abu-Dahab, R., & Afifi, F. U. (2010). Volatile oil composition and antiproliferative activity of *Laurus nobilis*, *Origanum syriacum*, *Origanum vulgare*, and *Salvia triloba* against human breast adenocarcinoma cells. *Nutrition Research*, 30(4), 271–278. <https://doi.org/10.1016/j.nutres.2010.04.001>
- Ali, H. M., Nguta, J. M., Mapenay, I. O., Musila, F. M., Omambia, V. M., & Matara, D. N. (2021). Ethnopharmacological uses, biological activities, chemistry and toxicological aspects of *Ocimum americanum* var. *americanum* (Lamiaceae). *The Journal of Phytopharmacology*, 10(1), 56–60. <https://doi.org/10.31254/phyto.2021.10111>
- Ali, H., Nguta, J., Musila, F., Ole-Mapenay, I., Matara, D., & Mailu, J. (2022). Evaluation of Antimicrobial Activity, Cytotoxicity, and Phytochemical Composition of *Ocimum americanum* L. (Lamiaceae). *Evidence-Based Complementary and Alternative Medicine*, 2022. <https://doi.org/10.1155/2022/6484578>
- Altay, K., Dirim, S. N., & Hayaloglu, A. A. (2024). Effects of different drying processes on the quality changes in Arapgir purple basil (*Ocimum basilicum* L.) leaves and drying-induced changes in bioactive and volatile compounds and essential oils. *Journal of Food Science*, 89(12), 9088–9107. <https://doi.org/10.1111/1750-3841.17515>
- Anusmitha, K. M., Aruna, M., Job, J. T., Narayanankutty, A., PB, B., Rajagopal, R., Alfarhan, A., & Barcelo, D. (2022). Phytochemical analysis, antioxidant, anti-inflammatory, anti-genotoxic, and anticancer activities of different *Ocimum* plant extracts prepared by ultrasound-assisted method. *Physiological and Molecular Plant Pathology*, 117, 101746. <https://doi.org/10.1016/j.pmpp.2021.101746>
- Apak, R., Güçlü, K., Özyürek, M., Bektas, oğlu, B., & Bener, M. (2008). *Cupric Ion Reducing Antioxidant Capacity Assay for Food Antioxidants: Vitamins, Polyphenolics, and Flavonoids in Food Extracts* (pp. 163–193). https://doi.org/10.1007/978-1-60327-517-0_14
- Arpiwi, N. L. . S. N. M. . (2023). Essential Oil from Fresh and Dry Leaves of Rosemary (*Rosmarinus Officinalis* L.): Antioxidant Activity and Microscopic Structure. *Journal of Hunan University Natural Sciences*, 50(3). <https://doi.org/10.55463/issn.1674-2974.50.3.9>
- Astiti, N. P. A., & Ramona, Y. (2021). GC-MS Analysis of Active and Applicable Compounds in Methanol Extract of Sweet Star Fruit (*Averrhoa carambola* L.) Leaves. *HAYATI Journal of Biosciences*, 28(1), 12. <https://doi.org/10.4308/hjb.28.1.12>
- Azizah, N. S., Irawan, B., Kusmoro, J., Safriansyah, W., Farabi, K., Oktavia, D., Doni, F., & Miranti, M. (2023). Sweet Basil (*Ocimum basilicum* L.)—A Review of Its Botany, Phytochemistry, Pharmacological Activities, and Biotechnological Development. *Plants*, 12(24), 4148. <https://doi.org/10.3390/plants12244148>
- B. Marathe, S., Naitik, M., & Z. Shaikh, A. (2022). The Therapeutic Action of

- Queen of Herb (*Ocimum tenuiflorum*). *Research Journal of Pharmacognosy and Phytochemistry*, 192–194. <https://doi.org/10.52711/0975-4385.2022.00034>
- Bader, A., Abdalla, A. N., Obaid, N. A., Youssef, L., Naffadi, H. M., Elzubier, M. E., Almainani, R. A., Flamini, G., Pieracci, Y., & El-Readi, M. Z. (2023). In Vitro Anticancer and Antibacterial Activities of the Essential Oil of Forsskal's Basil Growing in Extreme Environmental Conditions. *Life*, 13(3), 651. <https://doi.org/10.3390/life13030651>
- Bernhardt, B., Szabó, K., & Bernáth, J. (2015). Sources of variability in essential oil composition of *Ocimum americanum* and *Ocimum tenuiflorum*. *Acta Alimentaria*, 44(1), 111–118. <https://doi.org/10.1556/AAlim.44.2015.1.11>
- Boonyanugomol, W., Rukseeree, K., Prapatpong, P., Reamtong, O., Baik, S.-C., Jung, M., Shin, M.-K., Kang, H.-L., & Lee, W.-K. (2021). An In Vitro Anti-Cancer Activity of *Ocimum tenuiflorum* Essential Oil by Inducing Apoptosis in Human Gastric Cancer Cell Line. *Medicina*, 57(8), 784. <https://doi.org/10.3390/medicina57080784>
- Boonyanugomol, W., Rukseeree, K., Prapatpong, P., Reamtong, O., Baik, S.-C., Jung, M., Shin, M.-K., Kang, H.-L., & Lee, W.-K. (2022). Endoplasmic Reticulum Stress and Impairment of Ribosome Biogenesis Mediate the Apoptosis Induced by *Ocimum x africanum* Essential Oil in a Human Gastric Cancer Cell Line. *Medicina*, 58(6), 799. <https://doi.org/10.3390/medicina58060799>
- Calín-Sánchez, Á., Lech, K., Szumny, A., Figiel, A., & Carbonell-Barrachina, Á. A. (2012). Volatile composition of sweet basil essential oil (*Ocimum basilicum* L.) as affected by drying method. *Food Research International*, 48(1), 217–225. <https://doi.org/10.1016/j.foodres.2012.03.015>
- Carvalho, F. A., Oda, F. B., Crotti, A. E. M., Crevelin, E. J., & Dos Santos, A. G. (2021). Geographical chemical variability and processing oxidation of volatile compounds of *Casearia sylvestris* leaves. *Ecletica Quimica*, 46(3), 41–48. <https://doi.org/10.26850/1678-4618eqj.v46.3.2021.p41-48>
- Carvalho Filho, J. L. S., Blank, A. F., Alves, P. B., Ehlert, P. A. D., Melo, A. S., Cavalcanti, S. C. H., Arrigoni-Blank, M. de F., & Silva-Mann, R. (2006). Influence of the harvesting time, temperature and drying period on basil (*Ocimum basilicum* L.) essential oil. *Revista Brasileira de Farmacognosia*, 16(1), 24–30. <https://doi.org/10.1590/S0102-695X2006000100007>
- Chaachouay, N., & Zidane, L. (2024). Plant-Derived Natural Products: A Source for Drug Discovery and Development. *Drugs and Drug Candidates*, 3(1), 184–207. <https://doi.org/10.3390/ddc3010011>
- Chaleshtori, R. S., & Rafieian-Kopaei, M. (2015). Antioxidant and Antibacterial Activity of Basil (*Ocimum basilicum* L.) Essential Oil in Beef Burger. In *Article in Journal of Agricultural Science and Technology*. <https://www.researchgate.net/publication/281728788>
- Chandrasekaran, M., & Venkatesalu, V. (n.d.). *Antibacterial and antifungal efficacy of fatty acid methyl esters from the leaves of Sesuvium portulacastrum L.* <https://www.researchgate.net/publication/51512946>
- Coulibaly, L. L., Bayala, B., Buñay, J., Traoré, A. M. S. A., Zongo, P. F. I., Adico, M. D. W., Figueredo, G., Lobaccaro, J.-M., & Simpoire, J. (2025). Cytotoxic and anti-migratory effects of *Ocimum gratissimum* L. essential oil on prostate and cervical cancer cells in vitro. *Phytomedicine Plus*, 5(3), 100818.

- <https://doi.org/10.1016/j.phyplu.2025.100818>
- Damour, H., Oussekkour, M., Mahdad, I., & Hajjaji, S. El. (2025). Chemical investigation by GC-MS and Head-space and antimicrobial and antioxidant activity of Essential Oils and Their Corresponding Hydrolats from three Species of the Lamiaceae Family. *Research Journal of Pharmacy and Technology*, 2213–2219. <https://doi.org/10.52711/0974-360X.2025.00317>
- Damtew Zigene, Z., Mengesha Kassahun, B., & Tesema Ketaw, T. (n.d.). *The African Journal of Plant Science and Biotechnology Effects of Harvesting Age and Spacing on Leaf Yield and Essential Oil Yield of Rosemary (Rosmarinus officinalis L.)*.
- de Almeida, L. F. R., Portella, R. de O., Bufalo, J., Marques, M. O. M., Facanali, R., & Frei, F. (2016). Non-Oxygenated Sesquiterpenes in the Essential Oil of *Copaifera langsdorffii* Desf. Increase during the Day in the Dry Season. *PLOS ONE*, 11(2), e0149332. <https://doi.org/10.1371/journal.pone.0149332>
- Dhifi, W., Bellili, S., Jazi, S., Bahloul, N., & Mnif, W. (2016). Essential Oils' Chemical Characterization and Investigation of Some Biological Activities: A Critical Review. *Medicines*, 3(4), 25. <https://doi.org/10.3390/medicines3040025>
- Diniz do Nascimento, L., Moraes, A. A. B. de, Costa, K. S. da, Pereira Galúcio, J. M., Taube, P. S., Costa, C. M. L., Neves Cruz, J., de Aguiar Andrade, E. H., & Faria, L. J. G. de. (2020). Bioactive Natural Compounds and Antioxidant Activity of Essential Oils from Spice Plants: New Findings and Potential Applications. *Biomolecules*, 10(7), 988. <https://doi.org/10.3390/biom10070988>
- E, V., S, V., S, R., S, K., & P, P. (2020). Antimicrobial activity and phytochemical screening of *Ocimum americanum* L extracts against pathogenic microorganisms. *Acta Ecologica Sinica*, 40(3), 214–220. <https://doi.org/10.1016/j.chnaes.2019.09.001>
- Eid, A. M., Jaradat, N., Shraim, N., Hawash, M., Issa, L., Shakhsher, M., Nawahda, N., Hanbali, A., Barahmeh, N., Taha, B., & Mousa, A. (2023). Assessment of anticancer, antimicrobial, antidiabetic, anti-obesity and antioxidant activity of *Ocimum Basilicum* seeds essential oil from Palestine. *BMC Complementary Medicine and Therapies*, 23(1), 221. <https://doi.org/10.1186/s12906-023-04058-w>
- Elbe, H., Ozturk, F., Yigitturk, G., Baygar, T., & Cavusoglu, T. (2022). Anticancer activity of linalool: comparative investigation of ultrastructural changes and apoptosis in breast cancer cells. *Ultrastructural Pathology*, 46(4), 348–358. <https://doi.org/10.1080/01913123.2022.2091068>
- Fidyt, K., Fiedorowicz, A., Strzdała, L., & Szumny, A. (2016). β -caryophyllene and β -caryophyllene oxide—natural compounds of anticancer and analgesic properties. *Cancer Medicine*, 5(10), 3007–3017. <https://doi.org/10.1002/cam4.816>
- Frezza, C.; Venditti, A.; Serafini, M. A. (2019). *Phytochemistry, Chemotaxonomy, Ethnopharmacology, and Nutraceuticals of Lamiaceae* (Atta-ur-Rahman (ed.); Vol. 62, pp. 125–178). <https://doi.org/10.1016/B978-0-444-64185-4.00004-6>
- Gabhale, V. P., & Thawkar, B. S. (2025). Exploring the Gastroprotective and Antioxidant Potential of *Ocimum americanum* Leaves Extract in an Ethanol-Induced Gastric Ulcer Model. *Research Journal of Pharmacy and Technology*, 2555–2560. <https://doi.org/10.52711/0974-360X.2025.00365>

- Gossa, A. G. (2024). Effect of Plant Spacing and Harvesting Age on Herbal and Oil Yield Oregano (*Origanum vulgare* L.) in Ethiopia. *Research Journal of Botany*, 19(1), 72–77. <https://doi.org/10.3923/rjb.2024.72.77>
- Gurav, T. P., Dholakia, B. B., & Giri, A. P. (2022). A glance at the chemodiversity of *Ocimum* species: Trends, implications, and strategies for the quality and yield improvement of essential oil. In *Phytochemistry Reviews* (Vol. 21, Issue 3, pp. 879–913). Springer Science and Business Media B.V. <https://doi.org/10.1007/s11101-021-09767-z>
- Gutiérrez-Pacheco, M. M., Torres-Moreno, H., Flores-Lopez, M. L., Velázquez Guadarrama, N., Ayala-Zavala, J. F., Ortega-Ramírez, L. A., & López-Romero, J. C. (2023). Mechanisms and Applications of Citral's Antimicrobial Properties in Food Preservation and Pharmaceuticals Formulations. *Antibiotics*, 12(11), 1608. <https://doi.org/10.3390/antibiotics12111608>
- Hazrati, S., Mollaei, S., Rabbi Angourani, H., Hosseini, S. J., Sedaghat, M., & Nicola, S. (2020). How do essential oil composition and phenolic acid profile of *Heracleum persicum* fluctuate at different phenological stages? *Food Science & Nutrition*, 8(11), 6192–6206. <https://doi.org/10.1002/fsn3.1916>
- Irawan, C., Putri, I. D., Sukiman, M., Utami, A., Ismail I, I., Putri, R. K., Lisandi, A., & Pratama, A. N. (2022). Antioxidant Activity of DPPH, CUPRAC, and FRAP Methods, as well as Activity of Alpha-Glucosidase Inhibiting Enzymes from *Tinospora crispa* (L.) Stem Ultrasonic Extract. *Pharmacognosy Journal*, 14(5), 511–520. <https://doi.org/10.5530/pj.2022.14.128>
- Kancherla, N., Dhakshinmoorthi, A., Chitra, K., Palla, J., & Komaram, R. B. (2023). Preliminary Screening for In-Vitro Antioxidant and Anticancer Potentials in Whole Plant Fractions of *Cayratia Auriculata* (Vitaceae). *Biomedical and Pharmacology Journal*, 16(2), 947–962. <https://doi.org/10.13005/bpj/2677>
- Kaya, D. A., Arslan, M., & Rusu, L.-C. (2013). EFFECTS OF HARVESTING HOUR ON ESSENTIAL OIL CONTENT AND COMPOSITION OF THYMUS VULGARIS. In *FARMACIA* (Vol. 61, Issue 6).
- Khodaei, N., Nguyen, M. M., Mdimagh, A., Bayen, S., & Karboune, S. (2021). Compositional diversity and antioxidant properties of essential oils: Predictive models. *LWT*, 138, 110684. <https://doi.org/10.1016/j.lwt.2020.110684>
- Khodakov, G. V., Kryukov, L. A., Shemesh-Mayer, E., & Kamenetsky-Goldstein, R. (2021). Variability in the Chemical Composition of a New Aromatic Plant *Artemisia balchanorum* in Southern Russia. *Plants*, 11(1), 6. <https://doi.org/10.3390/plants11010006>
- Kholiya, S., Punetha, A., Cha uhan, A., KT, V., Kumar, D., Upadhyay, R. K., & Padalia, R. C. (2022). Essential oil yield and composition of *Ocimum basilicum* L. at different phenological stages, plant density and post-harvest drying methods. *South African Journal of Botany*, 151, 919–925. <https://doi.org/10.1016/j.sajb.2022.11.019>
- Kicel, A., & Olszewska, M. A. (2015). Evaluation of Antioxidant Activity, and Quantitative Estimation of Flavonoids, Saponins and Phenols in Crude Extract and Dry Fractions of *Medicago lupulina* Aerial Parts. *Natural Product Communications*, 10(3). <https://doi.org/10.1177/1934578X1501000326>
- Lokhande, V. Y., & Yadav, A. V. (2018). In vitro Antioxidant and Antidiabetic Activity of Supercritical Fluid extract of Leaves *Ocimum sanctum* L. *Research Journal of Pharmacy and Technology*, 11(12), 5373.

- <https://doi.org/10.5958/0974-360X.2018.00980.0>
- Luanda, A., Ripanda, A., Sahini, M. G., & Makangara, J. J. (2023). Ethnomedicinal uses, phytochemistry and pharmacological study of *Ocimum americanum* L.: A review. *Phytomedicine Plus*, 3(2), 100433. <https://doi.org/10.1016/j.phyplu.2023.100433>
- Machado, T. Q., da Fonseca, A. C. C., Duarte, A. B. S., Robbs, B. K., & de Sousa, D. P. (2022). A Narrative Review of the Antitumor Activity of Monoterpenes from Essential Oils: An Update. *BioMed Research International*, 2022(1). <https://doi.org/10.1155/2022/6317201>
- Maćzka, W., Duda-Madej, A., Grabarczyk, M., & Wińska, K. (2022). Natural Compounds in the Battle against Microorganisms—Linalool. *Molecules*, 27(20), 6928. <https://doi.org/10.3390/molecules27206928>
- Mahcene, Z., Mahcene, Z., Bireche, K., & Serdouk, F. (2020). Socioeconomic valorization and development of a bio-fungicide from essential oils of four Algerian aromatic and medicinal plants: *Artemisia herba alba* Asso, *Mentha pulegium* L, *Rosmarinus officinalis* L and *Ocimum basilicum* L. *Asian Journal Of Research in Chemistry*, 13(6), 473–484. <https://doi.org/10.5958/0974-4150.2020.00084.X>
- Mahendran, G., & Vimolmangkang, S. (2023). Chemical compositions, antioxidant, antimicrobial, and mosquito larvicidal activity of *Ocimum americanum* L. and *Ocimum basilicum* L. leaf essential oils. *BMC Complementary Medicine and Therapies*, 23(1), 390. <https://doi.org/10.1186/s12906-023-04214-2>
- Mallavarapu, G. R., Kulkarni, R. N., Baskaran, K., Rao, L., & Ramesh, S. (1999). Influence of Plant Growth Stage on the Essential Oil Content and Composition in *Davana* (*Artemisia pallens* Wall.). *Journal of Agricultural and Food Chemistry*, 47(1), 254–258. <https://doi.org/10.1021/jf980624c>
- Manaharan, T., Thirugnanasampandan, R., Jayakumar, R., Kanthimathi, M., Ramya, G., & Ramnath, M. (2016). Purified essential oil from *Ocimum sanctum* Linn. triggers the apoptotic mechanism in human breast cancer cells. *Pharmacognosy Magazine*, 12(46), 327. <https://doi.org/10.4103/0973-1296.185738>
- May, A., Suguino, E., Martins, A. ., Barata, L. E. ., & Pinheiro, M. . (2010a). Produção de biomassa e óleo essencial de alecrim (*Rosmarinus officinalis* L.) em função da altura e intervalo entre cortes. *Revista Brasileira de Plantas Mediciniais*, 12(2), 195–200. <https://doi.org/10.1590/s1516-05722010000200011>
- May, A., Suguino, E., Martins, A. ., Barata, L. E. ., & Pinheiro, M. . (2010b). Produção de biomassa e óleo essencial de alecrim (*Rosmarinus officinalis* L.) em função da altura e intervalo entre cortes. *Revista Brasileira de Plantas Mediciniais*, 12(2), 195–200. <https://doi.org/10.1590/S1516-05722010000200011>
- Melese, A. A., Abebe, G., Befa, A., Moges, G., & Degu, B. (2023). THE AGRICULTURAL SCIENCE SOCIETY OF THAILAND Effect of harvesting age and drying methods on essential oil yield of rosemary (*Rosmarinus officinalis* L.) leaves in Wondo Genet, Ethiopia. In *Thai J. Agric. Sci* (Vol. 56, Issue 2).
- Mieso, B., Befa, A., & Haile, T. (2022). Effect of Drying Methods and Drying Days on Essential Oil Content and Physicochemical Properties of Basil

- (*Ocimum basilicum*) Varieties in Ethiopia. *Trends Journal of Sciences Research*, 1(1), 1–11. <https://doi.org/10.31586/ujfst.2022.487>
- Moghaddam, M., Pirbalouti, A. G., Mehdizadeh, L., & Pirmoradi, M. R. (2015). Changes in composition and essential oil yield of *Ocimum ciliatum* at different phenological stages. *European Food Research and Technology*, 240(1), 199–204. <https://doi.org/10.1007/s00217-014-2320-y>
- Mohamed Abdoul-Latif, F., Elmi, A., Merito, A., Nour, M., Risler, A., Ainane, A., Bignon, J., & Ainane, T. (2022). Essential Oils of *Ocimum basilicum* L. and *Ocimum americanum* L. from Djibouti: Chemical Composition, Antimicrobial and Cytotoxicity Evaluations. *Processes*, 10(9), 1785. <https://doi.org/10.3390/pr10091785>
- Mostofa, M. G., Reza, A. S. M. A., Khan, Z., Munira, M. S., Khatoon, M. M., Kabir, S. R., Sadik, M. G., Ağagündüz, D., Capasso, R., Kazi, M., & Alam, A. K. (2024). Apoptosis-inducing anti-proliferative and quantitative phytochemical profiling with in silico study of antioxidant-rich *Leea aequata* L. leaves. *Heliyon*, 10(1), e23400. <https://doi.org/10.1016/j.heliyon.2023.e23400>
- Mugao, L. (2024). Factors influencing yield, chemical composition and efficacy of essential oils. *International Journal of Multidisciplinary Research and Growth Evaluation*, 5(4), 169–178. <https://doi.org/10.54660/IJMRGE.2024.5.4.169-178>
- Mulugeta, S. M., Pluhár, Z., & Radácsi, P. (2024). Phenotypic Variations and Bioactive Constituents among Selected *Ocimum* Species. *Plants*, 13(1). <https://doi.org/10.3390/plants13010064>
- Nagpal, M., Sharma, S., Jambheshwar, G., Rakha, P., & Parle, M. (n.d.). Anti-Inflammatory Activity of Petroleum Ether Extract of Seeds of *Ocimum Basilicum* Linn Milind Parle Anti-Inflammatory Activity of Petroleum Ether Extract of Seeds of *Ocimum Basilicum* Linn. *J. Pharm. and Tech*, 2(3). www.rjptonline.org
- Negi, P., Pandey, S., Rawat, B. S., Ramola, B., Kalra, G., & Thakur, R. (2020). Effect of altitude on essential oil composition, antifeedant and antimicrobial potential of *Murraya koenigii* isolated from different regions of North Himalaya. *RESEARCH JOURNAL OF PHARMACY AND TECHNOLOGY*, 13(12), 5953–5957. <https://doi.org/10.5958/0974-360X.2020.01039.2>
- Nurzyńska-Wierdak, R. B.-K. A. R. B. (2012). Changes in the chemical composition of the essential oil of sweet basil (*Ocimum basilicum* L.) depending on the plant growth stage. *Chemija*, 23(3), 216–222.
- Padalia, R. C., Verma, R. S., & Chauhan, A. (2017). Diurnal variations in aroma profile of *Ocimum basilicum* L., *O. gratissimum* L., *O. americanum* L., and *O. kilimandscharicum* Guerke. *Journal of Essential Oil Research*, 29(3), 248–261. <https://doi.org/10.1080/10412905.2016.1216898>
- Pandey, A. K., Singh, P., & Tripathi, N. N. (2014). Chemistry and bioactivities of essential oils of some *Ocimum* species: An overview. In *Asian Pacific Journal of Tropical Biomedicine* (Vol. 4, Issue 9, pp. 682–694). Asian Pacific Tropical Biomedicine Press. <https://doi.org/10.12980/APJTB.4.2014C77>
- Parida, R., Lata Sahoo, S., Mohanty, S., Sriram Sandeep, I., Kumar Sethy, B., Sahoo, S., & Mohanty, S. (2014). Chemical composition, antioxidant and antimicrobial activities of essential oil from lime basil (*Ocimum Americanum*): A potent source for natural antioxidant. In *Article in International Journal of Pharmacy and Pharmaceutical Sciences*.

- <https://www.researchgate.net/publication/267032131>
- Paula, V. B., Estevinho, L. M., Cardoso, S. M., & Dias, L. G. (2023). Comparative Methods to Evaluate the Antioxidant Capacity of Propolis: An Attempt to Explain the Differences. *Molecules*, 28(12), 4847. <https://doi.org/10.3390/molecules28124847>
- Q S, G. F., L F, P. H., F R, F. A., B N, A. L., & O, L. E. (2015). Antibacterial Activity of the Monoterpene Linalool: Alone and in Association with Antibiotics Against Bacteria of Clinical Importance. Available Online on *Www.Ijppr.Com International Journal of Pharmacognosy and Phytochemical Research*, 7(5). www.ijppr.com
- Rajan, D., K, J., Hamza, A., & Rishana, F. (2020). Comparative Review on Pharmacognostical and Pharmacological activities of Ocimum Species. *Research Journal of Pharmacognosy and Phytochemistry*, 12(1), 37. <https://doi.org/10.5958/0975-4385.2020.00008.4>
- Ramaiah, M., Prathi, A., Singam, B., Tulluru, G., & Tummala, L. (2019). A REVIEW ON OCIMUM SPECIES: OCIMUM AMERICANUM L., OCIMUM BASILICUM L., OCIMUM GRATISSIMUM L. AND OCIMUM TENUIFLORUM L. *International Journal of Research in Ayurveda and Pharmacy*, 10(3), 41–48. <https://doi.org/10.7897/2277-4343.100359>
- Ramos da Silva, L. R., Ferreira, O. O., Cruz, J. N., de Jesus Pereira Franco, C., Oliveira dos Anjos, T., Cascaes, M. M., Almeida da Costa, W., Helena de Aguiar Andrade, E., & Santana de Oliveira, M. (2021). Lamiaceae Essential Oils, Phytochemical Profile, Antioxidant, and Biological Activities. *Evidence-Based Complementary and Alternative Medicine*, 2021, 1–18. <https://doi.org/10.1155/2021/6748052>
- Ray, A., Mohanty, S., Jena, S., Sahoo, A., Acharya, L., Panda, P. C., Sial, P., Duraisamy, P., & Nayak, S. (2022). Drying methods affects physicochemical characteristics, essential oil yield and volatile composition of turmeric (*Curcuma longa* L.). *Journal of Applied Research on Medicinal and Aromatic Plants*, 26, 100357. <https://doi.org/10.1016/j.jarmap.2021.100357>
- Reddy, A. R., Kumar, R. B., Kumar, V. R., Deepthi, M., Lohita, T. N., Sriharsha, M., & Sastry, K. P. (2015). Experimental Studies on effect of Vermicompost and NPK on Essential oil yield of *Ocimum tenuiflorum* var. CIM-Ayu. *Research Journal of Pharmacy and Technology*, 8(11), 1519. <https://doi.org/10.5958/0974-360X.2015.00271.1>
- Roslan, A. S., Ismail, A., Ando, Y., & Azlan, A. (2020). Effect of drying methods and parameters on the antioxidant properties of tea (*Camellia sinensis*) leaves. *Food Production, Processing and Nutrition*, 2(1), 8. <https://doi.org/10.1186/s43014-020-00022-0>
- Ryu, D.-H., Cho, J.-Y., Yang, S.-H., & Kim, H.-Y. (2023). Effects of Harvest Timing on Phytochemical Composition in Lamiaceae Plants under an Environment-Controlled System. *Antioxidants*, 12(11), 1909. <https://doi.org/10.3390/antiox12111909>
- S. Jabir, M., Taha, A., & Sahib, U. (2018). Antioxidant activity of Linalool. *Engineering and Technology Journal*, 36(1B), 64–67. <https://doi.org/10.30684/etj.36.1B.11>
- S. Mann, R., & E. Kaufman, P. (2012). Natural Product Pesticides: Their Development, Delivery and Use Against Insect Vectors. *Mini-Reviews in Organic Chemistry*, 9(2), 185–202.

- <https://doi.org/10.2174/157019312800604733>
- Saeb, K., & Gholamrezaee, S. (2012). Variation of essential oil composition of *Melissa officinalis* L. leaves during different stages of plant growth. *Asian Pacific Journal of Tropical Biomedicine*, 2(2), S547–S549. [https://doi.org/10.1016/S2221-1691\(12\)60271-8](https://doi.org/10.1016/S2221-1691(12)60271-8)
- Shagana, S., Navenaa, S., Vijay, J., Vishali, S., & Rajendran, V. (2021). Investigation of in vitro Anthelmintic activity of *Ocimum basilicum* Linn. (Lamiaceae). *RESEARCH JOURNAL OF PHARMACY AND TECHNOLOGY*, 14(1), 52–54. <https://doi.org/10.5958/0974-360X.2021.00010.X>
- Sharafati-Chaleshtori, R., Rokni, N., Rafieian-Kopaei, M., Drees, F., Sharafati-Chaleshtori, A., & Salehi, E. (2014). Use of Tarragon (*Artemisia dracunculus*) essential oil as a natural preservative in beef burger. *Italian Journal of Food Science*, 26(4), 427–432.
- Shi, C., Song, K., Zhang, X., Sun, Y., Sui, Y., Chen, Y., Jia, Z., Sun, H., Sun, Z., & Xia, X. (2016). Antimicrobial Activity and Possible Mechanism of Action of Citral against *Cronobacter sakazakii*. *PLOS ONE*, 11(7), e0159006. <https://doi.org/10.1371/journal.pone.0159006>
- Silva, G. dos S. e, Marques, J. N. de J., Linhares, E. P. M., Bonora, C. M., Costa, É. T., & Saraiva, M. F. (2022). Review of anticancer activity of monoterpenoids: Geraniol, nerol, geranial and neral. *Chemico-Biological Interactions*, 362, 109994. <https://doi.org/10.1016/j.cbi.2022.109994>
- SOLTANBEIGI, A., & SAMADPOURRIGANI, E. (2021). PHENOLOGICAL CYCLE AND DIURNAL VARIATION EFFECTS ON THE VOLATILE OIL CHARACTERISTICS OF SAGE (*Salvia officinalis* L.). *Trakya University Journal of Natural Sciences*, 22(1), 59–65. <https://doi.org/10.23902/trkjnat.815752>
- Stanojevic, L. P., Marjanovic-Balaban, Z. R., Kalaba, V. D., Stanojevic, J. S., Cvetkovic, D. J., & Cakic, M. D. (2017). Chemical Composition, Antioxidant and Antimicrobial Activity of Basil (*Ocimum basilicum* L.) Essential Oil. *Journal of Essential Oil Bearing Plants*, 20(6), 1557–1569. <https://doi.org/10.1080/0972060X.2017.1401963>
- Tamil Selvi, M., Thirugnanasampandan, R., & Sundarammal, S. (2015). Antioxidant and cytotoxic activities of essential oil of *Ocimum canum* Sims. from India. *Journal of Saudi Chemical Society*, 19(1), 97–100. <https://doi.org/10.1016/j.jscs.2011.12.026>
- Tangpao, T., Charoimek, N., Teerakitchotikan, P., Leksawasdi, N., Jantanasakulwong, K., Rachtanapun, P., Seesuriyachan, P., Phimolsiripol, Y., Chaiyaso, T., Ruksiriwanich, W., Jantrawut, P., Van Doan, H., Cheewangkoon, R., & Sommano, S. R. (2022). Volatile Organic Compounds from Basil Essential Oils: Plant Taxonomy, Biological Activities, and Their Applications in Tropical Fruit Productions. *Horticulturae*, 8(2), 144. <https://doi.org/10.3390/horticulturae8020144>
- Tanumihardja, M., Hastuti, S., Nugroho, J. J., Trilaksana, A. C., Natsir, N., Rovani, C. A., & Muslimin, L. (2020). Viabilities of Odontoblast Cells Following Addition of Haruan Fish in Calcium Hydroxide. *Open Access Macedonian Journal of Medical Sciences*, 8(D), 58–63. <https://doi.org/10.3889/oamjms.2020.4362>
- Telci, I., Bayram, E., Yilmaz, G., & Avci, B. (2006). Variability in essential oil

- composition of Turkish basil (*Ocimum basilicum* L.). *Biochemical Systematics and Ecology*, 34(6), 489–497. <https://doi.org/10.1016/j.bse.2006.01.009>
- Toncer, O., Diraz, E., & Tansi, S. (n.d.). *Essential oil composition of Ocimum basilicum* L. at different phenological stages in semi-arid environmental conditions. <https://www.researchgate.net/publication/326850091>
- Trevisan, M. T. S., Vasconcelos Silva, M. G., Pfundstein, B., Spiegelhalter, B., & Owen, R. W. (2006). Characterization of the volatile pattern and antioxidant capacity of essential oils from different species of the genus *Ocimum*. *Journal of Agricultural and Food Chemistry*, 54(12), 4378–4382. <https://doi.org/10.1021/jf060181+>
- Trevisan MTS, V. S. M. P. B. S. B. O. R. (2006). Characterization of the Volatile Pattern and Antioxidant Capacity of Essential Oils from Different Species of the Genus *Ocimum*. *J Agric Food Chem.*, 4378–4382. <https://doi.org/10.1021/jf060181>
- Tsasi, G., Mailis, T., Daskalaki, A., Sakadani, E., Razis, P., Samaras, Y., & Skaltsa, H. (2017). The Effect of Harvesting on the Composition of Essential Oils from Five Varieties of *Ocimum basilicum* L. Cultivated in the Island of Kefalonia, Greece. *Plants*, 6(3), 41. <https://doi.org/10.3390/plants6030041>
- Vieira, R. F., & Simon, J. E. (2006). Chemical characterization of basil (*Ocimum* spp.) based on volatile oils. *Flavour and Fragrance Journal*, 21(2), 214–221. <https://doi.org/10.1002/ffj.1513>
- Wu, W., Li, G., Zhou, W., Wang, E., Zhao, X., Song, X., & Zhao, Y. (2023). Comparison of Composition, Free-Radical-Scavenging Capacity, and Antibiosis of Fresh and Dry Leave Aqueous Extract from *Michelia shiluensis*. *Molecules*, 28(16), 5935. <https://doi.org/10.3390/molecules28165935>
- Yıldırım, A., Mavi, A., & Kara, A. A. (2001). Determination of Antioxidant and Antimicrobial Activities of *Rumex crispus* L. Extracts. *Journal of Agricultural and Food Chemistry*, 49(8), 4083–4089. <https://doi.org/10.1021/jf0103572>
- Zahran, E. M., Abdelmohsen, U. R., Khalil, H. E., Desoukey, S. Y., Fouad, M. A., & Kamel, M. S. (2020). Diversity, phytochemical and medicinal potential of the genus *Ocimum* L. (Lamiaceae). *Phytochemistry Reviews*, 19(4), 907–953. <https://doi.org/10.1007/s11101-020-09690-9>
- Zengin, G., Ferrante, C., Gnapi, D. E., Sinan, K. I., Orlando, G., Recinella, L., Diuzheva, A., Jekő, J., Cziáky, Z., Chiavaroli, A., Leone, S., Brunetti, L., Picot-Allain, C., Mahomoodally, M. F., Angelini, P., Covino, S., Venanzoni, R., Tirillini, B., & Menghini, L. (2019). Comprehensive approaches on the chemical constituents and pharmacological properties of flowers and leaves of American basil (*Ocimum americanum* L). *Food Research International*, 125, 108610. <https://doi.org/10.1016/j.foodres.2019.108610>
- Zhang, L., Wang, H., Wang, Y., Xu, M., & Hu, X. (2017). Diurnal Effects on Chinese Wild <i>Ledum palustre</i> L. Essential Oil Yields and Composition. *Journal of Analytical Sciences, Methods and Instrumentation*, 07(02), 47–55. <https://doi.org/10.4236/jasmi.2017.72005>