

DAFTAR PUSTAKA

1. Cruz EG, Broca Garcia BE, Sandoval DM, Gopar-Nieto R, Gonzalez Ruiz FJ, Gallardo LD, et al. Renal Resistive Index as a Predictor of Acute Kidney Injury and Mortality in COVID-19 Critically Ill Patients. *Blood Purif.* 2022;51(4):309–16.
2. Haitsma Mulier JLG, Rozemeijer S, Röttgering JG, Spoelstra-de Man AME, Elbers PWG, Tuinman PR, et al. Renal resistive index as an early predictor and discriminator of acute kidney injury in critically ill patients; A prospective observational cohort study. *PLoS One.* 2018;13(6):1–18.
3. Mustafayeva A, Ergün MO, Zengin SÜ. The Role of Neutrophil Gelatinase-associated Lipocalin as a Predictive Biomarker of Acute Kidney Injury in Patients Undergoing Major Abdominal Surgery. *Med J Bakirkoy.* 2022;18(2):127–34.
4. Muthukrishnan K, Parida S, Barathi SD, Badhe AS, Mishra SK. Doppler resistive index to reflect risk of acute kidney injury after major abdominal surgery: A prospective observational trial. *Indian J Anaesth.* 2019;49(4):257–62.
5. Mikkelsen TB, Schack A, Oreskov JO, Gögenur I, Burcharth J, Ekeloef S. Acute kidney injury following major emergency abdominal surgery – a retrospective cohort study based on medical records data. *BMC Nephrol* [Internet]. 2022;23(1):1–11. Tersedia pada: <https://doi.org/10.1186/s12882-022-02708-8>
6. Hunsicker O, Feldheiser A, Weimann A, Liehre D, Sehouli J, Wernecke KD, et al. Diagnostic value of plasma NGAL and intraoperative diuresis for AKI after major gynecological surgery in patients treated within an intraoperative goal-directed hemodynamic algorithm. *Med (United States).* 2017;96(28).
7. Devarajan P. Biomarkers for the early detection of acute kidney injury. *Curr Opin Pediatr.* 2011;23(2):194–200.
8. Zhang J, Qiao H, He Z, Wang Y, Che X, Liang W. Intraoperative fluid

- management in open gastrointestinal surgery: Goal-directed versus restrictive. *Clinics*. 2012;67(10):1149–55.
9. Mårtensson J, Bellomo RR. The rise and fall of NGAL in acute kidney injury. *Blood Purif*. 2014;37(4):304–10.
 10. Antonucci E, Lippi G, Ticinesi A, Pigna F, Guida L, Morelli I, et al. Neutrophil gelatinase-associated lipocalin (NGAL): A promising biomarker for the early diagnosis of acute kidney injury (AKI). *Acta Biomed*. 2014;85(3):289–94.
 11. Boyer N, Eldridge J, Prowle JR, Lui G. Postoperative Acute Kidney Injury. *Clin J Am Soc Nephrol*. 2022;17(10):1535–1545.
 12. Wang W, Li Z, Chen Y, Wu H, Zhang S, Chen X. Prediction value of serum ngal in the diagnosis and prognosis of experimental acute and chronic kidney injuries. *Biomolecules*. 2020;10(7):1–14.
 13. Zhi HJ, Zhao J, Nie S, Ma YJ, Cui XY, Zhang M, et al. Prediction of acute kidney injury: The ratio of renal resistive index to semiquantitative power Doppler ultrasound score-a better predictor? A prospective observational study. *Med (United States)*. 2019;98(21):1–5.
 14. Cappuccilli M, Capelli I, Comai G, Cianciolo G, La Manna G. Neutrophil Gelatinase-Associated Lipocalin as a Biomarker of Allograft Function After Renal Transplantation: Evaluation of the Current Status and Future Insights. *Artif Organs*. 2018;42(1):8–14.
 15. Ginting MAR, Hanafie A, Lubis B. Comparison of neutrophil gelatinase-associated lipocalin and renal resistive index as acute kidney injury predictor in critically ill patients at icu h. Adam malik hospital medan. *Open Access Maced J Med Sci*. 2021;9(B):1637–9.
 16. Abbas Q, Laghari P, Jurair H, Nafis J, Saeed B, Qazi MF, et al. Neutrophil Gelatinase-Associated Lipocalin as a Predictor of Acute Kidney Injury in Children With Shock: A Prospective Study. *Cureus*. 2023;15(1):1–8.
 17. Courtney A, Clymo J, Dorudi Y, Moonesinghe SR, Dorudi S. Scoping review: The terminology used to describe major abdominal surgical procedures. *World J Surg*. 2024;48(3):574–84.

18. Martin D, Mantziari S, Demartines N, Hu M. Defining Major Surgery : A Delphi Consensus Among European Surgical Association (ESA) Members. *World J Surg*. 2020;44(7):2211.
19. Courtney A, Dorudi Y, Clymo J, Cosentino D, Cross T, Moonesinghe SR, et al. Novel approach to defining major abdominal surgery. *Br J Surg* [Internet]. 2024;111(1):1–3. Tersedia pada: <https://doi.org/10.1093/bjs/znad355>
20. Divakaran P, Hong JS, Abbas S, Gwini SM, Nagra S, Stupart D, et al. Failure to Rescue in Major Abdominal Surgery: A Regional Australian Experience. *World J Surg* [Internet]. 2023;47(9):2145–53. Tersedia pada: <https://doi.org/10.1007/s00268-023-07061-x>
21. Renberg M, Jonmarker O, Kilhamn N, Rimes-Stigare C, Bell M, Hertzberg D. Renal resistive index is associated with acute kidney injury in COVID-19 patients treated in the intensive care unit. *Ultrasound J* [Internet]. 2021;13(1). Tersedia pada: <https://doi.org/10.1186/s13089-021-00203-z>
22. Montrieff T, Koyfman A, Long B. Coronary artery bypass graft surgery complications: A review for emergency clinicians. *Am J Emerg Med* [Internet]. 2018;36(12):2289–97. Tersedia pada: <https://doi.org/10.1016/j.ajem.2018.09.014>
23. Vives M, Hernandez A, Parramon F, Estanyol N, Pardina B, Muñoz A, et al. Acute kidney injury after cardiac surgery: Prevalence, impact and management challenges. *Int J Nephrol Renovasc Dis*. 2019;12:153–66.
24. Prowle JR, Forni LG, Bell M, Chew MS, Edwards M, Grams ME, et al. Postoperative acute kidney injury in adult non-cardiac surgery: joint consensus report of the Acute Disease Quality Initiative and PeriOperative Quality Initiative. *Nat Rev Nephrol* [Internet]. 2021;17(9):605–18. Tersedia pada: <http://dx.doi.org/10.1038/s41581-021-00418-2>
25. Gameiro J, Fonseca JA, Neves M, Jorge S, Lopes JA. Acute kidney injury in major abdominal surgery: Incidence, risk factors, pathogenesis and outcomes. *Ann Intensive Care* [Internet]. 2018;8(1):1–10. Tersedia pada: <https://doi.org/10.1186/s13613-018-0369-7>

26. Long TE, Helgason D, Helgadottir S, Palsson R, Gudbjartsson T, Sigurdsson GH, et al. Acute kidney injury after abdominal surgery: Incidence, risk factors, and outcome. *Anesth Analg*. 2016;122(6):1912–20.
27. Diodato M, Chedrawy EG. Coronary artery bypass graft surgery: The past, present, and future of myocardial revascularisation. *Surg Res Pract*. 2014;2014:1–6.
28. Emminarty, Kasim H, Rasyid H, Bakri S, Aman AM, Umar H, et al. Systematic review and meta-analysis: Risk factors of acute kidney injury in major abdominal surgery. *Eur J Mol Clin Med*. 2020;7(8):944–52.
29. An Y, Shen K, Ye Y. Risk factors for and the prevention of acute kidney injury after abdominal surgery. *Surg Today*. 2018;48(6):573–83.
30. Devarajan P. Review: Neutrophil gelatinase-associated lipocalin: A troponin-like biomarker for human acute kidney injury. *Nephrology*. 2010;15(4):419–28.
31. La'ulu SL, Suh-Lailam BB, Davis KW, Straseski JA, Tebo AE. Comparative analysis of neutrophil gelatinase-associated lipocalin and other laboratory markers for lupus nephritis: a cross-sectional investigation. *Ann Clin Biochem*. 2017;54(2):240–5.
32. Park SY, Eom JS, Lee JS, Ju YS, Park JY. Neutrophil gelatinase-associated lipocalin as a predictor of acute kidney injury in patients during treatment with colistimethate sodium. *Infect Chemother*. 2018;50(2):128–37.
33. Andriani M, Puspita Y. Sensitivitas dan Spesifisitas Neutrophil Gelatinase Associated Lipocalin sebagai Penanda Dini Acute Kidney Injury pada Pasien ICU dan HCU. *Anesth Crit Care*. 2015;33(1):272–8.
34. Nath CK, Rajkhowa P, Barman B, Barman H, Dutta A, Pala S, et al. Plasma neutrophil gelatinase-associated lipocalin (NGAL): A candidate biomarker to detect early acute kidney injury (AKI) for at-risk intensive care admissions. *J Fam Med Prim Care* [Internet]. 2017;6(2):169–70. Tersedia pada: <http://www.jfmprc.com/article.asp?issn=2249-4863;year=2017;volume=6;issue=1;page=169;epage=170;aualast=Faizi>
35. Højagergaard MA, Beske RP, Hassager C, Holmvang L, Jensen LO,

- Shacham Y, et al. Neutrophil Gelatinase-Associated Lipocalin (NGAL) in Patients with ST-Elevation Myocardial Infarction and Its Association with Acute Kidney Injury and Mortality. *J Clin Med*. 2023;12(11).
36. Yi A, Lee CH, Yun YM, Kim H, Moon HW, Hur M. Effectiveness of Plasma and Urine Neutrophil Gelatinase-Associated Lipocalin for Predicting Acute Kidney Injury in High-Risk Patients. *Ann Lab Med*. 2020;41(1):60–7.
 37. Romejko K, Markowska M, Niemczyk S. The Review of Current Knowledge on Neutrophil Gelatinase-Associated Lipocalin (NGAL). *Int J Mol Sci*. 2023;24(13).
 38. Darabont R, Mihalcea D, Vinereanu D. Current Insights into the Significance of the Renal Resistive Index in Kidney and Cardiovascular Disease. *Diagnostics*. 2023;13(10).
 39. Nour I, Eldehily K, Abd Elbaset A, Saber H. Renal resistive index as a predictor of hemodialysis and mortality risk in septic patients developing acute kidney injury. *Res Opin Anesth Intensive Care*. 2023;10(1):40.
 40. Pinanditas S, Panji PAS, Widnyana MG, Aryasa T, Sucandra IMAK, Wiryana M, et al. Renal Restrictive Index (RRI) Guided by Ultrasound (USG) as a diagnostic predictor of acute kidney injury in sepsis patients. *PREPOTIF J Kesehat Masy*. 2024;8(1):2482–91.
 41. Bejo Utomo Handayani, Lubis B, Tanjung QF. Korelasi Renal Resistive Index dengan Kejadian Acute Kidney Injury. *Maj Anest Crit Care*. 2024;42(1):33–9.
 42. Zaitoun T, Megahed M, Elghoneimy H, Emara DM, Elsayed I, Ahmed I. Renal arterial resistive index versus novel biomarkers for the early prediction of sepsis-associated acute kidney injury. *Intern Emerg Med* [Internet]. 2024;19(4):971–81. Tersedia pada: <https://doi.org/10.1007/s11739-024-03558-y>
 43. Sharma S, Mudgal S, Thakur K, Gaur R. How to calculate sample size for observational and experiential nursing research studies? *Natl J Physiol Pharm Pharmacol*. 2019;10(0):1.

44. Walikar BN, Singla D, Tripathi DK, Agrawal S, Talawar P, Mishu Mangla. Incidence, risk factors, and outcomes of acute kidney injury in patients undergoing emergency laparotomy – A prospective observational exploratory study. *Indian J Anaesth*. 2019;49(4):257–62.
45. Rosiello G, Larcher A, Fallara G, Basile G, Cignoli D, Colandrea G, et al. The impact of intraoperative bleeding on the risk of chronic kidney disease after nephron-sparing surgery. *World J Urol* [Internet]. 2021;39(7):2553–8. Tersedia pada: <https://doi.org/10.1007/s00345-020-03504-5>
46. Zarbock A, Weiss R, Albert F, Rutledge K, Kellum JA, Bellomo R, et al. Epidemiology of surgery associated acute kidney injury (EPIS-AKI): a prospective international observational multi-center clinical study. *Intensive Care Med*. 2023;49(12):1441–55.
47. Hertzberg D, Ceder SL, Sartipy U, Lund K, Holzmann MJ. Preoperative Renal Resistive Index Predicts Risk of Acute Kidney Injury in Patients Undergoing Cardiac Surgery. *J Cardiothorac Vasc Anesth* [Internet]. 2017;31(3):847–52. Tersedia pada: <http://dx.doi.org/10.1053/j.jvca.2016.10.006>
48. Khairallah MK, Kellani A, Ibrahim HM, Ahmed MS, Mostafa MH. Role of Renal Doppler Ultrasound in Early Detection of Acute Kidney Injury in Critically Ill Patients. *Egypt J Hosp Med*. 2022;88(1):2661–7.
49. Dawood HFA, Abd Rabbih AAR, Fouad HA, El-Shafei MM, Hussein HW. Renal Restrictive Index (RRI) Versus Urinary Neutrophil Gelatinase-Associated Lipocalin (uNGAL) for early prediction of acute kidney injury (AKI) in adults undergoing elective cardiac surgeries with cardiopulmonary bypass: A prospective randomized observa. *Egypt J Anaesth* [Internet]. 2022;38(1):166–73. Tersedia pada: <https://doi.org/10.1080/11101849.2022.2050042>
50. Roffler S, Büchler-Fehlberg H, Dietz A, Achermann R, Aschwanden M, Staub D, et al. Intra-abdominal pressure, renal resistive index, sublingual microcirculation and total body water for guidance of volume resuscitation to avoid acute kidney injury during shock therapy. *Ren Replace Ther*

- [Internet]. 2024;10(1):1–11. Tersedia pada: <https://doi.org/10.1186/s41100-024-00589-1>
51. Wiersema R, Kaufmann T, van der Veen HN, de Haas RJ, Franssen CFM, Koeze J, et al. Diagnostic accuracy of arterial and venous renal Doppler assessment for acute kidney injury in critically ill patients: A prospective study. *J Crit Care* [Internet]. 2020;59:57–62. Tersedia pada: <https://doi.org/10.1016/j.jcrc.2020.05.012>
 52. Cherry AD, Hauck JN, Andrew BY, Li YJ, Privratsky JR, Kartha LD, et al. Intraoperative renal resistive index threshold as an acute kidney injury biomarker. *J Clin Anesth*. 2020;61(September).
 53. Huynh Thanh L, Dao Bui Quy Q, Nguyen Manh K, Nguyen Huu D, Nguyen Trung K, Le Viet T. Preoperative urine neutrophil gelatinase-associated lipocalin predicts mortality in colorectal cancer patients after laparoscopic surgery: A single-center study. *Heal Sci Reports*. 2023;6(10):1–9.
 54. Slagle CL, Goldstein SL, Gavigan HW, Rowe JA, Krallman KA, Kaplan HC, et al. Association between Elevated Urine Neutrophil Gelatinase-Associated Lipocalin and Postoperative Acute Kidney Injury in Neonates. *J Pediatr*. 2021;238:193-201.e2.
 55. Ibrahim IA, Mohamed UM, Samir HH, Sayed HA, Hassan EA, El-salam MSA, et al. Serum Neutrophil Gelatinase Associated Lipocalin (NGAL) as a Biomarker of Acute Kidney Injury after Cardiac Surgery : A Prospective Cohort Study Serum Neutrophil Gelatinase Associated Lipocalin (NGAL) as a Biomarker of Acute Kidney Injury after Cardia. *Med J Cairo Univ*. 2017;85(6):2081–91.
 56. Goldstein SL, Akcan-Arikan A, Afonso N, Askenazi DJ, Basalely AM, Basu RK, et al. Derivation and Validation of an Optimal Neutrophil Gelatinase-Associated Lipocalin Cutoff to Predict Stage 2/3 Acute Kidney Injury (AKI) in Critically Ill Children. *Kidney Int Reports* [Internet]. 2024;9(8):2443–52. Tersedia pada: <https://doi.org/10.1016/j.ekir.2024.05.010>
 57. Sharrod-Cole H, Fenn J, Gama R, Ford C, Giri R, Luckraz H. Utility of

- plasma NGAL for the diagnosis of AKI following cardiac surgery requiring cardiopulmonary bypass: a systematic review and meta-analysis. *Sci Rep* [Internet]. 2022;12(1):1–14. Tersedia pada: <https://doi.org/10.1038/s41598-022-10477-5>
58. Perrotti A, Miltgen G, Chevet-Noel A, Durst C, Vernerey D, Bardonnnet K, et al. Neutrophil gelatinase-associated lipocalin as early predictor of acute kidney injury after cardiac surgery in adults with chronic kidney failure. *Ann Thorac Surg* [Internet]. 2015;99(3):864–9. Tersedia pada: <http://dx.doi.org/10.1016/j.athoracsur.2014.10.011>
 59. Shan X, Littlejohn JE, Peng K, Ji F, Liu H. The effect of perioperative AKI on surgical outcomes. *Anesthesiol Perioper Sci* [Internet]. 2023;1(4):1–4. Tersedia pada: <https://doi.org/10.1007/s44254-023-00032-4>



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI
UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN
KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDDIN
RSPTN UNIVERSITAS HASANUDDIN
RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR
Sekretariat : Lantai 2 Gedung Laboratorium Terpadu
JL. PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.
Contact Person: dr. Agussalim Bukhari, MMed, PhD, SpGK TELP. 081241850858, 0411 5780103, Fax : 0411-581431



REKOMENDASI PERSETUJUAN ETIK

Nomor : 1031/UN4.6.4.5.31/ PP36/ 2024

Tanggal: 22 Nopember 2024

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH24100879	No Sponsor	
Peneliti Utama	dr. Prisia Riane Polii	Sponsor	
Judul Peneliti	RENAL RESISTIVE INDEX SEBAGAI PREDIKTOR AWAL TERJADINYA GAGAL GINJAL AKUT PADA PASIEN OPERASI ABDOMEN MAYOR		
No Versi Protokol	2	Tanggal Versi	21 Nopember 2024
No Versi PSP	2	Tanggal Versi	21 Nopember 2024
Tempat Penelitian	RSUP Dr. Wahidin Sudirohusodo Makassar		
Jenis Review	☐ Exempted ☒ Expedited ☐ Fullboard Tanggal	Masa Berlaku 22 Nopember 2024 sampai 22 Nopember 2025	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Prof. dr. Muh Nasrum Massi, PhD, SpMK, Subsp. Bakt(K)	Tanda tangan 	
Sekretaris KEP Universitas Hasanuddin	dr. Firdaus Hamid, PhD, SpMK(K)	Tanda tangan 	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 jam dan dilengkapi dalam 7 hari dan Lapor SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari prokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan

CURICULUM VITAE

1. DATA PRIBADI

Nama Lengkap : Prisia Riane Polii
Tempat tanggal lahir : Manado, 7 Januari 1989
Jenis Kelamin : Perempuan
Kewarganegaraan : Warga Negara Indonesia
Agama : Kristen Protestan
Alamat : Malalayang Permai, Manado
Email : prisiapolii89@gmail.com

2. RIWAYAT PENDIDIKAN

No	Jenjang Pendidikan	Institusi	Tahun	Tempat
1	SD	SD. Kartika VII-3 Manado	1998-2004	Manado
2	SMP	SMP Negeri 1 Manado	2004-2007	Manado
3	SMA	SMA Negeri 1 Manado	2007-2010	Manado
4	S1 & PROFESI	FK Universitas Sam Ratulangi	2010-2016	Manado
5	PPDS	Departemen Ilmu Anestesi, Terapi Intensif dan Manajemen Nyeri FK Universitas	2021-2025	Makassar