

DAFTAR PUSTAKA

- Abbas, A.K., Aster, J.C., dan Kumar, V. (2020). *Buku Ajar Patologi Robbins*. Edisi X. Jakarta : Penerbit Buku Kedokteran EGC.
- Aizawa H., Kawabata H., Sato A., Watanabe T., Tsujino T., Isobe K., *et al.* *A Comparative Study of the Effects of Anticoagulants on Pure Platelet-Rich Plasma Quality and Potency*. *Biomedicines Journal*. 2020;8(42):1-14.
- Alves R., Grimalt R. *A Review of Platelet-Rich Plasma: History, Biology, Mechanism of Action, and Classification*. *Skin Appendage Disorders*. 2018;4,18-24.
- Anitua, E. *et al.* (2004) 'Autologous platelets as a source of proteins for healing and tissue regeneration.', *Thrombosis and haemostasis*, 91(1), pp. 4–15. doi: 10.1160/TH03-07-0440.
- Arita, A. and Tobita, M. (2024) 'Adverse events related to platelet-rich plasma therapy and future issues to be resolved', *Regenerative Therapy*, 26, pp. 496–501. Available at: <https://doi.org/10.1016/j.reth.2024.07.004>.
- Asri, L.A. (2020). Efek pemberian aktivator kalsium klorida terhadap kadar transforming growth factor beta pada platelet rich plasma dengan kondisi penyimpanan yang berbeda. Program Studi Ilmu Patologi Klinik, Fakultas Kedokteran, Universitas Hasanudin. <https://repository.unhas.ac.id/1226/>
- Bacevich, B. M., Smith, R. D. J., Reihl, A. M., Mazzocca, A. D., & Hutchinson, I. D. (2024). Advances with platelet-rich plasma for bone healing. *Biologics: Targets & Therapy*, 18, 29–59. <https://doi.org/10.2147/BTT.S290341>
- Bardini, M., Clementi, G., Torcianti, M., Del Bianco, D., Cantori, I., Procaccini, R. and Gigante, A. (2026) 'Standardization of Platelet-Rich Plasma Preparation in Orthopedics: A Review of the Literature and Proposal for a Reproducible Protocol', *LabMed*, published 17 March. Available at: <https://doi.org/10.3390/labmed3010008>
- Bain, B. J. and Leach, M. (2025) *Blood cells: a practical guide*. John Wiley & Sons.
- Cao, Y. *et al.* (2021) 'A narrative review of the research progress and clinical application of platelet-rich plasma', *Annals of palliative medicine*, 10(4), pp. 4823–4829. Available at: <https://doi.org/10.21037/apm-20-2223>
- Carvalho, A. *et al.* (2024). Optimization of Platelet-Rich Plasma Preparation for Regenerative Medicine: Comparison of Different Anticoagulants and Resuspension Media. *Bioengineering*, 11(3), pp. 1–11. Available at: <https://doi.org/10.3390/bioengineering11030209>.
- Cash, C., & Lee, D. (2025). The impact of anticoagulant used for peripheral blood collection on NK cell yield, function, and proliferation. *Transfusion and Apheresis Science*. <https://doi.org/10.1016/j.transci.2025.104253>
- Chandrappa, S. M. *et al.* (2024). Effect of type of anticoagulant, transportation time , and glucose in the culture media on neutrophil viability and function test results in dairy cattle. Pp. 1-12. Available at : <https://doi.org/10.1371/journal.pone.0311741>.
- Clarissa, S.C., Nugraha, J.N. and Ruddy, T. (2019) 'Perbedaan Jumlah Trombosit Platelet Rich Plasma Yang Menggunakan Tabung Natrium Sitrat Dan Tabung ACD-A', *Jurnal Widya Medika*, 5(1), pp. 24–34. Available at: <https://doi.org/10.33508/jwm.v5i1.1996>.
- Dashore S, Chouhan K, Nanda S, Sharma A. 2021. 'Preparation of platelet-rich plasma: National IADVL PRP taskforce recommendations'. *Indian Dermatol Online J*;12:S12-23.

- Dhurat, R., & Sukesh, M. S. (2014). Principles and Methods of Preparation of Platelet-Rich Plasma: A Review and Author's Perspective. *Journal of Cutaneous and Aesthetic Surgery*, 7(4), 18-197.
- Dohan Ehrenfest, D. M. *et al.* (2014). Classification of platelet concentrates (Platelet-Rich Plasma-PRP, Platelet-Rich Fibrin-PRF) for topical and infiltrative use in orthopedic and sports medicine: current consensus, clinical implications and perspectives. *Muscles, ligaments and tendons journal*, 4(1), pp. 3–9.
- Du, L., Miao, Y., Li, X., Shi, P., & Hu, Z. (2018). A novel and convenient method for the preparation and activation of prp without any additives: Temperature controlled prp. *BioMed Research Internasional*. 1761865-1761865. doi:10.1155/2018/1761865
- Everts, P. *et al.* (2020). Platelet-rich plasma: New performance understandings and therapeutic considerations in 2020. *International Journal of Molecular Sciences*, 21(20), pp. 1–36. <https://doi.org/10.3390/ijms21207794>.
- Fajaryani, D., Rahayu, M and Limijadi, E.K.S. (2020). 'Perbedaan jumlah trombosit, leukosit dan eritrosit dengan kecepatan sentrifugasi yang berbeda pada pembuatan platelet rich plasma'. *Medica hospitalia : Journal of clinical medicine*, 7 (1), pp. 12-16. <https://doi.org/10.36408/mhjcm.v7i1.421>
- Ghanem L, Kirmani N, Palacios-Ortiz MP, Cevallos-Cueva M, Mendoza-Millán DL, Almeida Nascimento GV and Velasco-Tamariz V. (2025). Comparison of single-spin to double-spin platelet-rich plasma centrifugation methods in the treatment of androgenic alopecia: a systematic review and meta-analysis of randomized controlled trials. *Front. Med.* 12:1631087. doi: 10.3389/fmed.2025.1631087
- Giraldo, C. E., Álvarez, M. E. and Carmona, J. U. (2015). Effects of sodium citrate and acid citrate dextrose solutions on cell counts and growth factor release from equine pure-platelet rich plasma and pure-platelet rich gel. *BMC veterinary research*, 11, p. 60. doi: 10.1186/s12917-015-0370-4.
- Gorodilova, A. V. *et al.* (2024). The Well-Forgotten Old: Platelet-Rich Plasma in Modern Anti-Aging Therapy. *Cells*, 13(21). Available at : <https://doi.org/10.3390/cells13211755>.
- Hennø, L. T. *et al.* (2017). Effect of the anticoagulant, storage time and temperature of blood samples on the concentrations of 27 multiplex assayed cytokines – Consequences for defining reference values in healthy humans. *Cytokine*, 97, pp. 86–95. doi: <https://doi.org/10.1016/j.cyto.2017.05.014>.
- Hermendy, B.E. and Pawarti, D.R. (2017) 'Peran Transforming Growth Factor Beta (TGF-B) Pada Rhinitis Alergi', *Tht*, 10(1), pp. 27–36.
- Kiswari, Rukman. 2014. Hematologi dan Tranfusi. Edisi pertama. Jakarta: Gelora Aksara Pratama.
- Kumar, S., Jashanpreet, J. and Singh, R. (2022). Role of platelets rich plasma in tendinopathy. *International journal of health sciences*, 6(March), pp. 9988–9996. Available at: <https://doi.org/10.53730/ijhs.v6ns1.7362>.
- Laidling, S.R. *et al.* (2020). Combination of platelet-rich plasma and stromal vascular fraction on the level of transforming growth factor- β in rat subjects experiencing deep dermal burn injury. *Annals of Medicine and Surgery*, 60(December), pp. 737–742. Available at: <https://doi.org/10.1016/j.amsu.2020.11.088>.
- Lippi, G. *et al.* (2005). Preanalytical variability in laboratory testing: influence of the blood drawing technique. *Clinical chemistry and laboratory medicine*, 43(3), pp. 319–325. doi: 10.1515/CCLM.2005.055.

- Locatelli, L. *et al.* (2021) 'Platelets in Wound Healing: What Happens in Space?', *Frontiers in Bioengineering and Biotechnology*, 9(October), pp. 1–11. Available at: <https://doi.org/10.3389/fbioe.2021.716184>.
- McPherson, R. A. and Pincus, M. R. (2021). *Henry's clinical diagnosis and management by laboratory methods E-book*. Elsevier Health Sciences.
- Miguel-Pastor, L. *et al.* (2022). Evaluation of a Standardized Protocol for Plasma Rich in Growth Factors Obtention in Cats: A Prospective Study. *Frontiers in veterinary science*, 9, p. 866547. doi: 10.3389/fvets.2022.866547.
- Mohan SP, Jaishangar N, Devy S, Narayanan A, Cherian D, Madhavan SS. 2019. 'Platelet-rich plasma and platelet-rich fibrin in periodontal regeneration: A review'. *J Pharm Bioall Sci*;11: S126-30
- Margiana, R. *et al.* (2023) 'Peran Platelet-Rich-Plasma Terhadap Regenerasi Cedera Nervus Ischiadicus Pada Model Tikus : Kajian Terhadap Gambaran Makroskopik Dan Mikroskopis Akson Serta Fungsi Berjalan', pp. 191–204.
- Munawirah, A. Esa, T. Bahrin, U. 2020. The analysis of platelet counts and platelet derivat growth factor-BB levels in platelet rich plasma products produced with EDTA as anticoagulant in three different centrifugation methods. *Indian journal of public health research and development*. 11(6), 1204-1209
- Muthu, S., Krishnan, A. and Ramanathan, K.R. (2022) 'Standardization and validation of a conventional high yield platelet-rich plasma preparation protocol', *Annals of Medicine and Surgery*, 82(August), p. 104593. Available at: <https://doi.org/10.1016/j.amsu.2022.104593>.
- MyBioSource. (2021). 'Technical Manual : Human Transforming Growth Factor Beta (TGF- β) ELISA Kit'
- Nayak, R. & Rai, S., 2017. *Essentials in Hematology and Clinical Pathology*. 2nd ed. New Delhi: Jaypee Brothers Medical Publishers.
- Nugraha, H. K., Muljanti, M., Hernaningsih, Y., & Nugraha, J. 2012. Platelet-Rich Preparation Protocols Plasma : A Preliminary Study. *Indonesian Journal of Tropical and Infectious Disease* vol 3(2), 104107.
- Pachito, D. V., Ragattini, Â. M., de Almeida, A. M., Mendrone-Junior, A., & Riera, R. (2020). Technical procedures for preparation and administration of platelet-rich plasma and related products: A scoping review. *Frontiers in Cell and Developmental Biology*, 8, Article 598816. <https://doi.org/10.3389/fcell.2020.598816>
- Patel, H. *et al.* (2023). A Comprehensive Review on Platelet-Rich Plasma Activation: A Key Player in Accelerating Skin Wound Healing. *Cureus*, 15(11). Available at: <https://doi.org/10.7759/cureus.48943>.
- Pineda-Cortel, M. R., Suarez, C., Cabrera, J.-T., Daya, M., Bonifacio, R. B. L., Vergara, R. C., Dacanay, A. T. L., & Villaverja, A. (2024). Complexity of platelet-rich plasma: Mechanism of action, growth factor utilization and variation in preparation. *Plasmatherapy*, 18. Available at : <https://doi.org/10.1177/26348535241277625>
- Putrie, I.R. *et al.* (2023). Efektifitas Penggunaan Platele Rich Plasma (PRP) Pada Penderita Diabetes Foot Ulcers. *Literature review*, 8(Maret), pp. 59–64.
- Putu, I. and Widyadharma, E. (2013) 'Peranan Platelet-Rich Plasma Dalam Manajemen Nyeri "The role of Platelet-rich Plasma in Pain Management"'. Available at: <https://www.researchgate.net/publication/311042163>

- Reksodiputro, M.H. (2023). Aplikasi terkini konsentrat platelet autologus pada rekayasa jaringan untuk meningkatkan kualitas hidup manusia.
- Samad, R., Abdullah, A.A., Kusriy, A.P. & Arif, M., 2014. Waktu penyimpanan platelet terkait jumlah dan fungsi platelet di Laboratorium Patologi Klinik RSUD Dr. Soetomo Surabaya. *Indonesian Journal of Clinical Pathology and Medical Laboratory*, 21(3), pp.190–196
- Saqlain, N. *et al.* (2023) 'Comparison of single and double centrifugation methods for preparation of Platelet-Rich Plasma (PRP)', *Pakistan Journal of Medical Sciences*, 39(3), pp. 634–637. Available at: <https://doi.org/10.12669/pjms.39.3.7264>.
- Sc, H. *et al.* (2016). In vitro study of the role of thrombin in platelet rich plasma preparation : utility for gel formation and impact in growth factors release. *Journal of Stem Cells and Regenerative Medicine*, 12(1), pp. 2–9.
- Sheikh, Z. and Ahmed, I. (2020). Effect of two anticoagulants on haematological, biochemical parameters and blood cell morphology of Himalayan snow trout, *Schizopygeplagiostomus*. *Tissue and Cell*, 67, p. 101398. doi: 10.1016/j.tice.2020.101398.
- Sonker, A., & Dubey, A. (2015). Determining the effect of preparation and storage: An effort to streamline platelet components as a source of growth factors for clinical application. *Transfusion Medicine and Hemotherapy*, 42(3), 174-180.
- Tey RV, Haldankar P, Joshi VR, Raj R, Maradi R. 2022. Variability in platelet-rich plasma preparations used in regenerative medicine: a comparative analysis. *Stem Cells Int.* 2022. Article ID 3352398. <https://doi:10.1155/2022/3352398>.
- Theodore E. Harrison, Jannice Bowler, Todd N. Levins, An-Lin Cheng & K. Dean Reeves. (2019). 'Platelet yield and yield consistency for six single-spin methods of platelet rich plasma preparation, Platelets'. DOI: 10.1080/09537104.2019.1663808
- Tryadi, A. (2021) *Analisis kadar platelet-derived growth factor-BB pada platelet rich plasma dengan penambahan aktivator trombin pada suhu dan waktu penyimpanan yang berbeda*. Program studi magister ilmu patologi klinik, Fakultas Kedokteran, Universitas Hasanuddin. Tersedia di: <https://repository.unhas.ac.id/13958/>
- Walther, M. *et al.* (2009). Bioactive TGF-beta levels can be preserved in plasma samples collected into heparin but not EDTA. *Cytokine*, 48(3), pp. 267–272. doi: 10.1016/j.cyto.2009.08.004.
- Weibric, G. *et al.* (2002). Quantification of thrombocyte growth factors in platelet concentrates produced by discontinuous cell separation. *Growth factors (Chur, Switzerland)*, 20(2), pp. 93–97. doi: 10.1080/08977190290031950.
- Wu, W. *et al.* (2025). 'Platelet-rich plasma (PRP): molecular mechanisms, actions and clinical applications in human body'. *International Journal of Molecular Sciences*. 26(21), p. 10804. doi:10.3390/ijms262110804.
- Wulandari, S. and Oktariana, D. (2024). Potensi Growth Factor dalam Platelet Rich Plasma (PRP) sebagai Pengobatan Regeneratif: Tinjauan Pustaka. *JPP (Jurnal Kesehatan Poltekkes Palembang)*, 19(1), pp. 48–55. Available at: <https://doi.org/10.36086/jpp.v19i1.2195>.
- Yayuningsih, Dewi, Hendro Prayitno dan Roudhotul Mazidah. Hematologi. 2018. Edisi Pertama. Jakarta: EGC.
- Yuliandari, A. (2021) 'Pengaruh Durasi Penyimpanan Whole Blood Terhadap Jumlah Trombosit Platelet Rich Plasma (Prp)', *Jurnal Sains dan Teknologi Laboratorium Medik*, 5(1), pp. 21–26. <https://doi.org/10.52071/jstlm.v5i1.66>

